

**§ 444.14 Effluent limitations attainable by the application of the best conventional pollutant control technology (BCT).**

Except as provided in 40 CFR 125.30 through 125.32, any existing point source subject to this subpart must achieve the following effluent limitations representing the application of BCT: Limitations for TSS and pH are the same as the corresponding limitation specified in § 444.13.

**§ 444.15 Effluent limitations attainable by the application of the best available technology economically achievable (BAT).**

Except as provided in 40 CFR 125.30 through 125.32, any existing point source subject to this subpart must achieve the following effluent limitations representing the application of BAT: Limitations for arsenic, cadmium, chromium, copper, lead, mercury, silver, titanium and zinc are the same as the corresponding limitation specified in § 444.13.

**§ 444.16 Pretreatment standards for existing sources (PSES).**

Except as provided in 40 CFR 403.7 and 403.13, any source that introduces wastewater pollutants into a POTW must comply with part 403 and achieve the following pretreatment standards:

PRETREATMENT STANDARDS <sup>1</sup>

Regulated parameter	Maximum daily	Maximum monthly avg.
Arsenic .....	84	72
Cadmium .....	71	26
Chromium .....	25	14
Copper .....	23	14
Lead .....	57	32
Mercury .....	2.3	1.3
Silver .....	13	8
Titanium .....	60	22
Zinc .....	82	54

<sup>1</sup> Micrograms per liter (ppb)

**§ 444.17 New source performance standards (NSPS).**

Any new source subject to this subpart must achieve the following performance standards: Standards for TSS, arsenic, cadmium, chromium, copper, lead, mercury, silver, titanium, zinc and pH are the same as the corresponding limitation specified in § 444.13.

**§ 444.18 Pretreatment standards for new sources (PSNS).**

Except as provided in 40 CFR 403.7, any source that introduces wastewater pollutants into a POTW must comply with 40 CFR part 403 and achieve the following pretreatment standards: Standards for arsenic, cadmium, chromium, copper, lead, mercury, silver, titanium and zinc are the same as the corresponding limitation specified in § 444.16.

[65 FR 4381, Jan. 27, 2000; 65 FR 33423, May 23, 2000]

**PART 445—LANDFILLS POINT SOURCE CATEGORY**

Sec.

- 445.1 General applicability.
- 445.2 General definitions.
- 445.3 General pretreatment standards.

**Subpart A—RCRA Subtitle C Hazardous Waste Landfill**

- 445.10 Applicability.
- 445.11 Effluent limitations attainable by the application of the best practicable control technology currently available (BPT).
- 445.12 Effluent limitations attainable by the application of the best conventional pollutant control technology (BCT).
- 445.13 Effluent limitations representing the degree of effluent reduction attainable by the application of the best available technology economically achievable (BAT).
- 445.14 New source performance standards (NSPS).

**Subpart B—RCRA Subtitle D Non-Hazardous Waste Landfill**

- 445.20 Applicability.
- 445.21 Effluent limitations attainable by the application of best practicable control technology currently available (BPT).
- 445.22 Effluent limitations attainable by the best conventional pollutant control technology (BCT).
- 445.23 Effluent limitations representing the degree of effluent reduction attainable by the application of the best available technology economically achievable (BAT).
- 445.24 New source performance standards (NSPS).

AUTHORITY: Secs. 301, 304, 306, 307, 308, 402 and 501 of the Clean Water Act, as amended (33 U.S.C. 1311, 1314, 1316, 1317, 1318, 1342 and 1361)