




APPENDIX L TO PART 305—SAMPLE LABELS




PROTOTYPE LABEL 1



PROTOTYPE LABEL 2



PROTOTYPE LABEL 3



PROTOTYPE LABEL 4

U.S. Government Federal law prohibits removal of this label before consumer purchase.

ENERGYGUIDE

Refrigerator-Freezer
• Automatic Defrost
• Side-Mounted Freezer
• Through-the-Door Ice

XYZ Corporation
Model ABC-L
Capacity: 23 Cubic Feet

Estimated Yearly Operating Cost

\$58

\$57 \$74

Cost Range of Similar Models


545 kWh
Estimated Yearly Electricity Use

Your cost will depend on your utility rates and use.

- Cost range based only on models of similar capacity with automatic defrost, side-mounted freezer, and through-the-door ice.
- Estimated operating cost based on a 2007 national average electricity cost of 10.65 cents per kWh.
- For more information, visit www.ftc.gov/appliances.

ENERGY STAR

SAMPLE LABEL 1



SAMPLE LABEL 2

U.S. Government Federal law prohibits removal of this label before consumer purchase.

ENERGYGUIDE

Dishwasher
Capacity: Standard

XYZ Corporation
Models G39, X88, Z33

Estimated Yearly Operating Cost
(when used with an electric water heater)

\$19

\$20 \$50

Cost Range of Similar Models

The estimated yearly operating cost of this model was not available at the time the range was published.

175 kWh

Estimated Yearly Electricity Use

\$13

Estimated Yearly Operating Cost
(when used with a natural gas water heater)

Your cost will depend on your utility rates and use.

- Cost range based only on standard capacity models.
- Estimated operating cost based on four wash loads a week and a 2007 national average electricity cost of 10.65 cents per kWh and natural gas cost of \$1.218 per therm.
- For more information, visit www.ftc.gov/appliances.

SAMPLE LABEL 3

U.S. Government Federal law prohibits removal of this label before consumer purchase.

ENERGYGUIDE

Room Air Conditioner
Without Reverse Cycle
With Louvered Sides

XYZ Corporation
Model 12X4
Capacity: 13,000 BTUs

Estimated Yearly Operating Cost

\$103

\$59 \$112

Cost Range of Similar Models

10.1
Energy Efficiency Ratio

Your cost will depend on your utility rates and use.

- Cost range based only on models of similar capacity without reverse cycle and with louvered sides.
- Estimated operating cost based on a 2007 national average electricity cost of 10.65 cents per kWh.
- For more information, visit www.ftc.gov/appliances.

SAMPLE LABEL 4

U.S. Government Federal law prohibits removal of this label before consumer purchase.

ENERGYGUIDE

Water Heater - Natural Gas
Capacity (first hour rating): 105 gallons

XYZ Corporation
Model RP23XY27



Estimated Yearly Operating Cost

\$328



\$276 \$345


Cost Range of Similar Models

269 therms
Estimated Yearly Energy Use


Your cost will depend on your utility rates and use.

- Cost range based only on models of similar capacity fueled by natural gas.
- Estimated operating cost based on a 2007 national average natural gas cost of \$1.218 per therm.
- For more information, visit www.ftc.gov/appliances.


SAMPLE LABEL 5




SAMPLE LABEL 6



SAMPLE LABEL 7



SAMPLE LABEL 8



SAMPLE LABEL 9

Lamp Packaging Disclosures

Specifications

- All required disclosures must be clear and conspicuous.
- The words "light output" must appear first in order, followed by the lumens number. The word "lumens" must be close to either "light output" or the lumens number.
- The words "energy used" must appear second in order, followed by the wattage number. The word "watts" must be close to either "energy used" or the wattage number.
- The word "life" must appear third in order, followed by the life in hours number. The word "hours" must be close to either "life" or the life in hours number.
- The numbers for light output, energy used, and life must be of equal size and in the same typestyle.
- The words "light output," "energy used," and "life" must be of equal size and in the same typestyle.
- The words "lumens," "watts," and "hours" must be of equal size and in the same typestyle, but only approximately 50 percent of the size of the words "light output," "energy used," and "life."

Illustration

Note: This illustrates the elements and relative sizes of the required disclosures.

Principal Display Panel

Light Output	1710 Lumens	To save energy costs, find the bulbs with the light output you need, then choose the one with the lowest watts.
Energy Used	100 Watts	
Life	750 Hours	

Incandescent (non-reflector) Lamp Illustration

Lamp Packaging Disclosures


Specifications

- All required disclosures must be clear and conspicuous.
- The words "light output" must appear first in order, followed by the lumens number. The word "lumens" must be close to either "light output" or the lumens number.
- The words "energy used" must appear second in order, followed by the wattage number. The word "watts" must be close to either "energy used" or the wattage number.
- The word "life" must appear third in order, followed by the life in hours number. The word "hours" must be close to either "life" or the life in hours number.
- The numbers for light output, energy used, and life must be of equal size and in the same typestyle.
- The words "light output," "energy used," and "life" must be of equal size and in the same typestyle.
- The words "lumens," "watts," and "hours" must be of equal size and in the same typestyle, but only approximately 50 percent of the size of the words "light output," "energy used," and "life."

Illustration

Note: This illustrates the elements and relative sizes of the required disclosures.

Principal Display Panel



Incandescent (non-reflector) Lamp Illustration

Lamp Packaging Disclosures

Specifications

- All required disclosures must be clear and conspicuous.
- The words "light output" must appear first in order, followed by the lumens number. The word "lumens" must be close to either "light output" or the lumens number.
- The words "energy used" must appear second in order, followed by the wattage number. The word "watts" must be close to either "energy used" or the wattage number.
- The word "life" must appear third in order, followed by the life in hours number. The word "hours" must be close to either "life" or the life in hours number.
- The numbers for light output, energy used, and life must be of equal size and in the same typestyle.
- The words "light output," "energy used," and "life" must be of equal size and in the same typestyle.
- The words "lumens," "watts," "hours," and "at beam spread" must be of equal size and in the same typestyle, but only approximately 50 percent of the size of the words "light output," "energy used," and "life."

Illustration

Note: This illustrates the elements and relative sizes of the required disclosures.

Principal Display Panel

Light Output at beam spread	985 Lumens	To save energy costs, find the bulbs with the light output you need, then choose the one with the lowest watts.	
Energy Used	75 Watts		
Life	2,000 Hours		

*  means this bulb meets Federal minimum efficiency standards.

The explanatory statement next to the encircled "E" on the principal display panel above could be disclosed (clearly and conspicuously) on another panel, provided asterisks and the words "See [Back, Top, Side] panel for details" are used.

Incandescent Reflector Lamp Illustration

Lamp Packaging Disclosures

Specifications

- All required disclosures must be clear and conspicuous.
- The words "light output" must appear first in order, followed by the lumens number. The word "lumens" must be close to either "light output" or the lumens number.
- The words "energy used" must appear second in order, followed by the wattage number. The word "watts" must be close to either "energy used" or the wattage number.
- The word "life" must appear third in order, followed by the life in hours number. The word "hours" must be close to either "life" or the life in hours number.
- The numbers for light output, energy used, and life must be of equal size and in the same typestyle.
- The words "light output," "energy used," and "life" must be of equal size and in the same typestyle.
- The words "lumens," "watts," "hours," and "at beam spread" must be of equal size and in the same typestyle, but only approximately 50 percent of the size of the words "light output," "energy used," and "life."

Illustration

Note: This illustrates the elements and relative sizes of the required disclosures.

Principal Display Panel

<p>Light Output at beam spread</p> <p>985 Lumens</p>	<p>Energy Used</p> <p>75 Watts</p>	<p>Life</p> <p>2,000 Hours</p>	<p>E*</p>
<p>To save energy costs, find the bulbs with the light output you need, then choose the one with the lowest watts.</p>			<p>* E means this bulb meets Federal minimum efficiency standards.</p>

The explanatory statement next to the encircled "E" on the principal display panel above could be disclosed (clearly and conspicuously) on another panel, provided asterisks and the words "See [Back, Top, Side] panel for details" are used.

Incandescent Reflector Lamp Illustration

Lamp Packaging Disclosures

Specifications

- All required disclosures must be clear and conspicuous.
- The words "light output" must appear first in order, followed by the lumens number. The word "lumens" must be close to either "light output" or the lumens number.
- The words "energy used" must appear second in order, followed by the wattage number. The word "watts" must be close to either "energy used" or the wattage number.
- The word "life" must appear third in order, followed by the life in hours number. The word "hours" must be close to either "life" or the life in hours number.
- The numbers for light output, energy used, and life must be of equal size and in the same typestyle.
- The words "light output," "energy used," and "life" must be of equal size and in the same typestyle.
- The words "lumens," "watts," and "hours" must be of equal size and in the same typestyle, but only approximately 50 percent of the size of the words "light output," "energy used," and "life."

Illustration

Note: This illustrates the elements and relative sizes of the required disclosures.

Principal Display Panel

Light Output	1200 Lumens	To save energy costs, find the bulbs with the light output you need, then choose the one with the lowest watts.
Energy Used	20 Watts	
Life	10,000 Hours	

Compact Fluorescent Lamp Illustration

Lamp Packaging Disclosures

Specifications

- All required disclosures must be clear and conspicuous.
- The words "light output" must appear first in order, followed by the lumens number. The word "lumens" must be close to either "light output" or the lumens number.
- The words "energy used" must appear second in order, followed by the wattage number. The word "watts" must be close to either "energy used" or the wattage number.
- The word "life" must appear third in order, followed by the life in hours number. The word "hours" must be close to either "life" or the life in hours number.
- The numbers for light output, energy used, and life must be of equal size and in the same typestyle.
- The words "light output," "energy used," and "life" must be of equal size and in the same typestyle.
- The words "lumens," "watts," and "hours" must be of equal size and in the same typestyle, but only approximately 50 percent of the size of the words "light output," "energy used," and "life."

Illustration

Note: This illustrates the elements and relative sizes of the required disclosures.

Principal Display Panel

Light Output 1200 Lumens	Energy Used 20 Watts	Life 10,000 Hours
--	--------------------------------------	--------------------------------

To save energy costs, find the bulbs with the light output you need, then choose the one with the lowest watts.

Compact Fluorescent Lamp Illustration

ENERGY INFORMATION at High Speed		
Airflow 5,609 Cubic Feet Per Minute	Electricity Use 63 Watts (excludes lights)	Airflow Efficiency 80 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		
Money-Saving Tip: Turn off fan when leaving room.		

Ceiling Fan Label Illustration

[59 FR 25212, May 13, 1994; 59 FR 34053, July 1, 1994. Redesignated at 59 FR 49565, Sept. 28, 1994]

EDITORIAL NOTE: For FEDERAL REGISTER citations affecting appendix L, see the List of CFR Sections Affected, which appears in the Finding Aids section of the printed volume and on GPO Access.

PART 306—AUTOMOTIVE FUEL RATINGS, CERTIFICATION AND POSTING

GENERAL

Sec.

- 306.0 Definitions.
- 306.1 What this rule does.
- 306.2 Who is covered.
- 306.3 Stayed or invalid parts.
- 306.4 Preemption.

DUTIES OF REFINERS, IMPORTERS, AND PRODUCERS

- 306.5 Automotive fuel rating.
- 306.6 Certification.
- 306.7 Recordkeeping.

DUTIES OF DISTRIBUTORS

- 306.8 Certification.
- 306.9 Recordkeeping.

DUTIES OF RETAILERS

- 306.10 Automotive fuel rating posting.
- 306.11 Recordkeeping.

LABEL SPECIFICATIONS

306.12 Labels.

APPENDIX A TO PART 306—SUMMARY OF LABELING REQUIREMENTS FOR BIODIESEL FUELS

AUTHORITY: 15 U.S.C. 2801 et seq.

SOURCE: 44 FR 19169, Mar. 30, 1979, unless otherwise noted.

GENERAL

§ 306.0 Definitions.

As used in this part:

(a) *Octane rating* means the rating of the anti-knock characteristics of a grade or type of gasoline as determined by dividing by 2 the sum of the research octane number plus the motor octane number.

(b) *Research octane number* and *motor octane number* have the meanings given such terms in the specifications of the American Society for Testing and Materials ("ASTM") entitled "Standard