

## Food and Drug Administration, HHS

## § 211.58

### § 211.44 Lighting.

Adequate lighting shall be provided in all areas.

### § 211.46 Ventilation, air filtration, air heating and cooling.

(a) Adequate ventilation shall be provided.

(b) Equipment for adequate control over air pressure, micro-organisms, dust, humidity, and temperature shall be provided when appropriate for the manufacture, processing, packing, or holding of a drug product.

(c) Air filtration systems, including prefilters and particulate matter air filters, shall be used when appropriate on air supplies to production areas. If air is recirculated to production areas, measures shall be taken to control recirculation of dust from production. In areas where air contamination occurs during production, there shall be adequate exhaust systems or other systems adequate to control contaminants.

(d) Air-handling systems for the manufacture, processing, and packing of penicillin shall be completely separate from those for other drug products for human use.

### § 211.48 Plumbing.

(a) Potable water shall be supplied under continuous positive pressure in a plumbing system free of defects that could contribute contamination to any drug product. Potable water shall meet the standards prescribed in the Environmental Protection Agency's Primary Drinking Water Regulations set forth in 40 CFR part 141. Water not meeting such standards shall not be permitted in the potable water system.

(b) Drains shall be of adequate size and, where connected directly to a sewer, shall be provided with an air break or other mechanical device to prevent back-siphonage.

[43 FR 45077, Sept. 29, 1978, as amended at 48 FR 11426, Mar. 18, 1983]

### § 211.50 Sewage and refuse.

Sewage, trash, and other refuse in and from the building and immediate premises shall be disposed of in a safe and sanitary manner.

### § 211.52 Washing and toilet facilities.

Adequate washing facilities shall be provided, including hot and cold water, soap or detergent, air driers or single-service towels, and clean toilet facilities easily accessible to working areas.

### § 211.56 Sanitation.

(a) Any building used in the manufacture, processing, packing, or holding of a drug product shall be maintained in a clean and sanitary condition. Any such building shall be free of infestation by rodents, birds, insects, and other vermin (other than laboratory animals). Trash and organic waste matter shall be held and disposed of in a timely and sanitary manner.

(b) There shall be written procedures assigning responsibility for sanitation and describing in sufficient detail the cleaning schedules, methods, equipment, and materials to be used in cleaning the buildings and facilities; such written procedures shall be followed.

(c) There shall be written procedures for use of suitable rodenticides, insecticides, fungicides, fumigating agents, and cleaning and sanitizing agents. Such written procedures shall be designed to prevent the contamination of equipment, components, drug product containers, closures, packaging, labeling materials, or drug products and shall be followed. Rodenticides, insecticides, and fungicides shall not be used unless registered and used in accordance with the Federal Insecticide, Fungicide, and Rodenticide Act (7 U.S.C. 135).

(d) Sanitation procedures shall apply to work performed by contractors or temporary employees as well as work performed by full-time employees during the ordinary course of operations.

### § 211.58 Maintenance.

Any building used in the manufacture, processing, packing, or holding of a drug product shall be maintained in a good state of repair.