

(4) Storage of containers, packaging materials, labeling, and finished products.

(5) Control laboratory operations.

(b) Provide adequate lighting and ventilation, and when necessary for the intended production or control purposes, adequate screening, dust and temperature controls, to avoid contamination of Type A medicated article(s), and to avoid other conditions unfavorable to the safety, identity, strength, quality, and purity of the raw materials and Type A medicated article(s) before, during, and after production.

(c) Provide for adequate washing, cleaning, toilet, and locker facilities.

Work areas and equipment used for the production of Type A medicated article(s) or for the storage of the components of Type A medicated article(s) shall not be used for the production, mixing or storage of finished or unfinished insecticides, fungicides, rodenticides, or other pesticides or their components unless such materials are recognized as approved drugs intended for use in animal feeds.

§ 226.30 Equipment.

Equipment used for the manufacture, processing, packaging, bulk shipment, labeling, holding, or control of Type A medicated article(s) or their components shall be maintained in a clean and orderly manner and shall be of suitable design, size, construction, and location to facilitate maintenance and operation for its intended purpose. The equipment shall:

(a) Be so constructed that any surfaces that come into contact with Type A medicated article(s) are suitable, in that they are not reactive, additive, or absorptive to an extent that significantly affects the identity, strength, quality, or purity of the Type A medicated article(s) or its components.

(b) Be so constructed that any substance required for the operation of the equipment, such as lubricants, coolants, etc., may be employed without hazard of becoming an unsafe additive to the Type A medicated article(s).

(c) Be constructed to facilitate adjustment, cleaning, and maintenance, and to assure uniformity of production and reliability of control procedures

and to assure the exclusion from Type A medicated article(s) of contamination, including cross-contamination from manufacturing operations.

(d) Be suitably grounded electrically to prevent lack of uniform mixing due to electrically charged particles.

(e) Be of suitable size and accuracy for use in any intended measuring, mixing, or weighing operations.

Subpart C—Product Quality Control

§ 226.40 Production and control procedures.

Production and control procedures shall include all reasonable precautions, including the following, to assure that the Type A medicated article(s) produced have the identity, strength, quality, and purity they purport to possess:

(a) Each critical step in the process, such as the selection, weighing, and measuring of components; the addition of drug components during the process; weighing and measuring during various stages of the processing; and the determination of the finished yield, shall be performed by one or more competent, responsible individuals. If such steps in the processing are controlled by precision, automatic, mechanical, or electronic equipment, their proper performance shall be adequately checked by one or more competent, responsible individuals.

(b) All containers to be used for undiluted drugs, drug components, intermediate mixtures thereof, and Type A medicated article(s) shall be received, adequately identified, and properly stored and handled in a manner adequate to avoid mixups and contamination.

(c) Equipment, including dust-control and other equipment, such as that used for holding and returning recovered or flush-out materials back into production, shall be maintained and operated in a manner to avoid contamination of the Type A medicated article(s) and to insure the integrity of the finished product.

(d) Competent and responsible personnel shall check actual against theoretical yield of a batch of Type A medicated article(s), and, in the event of