AUTHENTICATED
U.S. GOVERNMENT
INFORMATION
GPO

which utility allowances have been established and, if reasonably required in order to continue adherence to the standards stated in § 965.505, shall establish revised allowances. The review shall include all changes in circumstances (including completion of modernization and/or other energy conservation measures implemented by the PHA) indicating probability of a significant change in reasonable consumption requirements and changes in utility rates.

(b) *Revision as a result of rate changes.* The PHA may revise its allowances for resident-purchased utilities between annual reviews if there is a rate change (including fuel adjustments) and shall be required to do so if such change, by itself or together with prior rate changes not adjusted for, results in a change of 10 percent or more from the rates on which such allowances were based. Adjustments to resident payments as a result of such changes shall be retroactive to the first day of the month following the month in which the last rate change taken into account in such revision became effective. Such rate changes shall not be subject to the 60 day notice requirement of § 965.502(c).

§ 965.508 Individual relief.

Requests for relief from surcharges for excess consumption of PHA-purchased utilities, or from payment of utility supplier billings in excess of the allowances for resident-purchased utilities, may be granted by the PHA on reasonable grounds, such as special needs of elderly, ill or disabled residents, or special factors affecting utility usage not within the control of the resident, as the PHA shall deem appropriate. The PHA's criteria for granting such relief, and procedures for requesting such relief, shall be adopted at the time the PHA adopts the methods and procedures for determining utility allowances. Notice of the availability of such procedures (including identification of the PHA representative with whom initial contact may be made by residents), and the PHA's criteria for granting such relief, shall be included in each notice to residents given in accordance with § 965.502(c) and in the information given to new residents upon admission.

Subpart F—Physical Condition Standards and Physical Inspection Requirements

§ 965.601 Physical condition standards; physical inspection requirements.

Housing owned or leased by a PHA, and public housing owned by another entity approved by HUD, must be maintained in accordance with the physical condition standards in 24 CFR part 5, subpart G. For each PHA, HUD will perform an independent physical inspection of a statistically valid sample of such housing based upon the physical condition standards in 24 CFR part 5, subpart G.

[63 FR 46580, Sept. 1, 1998]

Subpart G [Reserved]

Subpart H—Lead-Based Paint Poisoning Prevention

§ 965.701 Lead-based paint poisoning prevention.

The requirements of the Lead-Based Paint Poisoning Prevention Act (42 U.S.C. 4821–4846), the Residential Lead-Based Paint Hazard Reduction Act of 1992 (42 U.S.C. 4851–4856), and implementing regulations at part 35, subparts A, B, L, and R of this title apply to this program.

[64 FR 50229, Sept. 15, 1999]

Subpart I—Fire Safety

SOURCE: 57 FR 33853, July 30, 1992, unless otherwise noted.

§ 965.800 Applicability.

This subpart applies to all PHA-owned or -leased housing housing, including Mutual Help and Turnkey III.

§ 965.805 Smoke detectors.

(a) *Performance requirement.* (1) After October 30, 1992, each unit covered by this subpart must be equipped with at least one battery-operated or hard-wired smoke detector, or such greater number as may be required by state or local codes, in working condition, on