

Minerals Management Service, Interior

§ 250.1160

(3) The distance from the completion or target completion to the unit or lease line at its nearest point; and

(4) A statement indicating whether or not it will be a high-capacity completion having a perforated or open hole interval greater than 150 feet measured depth.

§ 250.1157 How do I receive approval to produce gas-cap gas from an oil reservoir with an associated gas cap?

(a) You must request and receive approval from the Regional Supervisor:

(1) Before producing gas-cap gas from each completion in an oil reservoir that is known to have an associated gas cap.

(2) To continue production from a well if the oil reservoir is not initially known to have an associated gas cap, but the oil well begins to show characteristics of a gas well.

(b) For either request, you must submit the service fee listed in §250.125, according to the instructions in §250.126, and the supporting information, as listed in the table in §250.1167, with your request.

(c) The Regional Supervisor will determine whether your request maximizes ultimate recovery.

§ 250.1158 How do I receive approval to downhole commingle hydrocarbons?

(a) Before you perforate a well, you must request and receive approval from the Regional Supervisor to commingle hydrocarbons produced from multiple reservoirs within a common wellbore. The Regional Supervisor will determine whether your request maximizes ultimate recovery. You must include the service fee listed in §250.125, according to the instructions in §250.126, and the supporting information, as listed in the table in §250.1167, with your request.

(b) If one or more of the reservoirs proposed for commingling is a competi-

tive reservoir, you must notify the operators of all leases that contain the reservoir that you intend to downhole commingle the reservoirs. Your request for approval of downhole commingling must include proof of the date of this notification. The notified operators have 30 days after notification to provide the Regional Supervisor with letters of acceptance or objection. If the notified operators do not respond within the specified period, the Regional Supervisor will assume the operators do not object and proceed with a decision.

PRODUCTION RATES

§ 250.1159 May the Regional Supervisor limit my well or reservoir production rates?

(a) The Regional Supervisor may set a Maximum Production Rate (MPR) for a producing well completion, or set a Maximum Efficient Rate (MER) for a reservoir, or both, if the Regional Supervisor determines that an excessive production rate could harm ultimate recovery. An MPR or MER will be based on well tests and any limitations imposed by well and surface equipment, sand production, reservoir sensitivity, gas-oil and water-oil ratios, location of perforated intervals, and prudent operating practices.

(b) If the Regional Supervisor sets an MPR for a producing well completion and/or an MER for a reservoir, you may not exceed those rates except due to normal variations and fluctuations in production rates as set by the Regional Supervisor.

FLARING, VENTING, AND BURNING HYDROCARBONS

§ 250.1160 When may I flare or vent gas?

(a) You must request and receive approval from the Regional Supervisor to flare or vent natural gas at your facility, except in the following situations:

Condition	Additional requirements
(1) When the gas is lease use gas (produced natural gas which is used on or for the benefit of lease operations such as gas used to operate production facilities) or is used as an additive necessary to burn waste products, such as H ₂ S.	The volume of gas flared or vented may not exceed the amount necessary for its intended purpose. Burning waste products may require approval under other regulations.
(2) During the restart of a facility that was shut in because of weather conditions, such as a hurricane.	Flaring or venting may not exceed 48 cumulative hours without Regional Supervisor approval.