

§ 180.362

40 CFR Ch. I (7-1-10 Edition)

§ 180.362 Hexakis (2-methyl-2-phenylpropyl)distannoxane; tolerances for residues.

(a) *General.* (1) Tolerances are established for residues of hexakis (2-methyl-2-phenylpropyl)distannoxane in or on the following raw agricultural commodities:

Commodity	Parts per million
Almond, hulls	80.0
Apple	15.0
Apple, wet pomace	100.0
Cherry, sweet	6.0
Cherry, tart	6.0
Citrus, dried pulp	100.0
Citrus, oil	140.0
Cucumber	4.0
Eggplant	6.0
Fruit, citrus, group 10	20.0
Grape	5.0
Grape, raisin	20.0
Nut, tree, group 14	0.5
Papaya	2.0
Peach	10.0
Pear	15.0
Pistachio	0.5
Plum, prune, fresh	4.0
Plum, prune, dried	20.0
Strawberry	10.0

(2) Tolerances are established for the combined residues of hexakis (2-methyl-2-phenylpropyl)distannoxane and its organotin metabolites dihydroxybis(2-methyl-2-phenylpropyl)stannane, and 2-methyl-2-phenylpropylstannic acid in or on the following raw agricultural commodities:

Commodity	Parts per million
Cattle, fat	0.5
Cattle, meat	0.5
Cattle, meat byproducts	0.5
Egg	0.1
Goat, fat	0.5
Goat, meat	0.5
Goat, meat byproducts	0.5
Hog, fat	0.5
Hog, meat	0.5
Hog, meat byproducts	0.5
Horse, fat	0.5
Horse, meat	0.5
Horse, meat byproducts	0.5
Milk, fat	0.1
Poultry, fat	0.1
Poultry, meat	0.1
Poultry, meat byproducts	0.1
Sheep, fat	0.5
Sheep, meat	0.5
Sheep, meat byproducts	0.5

(b) *Section 18 emergency exemptions.* [Reserved]

(c) *Tolerances with regional registrations.* Tolerances with regional reg-

istration are established for residues of the insecticide hexakis [2-methyl-2-phenylpropyl] distannoxane and its organotin metabolites calculated as hexakis [2-methyl-2-phenylpropyl] distannoxane in or on the food commodities:

Commodity	Parts per million
Raspberry	10.0

(d) *Indirect or inadvertent residues.* [Reserved]

[65 FR 33713, May 24, 2000, as amended at 72 FR 41930, Aug. 1, 2007; 73 FR 5109, Jan. 29, 2008]

§ 180.364 Glyphosate; tolerances for residues.

(a) *General.* (1) Tolerances are established for residues of glyphosate N-(phosphonomethyl)glycine resulting from the application of glyphosate, the isopropylamine salt of glyphosate, the ethanolamine salt of glyphosate, the dimethylamine salt of glyphosate, the ammonium salt of glyphosate, and the potassium salt of glyphosate in or on the following food commodities:

Commodity	Parts per million
Acerola	0.2
Alfalfa, seed	0.5
Almond, hulls	25
Aloe vera	0.5
Ambarella	0.2
Animal feed, nongrass, group 18	400
Artichoke, globe	0.2
Asparagus	0.5
Atemoya	0.2
Avocado	0.2
Bamboo, shoots	0.2
Banana	0.2
Barley, bran	30
Beet, sugar, dried pulp	25
Beet, sugar, roots	10
Beet, sugar, tops	10
Berry group 13	0.2
Betelnut	1.0
Biriba	0.2
Blimbe	0.2
Borage, seed	0.1
Breadfruit	0.2
Cacao bean, bean	0.2
Cactus, fruit	0.5
Cactus, pads	0.5
Canistel	0.2
Canola, seed	20
Chaya	1.0
Cherimoya	0.2
Citrus, dried pulp	1.5
Coconut	0.1
Coffee, bean, green	1.0
Corn, pop, grain	0.1
Corn, sweet, grain	0.1

Environmental Protection Agency

§ 180.364

Commodity	Parts per million	Commodity	Parts per million
Cotton, gin byproducts	210	Persimmon	0.2
Cotton, undelinted seed	40	Pineapple	0.1
Cranberry	0.2	Pistachio	1.0
Crambe, seed	0.1	Pomegranate	0.2
Custard apple	0.2	Pulasan	0.2
Date, dried fruit	0.2	Quinoa, grain	5.0
Dokudami	2.0	Rambutan	0.2
Durian	0.2	Rapeseed, seed	20
Epazote	1.3	Rice, grain	0.1
Feijoa	0.2	Rice, wild, grain	0.1
Fig	0.2	Rose apple	0.2
Fish	0.25	Safflower, seed	85
Flax, meal	8.0	Salal	0.2
Flax, seed	4.0	Sapodilla	0.2
Fruit, citrus, group 10	0.5	Sapote, black	0.2
Fruit, pome, group 11	0.2	Sapote, mamey	0.2
Fruit, stone, group 12	0.2	Sapote, white	0.2
Galangal, roots	0.2	Sesame, seed	0.1
Ginger, white, flower	0.2	Shellfish	3.0
Gourd, buffalo, seed	0.1	Soursop	0.2
Governor's plum	0.2	Spanish lime	0.2
Gow kee, leaves	0.2	Spearmint, tops	200
Grain, cereal, forage, fodder and straw, group 16, except field corn, forage and field corn, stover	100	Spice subgroup 19B	7.0
Grain, cereal, group 15 except field corn, popcorn, rice, sweet corn, and wild rice	30	Star apple	0.2
Grape	0.2	Starfruit	0.2
Grass, forage, fodder and hay, group 17	300	Stevia, dried leaves	1.0
Guava	0.2	Strawberry	0.2
Herbs subgroup 19A	0.2	Sugar apple	0.2
Hop, dried cones	7.0	Sugarcane, cane	2.0
Ilama	0.2	Sugarcane, molasses	30
Imbe	0.2	Sunflower, seed	85
Imbu	0.2	Surinam cherry	0.2
Jaboticaba	0.2	Tamarind	0.2
Jackfruit	0.2	Tea, dried	1.0
Jajoba, seed	0.1	Tea, instant	7.0
Juneberry	0.2	Teff, grain	5.0
Kava, roots	0.2	Ti, leaves	0.2
Kenaf, forage	200	Ti, roots	0.2
Kiwifruit	0.2	Ugli fruit	0.5
Lesquerella, seed	0.1	Vegetable, bulb, group 3	0.2
Leucaena, forage	200	Vegetable, cucurbit, group 9	0.5
Lingonberry	0.2	Vegetable, foliage of legume, subgroup 7A, except soybean	0.2
Longan	0.2	Vegetable, fruiting, group 8	0.1
Lychee	0.2	Vegetable, leafy, brassica, group 5	0.2
Mamey apple	0.2	Vegetable, leafy, except brassica, group 4	0.2
Mango	0.2	Vegetable, leaves of root and tuber, group 2, except sugar beet tops	0.2
Mangosteen	0.2	Vegetable, legume, group 6 except soybean and dry pea	5.0
Marmaladebox	0.2	Vegetable, root and tuber, group 1, except sugar beet	0.2
Meadowfoam, seed	0.1	Wasabi, roots	0.2
Mioga, flower	0.2	Water spinach, tops	0.2
Mustard, seed	0.1	Watercress, upland	0.2
Noni	0.20	Wax jambu	0.2
Nut, pine	1.0	Yacon, tuber	0.2
Nut, tree, group 14	1.0		
Okra	0.5		
Olive	0.2		
Oregano, Mexican, leaves	2.0		
Palm heart	0.2		
Palm heart, leaves	0.2		
Palm, oil	0.1		
Papaya	0.2		
Papaya, mountain	0.2		
Passionfruit	0.2		
Pawpaw	0.2		
Pea, dry	8.0		
Peanut	0.1		
Peanut, hay	0.5		
Pepper leaf, fresh leaves	0.2		
Peppermint, tops	200		
Perilla, tops	1.8		

(2) Tolerances are established for combined residues of glyphosate, N-(phosphonomethyl)glycine and its metabolite N-acetyl-glyphosate (expressed as glyphosate) resulting from the application of glyphosate, the isopropylamine salt of glyphosate, the ethanolamine salt of glyphosate, the dimethylamine salt of glyphosate, the ammonium salt of glyphosate, and the potassium salt of glyphosate on the food commodities:

§ 180.367

40 CFR Ch. I (7-1-10 Edition)

Commodity	Parts per Million
Cattle, meat byproducts	5.0
Corn, field, forage	6.0
Corn, field, grain	5.0
Corn, field, stover	100
Egg	0.05
Goat, meat byproducts	5.0
Grain aspirated fractions	310.0
Hog, meat byproducts	5.0
Horse, meat byproducts	5.0
Poultry, meat	4.0
Poultry, meat byproducts	1.0
Sheep, meat byproducts	5.0
Soybean, forage	100.0
Soybean, hay	200.0
Soybean, hulls	120.0
Soybean, seed	20.0

(b) Section 18 emergency exemptions. [Reserved]

(c) Tolerances with regional registrations. [Reserved]

(d) Indirect or inadvertent residues. [Reserved]

[45 FR 64911, Oct. 1, 1980]

EDITORIAL NOTE: For FEDERAL REGISTER citations affecting § 180.364, see the List of CFR Sections Affected, which appears in the Finding Aids section of the printed volume and on GPO Access.

§ 180.367 *n*-Octyl bicycloheptenedicarboximide; tolerances for residues.

(a) General. (1) Tolerances are established for residues of the insecticide *n*-octyl bicycloheptene-dicarboximide, resulting from dermal application, in food commodities as follows:

Commodity	Parts per million
Cattle, fat	0.3
Goat, fat	0.3
Hog, fat	0.3
Horse, fat	0.3
Milk, fat	0.3
Sheep, fat	0.3

(2) *N*-octylbicycloheptene dicarboximide may be safely used in accordance with the following prescribed conditions:

(i) It is used in combination with piperonyl butoxide and pyrethrins for insect control in food-processing and food-storage areas, provided that the food is removed or covered prior to such use.

(ii) Residues in food resulting from the use described in paragraph (a)(2)(i) of this section shall not exceed 10 parts per million of *N*- octylbicycloheptene

dicarboximide, 10 parts per million of piperonyl butoxide, and 1 part per million of pyrethrins.

(iii) To assure safe use of the pesticide, its label and labeling shall conform to that registered with the U.S. Environmental Protection Agency and it shall be used in accordance with such label and labeling.

(b) Section 18 emergency exemptions. [Reserved]

(c) Tolerances with regional registrations. [Reserved]

(d) Indirect or inadvertent residues. [Reserved]

[65 FR 33713, May 24, 2000]

§ 180.368 Metolachlor; tolerances for residues.

(a) General. (1) Tolerances are established for the combined residues (free and bound) of the herbicide metolachlor, 2-chloro-*N*-(2-ethyl-6-methylphenyl)-*N*-(2-methoxy-1-methylethyl)acetamide, and its metabolites, determined as the derivatives, 2- [(2-ethyl-6-methylphenyl)amino]-1-propanol and 4-(2-ethyl-6-methylphenyl)-2-hydroxy-5-methyl-3-morpholinone, each expressed as the parent compound in the following raw agricultural commodities:

Commodity	Parts per million
Almond, hulls	0.30
Animal feed, nongrass, group 18	1.0
Cattle, fat	0.02
Cattle, kidney	0.20
Cattle, liver	0.05
Cattle, meat	0.02
Cattle, meat byproducts, except kidney and liver	0.04
Corn, field, forage	6.0
Corn, field, grain	0.10
Corn, field, stover	6.0
Corn, sweet, forage	6.0
Corn, sweet, kernel plus cob with husks removed	0.10
Corn, sweet, stover	6.0
Cotton, gin byproducts	4.0
Cotton, undelinted seed	0.10
Dillweed	0.50
Egg	0.02
Goat, fat	0.02
Goat, kidney	0.20
Goat, liver	0.05
Goat, meat	0.02
Goat, meat byproducts, except kidney and liver	0.04
Grass, forage	10
Grass, hay	0.20
Horse, fat	0.02
Horse, kidney	0.20
Horse, liver	0.05
Horse, meat	0.02
Horse, meat byproducts, except kidney and liver	0.04
Milk	0.02