

§ 180.920

40 CFR Ch. I (7-1-10 Edition)

Inert ingredients	Limits	Uses
$\alpha$ -[ <i>p</i> -(1,1,3,3-tetramethylbutyl)phenyl]- $\omega$ -hydroxypoly(oxyethylene) produced by the condensation of 1 mole of <i>p</i> -(1,1,3,3-tetramethylbutyl)phenol with a range of 1-14 or 30-70 moles of ethylene oxide: If a blend of products is used, the average range number of moles of ethylene oxide reacted to produce any product that is a component of the blend shall be in the range of 1-14 or 30-70 (CAS Reg. Nos. 9036-19-5, 9002-93-1).	Not to exceed 7% of pesticide formulation. Expires May 17, 2012.	Surfactants, related adjuvants of surfactants
2,4,7,9-Tetramethyl-5-decyn-4, 7-diol .....	Not more than 2.5% of pesticide formulation.	Surfactants, related adjuvants of surfactants
Tetrasodium pyrophosphate .....	.....	Anticaking agent, conditioning agent
Thiosulfuric acid, disodium salt, anhydrous. (CAS Reg. No 7772-98-7).	.....	Dechlorinator, reducing agent
Thiosulfuric acid, disodium salt, pentahydrate. (CAS Reg. No. 10102-17-7).	.....	Do.
d-Alpha tocopherol (CAS Reg. No. 9-02-9) .....	None .....	Safener
d-Alpha tocopheryl acetate (CAS Reg. No. 58-95-7).	None .....	Do.
dl-Alpha tocopherol (CAS Reg. No.10191-41-0)	None .....	Do.
dl-Alpha tocopheryl acetate (CAS Reg. No. 7695-91-2).	None .....	Do.
Tricalcium phosphate .....	.....	Surfactant, suspending agent, dispersing agent, anticaking agent, conditioning agent
Trisodium phosphate .....	.....	Surfactant, emulsifier, wetting agent
Vermiculite .....	.....	Solid diluent, carrier.
Vitamin E (CAS Reg. No. 1406-18-4) .....	None .....	Safener
Walnut shells .....	.....	Leaching inhibitor, binder for water-dispersible aggregates, sticker and suspension stabilizer
Wintergreen oil .....	.....	Attractant
Wood flour .....	Derived from wood free of chemical preservatives.	Solid diluent and carrier
Xanthan gum-modified, produced by the reaction of xanthan gum and glyoxal (maximum 0.3% by weight).	Not more than 0.5% of pesticide formulation.	Surfactant
Xylene meeting the specifications listed in 21 CFR 172.884(b)(4).	In pesticide formulations for grain storage only.	Solvent, cosolvent
Zeolite (hydrated alkali aluminum silicate) .....	.....	Solid diluent, carrier
Zinc oxide .....	.....	Coating agent
Zinc sulfate (basic and monohydrate) .....	.....	Do.
Zinc sulfate (basic and monohydrate) .....	.....	Solid diluent, carrier

[69 FR 23117, Apr. 28, 2004]

EDITORIAL NOTE: For FEDERAL REGISTER citations affecting §180.910, see the List of CFR Sections Affected, which appears in the Finding Aids section of the printed volume and on GPO Access.

**§ 180.920 Inert ingredients used pre-harvest; exemptions from the requirement of a tolerance.**

The following materials are exempted from the requirement of a tolerance

when used in accordance with good agricultural practice as inert (or occasionally active) ingredients in pesticide formulations applied to growing crops only:

Inert ingredients	Limits	Uses
Acetophenone .....	.....	Attractant
Adenosine (CAS Reg. No. 58-61-7) .....	Maximum of 0.5% of formulation.	Synergist
Alder bark .....	.....	Seed germination stimulator
Alkyl (C <sub>12</sub> -C <sub>16</sub> ) dimethyl ammonio acetate (CAS Reg. Nos. 683-10-3, 2601-33-4 and 693-33-4.	20% by weight in pesticide formulation.	Surfactant

Environmental Protection Agency

§ 180.920

Inert ingredients	Limits	Uses
<p><math>\alpha</math>-Alkyl (minimum C<sub>6</sub> linear, branched, saturated and/or unsaturated)-<math>\omega</math>-hydroxypolyoxyethylene polymer with or without polyoxypropylene, mixture of di- and monohydrogen phosphate esters and the corresponding ammonium, calcium, magnesium, monoethanolamine, potassium, sodium, and zinc salts of the phosphate esters; minimum oxyethylene content is 2 moles; minimum oxypropylene content is 0 moles (CAS Reg. Nos. 9046-01-9, 37280-82-3, 39464-66-9, 42612-52-2, 50643-20-4, 52019-36-0, 58318-92-6, 60267-55-2, 61837-79-4, 67711-84-6, 68070-99-5, 68071-35-2, 68071-17-0, 68130-47-2, 68186-37-8, 68186-36-7, 68311-02-4, 68425-73-0, 68458-48-0, 68511-37-5, 68610-65-1, 68585-36-4, 68649-29-6, 68815-11-2, 68908-64-5, 68891-13-4, 73038-25-2, 78330-24-2, 108818-88-8, 154518-39-5, 317833-96-8, 873662-29-4, 936100-29-7, 936100-30-0).</p>	Not to exceed 30% of pesticide formulation..	Surfactants, related adjuvants of surfactants
<p>N-alkyl (C<sub>8</sub>-C<sub>18</sub>) primary amines and their acetate salts where the alkyl group is linear and may be saturated and/or unsaturated (CAS Reg. Nos. 61790-57-6, 61790-58-7, 61790-59-8, 61790-60-1, 61788-46-3, 61790-33-8, 68155-38-4).</p>	Concentration in formulated end-use products not to exceed 10% by weight in herbicide products, 4% by weight in insecticide products, and 4% by weight in fungicide products..	Surfactants, related adjuvants of surfactants
<p>N,N-Bis-<math>\alpha</math>-ethyl-<math>\omega</math>-hydroxypoly(oxy-1,2-ethanediyl) C<sub>8</sub>-C<sub>18</sub> saturated and unsaturated alkylamines; the poly(oxy-1,2-ethanediyl) content is 2-60 moles (CAS Reg. Nos. 10213-78-2, 25307-17-9, 26635-92-7, 26635-93-8, 288259-52-9, 58253-49-9, 61790-82-7, 61791-14-8, 61791-24-0, 61791-26-2, 61791-31-9, 61791-44-4, 68155-33-9, 68155-39-5, 68155-40-8, 70955-14-5, 73246-96-5).</p>	Not to exceed 25% in herbicide formulations and 10% in insecticide and fungicide formulations.	Surfactants, related adjuvants of surfactants
<p>N,N-Bis-<math>\alpha</math>-ethyl-<math>\omega</math>-hydroxypoly(oxy-1,2-ethanediyl)oxy(methyl-1,2-ethanediyl) C<sub>8</sub>-C<sub>18</sub> saturated and unsaturated alkylamines; the poly(oxy-1,2-ethanediyl)oxy(methyl-1,2-ethanediyl) content is 2-60 moles (CAS Reg. Nos. 68213-26-3, 68153-97-9, 75601-76-2).</p>	Not to exceed 25% in herbicide formulations and 10% in insecticide and fungicide formulations.	Surfactants, related adjuvants of surfactants
Aluminum sulfate .....	.....	Safener adjuvant
Ammonium chloride (CAS Reg. No. 12125-02-9).	.....	Carrier/nutrient
Ammonium nitrate (CAS Reg. No. 6484-52-2) ..	.....	Adjuvant/ intensifier for herbicides
Ammonium polyphosphate (CAS Reg. No. 68333-79-9).	.....	Sequestrant, buffer, or surfactant
Barium sulfate .....	.....	Carrier
1,2-Benzisothiazolin-3-one .....	Not more than 0.1% of formulation. Not more than 0.02 lb to be applied per acre.	Preservative/stabilizer
Boric acid .....	.....	Sequestrant
Buffalo gourd root powder ( <i>Cucurbita foetidissima</i> root powder); or, Zucchini juice ( <i>Cucurbita pepo</i> juice) or Hawkesbury melon <i>Citrullus lanatus</i> ..	No more than 2.5 lbs/acre/season (3.4 gm/acre/season of Cucurbitacin).	Gustatory stimulant
Butyl stearate .....	.....	Defoamer
$\gamma$ -Butyrolactone .....	.....	Solvent
C.I. Pigment Blue #15 (CAS Reg. No. 147-14-8; containing no more than 50 ppm polychlorinated biphenyls (PCBs)).	For seed treatment use only	Dye, coloring agent
C.I. Pigment Green #7 (CAS Reg. No. 1328-53-6; containing no more than 50 ppm polychlorinated biphenyls (PCBs)).	For seed treatment use only.	Dye, coloring agent
C.I. Pigment Violet #23 (CAS Reg. No. 6358-30-1; containing no more than 20 ppb of polychlorinated dibenzo- <i>p</i> -dioxins and/or polychlorinated dibenzofurans).	For seed treatment use only.	Dye, coloring agent

Inert ingredients	Limits	Uses
Camphor (CAS Reg. No. 76-22-2) .....	Not more than 5% weight to weight (w/w) of pesticide formulations.	Deodorant, melting point adjustment
Carbon Black (CAS Reg. No. 1333-86-4) .....	For seed treatment use only.	Colorant
Carbonic acid, dipotassium salt (CAS Reg. No. 584-08-7).	.....	Buffering agent
Carbonic acid, dipotassium salt, trihydrate (CAS Reg. No. 18662-52-7).	.....	Buffering agent
Carous chloride .....	10 ppm in formulation .....	Tagging agent
Carrageenan, conforming to 21 CFR 172.260 ....	Not more than 0.15% of pesticide formulation.	Thickener and stabilizer for pesticide formulations applied to seeds before planting
Chlorobenzene .....	Contains not more than 1% impurities. Not for use after edible parts of plant begin to form. Do not graze livestock in treated areas within 48 hours after application.	Solvent, cosolvent
5-Chloro-2-methyl-4-isothiazolin-3-one (in combination with 2-methyl-4-isothiazolin-3-one).	Not more than 0.0022% (22.5 ppm) in the formulation; 0.00022% (or 2.25 ppm) in the final solution applied to growing crops.	Preservative
Choline chloride (CAS Reg. No. 67-48-1) .....	.....	As a solvent
Cis-isomer of 1-(3-chloroallyl)-3,5,7-triazia-1-azoniaadamantane chloride (CAS Reg. No. 51229-78-8).	Maximum of 0.14% by weight of formulation.	Preservative
Copper naphthenate .....	Not more than 2.5% of formulation; application limited to before edible portions of plants begin to form.	Mercaptan scavenger in technical pesticide
Cyclohexane .....	.....	Solvent, cosolvent
Cyclohexanone .....	.....	Do.
Cysteine (CAS Reg. No. 52-90-4) .....	Maximum of 0.5% of formulation.	Synergist
D&C Green No. 6 .....	.....	Dye
D&C Red No. 17, technical grade .....	.....	Dye
D&C Red No. 33 (CAS Reg. No. 3567-66-6); meeting the specifications listed in 21 CFR 74.1333.	.....	Dye
D&C Violet No. 2, technical grade .....	Not more than 0.005% of pesticide formulation.	Dye
Decanamide, N,N-dimethyl (CAS Reg. No. 14433-76-2).	.....	Emulsifier, solvent, cosolvent
n-Decyl alcohol .....	.....	Dye
Diammonium phosphate (CAS Reg. No. 7783-28-0).	.....	Buffer, surfactant
dibenzylidene sorbitol (32647-67-9) .....	.....	Thinning agent
Diethanolamine .....	.....	Stabilizer, inhibitor for formulations used before crop emerges from soil
Diethanolamine salts of alkyl (C <sub>8</sub> -C <sub>24</sub> ) benzenesulfonic acid (CAS Reg. Nos. 26545-53-9 and 68953-97-9).	Not to exceed 7% of pesticide formulation.	Surfactants, related adjuvants of surfactants
Diethylene glycol .....	.....	Deactivator, adjuvant for formulations used before crop emerges from soil
Diethylene glycol and diethylene glycol monobutyl, monoethyl, and monomethyl ethers.	.....	Deactivator for formulations used before crop emerges from soil, stabilizer
Dimethylaminopropylamine, isopropylamine, ethanolamine, and triethanolamine salts of alkyl (C <sub>8</sub> -C <sub>24</sub> ) benzenesulfonic acid (CAS Reg. Nos. 26264-05-1, 27323-41-7, 55470-69-4, 68411-31-4, 68584-24-7, 68584-25-8, 68648-81-7, 68648-96-4, 68649-00-3, 68910-32-7, 68953-93-5, 90194-42-6, 90194-53-9, 90218-35-2, 157966-96-6, 319926-68-6, 877677-48-0, 1093628-27-3).	.....	Surfactants, related adjuvants of surfactants
3,6-Dimethyl-4-octyn-3,6-diol .....	In pesticide formulations, for soil prior to planting or to plants before edible parts form.	Surfactants, related adjuvants of surfactants

Environmental Protection Agency

§ 180.920

Inert ingredients	Limits	Uses
Dimethyl sulfoxide .....	.....	Solvent or cosolvent for formulations used before crop emerges from soil or prior to formation of edible parts of food plants
Dipotassium hydrogen phosphate .....	.....	Buffering agent
Dipropylene glycol monomethyl ether .....	.....	Stabilizer
Douglas-fir bark, ground .....	.....	Solid diluent, carrier
Dysprosium chloride .....	10 ppm in formulation .....	Tagging agent
1,2-ethanediamine, <i>N,N,N', N'</i> -tetramethyl-, polymer with 1,1'-oxybis[2-chloroethane] (CAS Reg. No. 31075-24-8).	For use in pesticide formulations applied to cotton or wheat only.	Adjuvant or water conditioner
(S,S)-Ethylenediaminedisuccinic acid (CAS Reg. No. 20846-91-7).	.....	Sequestrant or chelating agent
Ethylene glycol .....	.....	Antifreeze, deactivator for all pesticides used before crop emerges from soil and in herbicides before or after crop emerges
Ethylene glycol monobutyl ether .....	.....	.....
2-Ethylhexanol .....	.....	Cosolvent, defoamer, solvent for all pesticides used before crop emerges from soil and in herbicides before or after crop emerges
Europic chloride .....	10 ppm in formulation .....	Tagging agent
FD&C Blue No. 1, methyl-polyethylene glycol derivative (CAS Reg. No. 9079-34-9).	For seed treatment use only; Number average molecular weight (in amu) is greater than 1,000; Not to exceed 5% of the formulated pesticide product.	Dye, coloring agent
FD&C Blue No. 1, polyethylene glycol derivative (CAS Reg. No. 9079-33-8).	For seed treatment use only; Number average molecular weight (in amu) is greater than 1,000; Not to exceed 5% of the formulated pesticide product.	Dye, coloring agent
FD&C Red No. 40 (CAS Reg. No. 25956-17-6)	For seed treatment use only. Not to exceed 2% by weight of the pesticide formulation.	Dye, coloring agent
Ferric chloride .....	.....	Not greater than 2% of suspending, dispersing agent, pesticide formulation
Fluoroapatite .....	.....	Solid diluent, carrier
Folic acid (CAS Reg. No. 59-30-3) .....	Maximum of 0.5% of formulation.	Synergist
Gluconic acid (and sodium salt) .....	.....	Sequestrant
L-Glutamic acid (C <sub>5</sub> H <sub>9</sub> NO <sub>4</sub> CAS Reg. No. 56-86-0).	Seed treatment use only .....	Plant nutrient
[alpha]-D-glucopyranoside, 2-ethylhexyl 6-O-[alpha]-D-glucopyranosyl- (CAS Reg. No. 330980-61-5).	.....	Surfactant
[alpha]-D-glucopyranoside, 2-ethylhexyl (CAS Reg. No. 125590-73-0).	.....	Surfactant
Glutamine (CAS Reg. No. 56-85-9) .....	Maximum of 0.5% of formulation.	Synergist
Glycerol—propylene oxide polymer (CAS Reg. No. 25791-96-2).	.....	Component in water-soluble film
Glyceryl triacetate .....	.....	Stabilizer
Glyceryl tris-12-hydroxystearate .....	.....	Flow control agent
Graphite .....	.....	Treatment aid for seeds
Hexamethylenetetramine .....	.....	Stabilizer for carriers in solid pesticide formulations
2-Hydroxy-4- <i>n</i> -octoxybenzophenone (CAS Reg. No. 1843-05-6).	Not more than 0.2 pt of pesticide formulation.	Light stabilizer
Hydroxypropyl guar gum .....	.....	Thickener
Isobornyl acetate .....	.....	Solvent
Isobutyl alcohol .....	.....	Do.
Isobutylene-butene copolymers .....	For soil application only .....	Binder
Isocetadecanol .....	Not more than 2% of pesticide formulation.	Defoaming agent
Lanthanum chloride .....	10 ppm in formulation .....	Tagging agent.
Magnesium nitrate (in combination with 2-methyl-4-isothiazolin-3-one and 5-chloro-2-methyl-4-isothiazolin-3-one).	None .....	Preservation
Maleic acid and maleic anhydride .....	For pesticide formulations applied to apples with a minimum preharvest interval of 21 days.	Stabilizer

Inert ingredients	Limits	Uses
Manganese carbonate .....	.....	Plant nutrient
Mesityl oxide .....	.....	Solvent, cosolvent
Methionine (CAS Reg. No. 59-51-8) .....	Not for use after edible parts of plant begin to form. Do not graze livestock in treated areas within 48 hours after application.	
Methyl alcohol .....	Maximum of 0.5% of formulation.	Synergist
Methyl ethyl ketone .....	.....	Do.
Methyl <i>p</i> -hydroxybenzoate .....	.....	Surfactant
Methyl isobutyl ketone .....	.....	Preservative for formulations
2-Methyl-4-isothiazolin-3-one (in combination with 5-chloro-2-methyl-4-isothiazolin-3-one).	Not more than 0.0022% (22.5 ppm) in the formulation; 0.00022% (or 2.25 ppm) in the final solution applied to growing crops.	Solvent, cosolvent Preservative
Mono-, di-, and trimethylnaphthalenesulfonic acids and naphthalenesulfonic acids formaldehyde condensates, ammonium and sodium salts (CAS Reg. Nos. 9008-63-3, 9069-80-1, 9084-06-4, 36290-04-7, 91078-68-1, 141959-43-5, 68425-94-5).	.....	Surfactants, related adjuvants of surfactants
Methyl oleate .....	.....	Surfactant
2-Methyl-2,4-pentanediol .....	.....	Solvent for formulations used before crop emerges from soil Surfactants, related adjuvants of surfactants
Methyl poly(oxyethylene) <sub>C<sub>8</sub>-C<sub>18</sub></sub> alkylammonium chlorides where the poly(oxyethylene) content is n=2-15 and where C <sub>8</sub> -C <sub>18</sub> alkyl is linear and may be saturated or unsaturated (CAS Reg. Nos. 3010-24-0, 18448-65-2, 70750-47-9, 22340-01-8, 67784-77-4, 64755-05-1, 61791-10-4, 28724-32-5, 28880-55-9, 68187-69-9, 68607-27-2, 60687-90-3).	Concentration in formulated end use products not to exceed 10% by weight in herbicide products and 5% by weight in all other pesticide products.	
<i>N</i> -Methylpyrrolidone (CAS Reg. No. 872-504) .....	.....	Solvent, cosolvent
Mixed phytosterols (consisting of campesterol, sitosterol and stigmasterol, with minor amounts of associated plant sterols) derived from edible vegetable oils.	.....	Surfactant
Mono- and bis-(1 <i>H</i> , 1 <i>H</i> , 2 <i>H</i> , 2 <i>H</i> -perfluoroalkyl) phosphates where the alkyl group is even numbered and in the C <sub>6</sub> -C <sub>12</sub> range.	Not more than 0.5% of pesticide formulation. Expires February 9, 2008.	Surfactant, related adjuvants of surfactants
Mono- and dialkyl (C <sub>8</sub> -C <sub>18</sub> ) methylated ammonium chloride compounds, where the alkyl group(s) (C <sub>8</sub> -C <sub>18</sub> ) are derived from coconut, cottonseed, soya, tallow, or hogfat fatty acids.	.....	Surfactants, related adjuvants of surfactants
Morpholine 4-C <sub>6-12</sub> Acyl Derivatives (CAS Reg. No. 887947-29-7).	.....	As a solvent
Nicotinamide (CAS Reg. No. 98-92-0) .....	Maximum of 0.5% of formulation.	Synergist
$\alpha$ -( <i>p</i> -Nonylphenyl)- $\omega$ -hydroxypoly(oxyethylene); produced by the condensation of 1 mole of nonylphenol (nonyl group is a propylene trimer isomer) with an average of 4-14 or 30-100 moles of ethylene oxide; if a blend of products is used, the average number of moles of ethylene oxide reacted to produce any product that is a component of the blend shall be in the range 4-14 or 30-100.	.....	Surfactant
Octanamide, <i>N,N</i> -dimethyl (CAS Reg. No. 1118-92-9).	.....	Emulsifier, solvent, cosolvent
<i>n</i> -Octyl alcohol .....	.....	Solvent, cosolvent
$\alpha$ -Oleoyl- $\omega$ -(oleoyloxy) poly(oxyethylene) derived from $\alpha$ -hydro- $\omega$ -hydroxypoly(oxyethylene) (molecular weight 600 amu).	.....	Component of defoamers
Oxo-decyl acetate (CAS reg. No. 108419-33-6)	.....	Solvent
Oxo-heptyl acetate (CAS Reg. No. 90438-79-2)	.....	Solvent
Oxo-hexyl acetate (CAS Reg. No. 88230-35-7)	.....	Solvent
Oxo-nonyl acetate (CAS Reg. No. 108419-34-7).	.....	Solvent
Oxo-octyl acetate (CAS Reg. No. 108419-32-5)	.....	Solvent
Oxo-tridecyl acetate (CAS Reg. No. 108419-35-8).	.....	Solvent

Environmental Protection Agency

§ 180.920

Inert ingredients	Limits	Uses
Phenol .....	.....	Solvent, cosolvent
Phenolsulfonic acid—formaldehyde—urea condensate and its sodium salt.	Applied to growing plants only.	Dispersant surfactant
(Phthalocyaninato (2)) copper; (C.I. pigment blue No. 15).	When used as a colorant in low-density plastic films.	Coloring agent, pigment
Pigment red 48 .....	For seed treatment use only.	Dye
α-Pinene .....	Not more than 2% of formulation by weight.	Stabilizer
Poly(oxyethylene) adducts of mixed phytosterols (such sterols to consist of campesterol, stigmasterol and sitosterol with minor amounts of associated plant sterols) derived from edible vegetable oils; polyoxyethylene content averaging 5-26 moles.	.....	Surfactant, related adjuvants
Polyoxyethylene polyoxypropylene mono(di-sec-butylphenyl) ether (CAS Reg. No. 69029-39-6).	Limited to herbicide formulations only, and to no more than 30% by weight in herbicide formulations intended for application to turf.	Surfactants, related adjuvants of surfactants
Poly(oxyethylene) (5) sorbitan monooleate .....	.....	Surfactants, related adjuvants of surfactants
Polysorbate 60, conforming to 21 CFR 172.836 .....	.....	Surfactant
Potassium dihydrogen phosphate .....	.....	Buffering agent
2-Propanamine, compound with α-phosphono-ω-butoxypoly (oxy-1,2-ethanediyl) (2:1) (CAS Reg. No. 431040-31-2).	Not more than 15% in the formulated product.	Surfactant
2-Propanamine, compounds with polyethylene glycol dihydrogen phosphate C <sub>8-10</sub> alkyl ether (2:1) (CAS Reg. No. 431062-72-5).	Not more than 15% in the formulated product.	Surfactant
Propylene glycol monomethyl ether .....	.....	Solvent
Pyridoxine (CAS Reg. No. 65-23-6) .....	Maximum of 0.5% of formulation.	Synergist
Rosin, dark wood (as defined in 21 CFR 178.3870(a)(1)(v)).	.....	Surfactants, related adjuvants of surfactants
Rosin, gum .....	.....	Do.
Rosin, tall oil .....	.....	Do.
Scandium chloride .....	10 ppm in formulation .....	Tagging agent
Sodium bisulfate (CAS Reg. No. 7681-38-1) .....	.....	Acidifying/buffering agent
Sodium 1,4-dicyclohexyl sulfosuccinate .....	.....	Surfactants, related adjuvants of surfactants
Sodium 1,4-dihexyl sulfosuccinate (CAS Reg. No. 3006-15-3).	.....	Surfactants, related adjuvants of surfactants
Sodium dihydrogen phosphate (CAS Reg. No. 7558-80-7) conforming to 21 CFR 182.6778.	.....	Buffering agent
Sodium 1,4-diisobutyl sulfosuccinate (CAS Reg. No. 127-39-9).	.....	Surfactants, related adjuvants of surfactants
Sodium 1,4-dipentyl sulfosuccinate (CAS Reg. No. 922-80-5).	.....	Surfactants, related adjuvants of surfactants
Sodium metaborate .....	.....	Sequestrant
Sodium molybdate .....	.....	Plant nutrient
Sodium nitrate .....	.....	Solid diluent
Sodium nitrite .....	Not more than 3% of pesticide formulation.	Stabilizer, inhibitor.
Sodium o-phenylphenate .....	Not more than 0.1% of pesticide formulation.	Preservative for formulation
Sodium salt of the insoluble fraction of rosin .....	.....	Surfactants, related adjuvants of surfactants
Sodium salts of N-alkyl (C8-C18)-beta-aminodipropionic acid where the C8-C18 is linear and may be saturated and/or unsaturated (CAS Reg. Nos. 3655-00-3, 61791-56-8, 14960-06-6, 26256-79-1, 90170-43-7, 91696-17-2, 97862-48-1).	Concentration in formulated end-use products not to exceed 30% by weight in pesticide formulations.	Surfactants, related adjuvants of surfactants
Sodium tetraborate .....	Not more than 2% of pesticide formulation.	Buffering agent; corrosion inhibitor
Tallowamine, ethoxylated, mixture of dihydrogen phosphate and monohydrogen phosphate esters and the corresponding ammonium, calcium, potassium, and sodium salts of the phosphate esters, where the poly(oxyethylene) content averages 2-20 moles (CAS Reg. No. 68308-48-5).	Not to exceed 20% of pesticide formulation.	Surfactants, related adjuvants of surfactants
Tannin .....	.....	Dispersing agent
Tertiary butylhydroquinone .....	.....	Antioxidant

Inert ingredients	Limits	Uses
1-Tetradecanamine, <i>N,N</i> -dimethyl-, <i>N</i> -oxide (CAS Reg. No. 3332–27–2).	.....	Component in water-soluble film
<i>N,N,N,N'</i> -Tetrakis-(2-hydroxypropyl) ethylene-diamine (CAS Reg. No. 102–60–3).	Concentration in formulated end-use products not to exceed 20% by weight in pesticide formulations.	Stabilizer for formulations
2,4,7,9-Tetramethyl-5-decyne 4,7-diol .....	In pesticide formulations, for application to soil prior to planting or to plants before edible parts form.	Surfactants, related adjuvants of surfactants
Tetrapotassium pyrophosphate (CAS Reg. No. 7320–345).	Not to exceed 10% of formulation.	Sequestrant, anticaking agent, conditioning agent
Titanium dioxide (CAS Reg. No. 13463–67–7) .....	.....	Pigment/coloring agent in plastic bags used to wrap growing banana (preharvest), colorant on seeds for planting
Toluenesulfonic acid and its ammonium, calcium, magnesium, potassium, sodium, and zinc salts.	.....	Solvent, cosolvent
Triethanolamine .....	.....	Stabilizer, inhibitor for formulations used before crop emerges from soil
Triethanolamine (CAS Reg. No. 102–71–6) .....	.....	Stabilizer, inhibitor
Triethylene glycol .....	.....	Deactivator
Triethyl phosphate .....	.....	Stabilizer for formulations used before crop emerges from soil
Trimethylolpropane (CAS Reg. No. 77–99–6) ....	Not to exceed 15% by weight of the film.	Component in water-soluble film
$\alpha$ -[2,4,6-Tris[1-(phenyl)ethyl]phenyl]- $\omega$ -hydroxy poly(oxyethylene), the poly(oxyethylene) content averages 4-150 moles).	Not more than 15% of the formulation.	Surfactant.
$\alpha$ -[2,4,6-Tris[1-(phenyl)ethyl]phenyl]- $\omega$ -hydroxy poly(oxyethylene); mixture of monohydrogen and dihydrogen phosphate esters and the corresponding ammonium, calcium, magnesium, potassium, sodium, and zinc salts, the poly(oxyethylene) content averages 4-150 moles).	Not more than 15% of the formulation.	Do.
$\alpha$ -[2,4,6-Tris[1-(phenyl)ethyl]phenyl]- $\omega$ -hydroxy poly(oxyethylene) sulfate, and the corresponding ammonium, calcium, magnesium, potassium, sodium, and zinc salts, the poly(oxyethylene) content averages 4-150 moles.	Not more than 15% of the pesticide formulation.	Do.
Tryptophan (CAS Reg. No. 73–22–3) .....	Maximum of 0.5% of formulation.	Synergist
Valeric acid, normal .....	Not more than 2% in pesticide formulations.	Stenching agent or odorant
Xylene .....	.....	Solvent, cosolvent
Xylenesulfonic acid its ammonium calcium, magnesium, potassium, sodium, and zinc salts.	.....	Surfactants, related adjuvants of surfactants
Yucca extract from <i>Yucca schidigera</i> .....	.....	Wetting agent
Ytterbium chloride .....	10 ppm in formulation .....	Tagging agent
Yttrium chloride .....	10 ppm in formulation .....	Tagging agent
Zinc orthophosphate .....	.....	Plant nutrient and safener
Zinc stearate, conforming to 21 CFR 182.5994 and 582.5994.	.....	Flow control agent

[69 FR 23124, Apr. 28, 2004, as amended at 70 FR 7900, Feb. 16, 2005; 70 FR 31369, June 1, 2005; 70 FR 41619, July 20, 2005; 70 FR 54280, Sept. 14, 2005; 70 FR 55296, Sept. 21, 2005; 70 FR 55733, Sept. 23, 2005; 71 FR 14415, Mar. 22, 2006; 71 FR 18642, Apr. 12, 2006; 71 FR 30811, May 31, 2006; 71 FR 43667, Aug. 2, 2006; 71 FR 45408, 45411, 45421, Aug. 9, 2006; 72 FR 45656, Aug. 15, 2007; 73 FR 67400, Nov. 14, 2008; 74 FR 12620, Mar. 25, 2009; 74 FR 20887, May 6, 2009; 74 FR 28623, June 17, 2009; 74 FR 32437, July 8, 2009; 74 FR 37570, 37577, 37584, 37590, July 29, 2009; 74 FR 38935, 38952, 38955, 38962, Aug. 5, 2009; 74 FR 40513, Aug. 12, 2009; 74 FR 41798, Aug. 19, 2009; 74 FR 51485, Oct. 7, 2009; 75 FR 763, 767, Jan. 6, 2010; 75 FR 19267, Apr. 14, 2010; 75 FR 22240, Apr. 28, 2010]