

invoices) indicates that the product does not satisfy the minimum tail-weight, the person importing such Caribbean spiny lobster has the burden to prove that such Caribbean spiny lobster actually does satisfy the minimum tail-weight requirement or that such Caribbean spiny lobster has a tail length of 6.2 inches (15.75 cm) or greater or that such Caribbean spiny lobster has or had a carapace length of 3.5 inches (8.89 cm) or greater. If the imported product itself does not satisfy the minimum tail-weight requirement, the person importing such Caribbean spiny lobster has the burden to prove that such Caribbean spiny lobster has a tail length of 6.2 inches (15.75 cm) or greater or that such Caribbean spiny lobster has or had a carapace length of 3.5 inches (8.89 cm) or greater. If the burden is satisfied such Caribbean spiny lobster will be considered to be in compliance with the minimum 6-ounce (170-gram) tail-weight requirement.

(2) See §640.27 of this chapter regarding the minimum size limit that applies to spiny lobster imported into any place subject to the jurisdiction of the United States other than Puerto Rico or the U.S. Virgin Islands.

(b) *Additional Caribbean spiny lobster import prohibitions*—(1) *Prohibition related to tail meat*. No person may import into any place subject to the jurisdiction of the United States Caribbean spiny lobster tail meat that is not in whole tail form with the exoskeleton attached.

(2) *Prohibitions related to egg-bearing spiny lobster*. No person may import into any place subject to the jurisdiction of the United States Caribbean spiny lobster with eggs attached or Caribbean spiny lobster from which eggs or pleopods (swimmerets) have been removed or stripped. Pleopods (swimmerets) are the first five pairs of abdominal appendages.

[74 FR 1151, Jan. 12, 2009]

APPENDIX A TO PART 622—SPECIES TABLES

TABLE 1 OF APPENDIX A TO PART 622—CARIBBEAN CORAL REEF RESOURCES

I. Coelenterates—Phylum Coelenterata  
A. Hydrocorals—Class Hydrozoa  
1. Hydroids—Order Athecatae  
Family Milleporidae

*Millepora* spp., Fire corals  
Family Stylasteridae  
*Stylaster roseus*, Rose lace corals  
B. Anthozoans—Class Anthozoa  
1. Soft corals—Order Alcyonacea  
Family Anthothelidae  
*Erythropodium caribaeorum*, Encrusting gorgonian  
*Iciligorgia schrammi*, Deepwater sea fan  
Family Briaridae  
*Briareum asbestinum*, Corky sea finger  
Family Clavulariidae  
*Carijoa riisei*  
*Telesto* spp.  
2. Gorgonian corals—Order Gorgonacea  
Family Ellisellidae  
*Ellisella* spp., Sea whips  
Family Gorgoniidae  
*Gorgonia flabellum*, Venus sea fan  
*G. mariae*, Wide-mesh sea fan  
*G. ventalina*, Common sea fan  
*Pseudopterogorgia acerosa*, Sea plume  
*P. albatrossae*  
*P. americana*, Slimy sea plume  
*P. bipinnata*, Bipinnate plume  
*P. rigida*  
*Pterogorgia anceps*, Angular sea whip  
*P. citrina*, Yellow sea whip  
Family Plexauridae  
*Eunicea calyculata*, Warty sea rod  
*E. clavigera*  
*E. fusca*, Doughnut sea rod  
*E. knighti*  
*E. laciniata*  
*E. laxispica*  
*E. mammosa*, Swollen-knob  
*E. succinea*, Shelf-knob sea rod  
*E. touneforti*  
*Muricea atlantica*  
*M. elongata*, Orange spiny rod  
*M. laxa*, Delicate spiny rod  
*M. muricata*, Spiny sea fan  
*M. pinnata*, Long spine sea fan  
*Muriceopsis* spp.  
*M. flavida*, Rough sea plume  
*M. sulphurea*  
*Plexaura flexuosa*, Bent sea rod  
*P. homomalla*, Black sea rod  
*Plexaurella dichotoma*, Slit-pore sea rod  
*P. fusifera*  
*P. grandiflora*  
*P. grisea*  
*P. nutans*, Giant slit-pore  
*Pseudoplexaura crucis*  
*P. flagellosa*  
*P. porosa*, Porous sea rod  
*P. wagnaari*  
3. Hard Corals—Order Scleractinia  
Family Acroporidae  
*Acropora cervicornis*, Staghorn coral  
*A. palmata*, Elkhorn coral  
*A. prolifera*, Fused staghorn  
Family Agaricidae  
*Agaricia agaricities*, Lettuce leaf coral  
*A. fragilis*, Fragile saucer  
*A. lamarcki*, Lamarck's sheet  
*A. tenuifolia*, Thin leaf lettuce

- Leptoseris cucullata*, Sunray lettuce  
 Family Astrocoeniidae  
*Stephanocoenia michelinii*, Blushing star  
 Family Caryophyllidae  
*Eusmilia fastigiata*, Flower coral  
*Tubastrea aurea*, Cup coral  
 Family Faviidae  
*Cladocora arbuscula*, Tube coral  
*Colpophyllia natans*, Boulder coral  
*Diploria clivosa*, Knobby brain coral  
*D. labyrinthiformis*, Grooved brain  
*D. strigosa*, Symmetrical brain  
*Favia fragum*, Golfball coral  
*Manicina areolata*, Rose coral  
*M. majori*, Tortugas rose coral  
*Montastrea annularis*, Boulder star coral  
*M. cavernosa*, Great star coral  
*Solenastrea bournoni*, Smooth star coral  
 Family Meandrinidae  
*Dendrogyra cylindrus*, Pillar coral  
*Dichocoenia stellaris*, Pancake star  
*D. stokesi*, Elliptical star  
*Meandrina meandrites*, Maze coral  
 Family Mussidae  
*Isophyllastrea rigida*, Rough star coral  
*Isophyllia sinuosa*, Sinuous cactus  
*Mussa angulosa*, Large flower coral  
*Mycetophyllia aliciae*, Thin fungus coral  
*M. danae*, Fat fungus coral  
*M. ferox*, Grooved fungus  
*M. lamarckiana*, Fungus coral  
*Scolymia cubensis*, Artichoke coral  
*S. lacera*, Solitary disk  
 Family Oculinidae  
*Oculina diffusa*, Ivory bush coral  
 Family Pocilloporidae  
*Madracis decactis*, Ten-ray star coral  
*M. mirabilis*, Yellow pencil  
 Family Poritidae  
*Porites astreoides*, Mustard hill coral  
*P. branneri*, Blue crust coral  
*P. divaricata*, Small finger coral  
*P. porites*, Finger coral  
 Family Rhizangiidae  
*Astrangia solitaria*, Dwarf cup coral  
*Phyllangia americana*, Hidden cup coral  
 Family Siderastreidae  
*Siderastrea radians*, Lesser starlet  
*S. siderea*, Massive starlet  
 4. Black Corals—Order Antipatharia  
*Antipathes* spp., Bushy black coral  
*Stichopathes* spp., Wire coral  
 II. Sea grasses—Phylum Angiospermae  
*Halodule wrightii*, Shoal grass  
*Halophila* spp., Sea vines  
*Ruppia maritima*, Widgeon grass  
*Syringodium filiforme*, Manatee grass  
*Thalassia testudinum*, Turtle grass  
 Aquarium Trade Species in the Coral FMP—  
 The following species are included for  
 data collection purposes only.  
 I. Sponges—Phylum Porifera  
 A. Demosponges—Class Demospongiae  
*Aphimedon compressa*, Erect rope sponge  
*Chondrilla nucula*, Chicken liver sponge  
*Cynachirella alloclada*  
*Geodia neptuni*, Potato sponge  
*Haliclona* spp., Finger sponge  
*Myriastras* spp.  
*Niphates digitalis*, Pink vase sponge  
*N. erecta*, Lavender rope sponge  
*Spinoseella polycifera*  
*S. vaginalis*  
*Tethya crypta*  
 II. Coelenterates—Phylum Coelenterata  
 A. Anthozoans—Class Anthozoa  
 1. Anemones—Order Actiniaria  
*Aiptasia tagetes*, Pale anemone  
*Bartholomea annulata*, Corkscrew anemone  
*Condylactis gigantea*, Giant pink-tipped  
 anemone  
*Hereractis lucida*, Knobby anemone  
*Lebrunia* spp., Staghorn anemone  
*Stichodactyla helianthus*, Sun anemone  
 2. Colonial Anemones—Order Zoanthidea  
*Zoanthus* spp., Sea mat  
 3. False Corals—Order Corallimorpharia  
*Discosoma* spp. (formerly *Rhodactis*), False  
 coral  
*Ricordia florida*, Florida false coral  
 III. Annelid Worms—Phylum Annelida  
 A. Polychaetes—Class Polychaeta  
 Family Sabellidae, Feather duster worms  
*Sabellastarte* spp., Tube worms  
*S. magnifica*, Magnificent duster  
 Family Serpulidae  
*Spirobranchus giganteus*, Christmas tree  
 worm  
 IV. Mollusks—Phylum Mollusca  
 A. Gastropods—Class Gastropoda  
 Family Elysiidae  
*Tridachia crispata*, Lettuce sea slug  
 Family Olividae  
*Oliva reticularis*, Netted olive  
 Family Ovulidae  
*Cyphoma gibbosum*, Flamingo tongue  
 B. Bivalves—Class Bivalvia  
 Family Limidae  
*Lima* spp., Fileclams  
*L. scabra*, Rough fileclam  
 Family Spondylidae  
*Spondylus americanus*, Atlantic thorny oys-  
 ter  
 C. Cephalopods—Class Cephalopoda  
 1. Octopuses—Order Octopoda  
 Family Octopodidae  
*Octopus* spp. (except the Common octopus,  
*O. vulgaris*)  
 V. Arthropods—Phylum Arthropoda  
 A. Crustaceans—Subphylum Crustacea  
 1. Decapods—Order Decapoda  
 Family Alpheidae  
*Alpheus armatus*, Snapping shrimp  
 Family Diogenidae  
*Paguristes* spp., Hermit crabs  
*P. cadenati*, Red reef hermit  
 Family Grapsidae  
*Percnon gibbesi*, Nimble spray crab  
 Family Hippolytidae  
*Lysmata* spp., Peppermint shrimp  
*Thor amboinensis*, Anemone shrimp  
 Family Majidae, Coral crabs  
*Mithrax* spp., Clinging crabs  
*M. cinctimanus*, Banded clinging

*M. sculptus*, Green clinging  
*Stenorhynchus seticornis*, Yellowline arrow  
 Family Palaemonida  
*Periclimenes* spp., Cleaner shrimp  
 Family Squillidae, Mantis crabs  
*Gonodactylus* spp.  
*Lysiosquilla* spp.  
 Family Stenopodidae, Coral shrimp  
*Stenopus hispidus*, Banded shrimp  
*S. scutellatus*, Golden shrimp  
 VI. Echinoderms—Phylum Echinodermata  
 A. Feather stars—Class Crinoidea  
*Analcidometra armata*, Swimming crinoid  
*Davidaster* spp., Crinoids  
*Nemaster* spp., Crinoids  
 B. Sea stars—Class Asteroidea  
*Astropecten* spp., Sand stars  
*Linckia guildingii*, Common comet star  
*Ophidiaster guildingii*, Comet star  
*Oreaster reticulatus*, Cushion sea star  
 C. Brittle and basket stars—Class  
 Ophiuroidea  
*Astrophyton muricatum*, Giant basket star  
*Ophiocoma* spp., Brittlestars  
*Ophioderma* spp., Brittlestars  
*O. rubicundum*, Ruby brittlestar  
 D. Sea Urchins—Class Echinoidea  
*Diadema antillarum*, Long-spined urchin  
*Echinometra* spp., Purple urchin  
*Euclidaris tribuloides*, Pencil urchin  
*Lytechinus* spp., Pin cushion urchin  
*Triplonaster ventricosus*, Sea egg  
 E. Sea Cucumbers—Class Holothuroidea  
*Holothuria* spp., Sea cucumbers  
 VII. Chordates—Phylum Chordata  
 A. Tunicates—Subphylum Urochordata

TABLE 2 OF APPENDIX A TO PART 622—  
 CARIBBEAN REEF FISH

Lutjanidae—Snappers  
 Unit 1  
 Silk snapper, *Lutjanus vivanus*  
 Blackfin snapper, *L. buccanella*  
 Black snapper, *Apsilus dentatus*  
 Vermilion snapper, *Rhomboplites aurorubens*  
 Unit 2  
 Queen snapper, *Etelis oculatus*  
 Wenchman, *Pristipomoides aquilonaris*  
 Unit 3  
 Gray snapper, *Lutjanus griseus*  
 Lane snapper, *Lutjanus synagris*  
 Mutton snapper, *Lutjanus analis*  
 Dog snapper, *Lutjanus jocu*  
 Schoolmaster, *Lutjanus apodus*  
 Mahogany snapper, *Lutjanus mahogani*  
 Unit 4  
 Yellowtail snapper, *Ocyurus chrysurus*  
 Serranidae—Sea basses and Groupers  
 Unit 1  
 Nassau Grouper, *Epinephelus striatus*  
 Unit 2  
 Goliath grouper, *Epinephelus itajara*  
 Unit 3  
 Red hind, *Epinephelus guttatus*  
 Coney, *Epinephelus fulvus*  
 Rock hind, *Epinephelus adscensionis*  
 Graysby, *Epinephelus cruentatus*

Creole-fish, *Paranthias furcifer*  
 Unit 4  
 Red grouper, *Epinephelus morio*  
 Yellowedge grouper, *Epinephelus flavolimbatus*  
 Misty grouper, *Epinephelus mystacinus*  
 Tiger grouper, *Mycteroperca tigris*  
 Yellowfin grouper, *Mycteroperca venenosa*  
 Haemulidae—Grunts  
 White grunt, *Haemulon plumieri*  
 Margate, *Haemulon album*  
 Tomtate, *Haemulon aurolineatum*  
 Bluestriped grunt, *Haemulon sciurus*  
 French grunt, *Haemulon flavolineatum*  
 Porkfish, *Anisotremus virginicus*  
 Mullidae—Goatfishes  
 Spotted goatfish, *Pseudupeneus maculatus*  
 Yellow goatfish, *Mulloidichthys martinicus*  
 Sparidae—Porgies  
 Jolthead porgy, *Calamus bajonado*  
 Sea bream, *Archosargus rhomboidalis*  
 Sheepshead porgy, *Calamus penna*  
 Pluma, *Calamus pennatula*  
 Holocentridae—Squirrelfishes  
 Blackbar soldierfish, *Myripristis jacobus*  
 Bigeye, *Priacanthus arenatus*  
 Longspine squirrelfish, *Holocentrus rufus*  
 Squirrelfish, *Holocentrus adscensionis*  
 Malacanthidae—Tilefishes  
 Blackline tilefish, *Caulolatilus cyanops*  
 Sand tilefish, *Malacanthus plumieri*  
 Carangidae—Jacks  
 Blue runner, *Caranx crysos*  
 Horse-eye jack, *Caranx latus*  
 Black jack, *Caranx lugubris*  
 Almaco jack, *Seriola rivoliana*  
 Bar jack, *Caranx ruber*  
 Greater amberjack, *Seriola dumerili*  
 Yellow jack, *Caranx bartholomaei*  
 Scaridae—Parrotfishes  
 Blue parrotfish, *Scarus coeruleus*  
 Midnight parrotfish, *Scarus coelestinus*  
 Princess parrotfish, *Scarus taeniopterus*  
 Queen parrotfish, *Scarus vetula*  
 Rainbow parrotfish, *Scarus guacamaia*  
 Redfin parrotfish, *Sparisoma rubripinne*  
 Redtail parrotfish, *Sparisoma chrysopterygum*  
 Stoplight parrotfish, *Sparisoma viride*  
 Redband parrotfish, *Sparisoma aurofrenatum*  
 Striped parrotfish, *Scarus croicensis*  
 Acanthuridae—Surgeonfishes  
 Blue tang, *Acanthurus coeruleus*  
 Ocean surgeonfish, *Acanthurus bahianus*  
 Doctorfish, *Acanthurus chirurgus*  
 Balistidae—Triggerfishes  
 Ocean triggerfish, *Canthidermis sufflamen*  
 Queen triggerfish, *Balistes vetula*  
 Sargassum triggerfish, *Xanthichthys rigens*  
 Monacanthidae—Filefishes  
 Scrawled filefish, *Aluterus scriptus*  
 Whitespotted filefish, *Cantherhines macrocerus*  
 Black durgon, *Melichthys niger*  
 Ostraciidae—Boxfishes  
 Honeycomb cowfish, *Lactophrys polygona*  
 Scrawled cowfish, *Lactophrys quadricornis*

Trunkfish, *Lactophrys trigonus*  
 Spotted trunkfish, *Lactophrys bicaudalis*  
 Smooth trunkfish, *Lactophrys triqueter*  
 Labridae—Wrasses  
 Hogfish, *Lachnolaimus maximus*  
 Puddingwife, *Halichoeres radiatus*  
 Spanish hogfish, *Bodianus rufus*  
 Pomacanthidae—Angelfishes  
 Queen angelfish, *Holacanthus ciliaris*  
 Gray angelfish, *Pomacanthus arcuatus*  
 French angelfish, *Pomacanthus paru*  
 Aquarium Trade—The following aquarium trade species are included for data collection purposes only:  
 Frogfish, *Antennarius* spp.  
 Flamefish, *Apogon maculatus*  
 Conchfish, *Astrapogen stellatus*  
 Redlip blenny, *Ophioblennius atlanticus*  
 Peacock flounder, *Bothus lunatus*  
 Longsnout butterflyfish, *Chaetodon aculeatus*  
 Foureye butterflyfish, *Chaetodon capistratus*  
 Spotfin butterflyfish, *Chaetodon ocellatus*  
 Banded butterflyfish, *Chaetodon striatus*  
 Redspotted hawkfish, *Amblycirrhitus pinos*  
 Flying gurnard, *Dactylopterus volitans*  
 Atlantic spadefish, *Chaetodipterus faber*  
 Neon goby, *Gobiosoma oceanops*  
 Rusty goby, *Priolepis hipoliti*  
 Royal gramma, *Gramma loreto*  
 Creole wrasse, *Clepticus parrae*  
 Yellowcheek wrasse, *Halichoeres cyanocephalus*  
 Yellowhead wrasse, *Halichoeres garnoti*  
 Clown wrasse, *Halichoeres maculipinna*  
 Pearly razorfish, *Hemipteronotus novacula*  
 Green razorfish, *Hemipteronotus splendens*  
 Bluehead wrasse, *Thalassoma bifasciatum*  
 Chain moray, *Echidna catenata*  
 Green moray, *Gymnothorax funebris*  
 Goldentail moray, *Gymnothorax miliaris*  
 Batfish, *Ogcocephalus* spp.  
 Goldspotted eel, *Myrichthys ocellatus*  
 Yellowhead jawfish, *Opistognathus aurifrons*  
 Dusky jawfish, *Opistognathus whitehursti*  
 Cherubfish, *Centropyge argi*  
 Rock beauty, *Holacanthus tricolor*  
 Sergeant major, *Abudefduf saxatilis*  
 Blue chromis, *Chromis cyanea*  
 Sunshinefish, *Chromis insolata*  
 Yellowtail damselfish, *Microspathodon chrysurus*  
 Dusky damselfish, *Pomacentrus fuscus*  
 Beaugregory, *Pomacentrus leucostictus*  
 Bicolor damselfish, *Pomacentrus partitus*  
 Threespot damselfish, *Pomacentrus planifrons*  
 Glasseye snapper, *Priacanthus cruentatus*  
 High-hat, *Equetus acuminatus*  
 Jackknife-fish, *Equetus lanceolatus*  
 Spotted drum, *Equetus punctatus*  
 Scorpaenidae—Scorpionfishes  
 Butter hamlet, *Hypoplectrus unicolor*  
 Swissguard basslet, *Liopropoma rubre*  
 Greater soapfish, *Rypticus saponaceus*

Orangeback bass, *Serranus annularis*  
 Lantern bass, *Serranus baldwini*  
 Tobaccoffish, *Serranus tabacarius*  
 Harlequin bass, *Serranus tigrinus*  
 Chalk bass, *Serranus tortugarum*  
 Caribbean tonguefish, *Symphurus arawak*  
 Seahorses, *Hippocampus* spp.  
 Pipefishes, *Syngnathus* spp.  
 Sand diver, *Synodus intermedius*  
 Sharpnose puffer, *Canthigaster rostrata*  
 Porcupinefish, *Diodon hystrix*

TABLE 3 OF APPENDIX A TO PART 622—GULF REEF FISH

Balistidae—Triggerfishes  
 Gray triggerfish, *Balistes caprisiscus*  
 Carangidae—Jacks  
 Greater amberjack, *Seriola dumerili*  
 Lesser amberjack, *Seriola fasciata*  
 Almaco jack, *Seriola rivoliana*  
 Banded rudderfish, *Seriola zonata*  
 Labridae—Wrasses  
 Hogfish, *Lachnolaimus maximus*  
 Lutjanidae—Snappers  
 Queen snapper, *Etelis oculatus*  
 Mutton snapper, *Lutjanus analis*  
 Schoolmaster, *Lutjanus apodus*  
 Blackfin snapper, *Lutjanus buccanella*  
 Red snapper, *Lutjanus campechanus*  
 Cubera snapper, *Lutjanus cyanopterus*  
 Gray (mangrove) snapper, *Lutjanus griseus*  
 Dog snapper, *Lutjanus jocu*  
 Mahogany snapper, *Lutjanus mahogoni*  
 Lane snapper, *Lutjanus synagris*  
 Silk snapper, *Lutjanus vivanus*  
 Yellowtail snapper, *Ocyurus chrysurus*  
 Wenchman, *Pristipomoides aquilonaris*  
 Vermilion snapper, *Rhomboplites aurorubens*  
 Malacanthidae—Tilefishes  
 Goldface tilefish, *Caulolatilus chrysops*  
 Blackline tilefish, *Caulolatilus cyanops*  
 Anchor tilefish, *Caulolatilus intermedius*  
 Blueline tilefish, *Caulolatilus microps*  
 Tilefish, *Lopholatilus chamaeleonticeps*  
 Serranidae—Groupers  
 Dwarf sand perch, *Diplectrum bivittatum*  
 Sand perch, *Diplectrum formosum*  
 Rock hind, *Epinephelus adscensionis*  
 Speckled hind, *Epinephelus drummondhayi*  
 Yellowedge grouper, *Epinephelus flavolimbatus*  
 Red hind, *Epinephelus guttatus*  
 Goliath grouper, *Epinephelus itajara*  
 Red grouper, *Epinephelus morio*  
 Misty grouper, *Epinephelus mystacinus*  
 Warsaw grouper, *Epinephelus nigritus*  
 Snowy grouper, *Epinephelus niveatus*  
 Nassau grouper, *Epinephelus striatus*  
 Black grouper, *Mycteroperca bonaci*  
 Yellowmouth grouper, *Mycteroperca interstitialis*  
 Gag, *Mycteroperca microlepis*  
 Scamp, *Mycteroperca phenax*  
 Yellowfin grouper, *Mycteroperca venenosa*

TABLE 4 OF APPENDIX A TO PART 622—SOUTH ATLANTIC SNAPPER-GROUPER

- Balistidae—Triggerfishes
  - Gray triggerfish, *Balistes capricus*
  - Queen triggerfish, *Balistes vetula*
  - Ocean triggerfish, *Canthidermis sufflamen*
- Carangidae—Jacks
  - Yellow jack, *Caranx bartholomaei*
  - Blue runner, *Caranx crysos*
  - Crevalle jack, *Caranx hippos*
  - Bar jack, *Caranx ruber*
  - Greater amberjack, *Seriola dumerili*
  - Lesser amberjack, *Seriola fasciata*
  - Almaco jack, *Seriola rivoliana*
  - Banded rudderfish, *Seriola zonata*
- Ephippidae—Spadefishes
  - Spadefish, *Chaetodipterus faber*
- Haemulidae—Grunts
  - Black margate, *Anisotremus surinamensis*
  - Porkfish, *Anisotremus virginicus*
  - Margate, *Haemulon album*
  - Tomtate, *Haemulon aurolineatum*
  - Smallmouth grunt, *Haemulon chrysargyreum*
  - French grunt, *Haemulon flavolineatum*
  - Spanish grunt, *Haemulon macrostomum*
  - Cottonwick, *Haemulon melanurum*
  - Sailors choice, *Haemulon parrai*
  - White grunt, *Haemulon plumieri*
  - Blue stripe grunt, *Haemulon sciurus*
- Labridae—Wrasses
  - Hogfish, *Lachnolaimus maximus*
  - Puddingwife, *Halichoeres radiatus*
- Lutjanidae—Snappers
  - Black snapper, *Apsilus dentatus*
  - Queen snapper, *Etelis oculatus*
  - Mutton snapper, *Lutjanus analis*
  - Schoolmaster, *Lutjanus apodus*
  - Blackfin snapper, *Lutjanus buccanella*
  - Red snapper, *Lutjanus campechanus*
  - Cubera snapper, *Lutjanus cyanopterus*
  - Gray snapper, *Lutjanus griseus*
  - Mahogany snapper, *Lutjanus mahogoni*
  - Dog snapper, *Lutjanus jocu*
  - Lane snapper, *Lutjanus synagris*
  - Silk snapper, *Lutjanus vivanus*
  - Yellowtail snapper, *Ocyurus chrysurus*
  - Vermilion snapper, *Rhomboplites aurorubens*
- Malacanthidae—Tilefishes
  - Blue-line tilefish, *Caulolatilus microps*
  - Golden tilefish, *Lopholatilus chamaeleonticeps*
  - Sand tilefish, *Malacanthus plumieri*
- Percichthyidae—Temperate basses
  - Wreckfish, *Polyprion americanus*
- Serranidae—Groupers

- Rock hind, *Epinephelus adscensionis*
- Graysby, *Epinephelus cruentatus*
- Speckled hind, *Epinephelus drummondhayi*
- Yellowedge grouper, *Epinephelus flavolimbatus*
- Coney, *Epinephelus fulvus*
- Red hind, *Epinephelus guttatus*
- Goliath grouper, *Epinephelus itajara*
- Red grouper, *Epinephelus morio*
- Misty grouper, *Epinephelus mystacinus*
- Warsaw grouper, *Epinephelus nigritus*
- Snowy grouper, *Epinephelus niveatus*
- Nassau grouper, *Epinephelus striatus*
- Black grouper, *Mycteroperca bonaci*
- Yellowmouth grouper, *Mycteroperca interstitialis*
- Gag, *Mycteroperca microlepis*
- Scamp, *Mycteroperca phenax*
- Tiger grouper, *Mycteroperca tigris*
- Yellowfin grouper, *Mycteroperca venenosa*
- Serranidae—Sea Basses
  - Bank sea bass, *Centropristis ocyurus*
  - Rock sea bass, *Centropristis philadelphica*
  - Black sea bass, *Centropristis striata*
- Sparidae—Porgies
  - Sheepshead, *Archosargus probatocephalus*
  - Grass porgy, *Calamus arctifrons*
  - Jolthead porgy, *Calamus bajonado*
  - Saucereye porgy, *Calamus calamus*
  - Whitebone porgy, *Calamus leucosteus*
  - Knobbed porgy, *Calamus nodosus*
  - Red porgy, *Pagrus pagrus*
  - Longspine porgy, *Stenotomus caprinus*
  - Scup, *Stenotomus chrysops*

TABLE 5 OF APPENDIX A TO PART 622—CARIBBEAN CONCH RESOURCES

- Queen conch, *Strombus gigas*
- The following species are included for data collection purposes only:
  - Atlantic triton's trumpet, *Charonia variegata*
  - Cameo helmet, *Cassis madagascarensis*
  - Green star shell, *Astrea tuber*
  - Hawkwing conch, *Strombus raninus*
  - Milk conch, *Strombus costatus*
  - Roostertail conch, *Strombus gallus*
  - West Indian fighting conch, *Strombus pugilis*
  - True tulip, *Fasciolaria tulipa*

[61 FR 34934, July 3, 1996, as amended at 62 FR 13988, Mar. 25, 1997; 62 FR 67723, Dec. 30, 1997; 64 FR 57404, Oct. 25, 1999; 70 FR 62082, Oct. 28, 2005; 70 FR 73389, Dec. 12, 2005]

APPENDIX B TO PART 622—GULF AREAS

TABLE 1 OF APPENDIX B TO PART 622—SEAWARD COORDINATES OF THE LONGLINE AND BUOY GEAR RESTRICTED AREA

Point No. and reference location <sup>1</sup>	North lat.	West long.
1 Seaward limit of Florida's waters north of Dry Tortugas .....	24°48.0'	82°48.0'
2 North of Rebecca Shoal .....	25°07.5'	82°34.0'