

TABLE 3 TO PART 679—PRODUCT RECOVERY RATES FOR GROUND FISH SPECIES AND CONVERSION RATES FOR PACIFIC HALIBUT

Table 3 to Part 679--Product Recovery Rates for groundfish species and conversion rates for Pacific halibut

| FMP SPECIES | Species Code | PRODUCT CODE | | | | | | | | | | | | |
|---|--------------|--|---------------|---------------------|--------------------------------------|-------------------|----------------------|----------------------|--------------------|--------------|----------------------|-------------|-----------|--|
| | | 1. 2, 41, 86, 92, 93, 95 WHOLE FISH | 2, 42 BLED | 4 GUTTED HEAD ON | 5 GUTTED HEAD OFF (NET WEIGHT) | 6 H&G WITH ROE | 7 H&G WESTERN CUT | 8 H&G EASTERN CUT | 10 H&G W/O TAIL | 11 KIRIMI | 12 SALTED & SPLIT | 13 WINGS | 14 ROE | |
| PACIFIC COD | 110 | 1.00 | 0.98 | 0.85 | ... | 0.63 | 0.57 | 0.47 | 0.44 | ... | 0.45 | ... | 0.05 | |
| ARROWTOOTH FLOUNDER | 121 | 1.00 | 0.98 | 0.90 | ... | 0.80 | 0.72 | 0.65 | 0.62 | ... | 0.48 | ... | 0.08 | |
| FLATHEAD SOLE | 122 | 1.00 | 0.98 | 0.90 | ... | 0.80 | 0.72 | 0.65 | 0.62 | ... | 0.48 | ... | 0.08 | |
| ROCK SOLE | 123 | 1.00 | 0.98 | 0.90 | ... | 0.80 | 0.72 | 0.65 | 0.62 | ... | 0.48 | ... | 0.08 | |
| DOVER SOLE | 124 | 1.00 | 0.98 | 0.90 | ... | 0.80 | 0.72 | 0.65 | 0.62 | ... | 0.48 | ... | 0.08 | |
| REX SOLE | 125 | 1.00 | 0.98 | 0.90 | ... | 0.80 | 0.72 | 0.65 | 0.62 | ... | 0.48 | ... | 0.08 | |
| YELLOWFIN SOLE | 127 | 1.00 | 0.98 | 0.90 | ... | 0.80 | 0.72 | 0.65 | 0.62 | ... | 0.48 | ... | 0.08 | |
| GREENLAND TURBOT | 134 | 1.00 | 0.98 | 0.90 | ... | 0.80 | 0.72 | 0.65 | 0.62 | ... | 0.48 | ... | 0.08 | |
| THORNYHEAD ROCKFISH | 143 | 1.00 | 0.98 | 0.88 | ... | 0.55 | 0.60 | 0.50 | ... | ... | ... | ... | ... | |
| SCULPINS | 160 | 1.00 | 0.98 | 0.87 | ... | ... | 0.50 | 0.40 | ... | ... | ... | ... | ... | |
| ATKA MACKEREL | 193 | 1.00 | 0.98 | 0.87 | ... | 0.67 | 0.64 | 0.61 | ... | ... | ... | ... | ... | |
| POLLOCK | 270 | 1.00 | 0.98 | 0.80 | ... | 0.70 | 0.65 | 0.56 | 0.50 | 0.35 | ... | ... | 0.07 | |
| SMELTS | 510 | 1.00 | 0.98 | 0.82 | ... | ... | 0.71 | ... | ... | ... | ... | ... | ... | |
| BULACHON | 511 | 1.00 | 0.98 | 0.82 | ... | ... | 0.71 | ... | ... | ... | ... | ... | ... | |
| CAPELIN | 516 | 1.00 | 0.98 | 0.89 | ... | ... | 0.78 | ... | ... | ... | ... | ... | ... | |
| SHARKS | 689 | 1.00 | 0.98 | 0.83 | ... | ... | 0.72 | ... | ... | ... | ... | ... | ... | |
| SKATES | 700 | 1.00 | 0.98 | 0.90 | ... | ... | ... | 0.32 | ... | ... | ... | 0.32 | ... | |
| SABLEFISH | 710 | 1.00 | 0.98 | 0.89 | ... | ... | 0.68 | 0.63 | 0.50 | ... | ... | ... | ... | |
| OCTOPUS | 870 | 1.00 | 0.98 | 0.81 | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| SQUID | 875 | 1.00 | 0.98 | 0.69 | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| ROCKFISH | ... | 1.00 | 0.98 | 0.88 | ... | ... | 0.60 | 0.50 | ... | ... | ... | ... | ... | |
| CONVERSION RATE Net Weight PACIFIC HALIBUT | 200 | ... | ... | 0.90 | 1.0 | ... | ... | ... | ... | ... | ... | ... | ... | |

Table 3 to Part 679--Product Recovery Rates for groundfish species and conversion rates for Pacific halibut

| FMP SPECIES | Species Code | PRODUCT CODE | | | | | | | | | | | | |
|---|--------------|--------------------|----------|-----------|----------|----------|------------------------|-------------------------|-------------------------|--------------------------|---------------------|-----------|----------|--|
| | | 15 PECTORAL GIRDLE | 16 HEADS | 17 CHEEKS | 18 CHINS | 19 BELLY | 20 FILETS W/SKIN & RBS | 21 FILETS W/SKIN NO RBS | 22 FILETS W/RBS NO SKIN | 23 FILETS SKNLESS/BNLESS | 24 FILETS DEEP SKIN | 30 SURIMI | 31 MINCE | |
| PACIFIC COD | 110 | 0.05 | ... | 0.05 | ... | 0.01 | 0.45 | 0.35 | 0.25 | 0.25 | ... | 0.15 | 0.5 | |
| ARROWTOOTH FLOUNDER | 121 | ... | ... | ... | ... | ... | 0.32 | 0.27 | 0.27 | 0.22 | ... | ... | ... | |
| FLATHEAD SOLE | 122 | ... | ... | ... | ... | ... | 0.32 | 0.27 | 0.27 | 0.22 | ... | ... | ... | |
| ROCK SOLE | 123 | ... | ... | ... | ... | ... | 0.32 | 0.27 | 0.27 | 0.22 | ... | ... | ... | |
| DOVER SOLE | 124 | ... | ... | ... | ... | ... | 0.32 | 0.27 | 0.27 | 0.22 | ... | ... | ... | |
| REX SOLE | 125 | ... | ... | ... | ... | ... | 0.32 | 0.27 | 0.27 | 0.22 | ... | ... | ... | |
| YELLOWFIN SOLE | 127 | ... | ... | ... | ... | ... | 0.32 | 0.27 | 0.27 | 0.22 | ... | 0.18 | ... | |
| GREENLAND TURBOT | 134 | ... | ... | ... | ... | ... | 0.32 | 0.27 | 0.27 | 0.22 | ... | ... | ... | |
| THORNYHEAD ROCKFISH | 143 | ... | 0.20 | 0.05 | 0.05 | 0.05 | 0.40 | 0.30 | 0.35 | 0.25 | ... | ... | ... | |
| SCULPINS | 160 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| ATKA MACKEREL | 193 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 0.15 | ... | |
| POLLOCK | 270 | ... | 0.15 | ... | ... | ... | 0.35 | 0.30 | 0.30 | 0.21 | 0.16 | 0.16/0.17 | 0.22 | |
| SMELTS | 510 | ... | ... | ... | ... | ... | ... | 0.38 | ... | ... | ... | ... | ... | |
| EULACHON | 511 | ... | ... | ... | ... | ... | ... | 0.38 | ... | ... | ... | ... | ... | |
| CAPELIN | 516 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| SHARKS | 689 | ... | ... | ... | ... | ... | ... | 0.30 | 0.30 | 0.25 | ... | ... | ... | |
| SKATES | 700 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| SABLEFISH | 710 | ... | ... | 0.05 | ... | ... | 0.35 | 0.30 | 0.30 | 0.25 | ... | ... | ... | |
| OCTOPUS | 870 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| SQUID | 875 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| ROCKFISH | ... | ... | 0.15 | 0.05 | 0.05 | 0.10 | 0.40 | 0.30 | 0.35 | 0.25 | ... | ... | ... | |
| Conversion Rate to Net Weight for PACIFIC HALIBUT | 200 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |

Table 3 to Part 679--Product Recovery Rates for groundfish species and conversion rates for Pacific halibut

| FMP SPECIES | Species Code | PRODUCT CODE | | | | | | | | | |
|---|--------------|--------------|--------|---------|-------------|------------|-------------------------------|--------------------------------|----------------|------|-----|
| | | 32 MEAL | 33 OIL | 34 MILK | 35 STOMACHS | 36 MANTLES | 37 BUTTERFLY BACKBONE REMOVED | 88 INFESTED OR DECOMPOSED FISH | 98 99 DISCARDS | | |
| PACIFIC COD | 110 | 0.17 | ... | ... | ... | ... | 0.43 | 0.00 | 1.00 | 1.00 | ... |
| ARROWTOOTH FLOUNDER | 121 | 0.17 | ... | ... | ... | ... | ... | 0.00 | 1.00 | 1.00 | ... |
| FLATHEAD SOLE | 122 | 0.17 | ... | ... | ... | ... | ... | 0.00 | 1.00 | 1.00 | ... |
| ROCK SOLE | 123 | 0.17 | ... | ... | ... | ... | ... | 0.00 | 1.00 | 1.00 | ... |
| DOVER SOLE | 124 | 0.17 | ... | ... | ... | ... | ... | 0.00 | 1.00 | 1.00 | ... |
| REX SOLE | 125 | 0.17 | ... | ... | ... | ... | ... | 0.00 | 1.00 | 1.00 | ... |
| YELLOWFIN SOLE | 127 | 0.17 | ... | ... | ... | ... | ... | 0.00 | 1.00 | 1.00 | ... |
| GREENLAND TURBOT | 134 | 0.17 | ... | ... | ... | ... | ... | 0.00 | 1.00 | 1.00 | ... |
| THORNYHEAD ROCKFISH | 143 | 0.17 | ... | ... | ... | ... | ... | 0.00 | 1.00 | 1.00 | ... |
| SCULPINS | 160 | 0.17 | ... | ... | ... | ... | ... | 0.00 | 1.00 | 1.00 | ... |
| ATKA MACKEREL | 193 | 0.17 | ... | ... | ... | ... | ... | 0.00 | 1.00 | 1.00 | ... |
| POLLOCK | 270 | 0.17 | ... | ... | ... | ... | 0.43 | 0.00 | 1.00 | 1.00 | ... |
| SMELTS | 510 | 0.17 | ... | ... | ... | ... | ... | 0.00 | 1.00 | 1.00 | ... |
| BULLACHON | 511 | 0.17 | ... | ... | ... | ... | ... | 0.00 | 1.00 | 1.00 | ... |
| CAPELIN | 516 | 0.17 | ... | ... | ... | ... | ... | 0.00 | 1.00 | 1.00 | ... |
| SHARKS | 689 | 0.17 | ... | ... | ... | ... | ... | 0.00 | 1.00 | 1.00 | ... |
| SKATES | 700 | 0.17 | ... | ... | ... | ... | ... | 0.00 | 1.00 | 1.00 | ... |
| SABLEFISH | 710 | 0.17 | ... | ... | ... | ... | ... | 0.00 | 1.00 | 1.00 | ... |
| OCTOPUS | 870 | 0.17 | ... | ... | ... | 0.85 | ... | 0.00 | 1.00 | 1.00 | ... |
| SQUID | 875 | 0.17 | ... | ... | ... | 0.75 | ... | 0.00 | 1.00 | 1.00 | ... |
| ROCKFISH | ... | ... | ... | ... | ... | ... | ... | 0.00 | 1.00 | 1.00 | ... |
| Conversion Rate to Net Weight for PACIFIC HALIBUT | 200 | ... | ... | ... | ... | ... | ... | 0.00 | 0.75 | 0.75 | ... |

Standard pollock surimi rate during January through June
 Standard pollock surimi rate during July through December
 Notes: To obtain round weight of groundfish, divide the product weight of groundfish by the table PPP.
 To obtain IQO net weight of Pacific halibut, multiply the product weight of halibut by the table conversion rate
 To obtain round weight from net weight of Pacific halibut, divide net weight by 0.75 or multiply by 1.33333.

[67 FR 4137, Jan. 28, 2002, as amended at 67 FR 46024, July 11, 2002]

TABLE 4 TO PART 679—STELLER SEA LION PROTECTION AREAS POLLOCK FISHERIES RESTRICTIONS

STELLER SEA LION PROTECTION AREAS POLLOCK FISHERIES RESTRICTIONS

| | | | | | | |
|-----------------|---|---|---|---|---|---|
| Column Number 1 | 2 | 3 | 4 | 5 | 6 | 7 |
|-----------------|---|---|---|---|---|---|