

§ 590.502

9 CFR Ch. III (1–1–10 Edition)

drains shall be equipped with traps, and constructed so as to minimize clogging. In new or remodeled construction the drainage systems from toilets and laboratories shall not be connected with other drainage systems within the plant.

(h) The water supply (both hot and cold) shall be ample, clean, and potable, with adequate pressure and facilities for its distribution throughout the plant or portion thereof utilized for egg processing and handling operations and protected against contamination and pollution. A water report, issued under the authority of a State or municipal health agency, certifying to the potability of the water supply shall be obtained by the applicant and furnished to the Administrator whenever such report is required by the Administrator.

(i) The floors, walls, ceiling, partitions, posts, doors, and other parts of all structures shall be of such materials, construction, and finish to permit their ready and thorough cleaning. The floors and curbing shall be watertight.

(j) Each room and each compartment in which any shell eggs or egg products are handled or processed shall be so designed, constructed, and maintained to insure processing and operating conditions of a clean and orderly character, free from objectionable odors and vapors, and maintained in a clean and sanitary condition.

(k) Every precaution shall be taken to exclude dogs, cats, and vermin (including, but not being limited to, rodents and insects) from the plant, or portion thereof utilized in which shell eggs or egg products are handled or stored.

(1)(1) There shall be a sufficient number of adequately lighted dressing rooms and toilet rooms, ample in size, conveniently located and separated from the rooms and compartments in which shell eggs or egg products are handled, processed, or stored. The dressing rooms and toilet rooms shall be separately ventilated, and shall meet all requirements as to sanitary construction and equipment.

(2) The following formula shall serve as a basis for determining the toilet facilities required:

Persons of same sex	Toilet bowls required
1 to 15, inclusive	1
16 to 35, inclusive	2
36 to 55, inclusive	3
56 to 80, inclusive	4
For each additional 30 persons in excess of 80 ...	1

¹Urinals may be substituted for toilet bowls but only to the extent of one-third of the total number of bowls stated.

(m) Lavatory accommodations (including, but not being limited to, hot and cold running water, single service towels, and soap which does not impart an odor which interferes with accurate evaluation of the product) shall be placed at such locations in the plant to assure cleanliness of each person handling any shell eggs or egg products. The hand washing facilities in the processing areas shall be operated by other than hand operated controls and the drains shall be trapped and connected to the plumbing system.

(n) Suitable facilities for cleaning and sanitizing utensils and equipment shall be provided at convenient locations throughout the plant.

(o) Refuse rooms shall be provided for the accumulation and storage of shells, trash, and other refuse. They shall be separate rooms completely enclosed without doorways opening into breaking rooms or rooms where egg products or packaging materials are handled or stored and have concrete floors with approved drains, facilities for cleaning, and an approved exhaust system vented to the outside. Alternative systems of handling shells, trash, and other refuse may be approved by the Administrator when such systems adequately contain all refuse and provide equivalent sanitary methods for the handling and removal of refuse.

[36 FR 9814, May 28, 1971; 36 FR 10841, June 4, 1971, as amended at 40 FR 20059, May 8, 1975. Redesignated at 42 FR 32514, June 27, 1977, as amended at 45 FR 23641, Apr. 8, 1980. Redesignated at 46 FR 63203, Dec. 31, 1981]

§ 590.502 Equipment and utensils; PCB-containing equipment.

(a) Equipment and utensils used in processing shell eggs and egg products shall be of such design, material, and construction as will:

(1) Enable the examination, segregation, and processing of such products in

an efficient, clean, and satisfactory manner;

(2) Permit easy access to all parts to insure thorough cleaning and sanitizing. So far as is practicable, all such equipment shall be made of metal or other impervious material which will not affect the product by chemical action or physical contact.

(b) Except as authorized by the Administrator, in new or remodeled equipment and equipment installations, the equipment and installation shall comply with the applicable 3-A or E-3-A Sanitary Standards and accepted practices currently in effect for such equipment.

(c) New or replacement equipment or machinery (including any replacement parts) brought onto the premises of any official plant shall not contain liquid polychlorinated biphenyls (PCBs) in concentrations above 50 parts per million by weight of the liquid medium. This provision applies to both food processing and nonfood processing equipment and machinery, and any replacement parts for such equipment and machinery. Totally enclosed capacitors containing less than 3 pounds of PCBs are exempted from this prohibition.

[36 FR 9814, May 28, 1971. Redesignated at 42 FR 32514, June 27, 1977, as amended at 45 FR 68919, Oct. 17, 1980. Redesignated at 46 FR 63203, Dec. 31, 1981, as amended at 60 FR 49170, Sept. 21, 1995]

§ 590.504 General operating procedures.

(a) Operations involving processing, storing, and handling of shell eggs, ingredients, and egg products shall be strictly in accord with clean and sanitary methods and shall be conducted as rapidly as practicable. Pasteurization, heat treatment, stabilization, and other processes shall be in accord with this part and as approved by the Administrator. Processing methods and temperatures in all operations shall be such as will prevent a deterioration of the egg products.

(b) Shell eggs and egg products processed in official plants shall be subjected to constant and continuous inspection throughout each and every processing operation. Any shell egg or egg product which was not processed in

accordance with these regulations or is not fit for human food shall be removed and segregated.

(c) All loss and inedible eggs or egg products shall be placed in a container clearly labeled "inedible" and containing a sufficient amount of approved denaturant or decharacterant, such as FD&C brown, blue, black, or green colors, meat and fish by-products, grain and milling by-products, or any other substance, as approved by the Administrator, that will accomplish the purposes of this section. Shell eggs shall be crushed and the substance shall be dispersed through the product in amounts sufficient to give the product a distinctive appearance or odor. Notwithstanding the foregoing, and upon permission of the Inspector, the applicant may hold inedible product in containers clearly labeled inedible which do not contain a denaturant if such inedible product is denatured or decharacterized prior to shipment from the official plant: *Provided*, That such product is properly packaged, labeled, segregated, and inventory controls are maintained. In addition, product shipped from the official plant for industrial use or animal food need not be denatured or decharacterized, provided, that such product is properly packaged, labeled, segregated, and inventory controls are maintained, and that such product is shipped under Government seal and certificate and received at the destination location by an inspector or grader as defined in this part.

(d) The inspector may, prior to receipt of laboratory results for salmonella, or for other reasons such as labeling as to solids content, permit egg products to be shipped from the official plant when he has no reason to suspect noncompliance with any of the provisions of this part. However, such shipments shall be made under circumstances which will assure the return of the product to the plant for reprocessing, relabeling, or under such other conditions as the Administrator may determine to assure compliance with this part.

(e) Pasteurizing, stabilizing, or drying operations shall start as soon as practicable after breaking to prevent deterioration of product, preferably