

**§ 35.2125**

awarded after September 30, 1990 shall be limited to the needs existing on September 30, 1990.

(d) For any application with capacity in excess of that provided by this section:

(1) All incremental costs shall be paid by the applicant. Incremental costs include all costs which would not have been incurred but for the additional excess capacity, i.e., any cost in addition to the most cost-effective alternative with eligible reserve capacity described under paragraphs (a) and (b) of this section.

(2) It must be determined that the actual treatment works to be built meets the requirements of the National Environmental Policy Act and all applicable laws and regulations.

(3) The Regional Administrator shall approve the plans, specifications and estimates for the actual treatment works.

(4) The grantee shall assure the Regional Administrator satisfactorily that it has assessed the costs and financial impacts of the actual treatment works and has the capability to finance and manage their construction and operation.

(5) The grantee must implement a user charge system which applies to the entire service area of the grantee.

(6) The grantee shall execute appropriate grant conditions or releases protecting the Federal Government from any claim for any of the costs of construction due to the additional capacity.

**§ 35.2125 Treatment of wastewater from industrial users.**

(a) Grant assistance shall not be provided for a project unless the project is included in a complete waste treatment system and the principal purpose of both the project and the system is for the treatment of domestic wastewater of the entire community, area, region or district concerned.

(b) Allowable project costs do not include:

(1) Costs of interceptor or collector sewers constructed exclusively, or almost exclusively, to serve industrial users; or

(2) Costs for control or removal of pollutants in wastewater introduced

**40 CFR Ch. I (7-1-11 Edition)**

into the treatment works by industrial users, unless the applicant is required to remove such pollutants introduced from nonindustrial users.

**§ 35.2127 Federal facilities.**

Grant assistance shall not be provided for costs to transport or treat wastewater produced by a facility that is owned and operated by the Federal Government which contributes more than 250,000 gallons per day or 5 percent of the design flow of the complete waste treatment system, whichever is less.

(Approved by the Office of Management and Budget under control number 2040-0027)

**§ 35.2130 Sewer use ordinance.**

The sewer use ordinance (see also §§ 35.2122 and 35.2208) or other legally binding document shall prohibit any new connections from inflow sources into the treatment works and require that new sewers and connections to the treatment works are properly designed and constructed. The ordinance or other legally binding document shall also require that all wastewater introduced into the treatment works not contain toxics or other pollutants in amounts or concentrations that endanger public safety and physical integrity of the treatment works; cause violation of effluent or water quality limitations; or preclude the selection of the most cost-effective alternative for wastewater treatment and sludge disposal.

(Approved by the Office of Management and Budget under control number 2040-0027)

**§ 35.2140 User charge system.**

The user charge system (see §§ 35.2122 and 35.2208) must be designed to produce adequate revenues required for operation and maintenance (including replacement). It shall provide that each user which discharges pollutants that cause an increase in the cost of managing the effluent or sludge from the treatment works shall pay for such increased cost. The user charge system shall be based on either actual use under paragraph (a) of this section, ad valorem taxes under paragraph (b) of this section, or a combination of the two.