

§ 180.364

Commodity	Parts per million
Strawberry .....	10.0

(2) Tolerances are established for residues of the miticide/acaricide fenbutatin-oxide, including its metabolites and degradates, in or on the animal commodities in the table in this paragraph. Compliance with the tolerance levels specified in this paragraph is to be determined by measuring only the sum of fenbutatin-oxide, hexakis (2-methyl-2-phenylpropyl) distannoxane, and its organotin metabolites, dihydroxybis(2-methyl-2-phenylpropyl) stannane and 2-methyl-2-phenylpropylstannic acid, calculated as the stoichiometric equivalent of fenbutatin-oxide, in or on the commodity.

Commodity	Parts per million
Cattle, fat .....	0.5
Cattle, meat .....	0.5
Cattle, meat byproducts .....	0.5
Egg .....	0.1
Goat, fat .....	0.5
Goat, meat .....	0.5
Goat, meat byproducts .....	0.5
Hog, fat .....	0.5
Hog, meat .....	0.5
Hog, meat byproducts .....	0.5
Horse, fat .....	0.5
Horse, meat .....	0.5
Horse, meat byproducts .....	0.5
Milk, fat .....	0.1
Poultry, fat .....	0.1
Poultry, meat .....	0.1
Poultry, meat byproducts .....	0.1
Sheep, fat .....	0.5
Sheep, meat .....	0.5
Sheep, meat byproducts .....	0.5

(b) *Section 18 emergency exemptions.* [Reserved]

(c) *Tolerances with regional registrations.* A tolerance with regional registration, as defined in §180.1(1), is established for residues of the miticide/acaricide fenbutatin-oxide, including its metabolites and degradates, in or on the plant commodity in the table in this paragraph. Compliance with the tolerance level specified in this paragraph is to be determined by measuring only fenbutatin-oxide, hexakis (2-methyl-2-phenylpropyl) distannoxane, in or on the commodity.

Commodity	Parts per million
Raspberry .....	10.0

40 CFR Ch. I (7-1-11 Edition)

(d) *Indirect or inadvertent residues.* [Reserved]

[65 FR 33713, May 24, 2000, as amended at 72 FR 41930, Aug. 1, 2007; 73 FR 5109, Jan. 29, 2008; 76 FR 23494, Apr. 27, 2011]

§ 180.364 **Glyphosate; tolerances for residues.**

(a) *General.* (1) Tolerances are established for residues of glyphosate, including its metabolites and degradates, in or on the commodities listed below resulting from the application of glyphosate, the isopropylamine salt of glyphosate, the ethanolamine salt of glyphosate, the dimethylamine salt of glyphosate, the ammonium salt of glyphosate, and the potassium salt of glyphosate. Compliance with the following tolerance levels is to be determined by measuring only glyphosate (*N*-(phosphonomethyl)glycine).

Commodity	Parts per million
Acerola .....	0.2
Alfalfa, seed .....	0.5
Almond, hulls .....	25
Aloe vera .....	0.5
Ambarella .....	0.2
Animal feed, nongrass, group 18 .....	400
Artichoke, globe .....	0.2
Asparagus .....	0.5
Atemoya .....	0.2
Avocado .....	0.2
Bamboo, shoots .....	0.2
Banana .....	0.2
Barley, bran .....	30
Beet, sugar, dried pulp .....	25
Beet, sugar, roots .....	10
Beet, sugar, tops .....	10
Berry group 13 .....	0.2
Betelnut .....	1.0
Biriba .....	0.2
Blimbe .....	0.2
Borage, seed .....	0.1
Breadfruit .....	0.2
Cacao bean, bean .....	0.2
Cactus, fruit .....	0.5
Cactus, pads .....	0.5
Canistel .....	0.2
Canola, seed .....	20
Chaya .....	1.0
Cherimoya .....	0.2
Citrus, dried pulp .....	1.5
Coconut .....	0.1
Coffee, bean, green .....	1.0
Corn, pop, grain .....	0.1
Corn, sweet, kernel plus cob with husk removed .....	3.5
Cotton, gin byproducts .....	210
Cotton, undelinted seed .....	40
Cranberry .....	0.2
Crambe, seed .....	0.1
Custard apple .....	0.2
Date, dried fruit .....	0.2
Dokudami .....	2.0
Durian .....	0.2
Epazote .....	1.3
Fejjoa .....	0.2

Environmental Protection Agency

§ 180.364

Commodity	Parts per million	Commodity	Parts per million
Fig .....	0.2	Rose apple .....	0.2
Fish .....	0.25	Safflower, seed .....	85
Flax, meal .....	8.0	Salal .....	0.2
Flax, seed .....	4.0	Sapodilla .....	0.2
Fruit, citrus, group 10 .....	0.5	Sapote, black .....	0.2
Fruit, pome, group 11 .....	0.2	Sapote, mamey .....	0.2
Fruit, stone, group 12 .....	0.2	Sapote, white .....	0.2
Galangal, roots .....	0.2	Sesame, seed .....	0.1
Ginger, white, flower .....	0.2	Shellfish .....	3.0
Gourd, buffalo, seed .....	0.1	Soursop .....	0.2
Governor's plum .....	0.2	Spanish lime .....	0.2
Gow kee, leaves .....	0.2	Spearmint, tops .....	200
Grain, cereal, forage, fodder and straw, group 16, except field corn, forage and field corn, stover .....	100	Spice subgroup 19B .....	7.0
Grain, cereal, group 15 except field corn, popcorn, rice, sweet corn, and wild rice .....	30	Star apple .....	0.2
Grape .....	0.2	Starfruit .....	0.2
Grass, forage, fodder and hay, group 17 .....	300	Stevia, dried leaves .....	1.0
Guava .....	0.2	Strawberry .....	0.2
Herbs subgroup 19A .....	0.2	Sugar apple .....	0.2
Hop, dried cones .....	7.0	Sugarcane, cane .....	2.0
llama .....	0.2	Sugarcane, molasses .....	30
Imbe .....	0.2	Sunflower, seed .....	85
Imbu .....	0.2	Surinam cherry .....	0.2
Jaboticaba .....	0.2	Tamarind .....	0.2
Jackfruit .....	0.2	Tea, dried .....	1.0
Jajoba, seed .....	0.1	Tea, instant .....	7.0
Juneberry .....	0.2	Teff, grain .....	5.0
Kava, roots .....	0.2	Ti, leaves .....	0.2
Kenaf, forage .....	200	Ti, roots .....	0.2
Kiwifruit .....	0.2	Ugli fruit .....	0.5
Lesquerella, seed .....	0.1	Vegetable, bulb, group 3 .....	0.2
Leucaena, forage .....	200	Vegetable, cucurbit, group 9 .....	0.5
Lingonberry .....	0.2	Vegetable, foliage of legume, subgroup 7A, except soybean .....	0.2
Longan .....	0.2	Vegetable, fruiting, group 8 .....	0.1
Lychee .....	0.2	Vegetable, leafy, brassica, group 5 .....	0.2
Mamey apple .....	0.2	Vegetable, leafy, except brassica, group 4 .....	0.2
Mango .....	0.2	Vegetable, leaves of root and tuber, group 2, except sugar beet tops .....	0.2
Mangosteen .....	0.2	Vegetable, legume, group 6 except soybean and dry pea .....	5.0
Marmaladebox .....	0.2	Vegetable, root and tuber, group 1, except sugar beet .....	0.2
Meadowfoam, seed .....	0.1	Wasabi, roots .....	0.2
Mioga, flower .....	0.2	Water spinach, tops .....	0.2
Mustard, seed .....	0.1	Watercress, upland .....	0.2
Noni .....	0.20	Wax jambu .....	0.2
Nut, pine .....	1.0	Yacon, tuber .....	0.2
Nut, tree, group 14 .....	1.0		
Okra .....	0.5		
Olive .....	0.2		
Oregano, Mexican, leaves .....	2.0		
Palm heart .....	0.2		
Palm heart, leaves .....	0.2		
Palm, oil .....	0.1		
Papaya .....	0.2		
Papaya, mountain .....	0.2		
Passionfruit .....	0.2		
Pawpaw .....	0.2		
Pea, dry .....	8.0		
Peanut .....	0.1		
Peanut, hay .....	0.5		
Pepper leaf, fresh leaves .....	0.2		
Peppermint, tops .....	200		
Perilla, tops .....	1.8		
Persimmon .....	0.2		
Pineapple .....	0.1		
Pistachio .....	1.0		
Pomegranate .....	0.2		
Pulasan .....	0.2		
Quinoa, grain .....	5.0		
Rambutan .....	0.2		
Rapeseed, seed .....	20		
Rice, grain .....	0.1		
Rice, wild, grain .....	0.1		

(2) Tolerances are established for residues of glyphosate, including its metabolites and degradates, in or on the commodities listed below resulting from the application of glyphosate, the isopropylamine salt of glyphosate, the ethanolamine salt of glyphosate, the dimethylamine salt of glyphosate, the ammonium salt of glyphosate, and the potassium salt of glyphosate. Compliance with the following tolerance levels is to be determined by measuring only glyphosate (N-(phosphonomethyl)glycine) and its metabolite N-acetyl-glyphosate (N-acetyl-N-(phosphonomethyl)glycine; calculated as the stoichiometric equivalent of glyphosate).

§ 180.367

Commodity	Parts per Million
Cattle, meat byproducts .....	5.0
Corn, field, forage .....	13
Corn, field, grain .....	5.0
Corn, field, stover .....	100
Egg .....	0.05
Goat, meat byproducts .....	5.0
Grain aspirated fractions .....	310.0
Hog, meat byproducts .....	5.0
Horse, meat byproducts .....	5.0
Poultry, meat .....	0.10
Poultry, meat byproducts .....	1.0
Sheep, meat byproducts .....	5.0
Soybean, forage .....	100.0
Soybean, hay .....	200.0
Soybean, hulls .....	120.0
Soybean, seed .....	20.0

(b) Section 18 emergency exemptions. [Reserved]

(c) Tolerances with regional registrations. [Reserved]

(d) Indirect or inadvertent residues. [Reserved]

[45 FR 64911, Oct. 1, 1980]

EDITORIAL NOTE: For FEDERAL REGISTER citations affecting § 180.364, see the List of CFR Sections Affected, which appears in the Finding Aids section of the printed volume and at www.fdsys.gov.

§ 180.367 *n*-Octyl bicycloheptenedicarboximide; tolerances for residues.

(a) *General*. A tolerance of 5 parts per million is established for residues of the insecticide synergist *N*-octyl bicycloheptene dicarboximide, including its metabolites and degradates, in or on all food items in food handling establishments where food and food products are held, processed, prepared and/or served, provided that the food is removed or covered prior to such use, except for bagged food in warehouse storage which need not be removed or covered prior to applications of formulations containing *N*-octyl bicycloheptene dicarboximide. Compliance with the tolerance level specified in this paragraph is to be determined by measuring only *N*-octyl bicycloheptene dicarboximide, in or on the commodity.

(b) Section 18 emergency exemptions. [Reserved]

(c) Tolerances with regional registrations. [Reserved]

40 CFR Ch. I (7-1-11 Edition)

(d) Indirect or inadvertent residues. [Reserved]

[65 FR 33713, May 24, 2000, as amended at 75 FR 60243, Sept. 29, 2010]

§ 180.368 Metolachlor; tolerances for residues.

(a) *General*. (1) Tolerances are established for the combined residues (free and bound) of the herbicide metolachlor, 2-chloro-*N*-(2-ethyl-6-methylphenyl)-*N*-(2-methoxy-1-methylethyl)acetamide, and its metabolites, determined as the derivatives, 2-[(2-ethyl-6-methylphenyl)amino]-1-propanol and 4-(2-ethyl-6-methylphenyl)-2-hydroxy-5-methyl-3-morpholinone, each expressed as the parent compound in the following raw agricultural commodities:

Commodity	Parts per million
Almond, hulls .....	0.30
Animal feed, nongrass, group 18 .....	1.0
Cattle, fat .....	0.02
Cattle, kidney .....	0.20
Cattle, liver .....	0.05
Cattle, meat .....	0.02
Cattle, meat byproducts, except kidney and liver .....	0.04
Corn, field, forage .....	6.0
Corn, field, grain .....	0.10
Corn, field, stover .....	6.0
Corn, sweet, forage .....	6.0
Corn, sweet, kernel plus cob with husks removed .....	0.10
Corn, sweet, stover .....	6.0
Cotton, gin byproducts .....	4.0
Cotton, undelinted seed .....	0.10
Dillweed .....	0.50
Egg .....	0.02
Goat, fat .....	0.02
Goat, kidney .....	0.20
Goat, liver .....	0.05
Goat, meat .....	0.02
Goat, meat byproducts, except kidney and liver .....	0.04
Grass, forage .....	10
Grass, hay .....	0.20
Horse, fat .....	0.02
Horse, kidney .....	0.20
Horse, liver .....	0.05
Horse, meat .....	0.02
Horse, meat byproducts, except kidney and liver .....	0.04
Milk .....	0.02
Nut, tree, group 14 .....	0.10
Okra .....	0.50
Peanut .....	0.20
Peanut, hay .....	20
Peanut, meal .....	0.40
Potato .....	0.20
Poultry, fat .....	0.02
Poultry, meat .....	0.02
Poultry, meat byproducts .....	0.05
Safflower, seed .....	0.10
Sheep, fat .....	0.02
Sheep, kidney .....	0.20
Sheep, liver .....	0.05
Sheep, meat .....	0.02
Sheep, meat byproducts, except kidney and liver .....	0.04