

§ 180.496

(b) *Section 18 emergency exemptions.*
[Reserved]

(c) *Tolerances with regional registrations.* [Reserved]

(d) *Indirect or inadvertant residues.*
[Reserved]

[72 FR 68540, Dec. 5, 2007, as amended at 74 FR 46376, Sept. 9, 2009; 74 FR 48408, Sept. 23, 2009; 75 FR 60327, Sept. 30, 2010]

§ 180.496 Thiazopyr; tolerances for residues.

Tolerances are established for combined residues of the herbicide thiazopyr (3-pyridinecaroxylic acid, 2-(difluoromethyl)-5-(4,5-dihydro-2-thiazolyl)-4-(2-methylpropyl)-6-(trifluoromethyl)-, methyl ester) and its metabolites determined as 2-(difluoromethyl)-6-(trifluoromethyl)-3,4,5-pyridinetricarboxylic acid, all expressed as the parent equivalents in or on the following raw agricultural commodities:

Commodities	Parts per million
Grapefruit	0.05
Orange, sweet	0.05

[62 FR 9978, Mar. 5, 1997]

§ 180.497 Clofencet; tolerances for residues.

(a) *Tolerances—general.* Tolerances are established for the plant growth regulator (hybridizing agent) clofencet, [2-(4-chlorophenyl)-3-ethyl-2,5 dihydro-5-oxo-4-pyridazinecarboxylic acid, potassium salt] expressed as the free acid in or on the following raw agricultural commodities:

Commodities	Parts per million
Cattle, fat	0.04
Cattle, kidney	10.0
Cattle, meat byproducts, except kidney	0.5
Cattle, meat	0.15
Egg	1.0
Goat, fat	0.04
Goat, kidney	10.0
Goat, meat byproducts, except kidney	0.5
Goat, meat	0.15
Hog, fat	0.04
Hog, kidney	10.0
Hog, meat byproducts, except kidney	0.5
Hog, meat	0.15
Horse, fat	0.04
Horse, kidney	10.0
Horse, meat byproducts, except kidney	0.5
Horse, meat	0.15
Milk	0.02
Poultry, fat	0.04

40 CFR Ch. I (7–1–11 Edition)

Commodities	Parts per million
Poultry, meat byproducts	0.20
Poultry, meat	0.15
Sheep, fat	0.04
Sheep, kidney	10.0
Sheep, meat byproducts, except kidney	0.5
Sheep, meat	0.15
Wheat, forage	10.0
Wheat, grain	250.0
Wheat, hay	40.0
Wheat, straw	50.0

(b) *Tolerances for indirect or inadvertent residues.* Tolerances are established for indirect or inadvertent residues of the plant growth regulator (hybridizing agent) clofencet, [2-(4-chlorophenyl)-3-ethyl-2,5-dihydro-5-oxo-4-pyridazinecarboxylic acid, potassium salt] expressed as the free acid in or on the following raw agricultural commodities when present therein as a result of the application of clofencet to the growing crops in paragraph (a) of this section:

Commodities	Parts per million
Grain, cereal, forage, fodder and straw, group 16, except rice, sweet corn, wheat, and wild rice; forage	4.0
Grain, cereal, forage, fodder and straw, group 16, except rice, sweet corn, wheat, and wild rice; hay	15.0
Grain, cereal, forage, fodder and straw, group 16, except rice, sweet corn, wheat, and wild rice; stover	1.0
Grain, cereal, forage, fodder and straw, group 16, except rice, sweet corn, wheat, and wild rice; straw	4.0
Grain, cereal group 15, except rice, sweet corn, wheat, and wild rice	20.0
Soybean	30.0
Soybean, forage	10.0
Soybean, hay	10.0

[62 FR 9983, Mar. 5, 1997]

§ 180.498 Sulfentrazone; tolerances for residues.

(a)(1) *General.* Tolerances are established for the combined residues of the free and conjugated forms of sulfentrazone, including its metabolites and degradates, in or on the commodities in the table below. Compliance with the tolerance levels specified below is to be determined by measuring only the sum of sulfentrazone (*N*-[2,4-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1*H*-1,2,4-triazol-1-yl]phenyl]methanesulfonamide) and its metabolite HMS (*N*-(2,4-dichloro-5-(4-(difluoromethyl)-4,5-dihydro-3-

Environmental Protection Agency

§ 180.498

hydroxymethyl-5-oxo-1*H*-1,2,4-triazol-1-yl]phenyl)methanesulfonamide, calculated as the stoichiometric equivalent of sulfentrazone in or on the following commodities.

Commodity	Parts per million
Soybean, seed	0.05

(2) Tolerances are established for the combined residues of the free and conjugated forms of sulfentrazone, including its metabolites and degradates, in or on the commodities in the table below. Compliance with the tolerance levels specified below is to be determined by measuring only the sum of sulfentrazone (*N*-[2,4-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1*H*-1,2,4-triazol-1-yl]phenyl]methanesulfonamide) and its metabolites HMS (*N*-[2,4-dichloro-5-(4-(difluoromethyl)-4,5-dihydro-3-hydroxymethyl-5-oxo-1*H*-1,2,4-triazol-1-yl)phenyl]methanesulfonamide) and DMS (*N*-[2,4-dichloro-5-(4-(difluoromethyl)-4,5-dihydro-5-oxo-1*H*-1,2,4-triazol-1-yl)phenyl]methanesulfonamide), calculated as the stoichiometric equivalent of sulfentrazone in or on the following commodities.

Commodity	Parts per million
Asparagus	0.15
Bean, lima, succulent	0.15
Brassica, head and stem, subgroup 5A	0.20
Brassica, leafy greens, subgroup 5B	0.40
Corn, field, forage	0.20
Corn, field, grain	0.15
Corn, field, stover	0.30
Flax	0.15
Horseradish	0.20
Melon, subgroup 9A	0.15
Pea and bean, dried shelled, except soybean, subgroup 6C	0.15
Pea, succulent	0.15
Peanut	0.20
Peanut, meal	0.40
Peppermint, tops	0.30
Spearmint, tops	0.30
Strawberry	0.15
Sugarcane, cane	0.15
Sugarcane, molasses	0.20
Sunflower, seed	0.20
Vegetable, fruiting, group 8-10	0.15
Vegetable, tuberous and corm, subgroup 1C	0.15

(b) *Section 18 emergency exemptions.* Time-limited tolerances are established for the combined residues of the free and conjugated forms of sulfentrazone, including its metabo-

lites and degradates, in connection with use of the pesticide under section 18 emergency exemptions granted by EPA. Compliance with the tolerance levels specified below is to be determined by measuring only the sum of sulfentrazone (*N*-[2,4-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1*H*-1,2,4-triazol-1-yl]phenyl]methanesulfonamide) and its metabolites HMS (*N*-[2,4-dichloro-5-(4-(difluoromethyl)-4,5-dihydro-3-hydroxymethyl-5-oxo-1*H*-1,2,4-triazol-1-yl)phenyl]methanesulfonamide) and DMS (*N*-[2,4-dichloro-5-(4-(difluoromethyl)-4,5-dihydro-5-oxo-1*H*-1,2,4-triazol-1-yl)phenyl]methanesulfonamide), calculated as the stoichiometric equivalent of sulfentrazone in or on the following commodities. These tolerances expire and are revoked on the dates specified in the following table.

Commodity	Parts per million	Expiration/revocation date
Flax, seed	0.20	12/31/13
Strawberry	0.60	12/31/13

(c) *Tolerances with regional registrations.* [Reserved]

(d) *Indirect or inadvertent residues.* Tolerances are established for inadvertent and indirect combined residues of the free and conjugated forms of sulfentrazone, including its metabolites and degradates, in or on the commodities in the table below. Compliance with the tolerance levels specified below is to be determined by measuring only the sum of sulfentrazone (*N*-[2,4-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1*H*-1,2,4-triazol-1-yl]phenyl]methanesulfonamide) and its metabolites HMS (*N*-[2,4-dichloro-5-(4-(difluoromethyl)-4,5-dihydro-3-hydroxymethyl-5-oxo-1*H*-1,2,4-triazol-1-yl)phenyl]methanesulfonamide) and DMS (*N*-[2,4-dichloro-5-(4-(difluoromethyl)-4,5-dihydro-5-oxo-1*H*-1,2,4-triazol-1-yl)phenyl]methanesulfonamide), calculated as the stoichiometric equivalent of sulfentrazone in or on the following commodities when present therein as a result of the application of sulfentrazone to growing crops.

§ 180.499

40 CFR Ch. I (7-1-11 Edition)

Commodity	Parts per million
Grain, cereal (excluding sweet corn), Hulls	0.30
Grain, cereal, forage, fodder and straw, group 16, except sweet corn; forage	0.2
Grain, cereal, forage, fodder and straw, group 16, except sweet corn; hay	0.2
Grain, cereal, forage, fodder and straw, group 16, except sweet corn; stover	0.1
Grain, cereal, forage, fodder and straw, group 16, except sweet corn; straw	0.6
Grain, cereal, group 15, except sweet corn	0.1
Grain, cereal, group 15, except sweet corn; bran	0.15

[62 FR 10708, Mar. 10, 1997, as amended at 64 FR 51067, Sept. 21, 1999; 65 FR 67279, Nov. 9, 2000; 65 FR 82940, Dec. 29, 2000; 66 FR 39658, Aug. 1, 2001; 67 FR 46884, July 17, 2002; 67 FR 54118, Aug. 21, 2002; 68 FR 2247, Jan. 16, 2003; 68 FR 55280, Sept. 24, 2003; 69 FR 29459, May 24, 2004; 69 FR 71717, Dec. 10, 2004; 70 FR 7047, Feb. 10, 2005; 72 FR 71802, Dec. 19, 2007; 75 FR 80346, Dec. 22, 2010; 76 FR 5710, Feb. 2, 2011]

§ 180.499 Propamocarb hydrochloride, tolerances for residues.

(a) *General.* Tolerances are established for the residues of propyl[3-(dimethylamino)propyl]carbamate monohydrochloride also known as propamocarb hydrochloride in or on the following raw agricultural commodity:

Commodity	Parts per million
Lettuce, head	50
Lettuce, leaf	90
Potato	0.06
Tomato, paste	5.0
Vegetable, cucurbit, group 9	1.5
Vegetable, fruiting, group 8	2.0

(b) *Section 18 emergency exemptions.* [Reserved]

(c) *Tolerance with regional registrations.* [Reserved]

(d) *Indirect or inadvertent residues.* [Reserved]

[62 FR 15620, Apr. 2, 1997, as amended at 62 FR 26966, May 16, 1997; 63 FR 32136, June 12, 1998; 64 FR 16843, Apr. 7, 1999; 65 FR 58399, Sept. 29, 2000; 66 FR 37598, July 19, 2001; 66 FR 48585, Sept. 21, 2001; 67 FR 35049, May 17, 2002; 69 FR 47022, Aug. 4, 2004; 70 FR 7047, Feb. 10, 2005]

§ 180.500 Imazapyr; tolerances for residues.

(a) *General.* Tolerances are being established for residues of the herbicide imazapyr, [2-[4,5-dihydro-4-methyl-4-(1-methylethyl)-5-oxo-1H-imidazol-2-yl]-3-

pyridinecarboxylic acid], applied as the acid or ammonium salt, in or on the following raw agricultural commodities:

Commodity	Parts per million
Cattle, fat	0.05
Cattle, kidney	0.20
Cattle, meat	0.05
Cattle, meat byproducts, except kidney	0.05
Corn, field, forage	0.05
Corn, field, grain	0.05
Corn, field, stover	0.05
Fish	1.0
Goat, fat	0.05
Goat, kidney	0.20
Goat, meat	0.05
Goats, meat byproducts, except kidney	0.05
Grass, forage	100
Grass, hay	30
Horse, fat	0.05
Horse, kidney	0.20
Horse, meat	0.05
Horse, meat byproducts, except kidney	0.05
Milk	0.01
Sheep, fat	0.05
Sheep, kidney	0.20
Sheep, meat	0.05
Sheep, meat byproducts, except kidney	0.05
Shellfish	0.10

(b) *Section 18 emergency exemptions.* [Reserved]

(c) *Tolerances with regional registrations.* [Reserved]

(d) *Indirect or inadvertent residues.* [Reserved]

[68 FR 55484, Sept. 26, 2003]

§ 180.501 Hydroprene; tolerances for residues.

(a) *General.* A tolerance of 0.2 part per million is established for residues of hydroprene [(S)-(Ethyl (2E,4E,7S)-3,7,11-trimethyl-2,4-dodecadienoate)], (CAS Reg. No. 65733-18-8) on food commodities in food-handling establishments in accordance with the following prescribed conditions:

(1) Application shall be limited to spot, crack and crevice, perimeter and ultra low volume (ULV) fogging treatment in food storage or food-handling establishments, including warehouses, food service, manufacturing, and processing establishments such as restaurants, cafeterias, supermarkets, bakeries, breweries, dairies, meat slaughtering and packing plants, and canneries where food and food products are held, processed, and served: Provided that the food is removed or covered prior to such use, and food-processing surfaces are covered during