

written agreement that the testing laboratory will permit an authorized representative of the Food and Drug Administration to inspect its testing procedures and facilities during reasonable business hours.

(2) The testing laboratory will participate in any proficiency testing programs undertaken by the Center for Biologics Evaluation and Research, Food and Drug Administration.

(d) If the average potency level of antihemophilic factor in the containers tested is less than 80 units of antihemophilic factor per container, immediate corrective actions shall be taken and a record maintained of such action.

[42 FR 21774, Apr. 29, 1977, as amended at 49 FR 23834, June 8, 1984; 50 FR 4140, Jan. 29, 1985; 55 FR 11013, Mar. 26, 1990; 64 FR 45373, Aug. 19, 1999; 66 FR 1837, Jan. 10, 2001]

Subpart G—Source Plasma

§ 640.60 Source Plasma.

The proper name of the product shall be Source Plasma. The product is defined as the fluid portion of human blood collected by plasmapheresis and intended as source material for further manufacturing use. The definition excludes single donor plasma products intended for intravenous use.

[41 FR 10768, Mar. 12, 1976, as amended at 50 FR 4140, Jan. 29, 1985]

§ 640.61 Informed consent.

The written consent of a prospective donor shall be obtained after a qualified licensed physician has explained the hazards of the procedure to the prospective donor. The explanation shall include the risks of a hemolytic transfusion reaction if he is given the cells of another donor, and the hazards involved if he is hyperimmunized. The explanation shall consist of such disclosure and be made in such a manner that intelligent and informed consent be given and that a clear opportunity to refuse is presented.

§ 640.62 Medical supervision.

A qualified licensed physician shall be on the premises when donor suitability is being determined, immunizations are being made, whole blood is

being collected, and red blood cells are being returned to the donor.

[66 FR 1837, Jan. 10, 2001]

§ 640.63 Suitability of donor.

(a) *Method of determining.* The suitability of a donor for Source Plasma shall be determined by a qualified licensed physician or by persons under his supervision and trained in determining donor suitability. Such determination shall be made on the day of collection from the donor by means of a medical history, tests, and such physical examination as appears necessary to the qualified licensed physician.

(b) *Initial medical examinations.* (1) Each donor shall be examined by a qualified licensed physician on the day of the first donation or no more than 1 week before the first donation and at subsequent intervals of no longer than 1 year.

(2)(i) A donor who is to be immunized for the production of high-titer plasma shall be examined by a qualified licensed physician. The medical examination shall be performed within no more than 1 week before the first immunization injection. The medical examination for plasmapheresis need not be repeated, if the first donation occurs within 3 weeks after the first injection.

(ii) A donor who is an active participant in a plasmapheresis program, and has been examined in accordance with paragraph (b)(1) of this section, need not be reexamined before immunization for the production of high-titer plasma.

(3) Each donor shall be certified to be in good health by the examining physician. The certification of good health shall be on a form supplied by the licensed establishment and shall indicate that the certification applies to the suitability of the individual to be a plasmapheresis donor and, when applicable, an immunized donor.

(c) *Qualification of donor.* Donors shall be in good health on the day of donation, as indicated in part by:

(1) Normal temperature;

(2) Demonstration that systolic and diastolic blood pressures are within normal limits, unless the examining physician is satisfied that an individual with blood pressures outside these limits is an otherwise qualified