

With approval by the Administrator, monitoring data generated prior to the compliance date of this subpart shall be credited toward the period of 6 consecutive months, if the parameter limit and the monitoring accomplished during the period prior to the compliance date was required and/or approved by the Administrator.

(i) If the owner or operator elects not to retain the daily average values, the owner or operator shall notify the Administrator in the next Periodic Report. The notification shall identify the parameter and unit of equipment.

(ii) If, on any operating day after the owner or operator has ceased recording daily average values as provided in paragraph (h)(2) of this section, there is an excursion as defined in paragraph (h)(2)(iv) of this section, the owner or operator shall immediately resume retaining the daily average value for each operating day and shall notify the Administrator in the next Periodic Report. The owner or operator shall continue to retain each daily average value until another period of 6 consecutive months has passed without an excursion as defined in paragraph (h)(2)(iv) of this section.

(iii) The owner or operator shall retain the records specified in paragraph

(h)(1) of this section, for the duration specified in paragraph (h) of this section. For any calendar week, if compliance with paragraphs (h)(1)(i) through (iv) of this section does not result in retention of a record of at least one occurrence or measured parameter value, the owner or operator shall record and retain at least one parameter value during a period of operation other than a start-up, shutdown, or malfunction.

(iv) For the purposes of paragraph (h) of this section, an excursion means that the daily average of monitoring data for a parameter is greater than the maximum, or less than the minimum established value, except as provided in paragraphs (h)(2)(iv)(A) and (B) of this section.

(A) The daily average value during any startup, shutdown, or malfunction shall not be considered an excursion for purposes of paragraph (h)(2) of this section, if the owner or operator operates the source during such periods in accordance with §63.6(e)(1).

(B) An excused excursion, as described in §63.1438(g), shall not be considered an excursion for the purposes of paragraph (h)(2) of this section.

[64 FR 29439, June 1, 1999, as amended at 65 FR 26502, May 8, 2000; 71 FR 20461, Apr. 20, 2006]

TABLE 1 OF SUBPART PPP OF PART 63—APPLICABILITY OF GENERAL PROVISIONS TO SUBPART PPP AFFECTED SOURCES

Reference	Applies to subpart PPP	Explanation
63.1(a)(1) .....	Yes .....	§ 63.1423 specifies definitions in addition to or that supersede definitions in § 63.2.
63.1(a)(2) .....	Yes.	
63.1(a)(3) .....	Yes .....	§ 63.1422(f) through (k) of this subpart and § 63.160(b) identify those standards which overlap with the requirements of subparts PPP and H and specify how compliance shall be achieved.
63.1(a)(4) .....	Yes .....	Subpart PPP (this table) specifies the applicability of each paragraph in subpart A to subpart PPP.
63.1(a)(5) .....	No .....	Reserved.
63.1(a)(6)–(8) .....	Yes.	
63.1(a)(9) .....	No. ....	Reserved.
63.1(a)(10) .....	Yes.	
63.1(a)(11) .....	Yes.	
63.1(a)(12)–(14) ...	Yes.	
63.1(b)(1) .....	No .....	§ 63.1420(a) contains specific applicability criteria.
63.1(b)(2) .....	Yes.	
63.1(b)(3) .....	Yes.	
63.1(c)(1) .....	Yes .....	Subpart PPP (this table) specifies the applicability of each paragraph in subpart A to subpart PPP.
63.1(c)(2) .....	No .....	Area sources are not subject to subpart PPP.
63.1(c)(3) .....	No .....	Reserved.
63.1(c)(4) .....	Yes.	
63.1(c)(5) .....	Yes .....	Except that affected sources are not required to submit notifications overridden by this table.
63.1(d) .....	No .....	Reserved.

Environmental Protection Agency

Pt. 63, Subpt. PPP, Table 1

Reference	Applies to subpart PPP	Explanation
63.1(e) .....	Yes.	
63.2 .....	Yes .....	§ 63.1423 specifies those subpart A definitions that apply to subpart PPP.
63.3 .....	Yes.	
63.4(a)(1)–(3) .....	Yes.	
63.4(a)(4) .....	No .....	Reserved.
63.4(a)(5) .....	Yes.	
63.4(b) .....	Yes.	
63.4(c) .....	Yes.	
63.5(a)(1) .....	Yes .....	Except the terms “source” and “stationary source” should be interpreted as having the same meaning as “affected source.”
63.5(a)(2) .....	Yes.	
63.5(b)(1) .....	Yes .....	Except § 63.1420(g) defines when construction or reconstruction is subject to new source standards.
63.5(b)(2) .....	No .....	Reserved.
63.5(b)(3) .....	Yes.	
63.5(b)(4) .....	Yes .....	Except that the initial notification requirements in § 63.1439(e)(3) shall apply instead of the requirements in § 63.9(b).
63.5(b)(5) .....	Yes.	
63.5(b)(6) .....	Yes .....	Except that § 63.1420(g) defines when construction or reconstruction is subject to the new source standards.
63.5(c) .....	No .....	Reserved.
63.5(d)(1)(i) .....	Yes.	
63.5(d)(1)(ii) .....	Yes .....	Except that § 63.5(d)(1)(ii)(H) does not apply.
63.5(d)(1)(iii) .....	No .....	§ 63.1439(e)(5) and § 63.1434(e) specify notification of compliance status requirements.
63.5(d)(2) .....	No.	
63.5(d)(3) .....	Yes .....	Except § 63.5(d)(3)(ii) does not apply, and equipment leaks subject to § 63.1434 are exempt.
63.5(d)(4) .....	Yes.	
63.5(e) .....	Yes.	
63.5(f)(1) .....	Yes.	
63.5(f)(2) .....	Yes .....	Except that where § 63.9(b)(2) is referred to, the owner or operator need not comply.
63.6(a) .....	Yes.	
63.6(b)(1) .....	Yes.	
63.6(b)(2) .....	Yes.	
63.6(b)(3) .....	Yes.	
63.6(b)(4) .....	Yes.	
63.6(b)(5) .....	Yes.	
63.6(b)(6) .....	No .....	Reserved.
63.6(b)(7) .....	No.	
63.6(c)(1) .....	Yes .....	§ 63.1422 specifies the compliance date.
63.6(c)(2) .....	No.	
63.6(c)(3) .....	No .....	Reserved.
63.6(c)(4) .....	No .....	Reserved.
63.6(c)(5) .....	Yes.	
63.6(d) .....	No .....	Reserved.
63.6(e) .....	Yes .....	Except as otherwise specified for individual paragraphs (below), and § 63.6(e) does not apply to Group 2 emission points.
63.6(e)(1)(i) .....	No .....	This is addressed by § 63.1420(h)(4).
63.6(e)(1)(ii) .....	Yes.	
63.6(e)(1)(iii) .....	Yes.	
63.6(e)(2) .....	Yes.	
63.6(e)(3)(i) .....	Yes .....	For equipment leaks (subject to § 63.1434), the start-up, shutdown, and malfunction plan requirement of § 63.6(e)(3)(i) is limited to combustion, recovery, or recapture devices and is optional for other equipment. The start-up, shutdown, and malfunction plan may include written procedures that identify conditions that justify a delay of repair. <sup>a</sup>
63.6(e)(3)(i)(A) .....	Yes .....	This is also addressed by § 63.1420(h)(4).
63.6(e)(3)(i)(B) .....	Yes.	
63.6(e)(3)(i)(C) .....	Yes.	
63.6(e)(3)(ii) .....	Yes.	
63.6(e)(3)(iii) .....	No .....	Recordkeeping and reporting are specified in § 63.1439(b)(1).
63.6(e)(3)(iv) .....	No .....	Recordkeeping and reporting are specified in § 63.1439(b)(1).
63.6(e)(3)(v) .....	No .....	Requirement is specified in § 63.1439(b)(1).
63.6(e)(3)(vi) .....	Yes.	
63.6(e)(3)(vii) .....	Yes.	
63.6(e)(3)(vii) (A) ..	Yes.	
63.6(e)(3)(vii) (B) ..	Yes .....	Except the plan shall provide for operation in compliance with § 63.1420(i)(4).
63.6(e)(3)(vii) (C) ..	Yes.	
63.6(e)(3)(viii) .....	Yes.	
63.6(e)(3)(ix) .....	Yes.	
63.6(f)(1) .....	Yes.	
63.6(f)(2) .....	Yes .....	Except 63.7(c), as referred to in § 63.6(f)(2)(iii)(D) does not apply, and except that § 63.6(f)(2)(ii) does not apply to equipment leaks subject to § 63.1434.

Pt. 63, Subpt. PPP, Table 1

40 CFR Ch. I (7–1–11 Edition)

Reference	Applies to subpart PPP	Explanation
63.6(f)(3) .....	Yes.	
63.6(g) .....	Yes.	
63.6(h) .....	No .....	Subpart PPP does not require opacity and visible emission standards.
63.6(i)(1) .....	Yes.	
63.6(i)(2) .....	Yes.	
63.6(i)(3) .....	Yes.	
63.6(i)(4)(i)(A) .....	Yes.	
63.6(i)(4)(i)(B) .....	No .....	Dates are specified in § 63.1422(e) and § 63.1439(e)(4)(i) for all emission points except equipment leaks, which are covered under § 63.182(a)(6)(i).
63.6(i)(4)(ii) .....	No.	
63.6(i)(5)–(14) .....	Yes.	
63.6(i)(15) .....	No .....	Reserved.
63.6(i)(16) .....	Yes.	
63.6(j) .....	Yes.	
63.7(a)(1) .....	Yes.	
63.7(a)(2) .....	No .....	§ 63.1439(e) (5) and (6) specify the submittal dates of performance test results for all emission points except equipment leaks; for equipment leaks, compliance demonstration results are reported in the Periodic Reports.
63.7(a)(3) .....	Yes.	
63.7(b) .....	No .....	§ 63.1437(a)(4) specifies notification requirements.
63.7(c) .....	No .....	Except if the owner or operator chooses to submit an alternative nonopacity emission standard for approval under § 63.6(g).
63.7(d) .....	Yes.	
63.7(e)(1) .....	Yes .....	Except that all performance tests shall be conducted during worst case operating conditions.
63.7(e)(2) .....	Yes.	
63.7(e)(3) .....	No .....	Subpart PPP specifies requirements.
63.7(e)(4) .....	Yes.	
63.7(f) .....	Yes .....	Since a site-specific test plan is not required, the notification deadline in § 63.7(f)(2)(i) shall be 60 days prior to the performance test, and in § 63.7(f)(3) approval or disapproval of the alternative test method shall not be tied to the site-specific test plan.
63.7(g) .....	Yes .....	Except the notification of compliance status report requirements in § 63.1439(e)(5) shall apply instead of those in § 63.9(h). In addition, equipment leaks subject to § 63.1434 are not required to conduct performance tests.
63.7(h) .....	Yes .....	Except § 63.7(h)(4)(ii) is not applicable, since the site-specific test plans in § 63.7(c)(2) are not required.
63.8(a)(1) .....	Yes.	
63.8(a)(2) .....	No.	
63.8(a)(3) .....	No .....	Reserved.
63.8(a)(4) .....	Yes.	
63.8(b)(1) .....	Yes.	
63.8(b)(2) .....	No .....	Subpart PPP specifies locations to conduct monitoring.
63.8(b)(3) .....	Yes.	
63.8(c)(1) .....	Yes.	
63.8(c)(1)(i) .....	Yes.	
63.8(c)(1)(ii) .....	No .....	For all emission points except equipment leaks, comply with § 63.1439(b)(1)(i)(B); for equipment leaks, comply with § 63.181(g)(2)(ii).
63.8(c)(1)(iii) .....	Yes.	
63.8(c)(2) .....	Yes.	
63.8(c)(3) .....	Yes.	
63.8(c)(4) .....	No .....	§ 63.1438 specifies monitoring requirements; not applicable to equipment leaks, because § 63.1434 does not require continuous monitoring systems.
63.8(c)(5)–(8) .....	No.	
63.8(d) .....	No.	
63.8(e) .....	No.	
63.8(f)(1)–(3) .....	Yes.	
63.8(f)(4)(i) .....	Yes .....	Except the timeframe for submitting request is specified in § 63.1439(f) or (g); not applicable to equipment leaks, because § 63.1434 (through subpart H of this part) specifies acceptable alternative methods.
63.8(f)(4)(ii) .....	Yes.	
63.8(f)(4)(iii) .....	Yes.	
63.8(f)(5)(i) .....	Yes.	
63.8(f)(5)(ii) .....	No.	
63.8(f)(5)(iii) .....	Yes.	
63.8(f)(6) .....	No .....	Subpart PPP does not require CEMs.
63.8(g) .....	No .....	Data reduction procedures specified in § 63.1439(d) and (h); not applicable to equipment leaks.
63.9(a) .....	Yes.	
63.9(b) .....	No .....	The initial notification requirements are specified in § 63.1439(e)(3).
63.9(c) .....	Yes.	
63.9(d) .....	Yes.	
63.9(e) .....	No .....	§ 63.1437(a)(4) specifies notification deadline.
63.9(f) .....	No .....	Subpart PPP does not require opacity and visible emission standards.

Environmental Protection Agency

Pt. 63, Subpt. PPP, Table 2

Reference	Applies to subpart PPP	Explanation
63.9(g) .....	No.	§ 63.1439(e)(5) specifies notification of compliance status requirements.
63.9(h) .....	No .....	
63.9(i) .....	Yes.	
63.9(j) .....	No.	§ 63.1439(a) specifies record retention requirements. Subpart PPP specifies recordkeeping requirements.
63.10(a) .....	Yes.	
63.10(b)(1) .....	No .....	
63.10(b)(2) .....	No .....	§ 63.1439 specifies recordkeeping requirements.
63.10(b)(3) .....	Yes.	
63.10(c) .....	No .....	
63.10(d)(1) .....	Yes.	§ 63.1439(e)(5) and (6) specify performance test reporting requirements; not applicable to equipment leaks. Subpart PPP does not require opacity and visible emission standards.
63.10(d)(2) .....	No .....	
63.10(d)(3) .....	No .....	
63.10(d)(4) .....	Yes.	Except that reports required by § 63.10(d)(5)(i) shall be submitted at the same time as Periodic Reports specified in § 63.1439(e)(6). The start-up, shutdown, and malfunction plan, and any records or reports of start-up, shutdown, and malfunction do not apply to Group 2 emission points.
63.10(d)(5)(i) .....	Yes .....	
63.10(d)(5)(ii) .....	No.	
63.10(e) .....	No .....	§ 63.1439 specifies reporting requirements.
63.10(f) .....	Yes.	
63.11 .....	Yes.	
63.12 .....	Yes .....	Except that the authority of § 63.177 (for equipment leaks) will not be delegated to States.
63.13–63.15 .....	Yes.	

<sup>a</sup>The plan, and any records or reports of start-up, shutdown, and malfunction do not apply to Group 2 emission points.

[65 FR 26502, May 8, 2000, as amended at 71 FR 20461, Apr. 20, 2006]

TABLE 2 OF SUBPART PPP OF PART 63—APPLICABILITY OF GENERAL PROVISIONS TO SUBPART PPP AFFECTED SOURCES

Reference	Applies to subpart PPP	Explanation	Applicable section of subpart PPP
Subpart F:			
63.100 .....	No.	Several definitions from 63.101 are referenced at 63.1423.	63.1423.
63.101 .....	Yes .....		
63.102–63.103.	No.	With the differences noted in 63.1435(b) through (d) .... With the differences noted in 63.1433(b) .....	63.1435. 63.1433.
63.104 .....	Yes .....		
63.105 .....	Yes .....		
63.106 .....	No.		
Subpart G:			
63.110 .....	No.	Several definitions from 63.111 are incorporated by reference into 63.1423.	63.1423.
63.111 .....	Yes .....		
63.112 .....	No.	For THF facilities, with the differences noted in 63.1425(f)(1) through (f)(10).	63.1425.
63.113–63.118.	Yes .....		
63.119–63.123.	No .....	For epoxide facilities, except that 63.115(d) is used for TRE determinations.	63.1428.
63.124–63.125.	Yes .....	With the differences noted in 63.1432(b) through 63.1432(p).	63.1432.
63.126–63.130.	No.	Reserved.	
63.131 .....	No .....	Reserved.	
63.132–63.147.	Yes .....	With the differences noted in 63.1433(a)(1) through 63.1433(a)(19).	63.1433.
63.148–63.149.	Yes .....	With the differences noted in 63.1432(b) through 63.1432(p) and 63.1433(a)(1) through 63.1433(a)(19).	63.1432 and 63.1433.
63.150 .....	No.		
63.151–63.152.	No.		
Subpart H:			
63.160–63.182.	Yes .....	Subpart PPP affected sources shall comply with all requirements of subpart H, with the differences noted in 63.1422(d), 63.1422(h), and 63.1434(b) through (g).	63.1434.