

hand and body creams and lotions; hair shampoos, hair sets and rinses, hair straighteners, hair coloring, and other preparations; bath oils, bubble bath, and other bath preparations; makeup; antiperspirants and deodorants; and eye-area cosmetics.

(b) The toxicity of mercury compounds is extensively documented in scientific literature. It is well known that mercury compounds are readily absorbed through the unbroken skin as well as through the lungs by inhalation and by intestinal absorption after ingestion. Mercury is absorbed from topical application and is accumulated in the body, giving rise to numerous adverse effects. Mercury is a potent allergen and sensitizer, and skin irritation is common after topical application. Cosmetic preparations containing mercury compounds are often applied with regularity and frequency for prolonged periods. Such chronic use of mercury-containing skin-bleaching preparations has resulted in the accumulation of mercury in the body and the occurrence of severe reactions. Recently it has also been determined that microorganisms in the environment can convert various forms of mercury into highly toxic methyl mercury which has been found in the food supply and is now considered to be a serious environmental problem.

(c) The effectiveness of mercury-containing preparations as skin-bleaching agents is questionable. The Food and Drug Administration has not been provided with well controlled studies to document the effectiveness of these preparations. Although mercurial preservatives are recognized as highly effective, less toxic and satisfactory substitutes are available except in the case of certain eye-area cosmetics.

(d) Because of the known hazards of mercury, its questionable efficacy as a skin-bleaching agent, and the availability of effective and less toxic nonmercurial preservatives, there is no justification for the use of mercury in skin-bleaching preparations or its use as a preservative in cosmetics, with the exception of eye-area cosmetics for which no other effective and safe nonmercurial preservative is available. The continued use of mercurial preservatives in such eye-area cosmetics

is warranted because mercury compounds are exceptionally effective in preventing *Pseudomonas* contamination of cosmetics and *Pseudomonas* infection of the eye can cause serious injury, including blindness. Therefore:

(1) The Food and Drug Administration withdraws the opinion expressed in trade correspondence TC-9 (issued May 13, 1939) and concludes that any product containing mercury as a skin-bleaching agent and offered for sale as skin-bleaching, beauty, or facial preparation is misbranded within the meaning of sections 502(a), 502(f)(1) and (2), and 502(j), and may be a new drug without approval in violation of section 505 of the Federal Food, Drug, and Cosmetic Act. Any such preparation shipped within the jurisdiction of the Act after January 5, 1973 will be the subject of regulatory action.

(2) The Food and Drug Administration withdraws the opinion expressed in trade correspondence TC-412 (issued Feb. 11, 1944) and will regard as adulterated within the meaning of section 601(a) of the Act any cosmetic containing mercury unless the cosmetic meets the conditions of paragraph (d)(2) (i) or (ii) of this section.

(i) It is a cosmetic containing no more than a trace amount of mercury and such trace amount is unavoidable under conditions of good manufacturing practice and is less than 1 part per million (0.0001 percent), calculated as the metal; or

(ii) It is a cosmetic intended for use only in the area of the eye, it contains no more than 65 parts per million (0.0065 percent) of mercury, calculated as the metal, as a preservative, and there is no effective and safe nonmercurial substitute preservative available for use in such cosmetic.

§ 700.14 Use of vinyl chloride as an ingredient, including propellant of cosmetic aerosol products.

(a) Vinyl chloride has been used as an ingredient in cosmetic aerosol products including hair sprays. Where such aerosol products are used in the confines of a small room, as is often the case, the level of vinyl chloride to which the

§ 700.15

individual may be exposed could be significantly in excess of the safe level established in connection with occupational exposure. Evidence indicates that vinyl chloride inhalation can result in acute toxicity, manifested by dizziness, headache, disorientation, and unconsciousness where inhaled at high concentrations. Studies also demonstrate carcinogenic effects in animals as a result of inhalation exposure to vinyl chloride. Furthermore, vinyl chloride has recently been linked to liver disease, including liver cancer, in workers engaged in the polymerization of vinyl chloride. It is the view of the Commissioner that vinyl chloride is a deleterious substance which may render any cosmetic aerosol product that contains it as an ingredient injurious to users. Accordingly, any cosmetic aerosol product containing vinyl chloride as an ingredient is deemed to be adulterated under section 601(a) of the Federal Food, Drug, and Cosmetic Act.

(b) Any cosmetic aerosol product containing vinyl chloride as an ingredient shipped within the jurisdiction of the Act is subject to regulatory action.

[39 FR 30830, Aug. 26, 1974]

§ 700.15 Use of certain halogenated salicylanilides as ingredients in cosmetic products.

(a) Halogenated salicylanilides (tribromsalan (TBS, 3,4',5'-tribromosalicylanilide), dibromsalan (DBS, 4'5'-dibromosalicylanilide), metabromsalan (MBS, 3,5 - dibromosalicylanilide) and 3,3',4,5'-tetrachlorosalicylanilide (TCSA)) have been used as antimicrobial agents for a variety of purposes in cosmetic products. These halogenated salicylanilides are potent photosensitizers and cross-sensitizers and can cause disabling skin disorders. In some instances, the photosensitization may persist for prolonged periods as a severe reaction without further exposure to these chemicals. Safer alternative antimicrobial agents are available.

(b) These halogenated salicylanilides are deleterious substances which render any cosmetic that contains them injurious to users. Therefore, any cosmetic product that contains such a halogenated salicylanilide as an ingre-

21 CFR Ch. I (4-1-13 Edition)

redient at any level for any purpose is deemed to be adulterated under section 601(a) of the Federal Food, Drug, and Cosmetic Act.

(c) Any cosmetic product containing these halogenated salicylanilides as an ingredient that is initially introduced into interstate commerce after December 1, 1975, that is not in compliance with this section is subject to regulatory action.

[40 FR 50531, Oct. 30, 1975]

§ 700.16 Use of aerosol cosmetic products containing zirconium.

(a) Zirconium-containing complexes have been used as an ingredient in cosmetics and/or cosmetics that are also drugs, as, for example, aerosol antiperspirants. Evidence indicates that certain zirconium compounds have caused human skin granulomas and toxic effects in the lungs and other organs of experimental animals. When used in aerosol form, some zirconium will reach the deep portions of the lungs of users. The lung is an organ, like skin, subject to the development of granulomas. Unlike the skin, the lung will not reveal the presence of granulomatous changes until they have become advanced and, in some cases, permanent. It is the view of the Commissioner that zirconium is a deleterious substance that may render any cosmetic aerosol product that contains it injurious to users.

(b) Any aerosol cosmetic product containing zirconium is deemed to be adulterated under section 601(a) of the Federal Food, Drug, and Cosmetic Act.

(c) Any such cosmetic product introduced in interstate commerce after September 15, 1977 is subject to regulatory action.

[42 FR 41376, Aug. 16, 1977]

§ 700.18 Use of chloroform as an ingredient in cosmetic products.

(a) Chloroform has been used as an ingredient in cosmetic products. Recent information has become available associating chloroform with carcinogenic effects in animals. Studies conducted by the National Cancer Institute have demonstrated that the oral administration of chloroform to mice