

b. *There is convincing relevant information that the agent acts through mechanisms indicating it would likely cause cancer in humans.*

*REFERENCES

- Cohen, S.M., J. Klaunig, M.E. Meek, R.N. Hill, T. Pastoor, L. Lehman-McKeeman, J. Bucher, D.G. Longfellow, J. Seed, V. Dellarco, P. Fenner-Crisp, and D. Patton. 2004. Evaluating the human relevance of chemically induced animal tumors. *Toxicol. Sci.* 78(2):181-186.
- Cohen, S.M., M.E. Meek, J.E. Klaunig, D.E. Patton, P.A. Fenner-Crisp. 2003. The human relevance of information on carcinogenic modes of action: Overview. *Crit. Rev. Toxicol.* 33(6):581-9.
- Meek, M.E., J.R. Bucher, S.M. Cohen, V. Dellarco, R.N. Hill, L. Lehman-McKeeman, D.G. Longfellow, T. Pastoor, J. Seed, D.E. Patton. 2003. A framework for human relevance analysis of information on carcinogenic modes of action. *Crit. Rev. Toxicol.* 33(6):591-653.
- Sonich-Mullin, C., R. Fielder, J. Wiltse, K. Baetcke, J. Dempsey, P. Fenner-Crisp, D. Grant, M. Hartley, A. Knapp, D. Kroese, I. Mangelsdorf, E. Meek, J.M. Rice, and M. Younes. 2001. The conceptual framework for evaluating a mode of action for chemical carcinogenesis. *Reg. Toxicol. Pharm.* 34:146-152.
- International Programme on Chemical Safety Harmonization Group. 2004. Report of the First Meeting of the Cancer Working Group. World Health Organization. Report IPCS/HSC-CWG-1/04. Geneva.
- International Agency for Research on Cancer. IARC Monographs on the Evaluation of Carcinogenic Risks to Human. Preambles to Volumes. World Health Organization. Lyon, France.
- Cohen, S.M., P.A. Fenner-Crisp, and D.E. Patton. 2003. Special Issue: Cancer Modes of Action and Human Relevance. *Critical Reviews in Toxicology*, R.O. McClellan, ed., Volume 33/Issue 6. CRC Press.
- Capen, C.C., E. Dybing, and J.D. Wilbourn. 1999. Species differences in thyroid, kidney and urinary bladder carcinogenesis. International Agency for Research on Cancer, Scientific Publication N° 147.
- Doi, A.M., G. Hill, J. Seely, J.R. Hailey, G. Kissling, and J.R. Buchera. 2007. α 2u-Globulin nephropathy and renal tumors in National Toxicology Program studies. *Toxicol. Pathol.* 35:533-540.

[59 FR 6170, Feb. 9, 1994, as amended at 59 FR 17479, Apr. 13, 1994; 59 FR 65948, Dec. 22, 1994; 61 FR 9245, Mar. 7, 1996; 77 FR 17785, Mar. 26, 2012; 78 FR 9313, Feb. 8, 2013]

§ 1910.1201 Retention of DOT markings, placards and labels.

(a) Any employer who receives a package of hazardous material which is required to be marked, labeled or placarded in accordance with the U. S. Department of Transportation's Hazardous Materials Regulations (49 CFR Parts 171 through 180) shall retain those markings, labels and placards on the package until the packaging is sufficiently cleaned of residue and purged of vapors to remove any potential hazards.

(b) Any employer who receives a freight container, rail freight car, motor vehicle, or transport vehicle that is required to be marked or placarded in accordance with the Hazardous Materials Regulations shall retain those markings and placards on the freight container, rail freight car, motor vehicle or transport vehicle until the hazardous materials which require the marking or placarding are sufficiently removed to prevent any potential hazards.

(c) Markings, placards and labels shall be maintained in a manner that ensures that they are readily visible.

(d) For non-bulk packages which will not be reshipped, the provisions of this section are met if a label or other acceptable marking is affixed in accordance with the Hazard Communication Standard (29 CFR 1910.1200).

(e) For the purposes of this section, the term "hazardous material" and any other terms not defined in this section have the same definition as in the Hazardous Materials Regulations (49 CFR Parts 171 through 180).

[59 FR 36700, July 19, 1994]

§ 1910.1450 Occupational exposure to hazardous chemicals in laboratories.

(a) *Scope and application.* (1) This section shall apply to all employers engaged in the laboratory use of hazardous chemicals as defined below.

(2) Where this section applies, it shall supersede, for laboratories, the requirements of all other OSHA health standards in 29 CFR part 1910, subpart Z, except as follows:

(i) For any OSHA health standard, only the requirement to limit employee exposure to the specific permissible exposure limit shall apply for laboratories, unless that particular standard states otherwise or unless the conditions of paragraph (a)(2)(iii) of this section apply.

(ii) Prohibition of eye and skin contact where specified by any OSHA health standard shall be observed.

(iii) Where the action level (or in the absence of an action level, the permissible exposure limit) is routinely exceeded for an OSHA regulated substance with exposure monitoring and medical surveillance requirements, paragraphs (d) and (g)(1)(ii) of this section shall apply.

(3) This section shall not apply to:

(i) Uses of hazardous chemicals which do not meet the definition of laboratory use, and in such cases, the employer shall comply with the relevant standard in 29 CFR part 1910, subpart Z, even if such use occurs in a laboratory.

(ii) Laboratory uses of hazardous chemicals which provide no potential for employee exposure. Examples of such conditions might include:

(A) Procedures using chemically-impregnated test media such as Dip-and-Read tests where a reagent strip is dipped into the specimen to be tested and the results are interpreted by comparing the color reaction to a color chart supplied by the manufacturer of the test strip; and

(B) Commercially prepared kits such as those used in performing pregnancy tests in which all of the reagents needed to conduct the test are contained in the kit.

(b) *Definitions*—

Action level means a concentration designated in 29 CFR part 1910 for a specific substance, calculated as an eight (8)-hour time-weighted average, which initiates certain required activities such as exposure monitoring and medical surveillance.

Assistant Secretary means the Assistant Secretary of Labor for Occupational Safety and Health, U.S. Department of Labor, or designee.

Carcinogen (see *select carcinogen*).

Chemical Hygiene Officer means an employee who is designated by the employer, and who is qualified by training

or experience, to provide technical guidance in the development and implementation of the provisions of the Chemical Hygiene Plan. This definition is not intended to place limitations on the position description or job classification that the designated individual shall hold within the employer's organizational structure.

Chemical Hygiene Plan means a written program developed and implemented by the employer which sets forth procedures, equipment, personal protective equipment and work practices that (i) are capable of protecting employees from the health hazards presented by hazardous chemicals used in that particular workplace and (ii) meets the requirements of paragraph (e) of this section.

Designated area means an area which may be used for work with "select carcinogens," reproductive toxins or substances which have a high degree of acute toxicity. A designated area may be the entire laboratory, an area of a laboratory or a device such as a laboratory hood.

Emergency means any occurrence such as, but not limited to, equipment failure, rupture of containers or failure of control equipment which results in an uncontrolled release of a hazardous chemical into the workplace.

Employee means an individual employed in a laboratory workplace who may be exposed to hazardous chemicals in the course of his or her assignments.

Hazardous chemical means any chemical which is classified as health hazard or simple asphyxiant in accordance with the Hazard Communication Standard (§1910.1200).

Health hazard means a chemical that is classified as posing one of the following hazardous effects: Acute toxicity (any route of exposure); skin corrosion or irritation; serious eye damage or eye irritation; respiratory or skin sensitization; germ cell mutagenicity; carcinogenicity; reproductive toxicity; specific target organ toxicity (single or repeated exposure); aspiration hazard. The criteria for determining whether a chemical is classified as a health hazard are detailed in appendix A of the Hazard Communication Standard (§1910.1200) and §1910.1200(c) (definition of "simple asphyxiant").

Laboratory means a facility where the “laboratory use of hazardous chemicals” occurs. It is a workplace where relatively small quantities of hazardous chemicals are used on a non-production basis.

Laboratory scale means work with substances in which the containers used for reactions, transfers, and other handling of substances are designed to be easily and safely manipulated by one person. “Laboratory scale” excludes those workplaces whose function is to produce commercial quantities of materials.

Laboratory-type hood means a device located in a laboratory, enclosure on five sides with a moveable sash or fixed partial enclosed on the remaining side; constructed and maintained to draw air from the laboratory and to prevent or minimize the escape of air contaminants into the laboratory; and allows chemical manipulations to be conducted in the enclosure without insertion of any portion of the employee’s body other than hands and arms.

Walk-in hoods with adjustable sashes meet the above definition provided that the sashes are adjusted during use so that the airflow and the exhaust of air contaminants are not compromised and employees do not work inside the enclosure during the release of airborne hazardous chemicals.

Laboratory use of hazardous chemicals means handling or use of such chemicals in which all of the following conditions are met:

- (i) Chemical manipulations are carried out on a “laboratory scale;”
- (ii) Multiple chemical procedures or chemicals are used;
- (iii) The procedures involved are not part of a production process, nor in any way simulate a production process; and
- (iv) “Protective laboratory practices and equipment” are available and in common use to minimize the potential for employee exposure to hazardous chemicals.

Medical consultation means a consultation which takes place between an employee and a licensed physician for the purpose of determining what medical examinations or procedures, if any, are appropriate in cases where a significant exposure to a hazardous chemical may have taken place.

Mutagen means chemicals that cause permanent changes in the amount or structure of the genetic material in a cell. Chemicals classified as mutagens in accordance with the Hazard Communication Standard (§1910.1200) shall be considered mutagens for purposes of this section.

Physical hazard means a chemical that is classified as posing one of the following hazardous effects: Explosive; flammable (gases, aerosols, liquids, or solids); oxidizer (liquid, solid, or gas); self reactive; pyrophoric (gas, liquid or solid); self-heating; organic peroxide; corrosive to metal; gas under pressure; in contact with water emits flammable gas; or combustible dust. The criteria for determining whether a chemical is classified as a physical hazard are in appendix B of the Hazard Communication Standard (§1910.1200) and §1910.1200(c) (definitions of “combustible dust” and “pyrophoric gas”).

Protective laboratory practices and equipment means those laboratory procedures, practices and equipment accepted by laboratory health and safety experts as effective, or that the employer can show to be effective, in minimizing the potential for employee exposure to hazardous chemicals.

Reproductive toxins mean chemicals that affect the reproductive capabilities including adverse effects on sexual function and fertility in adult males and females, as well as adverse effects on the development of the offspring. Chemicals classified as reproductive toxins in accordance with the Hazard Communication Standard (§1910.1200) shall be considered reproductive toxins for purposes of this section.

Select carcinogen means any substance which meets one of the following criteria:

- (i) It is regulated by OSHA as a carcinogen; or
- (ii) It is listed under the category, “known to be carcinogens,” in the Annual Report on Carcinogens published by the National Toxicology Program (NTP) (latest edition); or
- (iii) It is listed under Group 1 (“carcinogenic to humans”) by the International Agency for Research on Cancer Monographs (IARC) (latest editions); or

(iv) It is listed in either Group 2A or 2B by IARC or under the category, “reasonably anticipated to be carcinogens” by NTP, and causes statistically significant tumor incidence in experimental animals in accordance with any of the following criteria:

(A) After inhalation exposure of 6-7 hours per day, 5 days per week, for a significant portion of a lifetime to dosages of less than 10 mg/m³;

(B) After repeated skin application of less than 300 (mg/kg of body weight) per week; or

(C) After oral dosages of less than 50 mg/kg of body weight per day.

(c) *Permissible exposure limits.* For laboratory uses of OSHA regulated substances, the employer shall assure that laboratory employees' exposures to such substances do not exceed the permissible exposure limits specified in 29 CFR part 1910, subpart Z.

(d) *Employee exposure determination—*
(1) *Initial monitoring.* The employer shall measure the employee's exposure to any substance regulated by a standard which requires monitoring if there is reason to believe that exposure levels for that substance routinely exceed the action level (or in the absence of an action level, the PEL).

(2) *Periodic monitoring.* If the initial monitoring prescribed by paragraph (d)(1) of this section discloses employee exposure over the action level (or in the absence of an action level, the PEL), the employer shall immediately comply with the exposure monitoring provisions of the relevant standard.

(3) *Termination of monitoring.* Monitoring may be terminated in accordance with the relevant standard.

(4) *Employee notification of monitoring results.* The employer shall, within 15 working days after the receipt of any monitoring results, notify the employee of these results in writing either individually or by posting results in an appropriate location that is accessible to employees.

(e) *Chemical hygiene plan—General.* (Appendix A of this section is non-mandatory but provides guidance to assist employers in the development of the Chemical Hygiene Plan.)

(1) Where hazardous chemicals as defined by this standard are used in the workplace, the employer shall develop

and carry out the provisions of a written Chemical Hygiene Plan which is:

(i) Capable of protecting employees from health hazards associated with hazardous chemicals in that laboratory and

(ii) Capable of keeping exposures below the limits specified in paragraph (c) of this section.

(2) The Chemical Hygiene Plan shall be readily available to employees, employee representatives and, upon request, to the Assistant Secretary.

(3) The Chemical Hygiene Plan shall include each of the following elements and shall indicate specific measures that the employer will take to ensure laboratory employee protection:

(i) Standard operating procedures relevant to safety and health considerations to be followed when laboratory work involves the use of hazardous chemicals;

(ii) Criteria that the employer will use to determine and implement control measures to reduce employee exposure to hazardous chemicals including engineering controls, the use of personal protective equipment and hygiene practices; particular attention shall be given to the selection of control measures for chemicals that are known to be extremely hazardous;

(iii) A requirement that fume hoods and other protective equipment are functioning properly and specific measures that shall be taken to ensure proper and adequate performance of such equipment;

(iv) Provisions for employee information and training as prescribed in paragraph (f) of this section;

(v) The circumstances under which a particular laboratory operation, procedure or activity shall require prior approval from the employer or the employer's designee before implementation;

(vi) Provisions for medical consultation and medical examinations in accordance with paragraph (g) of this section;

(vii) Designation of personnel responsible for implementation of the Chemical Hygiene Plan including the assignment of a Chemical Hygiene Officer and, if appropriate, establishment of a Chemical Hygiene Committee; and

(viii) Provisions for additional employee protection for work with particularly hazardous substances. These include "select carcinogens," reproductive toxins and substances which have a high degree of acute toxicity. Specific consideration shall be given to the following provisions which shall be included where appropriate:

(A) Establishment of a designated area;

(B) Use of containment devices such as fume hoods or glove boxes;

(C) Procedures for safe removal of contaminated waste; and

(D) Decontamination procedures.

(4) The employer shall review and evaluate the effectiveness of the Chemical Hygiene Plan at least annually and update it as necessary.

(f) *Employee information and training.*

(1) The employer shall provide employees with information and training to ensure that they are apprised of the hazards of chemicals present in their work area.

(2) Such information shall be provided at the time of an employee's initial assignment to a work area where hazardous chemicals are present and prior to assignments involving new exposure situations. The frequency of refresher information and training shall be determined by the employer.

(3) *Information.* Employees shall be informed of:

(i) The contents of this standard and its appendices which shall be made available to employees;

(ii) The location and availability of the employer's Chemical Hygiene Plan;

(iii) The permissible exposure limits for OSHA regulated substances or recommended exposure limits for other hazardous chemicals where there is no applicable OSHA standard;

(iv) Signs and symptoms associated with exposures to hazardous chemicals used in the laboratory; and

(v) The location and availability of known reference material on the hazards, safe handling, storage and disposal of hazardous chemicals found in the laboratory including, but not limited to, safety data sheets received from the chemical supplier.

(4) *Training.* (i) Employee training shall include:

(A) Methods and observations that may be used to detect the presence or release of a hazardous chemical (such as monitoring conducted by the employer, continuous monitoring devices, visual appearance or odor of hazardous chemicals when being released, etc.);

(B) The physical and health hazards of chemicals in the work area; and

(C) The measures employees can take to protect themselves from these hazards, including specific procedures the employer has implemented to protect employees from exposure to hazardous chemicals, such as appropriate work practices, emergency procedures, and personal protective equipment to be used.

(ii) The employee shall be trained on the applicable details of the employer's written Chemical Hygiene Plan.

(g) *Medical consultation and medical examinations.* (1) The employer shall provide all employees who work with hazardous chemicals an opportunity to receive medical attention, including any follow-up examinations which the examining physician determines to be necessary, under the following circumstances:

(i) Whenever an employee develops signs or symptoms associated with a hazardous chemical to which the employee may have been exposed in the laboratory, the employee shall be provided an opportunity to receive an appropriate medical examination.

(ii) Where exposure monitoring reveals an exposure level routinely above the action level (or in the absence of an action level, the PEL) for an OSHA regulated substance for which there are exposure monitoring and medical surveillance requirements, medical surveillance shall be established for the affected employee as prescribed by the particular standard.

(iii) Whenever an event takes place in the work area such as a spill, leak, explosion or other occurrence resulting in the likelihood of a hazardous exposure, the affected employee shall be provided an opportunity for a medical consultation. Such consultation shall be for the purpose of determining the need for a medical examination.

(2) All medical examinations and consultations shall be performed by or

§ 1910.1450

29 CFR Ch. XVII (7–1–13 Edition)

under the direct supervision of a licensed physician and shall be provided without cost to the employee, without loss of pay and at a reasonable time and place.

(3) *Information provided to the physician.* The employer shall provide the following information to the physician:

(i) The identity of the hazardous chemical(s) to which the employee may have been exposed;

(ii) A description of the conditions under which the exposure occurred including quantitative exposure data, if available; and

(iii) A description of the signs and symptoms of exposure that the employee is experiencing, if any.

(4) *Physician's written opinion.* (i) For examination or consultation required under this standard, the employer shall obtain a written opinion from the examining physician which shall include the following:

(A) Any recommendation for further medical follow-up;

(B) The results of the medical examination and any associated tests;

(C) Any medical condition which may be revealed in the course of the examination which may place the employee at increased risk as a result of exposure to a hazardous chemical found in the workplace; and

(D) A statement that the employee has been informed by the physician of the results of the consultation or medical examination and any medical condition that may require further examination or treatment.

(ii) The written opinion shall not reveal specific findings of diagnoses unrelated to occupational exposure.

(h) *Hazard identification.* (1) With respect to labels and safety data sheets:

(i) Employers shall ensure that labels on incoming containers of hazardous chemicals are not removed or defaced.

(ii) Employers shall maintain any safety data sheets that are received with incoming shipments of hazardous chemicals, and ensure that they are readily accessible to laboratory employees.

(2) The following provisions shall apply to chemical substances developed in the laboratory:

(i) If the composition of the chemical substance which is produced exclu-

sively for the laboratory's use is known, the employer shall determine if it is a hazardous chemical as defined in paragraph (b) of this section. If the chemical is determined to be hazardous, the employer shall provide appropriate training as required under paragraph (f) of this section.

(ii) If the chemical produced is a by-product whose composition is not known, the employer shall assume that the substance is hazardous and shall implement paragraph (e) of this section.

(iii) If the chemical substance is produced for another user outside of the laboratory, the employer shall comply with the Hazard Communication Standard (29 CFR 1910.1200) including the requirements for preparation of safety data sheets and labeling.

(i) *Use of respirators.* Where the use of respirators is necessary to maintain exposure below permissible exposure limits, the employer shall provide, at no cost to the employee, the proper respiratory equipment. Respirators shall be selected and used in accordance with the requirements of 29 CFR 1910.134.

(j) *Recordkeeping.* (1) The employer shall establish and maintain for each employee an accurate record of any measurements taken to monitor employee exposures and any medical consultation and examinations including tests or written opinions required by this standard.

(2) The employer shall assure that such records are kept, transferred, and made available in accordance with 29 CFR 1910.20.

(k) [Reserved]

(l) *Appendices.* The information contained in the appendices is not intended, by itself, to create any additional obligations not otherwise imposed or to detract from any existing obligation.

APPENDIX A TO §1910.1450—NATIONAL RESEARCH COUNCIL RECOMMENDATIONS CONCERNING CHEMICAL HYGIENE IN LABORATORIES (NON-MANDATORY)

To assist employers in developing an appropriate laboratory Chemical Hygiene Plan (CHP), the following non-mandatory recommendations were based on the National Research Council's (NRC) 2011 edition of

“Prudent Practices in the Laboratory: Handling and Management of Chemical Hazards.” This reference, henceforth referred to as “Prudent Practices,” is available from the National Academies Press, 500 Fifth Street NW., Washington DC 20001 (www.nap.edu). “Prudent Practices” is cited because of its wide distribution and acceptance and because of its preparation by recognized authorities in the laboratory community through the sponsorship of the NRC. However, these recommendations do not modify any requirements of the OSHA Laboratory standard. This appendix presents pertinent recommendations from “Prudent Practices,” organized into a form convenient for quick reference during operation of a laboratory and during development and application of a CHP. For a detailed explanation and justification for each recommendation, consult “Prudent Practices.”

“Prudent Practices” deals with both general laboratory safety and many types of chemical hazards, while the Laboratory standard is concerned primarily with chemical health hazards as a result of chemical exposures. The recommendations from “Prudent Practices” have been paraphrased, combined, or otherwise reorganized in order to adapt them for this purpose. However, their sense has not been changed.

Section F contains information from the U.S. Chemical Safety Board’s (CSB) Fiscal Year 2011 Annual Performance and Accountability report and Section F contains recommendations extracted from the CSB’s 2011 case study, “Texas Tech University Laboratory Explosion,” available from: <http://www.csb.gov/>.

CULTURE OF SAFETY

With the promulgation of the Occupational Safety and Health Administration (OSHA) Laboratory standard (29 CFR 1910.1450), a culture of safety consciousness, accountability, organization, and education has developed in industrial, governmental, and academic laboratories. Safety and training programs have been implemented to promote the safe handling of chemicals from ordering to disposal, and to train laboratory personnel in safe practices. Laboratory personnel must realize that the welfare and safety of each individual depends on clearly defined attitudes of teamwork and personal responsibility. Learning to participate in this culture of habitual risk assessment, experiment planning, and consideration of worst-case possibilities—for oneself and one’s fellow workers—is as much part of a scientific education as learning the theoretical background of experiments or the step-by-step protocols for doing them in a professional manner. A crucial component of chemical education for all personnel is to nurture basic attitudes and habits of prudent

behavior so that safety is a valued and inseparable part of all laboratory activities throughout their career.

Over the years, special techniques have been developed for handling chemicals safely. Local, state, and federal regulations hold institutions that sponsor chemical laboratories accountable for providing safe working environments. Beyond regulation, employers and scientists also hold themselves personally responsible for their own safety, the safety of their colleagues and the safety of the general public. A sound safety organization that is respected by all requires the participation and support of laboratory administrators, workers, and students. A successful health and safety program requires a daily commitment from everyone in the organization. To be most effective, safety and health must be balanced with, and incorporated into, laboratory processes. A strong safety and health culture is the result of positive workplace attitudes—from the chief executive officer to the newest hire; involvement and buy-in of all members of the workforce; mutual, meaningful, and measurable safety and health improvement goals; and policies and procedures that serve as reference tools, rather than obscure rules.

In order to perform their work in a prudent manner, laboratory personnel must consider the health, physical, and environmental hazards of the chemicals they plan to use in an experiment. However, the ability to accurately identify and assess laboratory hazards must be taught and encouraged through training and ongoing organizational support. This training must be at the core of every good health and safety program. For management to lead, personnel to assess work-site hazards, and hazards to be eliminated or controlled, everyone involved must be trained.

A. General Principles

1. Minimize All Chemical Exposures and Risks

Because few laboratory chemicals are without hazards, general precautions for handling all laboratory chemicals should be adopted. In addition to these general guidelines, specific guidelines for chemicals that are used frequently or are particularly hazardous should be adopted.

Laboratory personnel should conduct their work under conditions that minimize the risks from both known and unknown hazardous substances. Before beginning any laboratory work, the hazards and risks associated with an experiment or activity should be determined and the necessary safety precautions implemented. Every laboratory should develop facility-specific policies and procedures for the highest-risk materials and procedures used in their laboratory. To identify these, consideration should be given to

past accidents, process conditions, chemicals used in large volumes, and particularly hazardous chemicals.

Perform Risk Assessments for Hazardous Chemicals and Procedures Prior to Laboratory Work:

(a) Identify chemicals to be used, amounts required, and circumstances of use in the experiment. Consider any special employee or laboratory conditions that could create or increase a hazard. Consult sources of safety and health information and experienced scientists to ensure that those conducting the risk assessment have sufficient expertise.

(b) Evaluate the hazards posed by the chemicals and the experimental conditions. The evaluation should cover toxic, physical, reactive, flammable, explosive, radiation, and biological hazards, as well as any other potential hazards posed by the chemicals.

(c) For a variety of physical and chemical reasons, reaction scale-ups pose special risks, which merit additional prior review and precautions.

(d) Select appropriate controls to minimize risk, including use of engineering controls, administrative controls, and personal protective equipment (PPE) to protect workers from hazards. The controls must ensure that OSHA's Permissible Exposure Limits (PELs) are not exceeded. Prepare for contingencies and be aware of the institutional procedures in the event of emergencies and accidents.

One sample approach to risk assessment is to answer these five questions:

- (a) What are the hazards?
- (b) What is the worst thing that could happen?
- (c) What can be done to prevent this from happening?
- (d) What can be done to protect from these hazards?
- (e) What should be done if something goes wrong?

2. Avoid Underestimation of Risk

Even for substances of no known significant hazard, exposure should be minimized; when working with substances that present special hazards, special precautions should be taken. Reference should be made to the safety data sheet (SDS) that is provided for each chemical. Unless otherwise known, one should assume that any mixture will be more toxic than its most toxic component and that all substances of unknown toxicity are toxic.

Determine the physical and health hazards associated with chemicals before working with them. This determination may involve consulting literature references, laboratory chemical safety summaries (LCSSs), SDSs, or other reference materials. Consider how the chemicals will be processed and determine whether the changing states or forms will change the nature of the hazard. Review your plan, operating limits, chemical evalua-

tions and detailed risk assessment with other chemists, especially those with experience with similar materials and protocols.

Before working with chemicals, know your facility's policies and procedures for how to handle an accidental spill or fire. Emergency telephone numbers should be posted in a prominent area. Know the location of all safety equipment and the nearest fire alarm and telephone.

3. Adhere to the Hierarchy of Controls

The hierarchy of controls prioritizes intervention strategies based on the premise that the best way to control a hazard is to systematically remove it from the workplace, rather than relying on employees to reduce their exposure. The types of measures that may be used to protect employees (listed from most effective to least effective) are: engineering controls, administrative controls, work practices, and PPE. Engineering controls, such as chemical hoods, physically separate the employee from the hazard. Administrative controls, such as employee scheduling, are established by management to help minimize the employees' exposure time to hazardous chemicals. Work practice controls are tasks that are performed in a designated way to minimize or eliminate hazards. Personal protective equipment and apparel are additional protection provided under special circumstances and when exposure is unavoidable.

Face and eye protection is necessary to prevent ingestion and skin absorption of hazardous chemicals. At a minimum, safety glasses, with side shields, should be used for all laboratory work. Chemical splash goggles are more appropriate than regular safety glasses to protect against hazards such as projectiles, as well as when working with glassware under reduced or elevated pressures (e.g., sealed tube reactions), when handling potentially explosive compounds (particularly during distillations), and when using glassware in high-temperature operations. Do not allow laboratory chemicals to come in contact with skin. Select gloves carefully to ensure that they are impervious to the chemicals being used and are of correct thickness to allow reasonable dexterity while also ensuring adequate barrier protection.

Lab coats and gloves should be worn when working with hazardous materials in a laboratory. Wear closed-toe shoes and long pants or other clothing that covers the legs when in a laboratory where hazardous chemicals are used. Additional protective clothing should be used when there is significant potential for skin-contact exposure to chemicals. The protective characteristics of this clothing must be matched to the hazard. Never wear gloves or laboratory coats outside the laboratory or into areas where food is stored and consumed.

4. Provide Laboratory Ventilation

The best way to prevent exposure to airborne substances is to prevent their escape into the working atmosphere by the use of hoods and other ventilation devices. To determine the best choice for laboratory ventilation using engineering controls for personal protection, employers are referred to Table 9.3 of the 2011 edition of "Prudent Practices." Laboratory chemical hoods are the most important components used to protect laboratory personnel from exposure to hazardous chemicals.

(a) Toxic or corrosive chemicals that require vented storage should be stored in vented cabinets instead of in a chemical hood.

(b) Chemical waste should not be disposed of by evaporation in a chemical hood.

(c) Keep chemical hood areas clean and free of debris at all times.

(d) Solid objects and materials, such as paper, should be prevented from entering the exhaust ducts as they can reduce the air flow.

(e) Chemical hoods should be maintained, monitored and routinely tested for proper performance.

A laboratory ventilation system should include the following characteristics and practices:

(a) Heating and cooling should be adequate for the comfort of workers and operation of equipment. Before modification of any building HVAC, the impact on laboratory or hood ventilation should be considered, as well as how laboratory ventilation changes may affect the building HVAC.

(b) A negative pressure differential should exist between the amount of air exhausted from the laboratory and the amount supplied to the laboratory to prevent uncontrolled chemical vapors from leaving the laboratory.

(c) Local exhaust ventilation devices should be appropriate to the materials and operations in the laboratory.

(d) The air in chemical laboratories should be continuously replaced so that concentrations of odoriferous or toxic substances do not increase during the workday.

(e) Laboratory air should not be recirculated but exhausted directly outdoors.

(f) Air pressure should be negative with respect to the rest of the building. Local capture equipment and systems should be designed only by an experienced engineer or industrial hygienist.

(g) Ventilation systems should be inspected and maintained on a regular basis. There should be no areas where air remains static or areas that have unusually high air-flow velocities.

Before work begins, laboratory workers should be provided with proper training that includes how to use the ventilation equipment, how to ensure that it is functioning

properly, the consequences of improper use, what to do in the event of a system failure or power outage, special considerations, and the importance of signage and postings.

5. Institute a Chemical Hygiene Program

A comprehensive chemical hygiene program is required. It should be designed to minimize exposures, injuries, illnesses and incidents. There should be a regular, continuing effort that includes program oversight, safe facilities, chemical hygiene planning, training, emergency preparedness and chemical security. The chemical hygiene program must be reviewed annually and updated as necessary whenever new processes, chemicals, or equipment is implemented. Its recommendations should be followed in all laboratories.

6. Observe the PELs and TLVs

OSHA's Permissible Exposure Limits (PELs) must not be exceeded. The American Conference of Governmental Industrial Hygienists' Threshold Limit Values (TLVs) should also not be exceeded.

B. Responsibilities

Persons responsible for chemical hygiene include, but are not limited to, the following:

1. Chemical Hygiene Officer

(a) Establishes, maintains, and revises the chemical hygiene plan (CHP).

(b) Creates and revises safety rules and regulations.

(c) Monitors procurement, use, storage, and disposal of chemicals.

(d) Conducts regular inspections of the laboratories, preparations rooms, and chemical storage rooms, and submits detailed laboratory inspection reports to administration.

(e) Maintains inspection, personnel training, and inventory records.

(f) Assists laboratory supervisors in developing and maintaining adequate facilities.

(g) Seeks ways to improve the chemical hygiene program.

2. Department Chairperson or Director

(a) Assumes responsibility for personnel engaged in the laboratory use of hazardous chemicals.

(b) Provides the chemical hygiene officer (CHO) with the support necessary to implement and maintain the CHP.

(c) After receipt of laboratory inspection report from the CHO, meets with laboratory supervisors to discuss cited violations and to ensure timely actions to protect trained laboratory personnel and facilities and to ensure that the department remains in compliance with all applicable federal, state, university, local and departmental codes and regulations.

(d) Provides budgetary arrangements to ensure the health and safety of the departmental personnel, visitors, and students.

3. Departmental Safety Committee reviews accident reports and makes appropriate recommendations to the department chairperson regarding proposed changes in the laboratory procedures.

4. Laboratory Supervisor or Principal Investigator has overall responsibility for chemical hygiene in the laboratory, including responsibility to:

(a) Ensure that laboratory personnel comply with the departmental CHP and do not operate equipment or handle hazardous chemicals without proper training and authorization.

(b) Always wear personal protective equipment (PPE) that is compatible to the degree of hazard of the chemical.

(c) Follow all pertinent safety rules when working in the laboratory to set an example.

(d) Review laboratory procedures for potential safety problems before assigning to other laboratory personnel.

(e) Ensure that visitors follow the laboratory rules and assumes responsibility for laboratory visitors.

(f) Ensure that PPE is available and properly used by each laboratory employee and visitor.

(g) Maintain and implement safe laboratory practices.

(h) Provide regular, formal chemical hygiene and housekeeping inspections, including routine inspections of emergency equipment;

(i) Monitor the facilities and the chemical fume hoods to ensure that they are maintained and function properly. Contact the appropriate person, as designated by the department chairperson, to report problems with the facilities or the chemical fume hoods.

5. Laboratory Personnel

(a) Read, understand, and follow all safety rules and regulations that apply to the work area;

(b) Plan and conduct each operation in accordance with the institutional chemical hygiene procedures;

(c) Promote good housekeeping practices in the laboratory or work area.

(d) Notify the supervisor of any hazardous conditions or unsafe work practices in the work area.

(e) Use PPE as appropriate for each procedure that involves hazardous chemicals.

C. The Laboratory Facility

General Laboratory Design Considerations

Wet chemical spaces and those with a higher degree of hazard should be separated from other spaces by a wall or protective barrier wherever possible. If the areas cannot be sep-

arated, then workers in lower hazard spaces may require additional protection from the hazards in connected spaces.

1. Laboratory Layout and Furnishing

(a) Work surfaces should be chemically resistant, smooth, and easy to clean.

(b) Hand washing sinks for hazardous materials may require elbow, foot, or electronic controls for safe operation.

(c) Wet laboratory areas should have chemically resistant, impermeable, slip-resistant flooring.

(d) Walls should be finished with a material that is easy to clean and maintain.

(e) Doors should have view panels to prevent accidents and should open in the direction of egress.

(f) Operable windows should not be present in laboratories, particularly if there are chemical hoods or other local ventilation systems present.

2. Safety Equipment and Utilities

(a) An adequate number and placement of safety showers, eyewash units, and fire extinguishers should be provided for the laboratory.

(b) Use of water sprinkler systems is resisted by some laboratories because of the presence of electrical equipment or water-reactive materials, but it is still generally safer to have sprinkler systems installed. A fire large enough to trigger the sprinkler system would have the potential to cause far more destruction than the local water damage.

D. Chemical Hygiene Plan (CHP)

The OSHA Laboratory standard defines a CHP as “a written program developed and implemented by the employer which sets forth procedures, equipment, personal protective equipment and work practices that are capable of protecting employees from the health hazards presented by hazardous chemicals used in that particular workplace.” (29 CFR 1910.1450(b)). The Laboratory Standard requires a CHP: “Where hazardous chemicals as defined by this standard are used in the workplace, the employer shall develop and carry out the provisions of a written Chemical Hygiene Plan.” (29 CFR 1910.1450(e)(1)). The CHP is the foundation of the laboratory safety program and must be reviewed and updated, as needed, and at least on an annual basis to reflect changes in policies and personnel. A CHP should be facility specific and can assist in promoting a culture of safety to protect workers from exposure to hazardous materials.

1. The Laboratory’s CHP must be readily available to workers and capable of protecting workers from health hazards and minimizing exposure. Include the following topics in the CHP:

- (a) Individual chemical hygiene responsibilities;
- (b) Standard operating procedures;
- (c) Personal protective equipment, engineering controls and apparel;
- (d) Laboratory equipment;
- (e) Safety equipment;
- (f) Chemical management;
- (g) Housekeeping;
- (h) Emergency procedures for accidents and spills;
- (i) Chemical waste;
- (j) Training;
- (k) Safety rules and regulations;
- (l) Laboratory design and ventilation;
- (m) Exposure monitoring;
- (n) Compressed gas safety;
- (o) Medical consultation and examination.

It should be noted that the nature of laboratory work may necessitate addressing biological safety, radiation safety and security issues.

2. Chemical Procurement, Distribution, and Storage

Prudent chemical management includes the following processes:

Chemical Procurement:

- (a) Information on proper handling, storage, and disposal should be known to those who will be involved before a substance is received.
- (b) Only containers with adequate identifying labels should be accepted.
- (c) Ideally, a central location should be used for receiving all chemical shipments.
- (d) Shipments with breakage or leakage should be refused or opened in a chemical hood.
- (e) Only the minimum amount of the chemical needed to perform the planned work should be ordered.
- (f) Purchases of high risk chemicals should be reviewed and approved by the CHO.
- (g) Proper protective equipment and handling and storage procedures should be in place before receiving a shipment.

Chemical Storage:

- (a) Chemicals should be separated and stored according to hazard category and compatibility.
- (b) SDS and label information should be followed for storage requirements.
- (c) Maintain existing labels on incoming containers of chemicals and other materials.
- (d) Labels on containers used for storing hazardous chemicals must include the chemical identification and appropriate hazard warnings.
- (e) The contents of all other chemical containers and transfer vessels, including, but not limited to, beakers, flasks, reaction vessels, and process equipment, should be properly identified.
- (f) Chemical shipments should be dated upon receipt and stock rotated.

- (g) Peroxide formers should be dated upon receipt, again dated upon opening, and stored away from heat and light with tight-fitting, nonmetal lids.

(h) Open shelves used for chemical storage should be secured to the wall and contain 3/4-inch lips. Secondary containment devices should be used as necessary.

(i) Consult the SDS and keep incompatibles separate during transport, storage, use, and disposal.

(j) Oxidizers, reducing agents, and fuels should be stored separately to prevent contact in the event of an accident.

(k) Chemicals should not be stored in the chemical hood, on the floor, in areas of egress, on the benchtop, or in areas near heat or in direct sunlight.

(l) Laboratory-grade, flammable-rated refrigerators and freezers should be used to store sealed chemical containers of flammable liquids that require cool storage. Do not store food or beverages in the laboratory refrigerator.

(m) Highly hazardous chemicals should be stored in a well-ventilated and secure area designated for that purpose.

(n) Flammable chemicals should be stored in a spark-free environment and in approved flammable-liquid containers and storage cabinets. Grounding and bonding should be used to prevent static charge buildups when dispensing solvents.

(o) Chemical storage and handling rooms should be controlled-access areas. They should have proper ventilation, appropriate signage, diked floors, and fire suppression systems.

Chemical Handling:

(a) As described above, a risk assessment should be conducted prior to beginning work with any hazardous chemical for the first time.

(b) All SDS and label information should be read before using a chemical for the first time.

(c) Trained laboratory workers should ensure that proper engineering controls (ventilation) and PPE are in place.

Chemical Inventory:

(a) Prudent management of chemicals in any laboratory is greatly facilitated by keeping an accurate inventory of the chemicals stored.

(b) Unneeded items should be discarded or returned to the storeroom.

Transporting Chemicals:

(a) Secondary containment devices should be used when transporting chemicals.

(b) When transporting chemicals outside of the laboratory or between stockrooms and laboratories, the transport container should be break-resistant.

(c) High-traffic areas should be avoided.

Transferring Chemicals:

(a) Use adequate ventilation (such as a fume hood) when transferring even a small

amount of a particularly hazardous substance (PHS).

(b) While drum storage is not appropriate for laboratories, chemical stockrooms may purchase drum quantities of solvents used in high volumes. Ground and bond the drum and receiving vessel when transferring flammable liquids from a drum to prevent static charge buildup.

(c) If chemicals from commercial sources are repackaged into transfer vessels, the new containers should be labeled with all essential information on the original container.

Shipping Chemicals: Outgoing chemical shipments must meet all applicable Department of Transportation (DOT) regulations and should be authorized and handled by the institutional shipper.

3. Waste Management

A waste management plan should be in place before work begins on any laboratory activity. The plan should utilize the following hierarchy of practices:

(a) Reduce waste sources. The best approach to minimize waste generation is by reducing the scale of operations, reducing its formation during operations, and, if possible, substituting less hazardous chemicals for a particular operation.

(b) Reuse surplus materials. Only the amount of material necessary for an experiment should be purchased, and, if possible, materials should be reused.

(c) Recycle waste. If waste cannot be prevented or minimized, the organization should consider recycling chemicals that can be safely recovered or used as fuel.

(d) Dispose of waste properly. Sink disposal may not be appropriate. Proper waste disposal methods include incineration, treatment, and land disposal. The organization's environmental health and safety (EHS) office should be consulted in determining which methods are appropriate for different types of waste.

Collection and Storage of Waste:

(a) Chemical waste should be accumulated at or near the point of generation, under the control of laboratory workers.

(b) Each waste type should be stored in a compatible container pending transfer or disposal. Waste containers should be clearly labeled and kept sealed when not in use.

(c) Incompatible waste types should be kept separate to ensure that heat generation, gas evolution, or another reaction does not occur.

(d) Waste containers should be segregated by how they will be managed. Waste containers should be stored in a designated location that does not interfere with normal laboratory operations. Ventilated storage and secondary containment may be appropriate for certain waste types.

(e) Waste containers should be clearly labeled and kept sealed when not in use. Labels

should include the accumulation start date and hazard warnings as appropriate.

(f) Non-explosive electrical systems, grounding and bonding between floors and containers, and non-sparking conductive floors and containers should be used in the central waste accumulation area to minimize fire and explosion hazards. Fire suppression systems, specialized ventilation systems, and dikes should be installed in the central waste accumulation area. Waste management workers should be trained in proper waste handling procedures as well as contingency planning and emergency response. Trained laboratory workers most familiar with the waste should be actively involved in waste management decisions to ensure that the waste is managed safely and efficiently. Engineering controls should be implemented as necessary, and personal protective equipment should be worn by workers involved in waste management.

4. Inspection Program

Maintenance and regular inspection of laboratory equipment are essential parts of the laboratory safety program. Management should participate in the design of a laboratory inspection program to ensure that the facility is safe and healthy, workers are adequately trained, and proper procedures are being followed.

Types of inspections: The program should include an appropriate combination of routine inspections, self-audits, program audits, peer inspections, EHS inspections, and inspections by external entities.

Elements of an inspection:

(a) Inspectors should bring a checklist to ensure that all issues are covered and a camera to document issues that require correction.

(b) Conversations with workers should occur during the inspection, as they can provide valuable information and allow inspectors an opportunity to show workers how to fix problems.

(c) Issues resolved during the inspection should be noted.

(d) An inspection report containing all findings and recommendations should be prepared for management and other appropriate workers.

(e) Management should follow-up on the inspection to ensure that all corrections are implemented.

5. Medical Consultation and Examination

The employer must provide all employees who work with hazardous chemicals an opportunity to receive medical attention, including any follow-up examinations that the examining physician determines to be necessary, whenever an employee develops signs or symptoms associated with a hazardous chemical to which the employee may have

been exposed in the laboratory. If an employee encounters a spill, leak, explosion or other occurrence resulting in the likelihood of a hazardous exposure, the affected employee must be provided an opportunity for a medical consultation by a licensed physician. All medical examinations and consultations must be performed by or under the direct supervision of a licensed physician and must be provided without cost to the employee, without loss of pay and at a reasonable time and place. The identity of the hazardous chemical, a description of the incident, and any signs and symptoms that the employee may experience must be relayed to the physician.

6. Records

All accident, fatality, illness, injury, and medical records and exposure monitoring records must be retained by the institution in accordance with the requirements of state and federal regulations (see 29 CFR part 1904 and §1910.1450(j)). Any exposure monitoring results must be provided to affected laboratory staff within 15 working days after receipt of the results (29 CFR 1910.1450(d)(4)).

7. Signs

Prominent signs of the following types should be posted:

(a) Emergency telephone numbers of emergency personnel/facilities, supervisors, and laboratory workers;

(b) Location signs for safety showers, eye-wash stations, other safety and first aid equipment, and exits; and

(c) Warnings at areas or equipment where special or unusual hazards exist.

8. Spills and Accidents

Before beginning an experiment, know your facility's policies and procedures for how to handle an accidental release of a hazardous substance, a spill or a fire. Emergency response planning and training are especially important when working with highly toxic compounds. Emergency telephone numbers should be posted in a prominent area. Know the location of all safety equipment and the nearest fire alarm and telephone. Know who to notify in the event of an emergency. Be prepared to provide basic emergency treatment. Keep your co-workers informed of your activities so they can respond appropriately. Safety equipment, including spill control kits, safety shields, fire safety equipment, PPE, safety showers and eyewash units, and emergency equipment should be available in well-marked highly visible locations in all chemical laboratories. The laboratory supervisor or CHO is responsible for ensuring that all personnel are aware of the locations of fire extinguishers and are trained in their use. After an extinguisher has been used, designated personnel

must promptly recharge or replace it (29 CFR 1910.157(c)(4)). The laboratory supervisor or CHO is also responsible for ensuring proper training and providing supplementary equipment as needed.

Special care must be used when handling solutions of chemicals in syringes with needles. Do not recap needles, especially when they have been in contact with chemicals. Remove the needle and discard it immediately after use in the appropriate sharps containers. Blunt-tip needles are available from a number of commercial sources and should be used unless a sharp needle is required to puncture rubber septa or for subcutaneous injection.

For unattended operations, laboratory lights should be left on, and signs should be posted to identify the nature of the experiment and the hazardous substances in use. Arrangements should be made, if possible, for other workers to periodically inspect the operation. Information should be clearly posted indicating who to contact in the event of an emergency. Depending on the nature of the hazard, special rules, precautions, and alert systems may be necessary.

9. Training and Information

Personnel training at all levels within the organization, is essential. Responsibility and accountability throughout the organization are key elements in a strong safety and health program. The employer is required to provide employees with information and training to ensure that they are apprised of the hazards of chemicals present in their work area (29 CFR 1910.1450(f)). This information must be provided at the time of an employee's initial assignment to a work area where hazardous chemicals are present and prior to assignments involving new exposure situations. The frequency of refresher information and training should be determined by the employer. At a minimum, laboratory personnel should be trained on their facility's specific CHP, methods and observations that may be used to detect the presence or release of a hazardous chemical (such as monitoring conducted by the employer, continuous monitoring devices, visual appearance or odor of hazardous chemicals when being released), the physical and health hazards of chemicals in the work area and means to protect themselves from these hazards. Trained laboratory personnel must know shut-off procedures in case of an emergency. All SDSs must be made available to the employees.

E. General Procedures for Working With Chemicals

The risk of laboratory injuries can be reduced through adequate training, improved engineering, good housekeeping, safe work practice and personal behavior.

§ 1910.1450

1. General Rules for Laboratory Work With Chemicals

(a) Assigned work schedules should be followed unless a deviation is authorized by the laboratory supervisor.

(b) Unauthorized experiments should not be performed.

(c) Plan safety procedures before beginning any operation.

(d) Follow standard operating procedures at all times.

(e) Always read the SDS and label before using a chemical.

(f) Wear appropriate PPE at all times.

(g) To protect your skin from splashes, spills and drips, always wear long pants and closed-toe shoes.

(h) Use appropriate ventilation when working with hazardous chemicals.

(i) Pipetting should never be done by mouth.

(j) Hands should be washed with soap and water immediately after working with any laboratory chemicals, even if gloves have been worn.

(k) Eating, drinking, smoking, gum chewing, applying cosmetics, and taking medicine in laboratories where hazardous chemicals are used or stored should be strictly prohibited.

(l) Food, beverages, cups, and other drinking and eating utensils should not be stored in areas where hazardous chemicals are handled or stored.

(m) Laboratory refrigerators, ice chests, cold rooms, and ovens should not be used for food storage or preparation.

(n) Contact the laboratory supervisor, Principal Investigator, CHO or EHS office with all safety questions or concerns.

(o) Know the location and proper use of safety equipment.

(p) Maintain situational awareness.

(q) Make others aware of special hazards associated with your work.

(r) Notify supervisors of chemical sensitivities or allergies.

(s) Report all injuries, accidents, incidents, and near misses.

(t) Unauthorized persons should not be allowed in the laboratory.

(u) Report unsafe conditions to the laboratory supervisor or CHO.

(v) Properly dispose of chemical wastes.

Working Alone in the Laboratory

Working alone in a laboratory is dangerous and should be strictly avoided. There have been many tragic accidents that illustrate this danger. Accidents are unexpected by definition, which is why coworkers should always be present. Workers should coordinate schedules to avoid working alone.

29 CFR Ch. XVII (7–1–13 Edition)

Housekeeping

Housekeeping can help reduce or eliminate a number of laboratory hazards. Proper housekeeping includes appropriate labeling and storage of chemicals, safe and regular cleaning of the facility, and proper arrangement of laboratory equipment.

2. Nanoparticles and Nanomaterials

Nanoparticles and nanomaterials have different reactivities and interactions with biological systems than bulk materials, and understanding and exploiting these differences is an active area of research. However, these differences also mean that the risks and hazards associated with exposure to engineered nanomaterials are not well known. Because this is an area of ongoing research, consult trusted sources for the most up to date information available. Note that the higher reactivity of many nanoscale materials suggests that they should be treated as potential sources of ignition, accelerants, and fuel that could result in fire or explosion. Easily dispersed dry nanomaterials may pose the greatest health hazard because of the risk of inhalation. Operations involving these nanomaterials deserve more attention and more stringent controls than those where the nanomaterials are embedded in solid or suspended in liquid matrixes.

Consideration should be given to all possible routes of exposure to nanomaterials including inhalation, ingestion, injection, and dermal contact (including eye and mucous membranes). Avoid handling nanomaterials in the open air in a free-particle state. Whenever possible, handle and store dispersible nanomaterials, whether suspended in liquids or in a dry particle form, in closed (tightly-sealed) containers. Unless cutting or grinding occurs, nanomaterials that are not in a free form (encapsulated in a solid or a nanocomposite) typically will not require engineering controls. If a synthesis is being performed to create nanomaterials, it is not enough to only consider the final material in the risk assessment, but consider the hazardous properties of the precursor materials as well.

To minimize laboratory personnel exposure, conduct any work that could generate engineered nanoparticles in an enclosure that operates at a negative pressure differential compared to the laboratory personnel breathing zone. Limited data exist regarding the efficacy of PPE and ventilation systems against exposure to nanoparticles. However, until further information is available, it is prudent to follow standard chemical hygiene practices. Conduct a hazard evaluation to determine PPE appropriate for the level of hazard according to the requirements set forth in OSHA's Personal Protective Equipment standard (29 CFR 1910.132).

3. Highly Toxic and Explosive/Reactive Chemicals/Materials

The use of highly toxic and explosive/reactive chemicals and materials has been an area of growing concern. The frequency of academic laboratory incidents in the U.S. is an area of significant concern for the Chemical Safety Board (CSB). The CSB issued a case study on an explosion at Texas Tech University in Lubbock, Texas, which severely injured a graduate student handling a high-energy metal compound. Since 2001, the CSB has gathered preliminary information on 120 different university laboratory incidents that resulted in 87 evacuations, 96 injuries, and three deaths.

It is recommended that each facility keep a detailed inventory of highly toxic chemicals and explosive/reactive materials. There should be a record of the date of receipt, amount, location, and responsible individual for all acquisitions, syntheses, and disposal of these chemicals. A physical inventory should be performed annually to verify active inventory records. There should be a procedure in place to report security breaches, inventory discrepancies, losses, diversions, or suspected thefts.

Procedures for disposal of highly toxic materials should be established before any experiments begin, possibly even before the chemicals are ordered. The procedures should address methods for decontamination of any laboratory equipment that comes into contact with highly toxic chemicals. All waste should be accumulated in clearly labeled impervious containers that are stored in unbreakable secondary containment.

Highly reactive and explosive materials that may be used in the laboratory require appropriate procedures and training. An explosion can occur when a material undergoes a rapid reaction that results in a violent release of energy. Such reactions can happen spontaneously and can produce pressures, gases, and fumes that are hazardous. Some reagents pose a risk on contact with the atmosphere. It is prudent laboratory practice to use a safer alternative whenever possible.

If at all possible, substitutes for highly acute, chronic, explosive, or reactive chemicals should be considered prior to beginning work and used whenever possible.

4. Compressed Gas

Compressed gases expose laboratory personnel to both chemical and physical hazards. It is essential that these are monitored for leaks and have the proper labeling. By monitoring compressed gas inventories and disposing of or returning gases for which there is no immediate need, the laboratory can substantially reduce these risks. Leaking gas cylinders can cause serious hazards that may require an immediate evacuation of the area and activation of the emergency

response system. Only appropriately trained hazmat responders may respond to stop a leaking gas cylinder under this situation.

F. Safety Recommendations—Physical Hazards

Physical hazards in the laboratory include combustible liquids, compressed gases, reactives, explosives and flammable chemicals, as well as high pressure/energy procedures, sharp objects and moving equipment. Injuries can result from bodily contact with rotating or moving objects, including mechanical equipment, parts, and devices. Personnel should not wear loose-fitting clothing, jewelry, or unrestrained long hair around machinery with moving parts.

The Chemical Safety Board has identified the following key lessons for laboratories that address both physical and other hazards:

- (1) Ensure that research-specific hazards are evaluated and then controlled by developing specific written protocols and training.
- (2) Expand existing laboratory safety plans to ensure that all safety hazards, including physical hazards of chemicals, are addressed.
- (3) Ensure that the organization's EHS office reports directly to an identified individual/office with organizational authority to implement safety improvements.
- (4) Develop a verification program that ensures that the safety provisions of the CHP are communicated, followed, and enforced at all levels within the organization.
- (5) Document and communicate all laboratory near-misses and previous incidents to track safety, provide opportunities for education and improvement to drive safety changes at the university.
- (6) Manage the hazards unique to laboratory chemical research in the academic environment. Utilize available practice guidance that identifies and describes methodologies to assess and control hazards.
- (7) Written safety protocols and training are necessary to manage laboratory risk.

G. Emergency Planning

In addition to laboratory safety issues, laboratory personnel should be familiar with established facility policies and procedures regarding emergency situations. Topics may include, but are not limited to:

- (1) Evacuation procedures—when it is appropriate and alternate routes;
- (2) Emergency shutdown procedures—equipment shutdown and materials that should be stored safely;
- (3) Communications during an emergency—what to expect, how to report, where to call or look for information;
- (4) How and when to use a fire extinguisher;
- (5) Security issues—preventing tailgating and unauthorized access;

(6) Protocol for absences due to travel restrictions or illness;

(7) Safe practices for power outage;

(8) Shelter in place—when it is appropriate;

(9) Handling suspicious mail or phone calls;

(10) Laboratory-specific protocols relating to emergency planning and response;

(11) Handling violent behavior in the workplace; and

(12) First-aid and CPR training, including automated external defibrillator training if available.

It is prudent that laboratory personnel are also trained in how to respond to short-term, long-term and large-scale emergencies. Laboratory security can play a role in reducing the likelihood of some emergencies and assisting in preparation and response for others. Every institution, department, and individual laboratory should consider having an emergency preparedness plan. The level of detail of the plan will vary depending on the function of the group and institutional planning efforts already in place.

Emergency planning is a dynamic process. As personnel, operations, and events change, plans will need to be updated and modified. To determine the type and level of emergency planning needed, laboratory personnel need to perform a vulnerability assessment. Periodic drills to assist in training and evaluation of the emergency plan are recommended as part of the training program.

H. Emergency Procedures

(1) Fire alarm policy. Most organizations use fire alarms whenever a building needs to be evacuated—for any reason. When a fire alarm sounds in the facility, evacuate immediately after extinguishing all equipment flames. Check on and assist others who may require help evacuating.

(2) Emergency safety equipment. The following safety elements should be met:

a. A written emergency action plan has been provided to workers;

b. Fire extinguishers, eyewash units, and safety showers are available and tested on a regular basis; and

c. Fire blankets, first-aid equipment, fire alarms, and telephones are available and accessible.

(3) Chemical spills. Workers should contact the CHO or EHS office for instructions before cleaning up a chemical spill. All SDS and label instructions should be followed, and appropriate PPE should be worn during spill cleanup.

(4) Accident procedures. In the event of an accident, immediately notify appropriate personnel and local emergency responders. Provide an SDS of any chemical involved to the attending physician. Complete an accident report and submit it to the appropriate office or individual within 24 hours.

(5) Employee safety training program. New workers should attend safety training before

they begin any activities. Additional training should be provided when they advance in their duties or are required to perform a task for the first time. Training documents should be recorded and maintained. Training should include hands-on instruction of how to use safety equipment appropriately.

(6) Conduct drills. Practice building evacuations, including the use of alternate routes. Practice shelter-in-place, including plans for extended stays. Walk the fastest route from your work area to the nearest fire alarm, emergency eye wash and emergency shower. Learn how each is activated. In the excitement of an actual emergency, people rely on what they learned from drills, practice and training.

(7) Contingency plans. All laboratories should have long-term contingency plans in place (e.g., for pandemics). Scheduling, workload, utilities and alternate work sites may need to be considered.

I. Laboratory Security

Laboratory security has evolved in the past decade, reducing the likelihood of some emergencies and assisting in preparation and response for others. Most security measures are based on the laboratory's vulnerability. Risks to laboratory security include, but are not limited to:

(1) Theft or diversion of chemicals, biologicals, and radioactive or proprietary materials, mission-critical or high-value equipment;

(2) Threats from activist groups;

(3) Intentional release of, or exposure to, hazardous materials;

(4) Sabotage or vandalism of chemicals or high-value equipment;

(5) Loss or release of sensitive information; and

(6) Rogue work or unauthorized laboratory experimentation. Security systems in the laboratory are used to detect and respond to a security breach, or a potential security breach, as well as to delay criminal activity by imposing multiple layered barriers of increasing stringency. A good laboratory security system will increase overall safety for laboratory personnel and the public, improve emergency preparedness by assisting with preplanning, and lower the organization's liability by incorporating more rigorous planning, staffing, training, and command systems and implementing emergency communications protocols, drills, background checks, card access systems, video surveillance, and other measures. The security plan should clearly delineate response to security issues, including the coordination of institution and laboratory personnel with both internal and external responders.

APPENDIX B TO § 1910.1450—REFERENCES (NON-MANDATORY)

The following references are provided to assist the employer in the development of a Chemical Hygiene Plan. The materials listed below are offered as non-mandatory guidance. References listed here do not imply specific endorsement of a book, opinion, technique, policy or a specific solution for a safety or health problem. Other references not listed here may better meet the needs of a specific laboratory. (a) Materials for the development of the Chemical Hygiene Plan:

1. American Chemical Society, Safety in Academic Chemistry Laboratories, 4th edition, 1985.
2. Fawcett, H.H. and W. S. Wood, Safety and Accident Prevention in Chemical Operations, 2nd edition, Wiley-Interscience, New York, 1982.
3. Flury, Patricia A., Environmental Health and Safety in the Hospital Laboratory, Charles C. Thomas Publisher, Springfield IL, 1978.
4. Green, Michael E. and Turk, Amos, Safety in Working with Chemicals, Macmillan Publishing Co., NY, 1978.
5. Kaufman, James A., Laboratory Safety Guidelines, Dow Chemical Co., Box 1713, Midland, MI 48640, 1977.
6. National Institutes of Health, NIH Guidelines for the Laboratory use of Chemical Carcinogens, NIH Pub. No. 81-2385, GPO, Washington, DC 20402, 1981.
7. National Research Council, Prudent Practices for Disposal of Chemicals from Laboratories, National Academy Press, Washington, DC, 1983.
8. National Research Council, Prudent Practices for Handling Hazardous Chemicals in Laboratories, National Academy Press, Washington, DC, 1981.
9. Renfrew, Malcolm, Ed., Safety in the Chemical Laboratory, Vol. IV, *J. Chem. Ed.*, American Chemical Society, Easlon, PA, 1981.
10. Steere, Norman V., Ed., Safety in the Chemical Laboratory, *J. Chem. Ed.* American Chemical Society, Easlon, PA, 18042, Vol. I, 1967, Vol. II, 1971, Vol. III 1974.
11. Steere, Norman V., Handbook of Laboratory Safety, the Chemical Rubber Company Cleveland, OH, 1971.
12. Young, Jay A., Ed., Improving Safety in the Chemical Laboratory, John Wiley & Sons, Inc. New York, 1987.

(b) Hazardous Substances Information:

1. American Conference of Governmental Industrial Hygienists, Threshold Limit Values for Chemical Substances and Physical Agents in the Workroom Environment with Intended Changes, 6500 Glenway Avenue, Bldg. D-7 Cincinnati, OH 45211-4438 (latest edition).
2. Annual Report on Carcinogens, National Toxicology Program U.S. Department of

Health and Human Services, Public Health Service, U.S. Government Printing Office, Washington, DC, (latest edition).

3. Best Company, Best Safety Directory, Vols. I and II, Oldwick, N.J., 1981.
 4. Bretherick, L., Handbook of Reactive Chemical Hazards, 2nd edition, Butterworths, London, 1979.
 5. Bretherick, L., Hazards in the Chemical Laboratory, 3rd edition, Royal Society of Chemistry, London, 1986.
 6. Code of Federal Regulations, 29 CFR part 1910 subpart Z. U.S. Govt. Printing Office, Washington, DC 20402 (latest edition).
 7. IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Man, World Health Organization Publications Center, 49 Sheridan Avenue, Albany, New York 12210 (latest editions).
 8. NIOSH/OSHA Pocket Guide to Chemical Hazards. NIOSH Pub. No. 85-114, U.S. Government Printing Office, Washington, DC, 1985 (or latest edition).
 9. Occupational Health Guidelines, NIOSH/OSHA NIOSH Pub. No. 81-123 U.S. Government Printing Office, Washington, DC, 1981.
 10. Patty, F.A., Industrial Hygiene and Toxicology, John Wiley & Sons, Inc., New York, NY (Five Volumes).
 11. Registry of Toxic Effects of Chemical Substances, U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health, Revised Annually, for sale from Superintendent of Documents U.S. Govt. Printing Office, Washington, DC 20402.
 12. The Merck Index: An Encyclopedia of Chemicals and Drugs. Merck and Company Inc. Rahway, N.J., 1976 (or latest edition).
 13. Sax, N.I. Dangerous Properties of Industrial Materials, 5th edition, Van Nostrand Reinhold, NY., 1979.
 14. Sittig, Marshall, Handbook of Toxic and Hazardous Chemicals, Noyes Publications, Park Ridge, NJ, 1981.
- (c) Information on Ventilation:
1. American Conference of Governmental Industrial Hygienists Industrial Ventilation (latest edition), 6500 Glenway Avenue, Bldg. D-7, Cincinnati, Ohio 45211-4438.
 2. American National Standards Institute, Inc. American National Standards Fundamentals Governing the Design and Operation of Local Exhaust Systems ANSI Z 9.2-1979 American National Standards Institute, N.Y. 1979.
 3. Imad, A.P. and Watson, C.L. Ventilation Index: An Easy Way to Decide about Hazardous Liquids, Professional Safety pp 15-18, April 1980.
 4. National Fire Protection Association, Fire Protection for Laboratories Using Chemicals NFPA-45, 1982.
- Safety Standard for Laboratories in Health Related Institutions, NFPA, 56c, 1980.

§ 1910.1450

29 CFR Ch. XVII (7–1–13 Edition)

Fire Protection Guide on Hazardous Materials, 7th edition, 1978.

National Fire Protection Association, Batterymarch Park, Quincy, MA 02269.

5. Scientific Apparatus Makers Association (SAMA), Standard for Laboratory Fume Hoods, SAMA LF7–1980, 1101 16th Street, NW., Washington, DC 20036.

(d) Information on Availability of Referenced Material:

1. American National Standards Institute (ANSI), 1430 Broadway, New York, NY 10018.

2. American Society for Testing and Materials (ASTM), 1916 Race Street, Philadelphia, PA 19103.

[55 FR 3327, Jan. 31, 1990; 55 FR 7967, Mar. 6, 1990; 55 FR 12111, Mar. 30, 1990; 57 FR 29204, July 1, 1992; 61 FR 5508, Feb. 13, 1996; 71 FR 16674, Apr. 3, 2006; 76 FR 33609, June 8, 2011; 77 FR 17887, Mar. 26, 2012; 78 FR 4325, Jan. 22, 2013]

Subject Index for 29 CFR Part 1910— Occupational Safety and Health Standards

EDITORIAL NOTE: This listing is provided for information purposes only. It is compiled and kept up-to-date by the Department of Labor. This index is updated as of July 1, 2013.

Subject term	Section No.	Subject term	Section No.
13 Carcinogens (4-Nitrobiphenyl, etc.)	.1003	Guard Exposure Angles215(b)(2)
Area Requirements1003(c)	Material Requirements and Minimum Dimensions.	.215(b)(10)
Closed System Operation1003(c)(2)	Snagging Machines, Automatic215(b)(7)
Isolated System1003(c)(1)	Surface Grinders and Cutting-Off Machines.	.215(b)(5)
Maintenance and Decontamination Activities.	.1003(c)(5)	Swing Frame Grinders215(b)(6)
Open-Vessel System Operations.	.1003(c)(3)	Top Grinding215(b)(8)
Transfer from a Closed Operation.	.1003(c)(4)	Mounting	.215(d)
Communication of Hazards1003(e)	Arbor Size215(d)(2)
Hazard Communication1003(e)(1)	Blotters215(d)(5)
Prohibited Statements1003(e)(3)	Bushing215(d)(4)
Signs1003(e)(2)	Inspection215(d)(1)
Training and Indoctrination1003(e)(4)	Multiple Wheel Mounting215(d)(6)
General Regulated Area Requirements.	.1003(d)	Surface Condition215(d)(3)
Contamination Control1003(d)(4)	Abrasive Wheel Machinery, Portable	
Emergencies1003(d)(2)	Definitions241(b)
Hygiene Facilities and Practices.	.1003(d)(3)	Guarding243(c)
Respiratory Program1003(d)(1)	Cup Wheels243(c)(2)
Medical Surveillance1003(g)	General Requirements243(c)(1)
Examinations1003(g)(1)	Other Type Grinders243(c)(4)
Records1003(g)(2)	Vertical Grinders243(c)(3)
Abatement Verification	.1903.19	Inspection243(c)(5)
Aboveground Storage Tanks, Flammable and Combustible Liquid	.106(b)(2)	Mounting243(c)(5)
Spacing106(b)(2)(ii)	Abrasive Wheels (see Abrasive Wheel Machinery).	
Spill Control106(b)(2)(viii)	Access to Employee Exposure and Medical Records.	.1020
Venting106(b)(2)(iv), (v), (vi)	Access to Records1020(e)
Abrasive Blasting (see also Ventilation)	.94	Employee Information1020(g)
Air Compressors, Breathing Air94(a)(6)	Preservation of Records1020(d)
Air Supply, Breathing94(a)(6)	Trade Secrets1020(f)
Blast Cleaning Enclosures94(a)(3)	Transfer of Records1020(h)
Cleaning Nozzles244(b)	Accident Prevention Signs and Tags, Specifications for	.145
Dust Hazards94(a)(2)	2-Acetylaminofluorene (see also 13 Carcinogens)	.1014
Abrasive Wheel Machinery	.215	Acetylene	.102
Definitions211(b)	Cylinders102(a)
Blotters215(c)(1)(v), (c)(6), (d)(5)	Generators and Filling Cylinders102(c)
Diameter, Uniformity of215(c)(4)	Piped Systems102(b)
Dimensions215(c)(8)	Acetylene Generators	.253(f)
Driving Flange215(c)(7)	Approval253(f)(1)
Finish and Balance215(c)(3)	Location253(f)(3)
Flanges215(c)	Maintenance253(f)(7)
Recess and Undercut215(c)(5)	Marking253(f)(1)
Repairs and Maintenance215(c)(9)	Operation253(f)(1)
Types215(c)(1)(iv)	Portable253(f)(5)
General Requirements215(a), (c)(10)	Pressure Limits253(f)(2)
Excluded Machinery215(a)(5)	Rating253(f)(2)
Flanges (Grinding Machines)215(a)(3)	Stationary253(f)(4)
Guard Design215(a)(2)	Houses and Rooms253(f)(6)
Machine Guarding215(a)(1)	Acrylonitrile	.1045
Work Rests215(a)(4)	Communication of Hazards1045(p)
Guarding Abrasive Wheel Machinery	.215(b)	Emergency Situations1045(i)
Band Type Guards, General Specifications.	.215(b)(11)	Employee Information and Training.	.1045(c)
Bench and Floor Stands215(b)(3)	Exposure Monitoring1045(e)
Cup Wheels215(b)(1)	Housekeeping1045(k)
Cutting-Off Machines215(b)(5)	Hygiene Facilities and Practices.	.1045(m)
Cylindrical Grinders215(b)(4)	Medical Surveillance1045(n)
Exposure Adjustment215(b)(9)	Methods of Compliance1045(g)
Guard Design Specifications215(b)(11)	Observation and Monitoring1045(r)
		Permissible Exposure Limit (PEL)	.1045(c)

Pt. 1910, Index

29 CFR Ch. XVII (7-1-13 Edition)

Subject term	Section No.
Protective Clothing and Equipment	.1045(j)
Recordkeeping	.1045(q)
Regulated Areas	.1045(f)
Respiratory Protection	.1045(h)
Waste Disposal	.1045(l)
Action Levels (see Permissible Exposure Limits).	
A-Frame Derricks (see also Derricks) Adjustments.	.181
Cranes	.179(l)(3)
Derricks	.181(f)(2), (f)(3)
Aerial Lifts (see also Work Platforms)	.67
AIDS (see also Bloodborne Pathogens).	.1030
Air Compressors, Abrasive Blasting	.94(a)(6)
Air Contaminants (see also Permissible Exposure Limits)	.1000
8-Hour Time Weighted Average	.1000(a)(2), .1000(b)(1), .1000 Table Z-1, .1000 Table Z-2
Acceptable Maximum Peak	.1000(b)(2), .1000 Table Z-2
Ceiling Values	.1000(a)(1), .1000 Table Z-1
Computation Formulae	.1000(d)
Extension of Federal Standards (Application).	
1,3'-Butadiene	.19(l)
4,4'-Methylenedianiline (MDA)	.19(i)
Acrylonitrile	.19(c)
Arsenic, Inorganic	.19(e)
Asbestos, Tremolite, Anthophyllite, and.	
Actinolite Dust	.19(a)
Cadmium	.19(k)
Ethylene Oxide	.19(h)
Formaldehyde	.19(j)
Lead	.19(g)
Methylene Chloride (MC)	.19(m)
Vinyl Chloride	.19(b)
Mineral Dusts	.1000(c), .1000 Table Z-3
Air Controlling Equipment, Power Presses	.217(b)(10)
Air Lift Hammers, Forging	.218(e)(1)
Air Receivers	.169
Application	.169(a)(1)
Compressed Air Equipment	.169(a)(2)
Drains	.169(b)(2)
Installation	.169(b)(1)
Pressure Gages	.169(b)(3)
Traps	.169(b)(2)
Valves	.169(b)(3)
Air Supply	.94(a)(6)
Airhoses	.243(b)(2)
Aisles.	
Working Surfaces	.22(b)
Alarms (see also Fire Alarms; Sprinklers; Warning Devices and Signs).	
Employee Alarm Systems	.165
4-Aminodiphenyl (see also 13 Carcinogens).	.1011
Ammonia, Anhydrous, Storage and Handling of.	.111
Approval of Equipment and Systems.	.111(b)(1)
Connections, Filling and Discharge Containers..	.111(b)(2)
Appurtenances	.111(b)(6)
Appurtenances, Protection of	.111(c)(6)
Construction of Non-refrigerated Containers(see Requirements for).	.111(b)(2)

Subject term	Section No.
Charging of	.111(b)(11)
DOT Containers, Systems Using.	.111(e)
Farm Vehicles	.111(g), .111(h)
Installation of	.111(c)(5)
Location of	.111(b)(5)
Motor Vehicle	.111(f)
Marking Non-refrigerated Containers.	.111(b)(3)
Marking Refrigerated Containers.	.111(b)(4)
Non-Refrigerated	.111(b)(2)
Original Test for Non-refrigerated Containers (see Requirements for).	.111(b)(2)
Reinstallation of	.111(c)(4)
Requalification of Non-refrigerated Containers.	.111(b)(2)
Safety Relief Devices	.111(b)(9), .111(c)(3), .111(d)(4), (f)(5)
Stationary, Non-refrigerated	.111(c)
Damage from Vehicles	.111(c)(7)
Design Pressure and Construction of Containers.	.111(c)(1)
Electrical Equipment and Wiring for Farm Vehicles, Mounted Systems	.111(b)(16)
for, Other than the Application of Ammonia.	.111(g)
Fittings (see Piping, Tubing and Fittings).	.111(b)(7)
Hose Specifications	.111(b)(8)
Liquid Level Gaging Devices	.111(b)(14)
Liquids, Transfer of	.111(b)(12), .111(f)(6)
Mounted Systems on Farm Vehicles for the Application of Ammonia.	.111(h)
Design Pressure and Classification of Containers for.	.111(h)(2)
Mounting of Containers for	.111(h)(3)
Valves and Accessories for	.111(h)(4)
Mounted Systems on Farm Vehicles Other than for the Application of Ammonia.	.111(g)
Appurtenances, Container	.111(g)(4)
Design Pressure and Classification of Containers.	.111(g)(2)
Farm Vehicles	.111(g)(6)
Marking the Container	.111(g)(5)
Mounting Containers	.111(g)(3)
Piping, Tubing, and Fittings	.111(b)(7)
Portable DOT Containers, Systems Using.	.111(e)
Conformance	.111(e)(1)
Heat Protection	.111(e)(3)
Storage	.111(e)(2)
Valve Cap	.111(e)(5)
Refrigerated Systems	.111(d)
Automatic Control Equipment	.111(d)(11)
Compressors	.111(d)(9)
Compressor Drives	.111(d)(10)
Compressors, Separators for	.111(d)(12)
Condensers	.111(d)(13)
Container Appurtenances, Protection of.	.111(d)(5)
Damage from Vehicles	.111(d)(7)
Design of Containers	.111(d)(1)
Installation of Refrigerated Storage Containers.	.111(d)(2)
Insulation for	.111(d)(15)
Receiver and Liquid Drain	.111(d)(14)
Refrigeration Load and Equipment.	.111(d)(8)

Subject term	Section No.	Subject term	Section No.
Reinstallation of111(d)(6)	Regulated Areas1018(f)
Safety Relief Devices111(d)(4)	Respiratory Protection1018(h)
Shutoff Valves111(d)(3)	Asbestos1001
Requirements for Construction, Original.		Communication of Hazards to Em- ployees.	.1001(j)
Test and Requalification of Non-refrigerated Containers.	.111(b)(2)	Exposure Monitoring1001(d)
Stationary, Non-refrigerated Storage.	.111(c)	Housekeeping1001(k)
Storage, Refrigerated Systems111(d)	Hygiene Facilities and Practices1001(i)
Tank Car, Unloading Points and Operations.	.111(b)(13)	Medical Surveillance1001(l)
Tank Motor Vehicles for the Transport of Ammonia.	.111(f)	Methods of Compliance1001(f)
Appurtenances, Container111(f)(3)	Observation of Monitoring1001(m)
Chock Blocks111(f)(9)	Permissible Exposure Limit (PEL)	.1001(c)
Design Pressure and Con- struction of Containers.	.111(f)(2)	Protective Work Clothing and Equipment.	.1001(h)
Portable Tank Containers (Skid Tanks).	.111(f)(10)	Recordkeeping1001(m)
Piping and Fittings for111(f)(4)	Regulated Areas1001(e)
Safety Relief Devices for111(f)(5)	Respiratory Protection1001(g)
Skid Tanks111(f)(10)	Atmospheric Contaminants (see Air Contaminants).	
Transfer of Liquids111(f)(6)	Atmospheric Tanks106(b)(1)(iii)
Tubing (see Piping, Tubing, and Fittings).	.111(b)(7)	Attendants..	
Valves and Accessories, Filling and Discharge Connections.	.111(c)(2)	Confined Spaces, Permit-Required	.146(d)(6), .146(f), .146(i)
Ammonium Nitrate109(i)	Liquefied Hydrogen Systems103(c)(4)(ii)
Bulk Storage109(i)(4)	Liquefied Petroleum Gases110(b)(14)
Containers109(i)(3)	Authorization (see also Hot Work Per- mits).	
Contaminants109(i)(5)	Grain Handling Facilities272(f)
Electrical Installations109(i)(6)	Process Safety Management of Highly Hazardous Chemicals.	.119(k)
Fire Protection109(i)(7)	Welding, Cutting, and Brazing252(a)(2)(iv)
Separation Walls109(i)(5)	Automatic Sprinkler Systems (see Sprinkler Systems, Automatic)	.159
Warehouses109(i)(4)	Automobile Undercoatings107(k)
Anchoring Fixed Machinery	.212(b)	Baffle Plates..	
Anhydrous Ammonia (see Ammonia, Anhydrous, Storage and Handling of)..		Spray Booths107(b)(4)
Appliances..		Bakery Equipment (Bakeries263
Electric306(d)(1)	Air Conditioning268(i)(14)
Liquefied Petroleum Gases10(b)(20), .10(g)(11)	Bag Chutes and Lifts263(d)(2)
Arbor Grinding Wheels215(d)(2)	Biscuit Equipment263(k)
Arc Welding and Cutting254	Blenders263(d)(3)
Environmental Conditions254(b)(2)	Bolting Reels263(d)(5)
Equipment254(b)	Conveyors263(d)(7), .263(i)(7)
Design254(b)(4)	Cracker Equipment263(k)
Disconnecting Means305(j)(3)	Dividers263(f)
Grounding254(c)(2)	Dough Brakes263(h)
Installation254(c)	Dumpbins263(d)(3)
Maintenance254(d)(9)	Flour Handling Equipment263(d)
Operation254(d)	Machine Guarding263(c)
Personnel Protection252(b)	Miscellaneous Equipment263(i)
Protection from Rays252(b)(2)(iii)	Mixers263(e)
Supply Connections254(c)(3), (d)(3)	Moulders263(g)
Health Protection252(c)	Ovens263(l)
Ventilation252(b)(4)(ii), (c)	Pulverizers263(k)(2)
Voltage254(b)(3)	Scales, Flour263(d)(9)
Arsenic, Inorganic1018	Sifters263(d)(8)
Communication of Hazards1018(p)	Slicers263(j)
Employee Information and Train- ing.	.1018(c)	Storage Bins263(d)(6)
Exposure Monitoring1018(e)	Wrappers263(j)
Housekeeping1018(k)	Ballast, Cranes	.180(i)(2)
Hygiene Facilities and Practices1018(m)	Band Saws and Resaws213(f)
Medical Surveillance1018(n)	Barking Devices.	
Methods of Compliance1018(g)	Hydraulic261(e)(14)
Observation of Monitoring1018(r)	Pulp Wood and Chips261(c), .261(e)(8)
Permissible Exposure Limit (PEL)	.1018(c)	Sawmills265(d)(4)
Protective Work Clothing and Equipment.	.1018(j)	Barrels.	
Recordkeeping1018(q)	Guarding212(a)(4)
		Basket Derricks(see Derricks)181
		Bathing Facilities.	
		Labor Camps142(f)
		Battery Changing and Charging178(g), .305(j)(7)
		Bearings219(j), .219(p)(3)
		Belts.	
		Definitions211(f)(1)-(3)

Pt. 1910, Index

29 CFR Ch. XVII (7–1–13 Edition)

Subject term	Section No.
Manlifts68(c)(1)
Power Transmission Apparatus219(e)(1), .219(o)(3), .219 (p)(6)
Bench and Floor Stands Guarding215(b)(3)
Benzene1028
Communication of Hazards1028(j)
Exposure Monitoring1028(e)
Medical Surveillance1028(i)
Methods of Compliance1028(f)
Observation of Monitoring1028(l)
Permissible Exposure Limit (PEL)1028(c)
Protective Clothing and Equipment1028(h)
Recordkeeping1028(k)
Regulated Areas1028(d)
Respiratory Protection1028(g)
Benzidine (see also 13 Carcinogens)	.1010
Beryllium	.1000, 1000 Table Z-2
Bins, Bulk Storage of Explosives109(g)(4)
Biological Hazards Signs and Tags145(e)(4), .145(f)(8)
Blades Exposure212(a)(5)
Blankets, Rubber Insulating137
Blasting Agents (see also Explosives and Blasting Agents).	.109(g), .109(k)(1), .109(2)
Bulk Delivery109(g)(3), (h)(4)
Bulk Storage Bins109(g)(4)
Mixing, Fixed Location109(g)(2), (h)(3)
Mixing Vehicles109(g)(3), (h)(4)
Slurries109(h)
Storage109(g)(5)
Transportation109(g)(6)
Use109(g)(7)
Water Gels109(h)
Bleaching..	
Pulp, Paper, and Paperboard Mills261(h)
Textiles262(p)
Bloodborne Pathogens1030
Communication of Hazards to Em- ployees.	.1030(g)
Information and Training1030(g)(2)
Labels and Signs1030(g)(1), .1030(g)(1)(i)(E), (F), (G)
Compliance, Methods of1030(d)
Engineering and Work-Prac- tice Controls.	.1030(d)(2)
Exposure Control1030(c)
Exposure Control Plan1030(c)(1)
Exposure Determination1030(c)(2)
HIV and HBV Research, Labs and Production Facilities.	.1030(e)
Change Rooms1030(e)(4)(i)
Containment Equipment1030(e)(2)(iii)
Standard Microbiological Practices.	.1030(e)(2)(i)
Special Practices1030(e)(2)(ii)
Training, Requirements1030(e)(5), .1030(g)(2)(ix)
Hepatitis B Vaccinations1030(f)(2)
Healthcare Professional's Written Opinion.	.1030(f)(5)
Information Provided to Healthcare.	
Professional1030(f)(4)
Post-exposure Evaluation and Follow-Up.	.1030(f)(3)
Recordkeeping, Medical1030(f)(6), .1030(h)(1)
Training, Required1030(g)(2)(vii)(l)
Housekeeping1030(d)(4)
Contaminated Sharps, Dis- carding and Containment.	.1030(d)(4)(iii)(A)
Other Regulated Waste Con- tainment.	.1030(d)(iii)(B)

Subject term	Section No.
Regulated Waste1030(d)(4)(iii)
Methods of Compliance1030(d)
Personal Protective Equipment1030(d)(3)
Masks, Eye Protection and Face Shields.	.1030(d)(3)(x)
Provision of1030(d)(3)(i)
Repair and Replacement of1030(d)(3)(v)
Use of1030(d)(3)(ii)
Recordkeeping1030(f)(6), .1030(h)
Scope and Application1030(a)
Training1030(e)(5), .1030(g)(2)(ix)
Vaccinations, HBV1030(f)(2)
Blotters215(c)(1)(v), .215(c)(6), .215(d)(5)
Board Drop Hammers218(e)(2)
Boatswain's Chair Scaffolds28(j)
Employee Protection28(j)(4)
Fiber Ropes128(j)(2)
Life Belts28(j)(4)
Roof Irons, Hooks28(j)(6)
Seat Slings28(j)(3)
Size28(j)(1)
Tackle28(j)(5)
Booms, Derricks	.181(i)(6)
Boring Machines	.213(l)
Brakes..	
Bridges179(f)(4), .179(6)
Control179(f)(3)
Cranes179(f)
Friction, Power Presses217(b)(2)
Hoists179(f)(1)
Holding179(f)(2)
Industrial Trucks178(m)(5), (7)
Manlifts68(c)(1)(i)
Power Control179(f)(3)
Trolleys179(f)(4), .179(5)
Brazing (see also Welding)252
Definitions251
Standards Sources256
Breast Derricks (see also Derricks)	.181(a)(4)
Bricklayers' Square Scaffolds	.28(l)
Bridge Bumpers, Cranes	.179(e)(2)
Bridge Plates (see also Dockboards)	.30(a)
Bucket Truck67
Buffing (see Grinding, Polishing, and Buffing).	
Building Maintenance Powered Plat- forms.	.66
Buildings, Sawmills	.265(c)
Bulk Delivery..	
Blasting Agents109(g)(3), .109(h)(4)
Explosives109(h)(4)
Bulk Oxygen Systems(see Oxygen)104
Bulk Plants, Flammable and Combus- tible Liquids.	.106(f)
Buildings106(f)(2)
Drainage106(f)(7)
Electrical Equipment106(f)(5)
Fire Protection106(f)(8)
Ignition Sources106(f)(6)
Liquid Storage106(f)(1)
Loading106(f)(3)
Waste Disposal106(f)(7)
Wharves106(f)(4)
Bulk Storage (see Storage)..	
Bumpers..	
Bridge179(e)(2)
Trolley179(e)(3)
1,3'-Butadiene1051
Communication of BD Hazards to Employees.	.1051(i)

Occupational Safety and Health Admin., Labor

Pt. 1910, Index

Subject term	Section No.	Subject term	Section No.
Emergency Situations1051(j)	Fluorides252(c)(1)(iv)
Exposure Goal Program1051(g)	Ionizing Radiation1096(e), .1096(g)
Exposure Monitoring1051(d)	Welding252(c)(1)(iv)
Medical Screening and Surveillance.	.1051(k)	Wiring Methods, Components and Equipment.	.305(j)(6)
Methods of Compliance1051(f)	Ceiling Workers' Scaffolds (see Plasterers' Scaffolds)	.28(o)
Permissible Exposure Limit (PEL)	.1051(c)	Certification, Requirements..	
Protective Clothing and Equipment	.1051(i)	Logging Operations266(i)(10)
Recordkeeping1051(m)	Powered Industrial Trucks178(l)(6)
Regulated Areas1051(e)	Crawler, Locomotive, and Truck Cranes Records.	.180(d)(6)
Respiratory Protection1051(h)	Chain Guarding219(f)
Cabinets, Flammable and Combustible Liquid Storage.	.106(d)(3)	Change Rooms..	
Size106(d)(3)(i)	13 Carcinogens1003(b), .1003(d)(3)
Fire Resistance106(d)(3)(ii)	Acrylonitrile1045(m)(1)
Cabs..		Arsenic, Inorganic1018(m)(1)
Cranes179(c), .179(o)(2), .180(i)(3)	Asbestos1001(h)(2), .1001(i)
Derricks181(j)(6)	Benzene1028(i)(1)
Cadmium1027, .252(c)(9)	Bloodborne Pathogens1030(e)(4)(i)
Communication of Cadmium Hazards to Employees.	.1027(m)	Cadmium1027(j)(2)
Dates1027(p)	Chromium (VI)1026(i)(2)
Emergency Situations1027(h)	Coke Oven Emissions1029(i)(1)
Exposure Monitoring1027(d)	1,2'-Dibromo-3-Chloropropane1044(j)(2), .1044(l)
Housekeeping1027(k)	Formaldehyde1048(i)(1)
Hygiene Areas and Practices1027(j)	Hazardous Waste Operations120(k)(8), .120(n)(7)
Medical Surveillance1027(l)	Lead1025(g)(2), (i)
Methods of Compliance1027(f)	Methylenedianiline1050(i)(2), (j)
Observation of Monitoring1027(o)	Sanitation141(e)
Permissible Exposure Limit (PEL)	.1027(c)	Drying Facilities141(f)
Protective Work Clothing and Equipment.	.1027(i)	Separate Facilities141(e)
Recordkeeping1027(n)	Charge Initiation109(e)(4)
Regulated Areas1027(e)	Chemical Plants (see also Refineries), (Chemical Plants, and Distilleries).	.106(i)
Respiratory Protection1027(g)	Chemicals, Hazard Communication	.1200
Confined Spaces252(c)(9)(ii)	Chemicals, Hazardous, Occupational Exposure in Laboratories.	.1450
Calcium Carbide..		Chemical Hygiene Plan1450(e)
Packaging253(g)(1)	Employee Exposure Determination	.1450(d)
Storage253(g)(2), (3)	Employee Information and Training.	.1450(f)
Indoors253(g)(2)	Hazard Identification1450(h)
Outdoors252(g)(3)	Medical Consultations and Medical Examinations.	.1450(g)
Calenders262(ee)	Permissible Exposure Limit (PEL)	.1450(c)
Rubber and Plastics Industry..		Recordkeeping1450(j)
Location Protection216(d)(2)	Use of Respirators1450(i)
Safety Controls216(c)	Chemicals, Highly Hazardous (see Process Safety Management of Highly Hazardous Chemicals).	.119
Stopping Limits216(f)(1), (3)	Cherry Picker67
Switches, Trip and Emergency.	.216(e)	Chicago Boom Derricks (see also Derricks).	.181
Textiles262(ee)	Chicken Ladders (see also Crawling Boards)	.28(t)
Camps, Temporary Labor (see Labor Camps, Temporary).	.142	bis-Chloromethyl Ether (see also 13 Carcinogens)	.1008
Canisters, Gas Mask (see Gas Mask Canisters; Respirators).		Chromium (VI)1026
Cantilever Gantry Cranes (see Gantry Cranes).		Action Level1026(b)
Carpenters' Bracket Scaffolds28(k)	Communication of Chromium VI Hazards to Employees.	.1026(l)
Bracket Attachment28(k)(2)	Information and Training1026(l)(2)
Bracket Dimensions28(k)(1)	Effective Dates1026(n)
Employee Protection28(k)(3)	Exposure Determination1026(d)
Guardrails28(k)(5)	Accuracy of Measurement1026(d)(5)
Platform Size28(k)(4)	Employee Notification of Determination Results.	.1026(d)(4)
Caustics.		Observation of Monitoring1026(d)(6)
Emergency Showers261(g)(18)(i)	Performance-Oriented Option	.1026(d)(3)
Pipeline Identification261(h)(3)(vi)	Scheduled Monitoring Option	.1026(d)(2)
Textiles262(oo)	Housekeeping1026(j)
Caution Signs and Labels (see also Signs and Tags, Specifications for Accident Prevention; Danger Signs; Warning Devices and Signs).		Cleaning Methods1026(j)(2)
Accident Prevention145(c)(2), (d)(4)		
Ammonia, Anhydrous111(b)(12)		
Electrical, General303(h)(2)		
Extinguishing Systems, Fixed160(b)(5)		

Pt. 1910, Index

29 CFR Ch. XVII (7–1–13 Edition)

Subject term	Section No.
Disposal1026(j)(3)
Hygiene Areas and Practices1026(i)
Change Rooms1026(i)(2)
Eating and Drinking Areas1026(i)(4)
Prohibited Activities1026(i)(5)
Washing Facilities1026(i)(3)
Medical Surveillance1026(k)
Contents of Examination1026(k)(3)
Frequency1026(k)(2)
Information Provided to the PLHCP1026(k)(4)
PLHCP's Written Medical Opinion1026(k)(5)
Methods of Compliance1026(f)
Engineering and Work Practice Controls1026(f)(1)
Prohibition of Rotation1026(f)(2)
Permissible Exposure Limit(PEL) ..	.1026(c)
Protective Work Clothing and Equipment1026(h)
Cleaning and Replacement1026(h)(3)
Provision and Use1026(h)(1)
Removal and Storage1026(h)(2)
Recordkeeping1026(m)
Air Monitoring Data1026(m)(1)
Historical Monitoring Data1026(m)(2)
Medical Surveillance1026(m)(4)
Objective Data1026(m)(3)
Regulated Areas1026(e)
Access1026(e)(3)
Demarcation of Regulated Areas1026(e)(2)
Establishment of Regulated Areas1026(e)
Respiratory Protection1026(g)
Respiratory Protection Program1026(g)(2)
SFIC Settlement Agreement (Surface Finishing Industry Council vs. OSHA)1026 App. A
Chute Openings23(a)(2)
Circular Resaws213(e)
Circular Saws213(f)
Arbors213(s)(4)
Portable243(a)(1)
Clean Air, Spray Finishing94(c)(7)
Cleaning..	
Air Receivers169
Bulk Oxygen Systems104(b)(8)(i)
Compressed Air242(b)
Powder Coatings107(l)(4)(i)
Solvents107(g)(5)
Spray Booths107(b)(9)
Spraying Operations107(g)(2)
Cleaning Compounds252(c)(11)
Degreasing252(c)(11)(ii)
Manufacturer's Instructions252(c)(11)(i)
Cleaning Solvents	
Spraying107(g)(5)
Clear Zones..	
Bulk Oxygen Systems104(b)(10)
Industrial Plants106(e)(9)(iv)
Processing Plants106(h)(8)(iv)
Clearances..	
Cranes179(b)(6)
Fixed Ladders27(c)
Back27(c)(4)
Climbing Side27(c)(1)
Grab Bars27(c)(5)
Hatch Covers27(c)(7)
Step-Across Distance27(c)(6)
With Cages or Baskets27(c)(3)
Without Cages or Wells27(c)(2)
Manlifts68(b)(11)

Subject term	Section No.
Spraying Discharges107(d)(8)
3Stairs24(i)
Clothing, Protective (see also Personal Protective Equipment)132
Electrical137
Fire Brigades156
Footwear136, .156(e)(2)
Hand156(e)(4)
Head135, .156(e)(5)
Helmets135, .252(b)(2)(i)(A)
Rubber137
Spray Finishing, Storage107(g)(4)
Tight-fitting219(p)(7)
Welders252(b)(3)
Clutches217(b)(3), (7)
Definition180(a)(19)
Power Transmission Apparatus219(k)
Coal Tar Pitch Volatiles; Interpretation of Term1002
Coatings, Spray..	
Dual Component107(m)
Organic Peroxide107(m)
Powder107(l)
Undercoatings107(k)
Collars219(i)
Coke Oven Emissions1029
Communication of Hazards1029(l)
Employee Information and Training1029(k)
Exposure Monitoring and Measurement1029(e)
Hygiene Facilities and Practices1029(i)
Medical Surveillance1029(j)
Methods of Compliance1029(f)
Observation of Monitoring1029(n)
Permissible Exposure Limit (PEL) ..	.1029(c)
Protective Clothing and Equipment ..	.1029(h)
Recordkeeping1029(m)
Regulated Areas1029(d)
Respiratory Protection1029(g)
Color Codes, Safety, for Marking Physical Hazards144
Red144(a)(1)
Fire Protection Equipment and Apparatus144(a)(1)(i)
Danger144(a)(1)(ii), .145(d)(2)
Stop144(a)(1)(iii)
Yellow for Caution144(a)(3)
Combustible Dusts, Trucks Used178(c)(2)(vi)
Combustible Liquids (see Flammable Liquids)106
Combustible Materials	
Welding252(a)(2)(i)
Commercial Diving401
Definitions402
Equipment430
Hyperbaric Conditions, Examples of Conditions Which May Restrict or Limit Exposure to	App. A
Live-boating427
Mixed-Gas Diving426
Pre-Dive Procedures421
Post-Dive Procedures423
Procedures During Diving422
Qualifications of Dive Team410
Recordkeeping Requirements440
Safe Practices Manual420
Scope and Application401
SCUBA Diving424
Surface-Supplied Air Diving425
Communicable Diseases Reporting	
Labor Camps142(l)
Communications, Powered Platforms66(e)(11)(vi)

Occupational Safety and Health Admin., Labor

Pt. 1910, Index

Subject term	Section No.	Subject term	Section No.
Compressed Air, Cleaning242(b)	Service Stations, Storage106(g)(1)
Compressed Air Equipment (see Compressed Gas and Compressed Air Equipment).		Processing Plants106(h)(4)
Compressed Gases(General Requirements).	.101	Gaseous Hydrogen Systems103(b)(1)(i)
Compressed Gases101(b)	Guarding212(a)(4)
Inspection of Compressed Gas Cylinders.	.101(a)	Liquefied Hydrogen Systems103(c)(1)(i)
Safety Relief Devices for Compressed Gas Containers.	.101(c)	Liquefied Petroleum Gases110
Compressed Gas Cylinders(see also Compressed Gases).	.253(a)(2)	Spraying107(e)(3), .107(5)
Approval253(b)(1)	Welding, Gas253(a), .253(b)
Inspection101(a)	Containers, Liquefied Petroleum Gases	.110
Manifolding253(c)	Accessories110(b)(7), .110(c)(6), .110(d)(3), .110(8), .110(e)(5)
Markings253(b)(1)	Awaiting Use or Resale110(f)
Operating Procedures253(b)(5)	Capacity110(d)(6)
Oxygen Manifolds253(c)(2), (3)	Charging Plants110(d)(13)
Safety Relief Valves101(c)	Construction110(b)(3)
Storage253(b)(2)-(4)	Cylinder Systems110(c)
Compressed Gas and Compressed Air Equipment (see Air Receivers)..		Accessories110(c)(6)
Conductors (see also Electric Wiring)..		Indoor110(c)(5)
Cranes179(g)(1)(iv), .179(6)	Markings110(c)(2)
General Wiring305(f)	Outdoor110(c)(4)
Confined Spaces..		Valves110(c)(6)
Atmospheric Testing of Confined Spaces.	.146 App.	Filling Densities110(b)(12)
Attendant Duties146(i)	Fire Protection110(d)(14)
Cadmium252(c)(9)(ii)	Fittings110(b)(8), .110(e)(6), .110(h)(7), .110(9)
Confined Spaces, Permit-Required	.146	Hoses110(b)(9)
Confined Spaces Program, Permit-Required.	.146(d)	Industrial Plants110(d)(12)
Decisions Flow Chart146 App. A	Installation110(e)(4), (h)(6)
Duties upon Entering a Confined Space, Authorized.	.146(h)	Lighting110(d)(16)
Duties of Entry Supervisor146(j)	Location110(b)(6)
Electric Power Generation, Transmission, and Distribution.	.269(e)	Markings110(b)(5), .110(c)(2)
Electrical Safety-Related Work Practices.	.333(c)(5)	Non-DOT Containers110(d)
Employee Participation146(i)	Accessories110(d)(3)
Entry Permit146(f)	Capacity110(d)(6)
Entry Supervisor Duties146(j)	Installation110(d)(7)
Flow Chart, Decisions146 App. A	Pipes110(d)(3)
Hazardous Waste Operations and Emergency Response.	.120(b)(4), .120(c)(3)	Pressure, Design110(d)(2)
Lifelines252(b)(4)(iv)	Reinstallation110(d)(5)
Permit Samples146 App. D	Safety Relief Devices110(d)(4)
Permit System146(e)	Valves110(d)(3)
Procedures for Atmospheric Testing.	.146 App. B	Piping110(b)(8), .110(d)(3), .110(e)(6), .110(h)(9)
Program Examples146 App. C	Pressure Design110(d)(2), .110(e)(3)
Requirements, General146(c)	Safety Relief Devices110(b)(10), .110(c)(7), .110(d)(4), .110(e)(7), .110(h)(4)
Rescue and Emergency Services	.146(k)	Tubing110(b)(8), .110(e)(6)
Rescue Team Evaluation Criteria	.146 App. F	Valves110(b)(7), .110(c)(6), .110(d)(3), .110(e)(5), .110(h)(9)
Sewer System Entry146 App. E	Vaporizers110(b)(11), .110(d)(17), .110(e)(8)
Training146(g)	Welding110(b)(4)
Welding, Cutting, and Brazing252(a)(4), .252(b)(4), .252(c)(4)	Controllers..	
Zinc252(c)(6)(i)	Cranes179(g)(3)
Containers (see also Tanks, Storage, Portable)..		Control of Hazardous Energy (Lockout/Tagout)	.147
Ammonium Nitrate109(i)(3)	Conveyors..	
Bulk Oxygen Systems104(b)(4), (6)	Bakeries263(d)(7), (i)(7)
Gaseous104(b)(4)(iii)	Electrostatic Spraying107(h)(7)
Liquid104(b)(4)(ii)	Forging Machines218(j)(3)
Flammable Liquids106(d)		
Design106(d)(2)		
Bulk Plants, Storage106(f)		
Industrial Plants, Storage106(e)(1)		

Pt. 1910, Index

29 CFR Ch. XVII (7–1–13 Edition)

Subject term	Section No.	Subject term	Section No.
Pulp, Paper, and Paperboard Mills	.261(c)(15)	Crawling Boards	.28(t)
Sawmills265(c)(18)	Crosscut Table Saws	.213(d)
Spray Booths107(b)(7)	Cup Wheels243(c)(2)
Corrosion Protection..		Flaring-Cup, Type 11241(b)(8)
Piping, Valves, and Fittings106(c)(5)	Straight-Cup, Type 6241(b)(9)
Storage Tanks106(b)(1)(vi)	Straight, Type 1241(b)(10)
Underground Tanks106(b)(3)(iii)	Curing Apparatus (see Drying, Curing, and Fusion Apparatus).	
Cotton Dust1043	Cutting (see also Welding)252
Employee Education and Training	.1043(i)	Containers252(a)(3)
Exposure Monitoring and Meas- urement.	.1043(d)	Definitions251
Initial Monitoring1043(d)(2)	Ventilation252(c)
Periodic Monitoring1043(d)(3)	Cutting-Off Machines	.215(b)(5)
Employee Notification1043(d)(4)	Cutoff Couplings	.219(k)(1)
Medical Surveillance1043(h)	Cutoff Saws, Swing	.213(g)
Methods of Compliance1043(e)	Cylinders, Welding Gas	.253(b)
Compliance Program1043(e)(3)	Manifolding253(c)
Observation of Monitoring1043(l)	Operating Procedures253(b)(5)
Permissible Exposure Limit(PEL) ..	.1043(c)	Storage253(b)(2), .253(4)
Action Levels1043(c)(2)	Cylindrical Grinders	.215(b)(4)
Recordkeeping1043(k)	Danger Signs..	
Availability of Records1043(k)(3)(1)	13 Carcinogens1003(e)(2)
Medical Surveillance, Records of.	.1043(k)(2)	Acrylonitrile1045(p)(2)
Respiratory Protection1043(f)	Arsenic, Inorganic1018(j)(2), .1018(p)(2)
Respiratory Program1043(f)(2)	Asbestos1001(j)(4)
Respiratory Selection1043(f)(3)	Benzene1028(j)(2)
Scope and Application1043(a)	Cadmium1027(m)(2)
Signs1043(j)	Color Codes144(a)(1)
Work Practices1043(g)	Coke Oven Emissions1029(l)(2)
Counterbalances217(b)(9)	Confined Spaces, Permit-Required	.146(c)(2)
Counterweights..		Cotton Dust1043(j)
Cranes180(i)(2)	Definition, Hazard Communication	.1200(c)
Covers, Openings..		1,2'-Dibromo-3-Chloropropane1044(o)(2)
Working Surfaces23(a)(1), .23(3)(i), .23(5), .23(6), .23(8)(ii), .23 (9)	Ethylene Oxide1047(j)(2)
Cranes..		Formaldehyde.1048(e)(1), (h)(2).	
Construction	Part 1926	Lead1025(g)(2), (m)(2), App. B
Crawler180	Methylenedianiline1050(k)(2)
Definitions179(a)	Safety Color Code for Marking Physical Hazards.	.144(a)
Effective Dates179(b)(2), .180(b)(2)	Specifications for Accident Pre- vention Signs and Tags.	.145(c), .145(d)
Electric306(b)	Tags.145(f)(5).	
Gantry179	Telecommunications268(d)
Locomotive180	Vinyl Chloride1017(l)(2)
Overhead179	Dates, Effective (see Effective Dates).	
Pulp, Paper, and Paperboard Mills	.261(c)(8)	DBCP (1,2'-Dibromo-3-Chloropropane)	.1044
Telecommunications268(n)(10)	Communication of Hazards1044(o)
Truck180	Emergency Situations1044(i)
Crawler Cranes (see also Crawler Lo- comotives and Truck Cranes	.180	Employee Information and Train- ing.	.1044(n)
Crawler Locomotive, and Truck Cranes	.180	Exposure Monitoring1044(f)
Cabs180(i)(3)	Housekeeping1044(k)
Electric Power Lines, Operations Near.	.180(j)	Hygiene Facilities and Practices ..	.1044(l)
Fire Extinguishers180(i)(5)	Medical Surveillance1044(m)
Inspection, Classification180(d)	Methods of Compliance1044(g)
Frequent Inspection180(d)(3)	Observation of Monitoring1044(d)
Idle (Irregular), Cranes Not in Regular Use.	.180(d)(5)	Permissible Exposure Limit (PEL)	.1044(c)
Initial Inspection180(d)(1)	Protective Clothing and Equipment	.1044(j)
Periodic180(d)(4)	Recordkeeping1044(p)
Records, of Inspections180(d)(6)	Regulated Areas1044(e)
Regular Inspection180(d)(2)	Respiratory Protection1044(h)
Load Handling180(h)	Dead-Man Controls	.243(a)(2)
Load Ratings180(c)	Decorators' Scaffolds (see also Plas- terers' Scaffolds)	.28(o)
Maintenance Procedures180(f)	Definitions..	
Refueling180(i)(4)	1,3'-Butadiene1051(b)
Requirements, Other180(i)	13 Carcinogens1003(b)
Rope Inspection180(g)	Access to Employee Exposure and Medical Records.	.1020(c)
Swinging Locomotives180(i)(6)	Acrylonitrile1045(b)
Testing180(e)	Ammonia, Anhydrous, Storage and Handling of.	.111(a)(2)

Subject term	Section No.	Subject term	Section No.
Arsenic, Inorganic1018(b)	Welding, Cutting, and Brazing251
Asbestos1001(b)	Degreasing	
Benzene1028(b)	Cleaning Compounds252(c)(11)(ii)
Bloodborne Pathogens1030(b)	Derricks	
Cadmium1027(b)	Adjustments181(f)(3)
Chromium (VI)1026(b)	Cabs181(j)(6)
Coke Oven Emissions1029(b)	Definitions181(a)
Commercial Diving Operations402	Fire Extinguishers181(j)(3)
Confined Spaces, Permit-Required146(b)	Guards181(j)(1)
Control of Hazardous Energy147(b)	Hooks181(j)(2)
(Lockout/Tagout)		Inspections181(d), .181(g)
Cotton Dust1043(b)	Load Handling181(i)
Crawler, Locomotive, and Truck180(a)	Load Ratings181(c)
Cranes		Maintenance181(f)
DBCP (1,2'-Dibromo-3-1044(b)	Operations181(h)
Chloropropane)		Operations Near Overhead Lines181(j)(5)
Derricks181(a)	Personnel, Designated181(b)(3)
Dipping and Coating Operations123	Refueling181(j)(4)
Electric Power Generation, Trans-269(x)	Repairs, Adjustments and181(f)(3)
mission, and Distribution		Requirements, General181(b)(1)
Ethylene Oxide1047(b)	Requirements, Other181(j)
Explosives and Blasting Agents109(a)	Rope Inspections181(g)
Fire Protection155(c)	Telecommunications268(j)(4), (n)(10)
Flammable Liquids106(a)	Testing181(e)
Formaldehyde1048(b)	3',-Dichlorobenzidine (and Its Salts)1007
General Definitions2	(see also 13 Carcinogens)	
Grain Handling Facilities272(c)	Dies217(d)
Hand and Portable Powered Tools241	Changing218(h)(5)
and Other Hand-Held Equip-		Fastening217(d)(7)
ment		Guide Post Hazards217(d)(4)
Hazard Communication1200(c)	Handling217(d)(3), (8)
Hazardous Waste Operations and120(a)	Requirements217(d)(1)
Emergency Response		Scrap Handling217(d)(3)
Hydrogen103(a)(1)	Stroke217(d)(6)
Ionizing Radiation1096(a)	Tonnage217(d)(6)
Lead1025(b)	Unitized Tooling217(d)(5)
Logging Operations266(c)	Weight217(d)(6)
Longshoring and Marine Terminals16(c)	Diesel Powered Trucks178(b)(1)-(3)
Machinery and Machine Ground-211	Dikes	
ing		Bulk Oxygen Systems104(b)(2)(v)
Manlifts68(a)	Storage Tanks106(b)(2)(vii)
Means of Egress34(c)	4-Dimethylaminoazobenzene (see also1015
Methylene Chloride1052(b)	13 Carcinogens)	
Methylenedianiline1050(b)	Dining Facilities (see also	
Nonionizing Radiation97(a)(1)	Lunchrooms)	
Occupational Exposure to Haz-1450(b)	Labor Camps142(i)
ardous Chemicals in Labora-		Dipping and Coating Operations (Dip123
tories)		Tanks)	
Overhead and Gantry Cranes179(a)	Dipping and Coating Operations, Gen-124
Powered Platforms for Building66(d)	eral Requirements	
Maintenance		Dipping and Coating, Additional Re-125
Process Safety Management of119(b)	quirements, Flammable Liquids and	
Highly Hazardous Chemicals		Flashpoints	
Respiratory Protection134(b)	Additional Requirements Special Dip-126
Sanitation141(a)(2)	ping and Coating	
Sawmills265(b)	Dip Tanks123, .126
Servicing Multi-Piece and Single-177(b)	Application123(a)
Piece Rim Wheels		Bottom Drains125(c)
Shipyard Employment15(b)	Construction124(a), .125(a)
Slings184(b)	Conveyors125(d), .126(g)(2)
Specifications for Accident Pre-145(b)	Covers125(f)(3)
vention Signs and Tags		Electrical Ignition Sources125(e)(1)
Spray Finishing Using Flammable107(a)	Electrostatic Apparatus126(g)
and Combustible Materials		Fire Extinguishers125(f)(2)(i)
Storage and Handling of Liquefied110(a)	Fire Protection125(f)
Petroleum Gases		Flow Coating126(b)
Telecommunications268(s)	Heating125(g)
Textiles262(b)	Ignition Sources125(e)
Vehicle-Mounted Elevating and67(a)	Inspections124(j)(1), (3)
Rotating Work Platforms		Liquid Storage125(e)(2)
Ventilation94(a)(1), (b)(1),	Maintenance125(e)(4)
(c)(1)		Overflow Pipes125(b)
Vinyl Chloride1017(b)	Tempering126(a)
Walking-Working Surfaces21	Ventilation124(b), .125(d)(2)

Pt. 1910, Index

29 CFR Ch. XVII (7–1–13 Edition)

Subject term	Section No.
Waste Cans125(e)(4)(ii), (iii)
Disposal Systems (see Waste Disposal).	
Distances from Hazards..	
Ammonium Nitrate109(i)(5)
Bulk Oxygen Systems104(b)(3)
Electrostatic Spraying107(h)(6)
Explosives Storage109(c)
Ignition Sources, Separation107(c)(2)
Spray Booths, Separations107(b)(8)
Distilleries (see also Refineries, Chemical Plants, and Distilleries)	.106(i)
Distribution Plates..	
Spray Booths107(b)(4)
Dividers, Bakery Equipment263(f)
Diving, Commercial	.401, .410, .420-.427, .430, .440, .441
Recreational Instructors and Guides, Alternative Requirements.	.401(a)(3)
Scientific402 App. B
Dockboards	.30(a)
Dough Brakes, Manually Fed	.263(h)
Drag Saws	.213(r)
Drainage..	
Bulk Plants106(f)(7)
Industrial Plants106(e)(3)(iv)
Labor Camps142(a)
Processing Plants106(h)(3)(ii)
Service Stations106(g)(7)
Sprinkler Systems159(c)(7)
Storage Tanks106(b)(2)(vii)(b)
Drains..	
Air Receivers169(b)(2)
Dressing Rooms, Personnel (see Change Rooms)	.141(e)
Drips, Condensed Gas	.110(d)(9)
Drives' Belt, Rope and Chain219(e), (g), (o)(3)
Belt Tighteners219(e)(6)
Cone-Pulley Belts219(e)(5)
Horizontal Belts and Ropes219(e)(1)(i)
Inclined Belts219(e)(3)
Overhead Horizontal Belts219(e)(2)
Vertical Belts219(e)(3), (4)
Drums	.212(a)(4)
Dry Chemical Extinguishing Systems, Fixed.	.161
Scope and Application161(a)
Specific Requirements161(b)
Drying..	
Spraying Operations107(d)(12)
Drying, Curing, and Fusion Apparatus	.107(j)
Adjacent System107(j)(3)
Conformance107(j)(1)
Permitted Alternate Use107(j)(4)
Powder Coatings107(j)(3)
Prohibited Alternate Use107(j)(2)
Spraying Rooms107(j)(2)
Dual Component Coatings	.107(m)
Dust Hazards..	
Abrasive Blasting94(a)(2)
Asbestos1001
Employee Exposure1000(a)
Grain Handling Facilities272
Effective Dates..	
Hazard Communication1200(f)(7), .1200(h), .1200(j)
Training Provisions(Effective December 1, 2013).	.1200(h)
Labeling Provisions(Effective June 1, 2015).	.1200
1,3 Butadiene1051(l)
1,2-Dibromo-3-Chloropropane	.1044(o)

Subject term	Section No.
13 Carcinogens1003(e)
Acrylonitrile1045(p)
Arsenic, Inorganic1018(p)
Asbestos1001(j)
Benzene1028(j)
Bloodborne Pathogens1030(i)
Cadmium1027(m)
Chromium (VI)1026(l)
Coke Oven Emissions1029(l)
Cotton Dust1043(j)
Ethylene Oxide1047(j)
Formaldehyde1048(e), (m)
Lead1025(m)
Methylene Chloride1052(k)
Methylenedianiline1050(k)
Vinyl Chloride1017(l)
Public Contracts98(d)
Signage Provisions (Effective June 1, 2016).	.1200(j)(2)
1,2-Dibromo-3-Chloropropane	.1044(o)(2)
13 Carcinogens1003(e)(2)v
Acrylonitrile1045(p)(2)
Arsenic, Inorganic1018(p)(2)
Asbestos1001(j)(4)
Benzene1028(j)(2)
Cadmium1027(m)(2)
Coke Oven Emissions1029(l)(2)
Cotton Dust1043(j)(2)
Ethylene Oxide1047(j)(2)
Formaldehyde1025(m)(2)
Methylenedianiline1050(k)(2)
Vinyl Chloride1017(l)(2)
Egress, Means of (see Exit Routes, Emergency Action Plans, and Fire Prevention Plans).	
Electrical..	
Definitions Applicable to This Subpart.	.399
Electric Utilization Systems302
General303
Hazardous (Classified) Locations	.307
Introduction301
References for Further Information	App. A
Safeguards for Personnel Protection.	.335
Scope331
Covered Work by Both Qualified and Unqualified Persons.	.331(a)
Excluded Work by Qualified Persons.	.331(c)
Other Covered Work by Unqualified Persons.	.331(b)
Selection and Use of Work Practices.	.333
Specific Purpose Equipment and Installations.	.306
Special Systems308
Training332
Use of Equipment334
Wiring Design and Protection304
Wiring Methods, Components, and Equipment for General Use.	.305
Electric Controls, Mechanical Power Presses	.217(b)(8)
Electric Energy, Hazardous, Control of (see Lockout/Tagout).	
Electric Equipment (see Electric Wiring).	
Electric Ignition Sources (see Ignition Sources)	.107(c), .107(d)(5)
Electric Motor Ignition Sources	.107(d)(5)
Electric Power Generation, Transmission, and Distribution.	.269

Subject term	Section No.	Subject term	Section No.
Capacitors269(w)(1)	Escalators306(c)
Communications Facilities269(s)	Examination of Equipment303(b)(1)
Microwave Transmission269(s)(1)	Fire Protective Signaling Circuits ..	.308(d)
Current Transformer Secondaries269(w)(2)	Fittings305(b)
De-energizing Lines and Equip- ment269(m)	Fixture Wires305(i)
Definitions269(x)	Flexible Cords and Cables305(g)
Enclosed Spaces269(e)	General Requirements303
Excavations269(f)	Grounded and Grounding Conduc- tors, Installation and Use304(a)
Exposed Energized Parts269(l), App. B	Grounding304(f)
Qualified Employees269(l)(1)	Guarding Live Parts303(g)(2)
Minimum Approach Distances269(l)(2)	Hand Spraying	107(i)(5)
Fall Protection269(g)(2)	Heating Equipment306(g)
Grounding269(n)	High Voltage (Over 600 Volts)	
Protective Grounding Equip- ment269(n)(4)	General308(a)
Hazardous Energy Control (Lock- out/Tagout)269(d), .269 (m)(3)(iv)	Grounding304(f)(7)
Job Briefing269(c)	Guarding303(h)(2)
Ladders, Platforms, Steps, etc.269(h)	Workspace303(h)(3), .303(h)(4)
Lasers269(w)(8)	Hoists306(b)
Live-Line Tools269(j)	Identification of Disconnecting Means and Circuits303(f)
Materials Handling and Storage269(k)	Ignition Sources107(c)(4), (6)
Storage Near Energized Lines269(k)(2)	Industrial Plants106(e)(7)
Mechanical Equipment269(p)	Installation and Use of Equipment303(b)(2)
Roll-Over Protection269(p)(1)(iv)	Irrigation Machines306(i)
Medical Services and First Aid269(b)	Lamps305(j)(1)
Overhead Lines269(q)	Liquefied Hydrogen Systems103(c)(1)(ix)
Installing and Removing269(q)(2)	Liquefied Petroleum Systems110(b)(17), (18), (h)(13)
Live-Line Bare-Hand Work269(q)(3)	Marking303(e)
Towers and Structures269(q)(4)	Motors305(j)(4)
Personal Protective Equipment269(g), .269(n)(4), .269(r)(2)(v), .269(r)(4)(ii)	Moving Walks306(c)
Power Generation269(v)	Outline Lighting306(a)
Coal and Ash Handling269(v)(11)	Outside Conductors304(c)
Power Tools, Hand and Portable ..	.269(i)	Overcurrent Protection304(e)
Substations269(u)	Panelboards305(d)
Testing and Test Facilities269(o), .269 App. D.	Portable Cables305(h)
Training269(a)(2), .269(b)(1), .269(d)(2), .269(e)(2), .269(q)(3)(i), .269(r)(1)(vi)	Powder Coatings107(l)(1)
Tree Trimming, Line-Clearance269(r), .269 (a)(1)(E)	Power-Limited Circuits308(c)
Unqualified Employees269(r)(1)	Processing Plants106(h)(7)(iii)
Underground Electrical Installa- tions269(t)	Receptacles305(j)(2)
Water, Work Near269(w)(5)	Remote Control Circuits308(c)
Electric Power Lines		Services304(d)
Safety-Related Work Practices333(c)(3)	Service Stations106(g)(5)
Electric Powered Trucks178(b)(4)-(7)	Signaling Circuits308(c)
Electric Wiring		Signs306(a)
Ammonium Nitrate109(i)(6)	Splices303(c), .303(i)(1)- (5)
Appliances305(j)(3)	Storage Batteries305(j)(7)
Approval303(a)	Spraying Operations107(c)(4), .107(6)
Arcing Parts303(d)	Storage Rooms106(d)(4)(iii)
Boxes305(b)	Swimming Pools306(j)
Branch Circuits304(b)	Switchboards305(d)
Bulk Oxygen Systems104(b)(8)(ix)	Switches305(c)
Bulk Plants106(f)(5)	Transformers305(j)(5)
Cabinets305(b)	Welders306(d)
Communications Systems308(e)	Work Practices, Safety-Related331 to .335
Conductors305(f)	Working Space About Electric Equipment303(g)(1), .303(h)(3), .303 (h)(4)
Cranes179(g), .306(b)	X-Ray Equipment306(f)
Data Processing Systems306(e)	Electrical Installations301-.399
Electrolytic Cells306(h)	Electrical Protective Equipment137, .268(f)
Elevators306(c)	Design	137(a)
Emergency Systems308(b)	Care and Use, In-Service137(b)
Enclosures for Damp or Wet Locationsv.305(e)	Electrical Safety-Related Work Prac- tices331-.335
		Confined Spaces333(c)(5)
		Illumination333(c)(4)
		Ladders, Portable333(c)(7)
		Lockout and Tags333(b), .335(b)(1)
		Personal Protective Equipment333(c)(2), .335(a)
		Portable Electric Equipment334(a)

Pt. 1910, Index

29 CFR Ch. XVII (7–1–13 Edition)

Subject term	Section No.	Subject term	Section No.
Power Lines, Overhead333(c)(3)	Powered Platforms for Building Maintenance.	.66 App. C
Training332	Methylenedianiline1050(d)(1), .1050(m)(1), .1050(m)(4)
Electromagnetic Radiation.		Methylene Chloride1052(j)(6)
Definitions97(a)(1)	Respiratory Protection134(c)(1), .134(d)(3), .134(k)(1)
Non-Ionizing Radiation97(a)	Telecommunications268(c)(2)
Protection Guide97(a)(2)	Vinyl Chloride1017(i)
Warning Symbol97(a)(3)	Employee Alarm Systems	.165
Electrostatic Apparatus (see also Electrostatic Apparatus, Fixed; Electrostatic Hand Spraying Equipment).		Installation and Restoration65(c)
Powder Coatings107(l)(5)-(7)	Maintenance and Testing165(d)
Electrostatic Apparatus, Fixed	.107(h)	Manual Operation165(e)
Powder Coatings107(l)(5)	Employee-Owned Protective Equipment.	.132(b)
Conformance107(h)(1)	Employee Protection (see Personal Protective Equipment).	
Conveyors107(h)(7)	Engineering Controls..	
Fail-Safe Controls107(h)(9), .107(h)(10)	Acrylonitrile1045(g)(1)
Insulators107(h)(5)	Asbestos1001(f)(1)
Location107(h)(3)	Benzene1028(f)(1)
Supports107(h)(4)	1,3-Butadiene1051(f)(1)
Ventilation107(h)(11), .107(i)	Bloodborne Pathogens1030(d)(2)
Electrostatic Hand Spraying Equipment	.107(i)	Cadmium1027(f)
Application107(i)(1)	Chromium (VI)1026(f)(1)
Approval107(i)(3)	Coke Oven Emissions1029(f)
Conformance107(i)(2)	Cotton Dust1043(e)(1)
Electrical Support Equipment107(i)(4)	1,2-Dibromo-3-Chloropropane1044(g)
Grounding107(i)(5)-(7)	Ethylene Oxide1047(f)(1)
Interlocks107(i)(8)	Formaldehyde1048(f)(1)
Powder Coatings107(l)(6)	Hazardous Waste Operations and Emergency Response.	.120(g)
Specifications107(i)(3), (4)	Chromium (VI)1026(f)(1)
Spray Gun Grounding107(i)(5)	Lead1025(f)(1)
Ventilation107(i)(9)	Methylenedianiline1050(g)(1)
Elevating Work Platforms (see Vehicle-Mounted Elevating and Rotating Work Platforms)	.67	Methylene Chloride1052(f)(1)
Emergency Action Plans38	Noise Exposure95(b)(1)
1,3-Butadiene1051(j)	Respiratory Protection134(a)
Employee Alarm Systems165(b)	Engine Room Guardrails	.219(k)(2)
Ethylene Oxide1047(h)	Environmental Controls..	
Fire Detection Systems164(e)(3)	Accident Prevention Signs and Tags.	.145
Fixed Extinguishing Systems160(c)	Labor Camps142
Grain Handling Facilities272(d)	Marking Physical Hazards144
Hazardous Waste Operations and Emergency Response, Exemption.	.120(l), .120(p)(8)	Physical Hazards Markings144
Hazardous Substance Release, Emergency Response.	.120(q)(1)	Radiation	
Highly Hazardous Chemicals, Means of Egress.	.38	Non-Ionizing97
Methylenedianiline1050(d)	Safety Color Codes144
Portable Fire Extinguishers157(b)(2)	Sanitation141
Powered Platforms for Building Maintenance.	.66(e)(9)	Signs and Tags145
Process Safety Management119(n)	Ventilation94
Emergency Lighting	.261(b)(2)	Equalizers, Crane Hoists	.179(h)(3)
Emergency Response (see Hazardous Waste Operations and Emergency Response).	.120(e)(7)	Ethylene Oxide1047
Emergency Situations..		Communication of Hazards1047(j)
Acrylonitrile1045(i)(1)	Emergency Situations1047(h)
Benzene1028(i)(4)	Exposure Monitoring1047(d)
1,3-Butadiene1051(j), .1051(k)	Medical Surveillance1047(i)
Cadmium1027(h)	Methods of Compliance1047(f)
Commercial Diving Operations (Scope).	.401(b)(1)	Observation of Monitoring1047(l)
DBCP (1,2-Dibromo-3-Chloropropane).	.1044(i)(1), .1044(m)(6)	Permissible Exposure Limit (PEL)	.1047(c)
Ethylene Oxide1047(f)(2), .1047(h)(1)	Recordkeeping1047(k)
Explosives and Blasting Agents109(g)(3), (h)(4)	Regulated Areas1047(e)
Hazardous Waste Operations120(e)(7), .120(f)(3), .120(l)(3)	Respiratory Protection and Personal Protective Equipment.	.1047(g)
Powered Industrial Trucks178(n)(2)	Ethyleneimine (see also 13 Carcinogens)	.1012
		Exhaust Air Filters, Spray Booths	.107(b)(5)
		Exhaust Systems (see also Ventilation)..	
		Abrasive Blasting94(a)(4)
		Grinding, Polishing, and Buffing.	.94(b)(4)

Subject term	Section No.	Subject term	Section No.
Sawmills265(c)(20)	Chemicals, Highly Hazardous, Process Safety Management.	.119
Exhausts, Spraying Operations107(d)(3), .107(d)(7), .107(d)(9)	Explosives at Piers, Railway Stations and Cars, or Vessels Not Otherwise Specified.	.109(f)
Exit Routes, Emergency Action Plans, and Fire Prevention Plans.	.33 to .39	Hours of Transfer109(f)(5)
Compliance with Alternate Exit-Route Codes.	.35	Magazines, Construction of109(c)(2)
Coverage and Definitions34	Miscellaneous Provisions109(b)
Design and Construction Requirements.	.36	General Hazard109(b)(1)
Basic Requirements36(a)	Mixing Vehicles109(h)(4)
Exit Discharge36(c)	Piers, Explosives at109(f)
Exit Door Must Be Unlocked ..	.36(d)	Railroad Stations, Explosives at109(f)
Capacity of an Exit Route Must Be Adequate.	.36(f)	Scope109(k)
Minimum Height and Width Requirements.	.36(g)	Slurries109(h)
Number of Exit Routes36(b)	Small Arms Ammunition, Primers, and Propellants.	.109(j)
Outdoor Exit Route Is Permitted.	.36(h)	Scope109(j)(1)
Side-Hinged Exit Door Must Be Used.	.36(e)	Storage of Explosives109(c)
Emergency Action Plans38	Transportation109(d)
Application38(a)	Use of Explosives and Blasting Agents.	.109(e)
Written and Oral Emergency Action Plans.	.38(b)	Blast Holes, Loading of Explosives.	.109(e)(3)
Minimum Elements of an Emergency Action Plan.	.38(c)	Charge Initiation109(e)(4)
Employee Alarm Systems38(d)	Loading of Explosives in Blast Holes.	.109(e)(3)
Training38(e)	Smoking, While Using Explosives.	.109(e)(1)
Review of Emergency Action Plan.	.38(f)	Warning Required109(e)(5)
Exit Routes, Emergency Action Plans, and Fire Prevention Plans.	App. A	Vessels, Explosives at109(f)
Fire Prevention Plans39	Water Gel (Slurry) Explosives and Blasting Agents.	.109(h)
Application39(a)	Exposure.	
Employee Information39(d)	Air Contaminants1000
Minimum Elements of a Fire Prevention Plan.	.39(c)	Bloodborne Pathogens, for Healthcare Professions and Related Industries.	.1030(c)
Written and Oral Fire Prevention Plans.	.39(b)	Mineral Dusts1000 Table Z-3
Maintenance, Safeguards, and Operational Features for Exit Routes.	.37	Noise95
Danger to Employees Must Be Minimized.	.37(a)	Exposure Monitoring.	
Employee Alarm System Must Be Operable.	.37(e)	Acrylonitrile1045(e)
Lighting and Marking37(b)	Arsenic, Inorganic1018(e)
Maintaining Exit Routes During Construction, Repairs, or Alterations.	.37(d)	Asbestos1001(d)
Maintenance of Fire Retardant Properties in Paints and Solutions.	.37(c)	Benzene1028(e)
Explosive-Actuated Fastening Tools	.243(d)	1,3-Butadiene1051(d)
Definitions241(a)	Cadmium1027(d)
Fasteners243(d)(3)	Chromium (VI)1026(d)
High-Velocity Tools243(d)(2)(i)	Coke Oven Emissions1029(e)
Inspection243(d)(2)	Cotton Dust1043(d)
Loads243(d)(3)	DBCP (1,2-Dibromo-3-Chloropropane).	.1044(f)
Low-Velocity Tools243(d)(2)(ii)	Electric Power Generation, Transmission, and Distribution.	.269(s)(1)(iii)
Maintenance243(d)(2)	Ethylene Oxide1047(d)
Explosives and Blasting Agents	.109	Formaldehyde1048(d)
Ammonium Nitrate, Storage of109(i)	Grain Handling Facilities272(q)(4), (l)(1)
Blasting Agents109(e), .109(g)	Hazardous Waste Operations120(c)(6), (h)
Blast Holes, Loading of Explosives in.	.109(e)(3)	Chromium (VI)1450(d)(2)
Bulk Delivery109(h)(4)	Lead1025(d)
Cars, Railroad, or Vessels, Explosives at.	.109(f)	Methylene Chloride1052(d)
Charge Initiation109(e)(4)	4,4-Methylenedianiline1050(e)
		Noise95(d)
		Vinyl Chloride1017(d)
		Extension Ladders, Portable.	
		Metal26(a)(2)
		Metal, Trestle26(a)(4)
		Wood25
		Wood, Trestle25(c)(3)(v)
		Extension Lamps, Cranes	.179(g)(7)
		Extractors	.262(y)
		Eye and Face Protection133
		Markings133(a)(4)
		Optical Corrections133(a)(3)
		Protectors133(a)(2)

Pt. 1910, Index

29 CFR Ch. XVII (7-1-13 Edition)

Subject term	Section No.
Welding252(b)(2)
Face Protection (see also Eye and Face Protection; Personal Protective Equipment)	.133
Facilities, Labor Camps (see Labor Camps, Temporary).	
Fail-Safe Controls, Spraying107(h)(9)
Overhead and Gantry Cranes179(a)(40), .179(g)(3)(viii)
Fall Protection (see also Guardrails; Lifelines)..	
Electric Power Generation, Transmission, and Distribution.	.269(g)(2), .269 (r)(8)
Powered Platforms for Building Maintenance.	.66(j)
Safe Surface, Definition66(d)
Personal Fall Arrest System ..	.66 App. C
Railings23
Scaffolds, Guardrails28, .29
Telecommunications268(g)
Training66 App. A 10
Tree Trimming269(r)(8)
Working Platform, Personal66(j)
Fan-Rotating Element107(d)(4)
Farm Vehicles, Anhydrous Ammonia Fasteners	.111(g), (h) .243(d)(3)
Fastening Tools	.243(d)
Filling Densities, Liquefied Petroleum Gases	.110(b)(12)
Filters, Spraying	.107(b)(5)
Fire Brigades (see Fire Protection)	.156
Fire Detection Systems164
Installation and Restoration164(b)
Maintenance and Testing164(c)
Number, Location, Spacing of Detecting Devices.	.164(f)
Protection of Fire Detectors164(d)
Response Time164(e)
Fire Extinguishers (see Fire Extinguishers, Portable).	
Cranes179(c)(3), (o)(3)
Crawler Locomotive, and Truck Cranes.	.180(i)(5)
Derricks181(j)(3)
Dip Tanks125(f)(2)(i)
Powered Working Platforms66(f)(5)(ii)(l)
Transportation109(d)(2)
Welding252(a)(2)(ii)
Fire Extinguishers, Portable157
Exemptions157(b)
General Requirements157(c)
Hydrostatic Testing157(f)
Inspection, Maintenance, and Testing.	.157(e)
Scope and Application157(a)
Selection and Distribution157(d)
Training and Education157(g)
Fire Prevention Plan39
Application39(a)
1,3-Butadiene1051(j)
Employee Information39(d)
Ethylene Oxide1047(h)(1)
Fire Protection Plan, Minimum Elements of.	.39(c)
Fire Protection Plans, Written and Oral.	.39(b)
Guidelines, Nonmandatory	App. to Subpart E
Methylenedianiline1050(d)(1)
Portable Fire Extinguishers157(b)
Fire Protection155 to .165
Ammonium Nitrate109(i)(7)
Bulk Plants106(f)(4)(ix), (8)
Chemical Plants106(i)(5)
Definitions155

Subject term	Section No.
Distilleries106(i)(5)
Electrostatic Apparatus107(h)(12)
Employee Alarm Systems165
Fire Brigades156
Publications156 App. D
Fire Detection Systems164
Installation and Restoration164(b)
Maintenance and Testing164(c)
Number, Location, Spacing of Detecting Devices.	.164(f)
Protection of Fire Detectors164(d)
Response Time164(e)
Fire Fighting Equipment156(d)
Flammable Liquids106(d)(7), .106(e)(5), .106(f)(8), .106(g)(9), .106(h)(6), .106(i)(5)
Industrial Plants106(e)(5)
Liquefied Petroleum Gases110(d)(14), .110(f)(7), .110(h)(14)
National Consensus Standards165 App. B
Organization156(b)
Protective Clothing156(e)
Body Protection156(e)(3)
Foot and Leg Protection156(e)(2)
Hand Protection156(e)(4)
Head, Eye, Face Protection156(e)(5)
Test Methods for Protective Clothing.	.156 App. E
Processing Plants106(h)(6)
References for Further Information, Fire Protection.	.155 App. C
Respiratory Protection156(f)
General Requirements156(f)(1)
Positive-Pressure Breathing Apparatus.	.156(f)(2)
Scope, Application and Definitions	.155
Selection and Distribution157(d)
Test Methods for Protective Clothing.	.156 App. E
Training and Education156(c)
Refineries106(i)(5)
Service Stations106(g)(9)
Spray Booths107(f)
Cleaning107(f)(3)
Conformance107(f)(1)
Extinguishers, Portable107(f)(4)
Valve Access107(f)(2)
Storage Tanks106(d)(7)
Trucks178
Fire Protection Equipment.	
Color Identification144(a)(1)
Fire Brigades156(d)
Fire Resistance(Rating).	
Inside Storage Rooms106(d)(4)(ii)
Storage Cabinets106(d)(3)(ii)
Tank Supports106(b)(5)(ii)
Fire Watch, Welding	.252(a)(2)(iii)
Fireworks(see Pyrotechnics).	
First Aid(see Medical Services and First Aid)	.151
Fittings(see Piping, Fittings, and Tubing; Piping, Valves, and Fittings.	
Fixed Fire Suppression Equipment	.159
Automatic Sprinkler Systems.	
Fixed Extinguishing Systems160
Dry Chemical, Fixed Extinguishing Systems.	.161
Gaseous Agent, Fixed Extinguishing Systems.	.162
General160

Occupational Safety and Health Admin., Labor

Pt. 1910, Index

Subject term	Section No.	Subject term	Section No.
Water Spray and Foam, Fixed Extinguishing Systems.	.163	Open-Sided23(c)
Fixed Industrial Stairs (see Stairs, Fixed Industrial)	.24	Spray Booths107(b)(3)
Fixed Ladders (see Ladders, Fixed)	.27, .268(h)	Flow Coatings126(b)
Flammable and Combustible Liquids106	Fluidized Beds107(l)(7)
Bulk Plants106(f)	Fluorine Compounds, Welding (see also Air Contaminants)	.252(c)(5)
Chemical Plants106(i)	Foam Extinguishing Systems, Fixed	.163
Container and Portable Tank Storage.	.106(d)	Food Handling141(h)
Design, Construction, and Capacity of Containers.	.106(d)(2)	Foot Pedals, Power Presses	.217(b)(4)
Design, Construction, and Capacity of Storage Cabinets.	.106(d)(3)	Foot Protection136
Design and Construction of Inside Storage Rooms.	.106(d)(4)	Footwalks..	
Fire Control106(d)(7)	Cranes179(d)
Storage Inside Buildings106(d)(5)	Forging Hammers218(a)(3)
Storage Outside Buildings106(d)(6)	Foot-Operated Devices218(b)(2)
Container Marking, Color Codes144(a)(1)(ii)	Gravity218(e)
Distilleries106(i)	Air Lifts218(e)(1)
Hazards, Communication of1200	Board Drop Hammers218(e)(2)
Ignition Sources106(b)(6), .106(e)(6)(i), .106(f)(6), .106(g)(8), .106(h)(7)	Keys218(b)(1)
Industrial Plants106(e)	Power-Driven218(d)
Piping, Valves, and Fittings106(c)	Cylinder Draining218(d)(3)
Design106(c)(i)	Pressure Pipes218(d)(4)
General106(c)(1)	Safety Cylinder Heads218(d)(1)
Materials for Piping, Valves, and Fittings.	.106(c)(2)	Shutoff Valves218(d)(2)
Pipe Joints106(c)(3)	Forging Machine Area	.30(b)
Protection Against Corrosion	.106(c)(5)	Forging Machines218
Supports106(c)(4)	Forging Presses218(f)
Testing106(c)(7)	Definitions of Forging and Hot Metal.	.211(e)
Valves106(c)(6)	Gravity Hammers218(e)
Pressure Vessels106(b)(1)(v)	Air Lift Hammers218(e)(1)
Processing Plants106(h)	Board Drophammers218(e)(2)
Refineries, Chemical Plants and Distilleries.	.106(i)	Hammers, General218(b)
Scope106(j)	Foot Operated Devices218(b)(2)
Service Stations106(g)	Keys (Die Keys and Shims)218(b)(1)
Spray Finishing Using Flammable Materials (see Spray Finishing Using Flammable and Combustible Materials).	.107	Other Forge Facility Equipment218(j)
Storage Containers106(d)	Conveyors218(j)(3)
Tank Storage106(b)	Grinding218(j)(5)
Design and Construction of Tanks.	.106(b)(1)	Saws218(j)(2)
Installation of Outside Above-Ground Tanks.	.106(b)(2)	Shot Blast218(j)(4)
Installation of Under-Ground Tanks.	.106(b)(3)	Other Forging Equipment218(i)
Installation of Tanks Inside of Buildings.	.106(b)(4)	Boltheaded218(i)(1)
Supports, Foundations and Anchorage for All Tanks Locations.	.106(b)(5)	Rivet Making218(i)(2)
Testing106(b)(7)	Power-Driven Hammers218(d)
Flammable Materials, Trucks Used	.178(c)(2)	Cylinder Draining218(d)(3)
Flanges (see also Abrasive Wheel Machinery)	.215	Pressure Pipes218(d)(4)
Flash Welding Equipment255(d)	Safety Cylinder Heads218(d)(1)
Fire Curtains255(d)(2)	Shutoff Valves218(d)(2)
Ventilation255(d)(1)	Requirements, General218(a)
Float Scaffolds28(u)	Forging Hammers218(a)(3)
Flooding, Tank Areas106(b)(5)(vi)	Hammers218(a)(3)
Floor Loading22(d)	Inspections218(a)(2)
Floor Openings (Holes)23(a)	Lead Use218(a)(1)
Manlifts68(b)(5), .68(7)	Maintenance218(a)(2)
Floors.		Trimming Presses218(g)
Covers, Hinged23(a)(3)(i)	Cold Trimming Presses218(g)(2)
		Hot Trimming Presses218(g)(1)
		Upsetters218(h)
		Lockouts218(h)(2)
		Forklifts (see also Powered Industrial Trucks).	
		Logging Operations266(f)(4)
		Powered Industrial Trucks178
		Pulp, Paper, and Paperboard Mills	.261(c)(1)
		Fork Trucks (see also Powered Industrial Trucks)	.178
		Formaldehyde1048
		Communication of Hazards1048(m)
		Emergencies1048(k)
		Employee Information and Training.	.1048(n)
		Exposure Monitoring1048(d)
		Housekeeping1048(j)
		Hygiene Protection1048(i)

Pt. 1910, Index

29 CFR Ch. XVII (7–1–13 Edition)

Subject term	Section No.
Medical Surveillance1048(l)
Methods of Compliance1048(f)
Permissible Exposure Limit (PEL)1048(c)
Protective Equipment and Clothing1048(h)
Recordkeeping1048(o)
Regulated Areas1048(e)
Respiratory Protection1048(g)
Fuel-Gas Systems(see also Oxygen-Fuel Gas Welding and Cutting)	.253
Fuels (see also Refueling). Handling and Storage178(f)
Fusion Apparatus (see Drying, Curing, and Fusion Apparatus).	
Gaging Devices110(b)(19)
Gantry Cranes (see also Overhead and Gantry Cranes)	.179
Garages, Undercoating Operations	.107(k)
Garnett Machines262(f)
Gas Cylinder Inspection101(a)
Gaseous Agent Extinguishing Systems; Fixed. Scope and Application162(a)
Specific Requirements162(b)
Gaseous Hydrogen Systems (see Hydrogen).	
Gasoline Powered Trucks	.178(b)(8), .178(9)
Gears219(f)
Gill Boxes262(k)
Gin Pole Derricks (see also Derricks)	.181(a)(6)
Gloves, Rubber Insulating	.137
Glue Spreaders213(r)
Goggles (see also Eye Protection; Eye and Face Protection)	.133, .252(b)(2)(i)(B)
Grain Handling Facilities272
Application272(b)
Emergency Action Plan272(d)
Engulfment Hazard272(e)(2), .272(g)(2), .272(h)(1)
Entry into Grain Storage Structures.	.272(g)
Entry into Flat Storage Structures	.272(h)
Lifeline272(h)(1)
Walking Down Grain272(h)(2)(ii)
Hot Work Permit272(f)
Training272(e)
Written Housekeeping Plan272(j)
Gravity Hammers	.218(e)
Grinders (see also Abrasive Wheel Machinery).	
Grinding, Forging Equipment	.218(j)(5)
Grinding Machines (see also Abrasive Wheel Machinery).. Cylindrical215(b)(4)
Flanges215(a)(3)
Surface Grinders215(b)(5)
Swing Frame Grinders215(b)(6)
Top Grinding215(b)(8)
Work Rest215(a)(4)
Grinding, Polishing, and Buffing.. Branch Pipes94(b)(3)
Enclosure Design94(b)(5)
Exhaust Systems94(b)(4)
Hoods94(b)(3), (5)
Grinding, Top	.215(b)(8)
Grounding.. Bulk Oxygen Systems104(b)(7)(iv)
Electric Power Generation, Transmission, and Distribution.	.269(n)
Electrostatic Spraying107(h)(5), .107(i)(5)-(7)
Flammable and Combustible Liquids. General106(e)(6)(ii), .106(f)(3)(iv) .304(f)

Subject term	Section No.
Hand Spraying107(i)(5)-(7)
Ignition Sources107(c)(9)
Liquefied Hydrogen Systems103(c)(4)(iv)
Liquid Transfer107(e)(9)
Spray Booths107(h)(10)
Spraying Operations107(c)(9), .107(e)(9), .107(i)(5)-(7)
Telecommunications268(m)
Welding254(c)(2), .254(d)(3), .255(b)(9), .255(c)(6)
Woodworking Tools243(a)(5)
Guarding (See Also Term to which it Applies). Abrasive Wheels, Portable243(c)
Floor Openings (Holes)23(a)
Hatchways23(a)(3)
Ladderways23(a)(2)
Live Parts303(g)(2), .303(h)(2)
Materials Handling and Storage176(g)
Open-Sided Floors23(c)
Platforms23(c)
Powered Platforms66(e)(3)
Powered Tools, Portable243
Railings23(e)
Runways23(c)
Resistance Welding255(a)(4), .255(b)(4)
Sawmills265(c)(18)(f)
Skylight23(a)(4)
Spraying Equipment107(h)(10)
Stairways23(a)(1), (d)
Telecommunications Manholes268(o)(1)
Wall Openings (Holes)23(b)
Guarding of Portable Powered Tools ... Explosive Actuated Fastening Tools. General Requirements243
Inspection, Maintenance, and Tool Handling.	.243(d)(1) .243(d)(2)
Loads and Fasteners, Requirements for.	.243(d)(3)
Operating Requirements243(d)(4)
Pneumatic Powered Tools and Hoses. Airhoses243(b)(2)
Tool Retainer243(b)(1)
Portable Abrasive Wheels243(c)
Cup Wheels243(c)(2)
Excluded Machinery243(c)(6)
General Requirements243(c)(1)
Mounting and Inspections of Abrasive Wheels. Other Portable Grinders243(c)(4)
Vertical Portable Grinders243(c)(3)
Portable Powered Tools243(a)
Portable Circular Saws243(a)(1)
Switches and Controls243(a)(2)
Lawnmowers, Power243(e)
General Requirements243(e)(1)
Riding Rotary Mowers243(e)(4)
Walk-Behind and Riding Rotary Mowers.	.243(e)(2)
Walk-Behind Rotary Mowers	.243(e)(3)
Guardrails.. Definitions21(f)(10), .21(f)(21), .21(g)(7)
Electric Power Generation, Transmission, and Distribution.	.269(r)(3)
Exit Route, Design and Construction Requirements.	.36(h)(1)

Subject term	Section No.	Subject term	Section No.
Handling Materials, General176(g)	Liquefied Hydrogen Systems103(c)(2)(iii)
Manlifts68(b)(8)(i), (10)(iv)	Liquefied Petroleum Gases110
Manually Propelled Mobile Ladder Stands and Scaffolds (Towers).	.29(a)(3)	Liquids106(h)(4)
Mechanical Power-Transmission Apparatus.	.219(b), .219(e), .219(k), .219(o)(5)	Pulp, Paper, and Paperboard Mills	.261(c)(2), (d)
Powered Platforms for Building Maintenance.	.66(e)(3), .66(f)(3)(i)(K), .66(f)(5)(i)(G), (f)(5)(ii)(K)	Service Stations106(g)(1)
Pulp, Paper, and Paperboard Mills	.261(h), (k)(7), .261(k)(10), .261(12-13)	Textiles262(o)
Removable23(a)(3)	Handrails24(h)
Sawmills265(d)(2)	Cranes179(d)(3), .179(4)(ii)
Walking-Working Surfaces22(c)	Mobile Ladder Stands29(f)(4)
Guardrails, Scaffolds..		Hangers219(p)(4)
Scaffolding, Safety Requirements	.28(a)(17)	Hardening Tanks126(a)(1)(i), (ii)
Carpenters' Bracket Scaffolds	.28(k)(5)	Hatchways Guarding23(a)(3)
Horse Scaffolds28(m)(7)	Hazard Communication1200
Interior Hung Scaffolds28(p)(7)	13 Carcinogens1003(e)(1)
Masons' Adjustable Multiple- Point Suspension.	.28(f)(15)	2-Acetylaminofluorene1003(e)(1)
Outrigger Scaffolds28(e)(5)	4-Aminodiphenyl1003(e)(1)
Plasterers', Decorators', & Large Area Scaffolds.	.28(o)(2), .28(4)	Asbestos1001(j)
Single-Point Adjustable Sus- pension Scaffold.	.28(i)(5)	Benzene1051(i)
Stone Setters' Adjustable Multiple- Point Suspension Scaffold.	.28(h)(8)	Benzidine1003(e)(1)
Swinging Scaffolds, Two-Point Suspension.	.28(g)(2), (5)	Bloodborne Pathogens1030(g)
Tube and Coupler Scaffolds ..	.28(c)(14)	1,3-Butadiene1051(i)
Tubular Welded Frame Scaf- folds.	.28(d)(7)	bis-Chloromethyl Ether1003(e)(1)
Window-Jack Scaffolds28(r)(3)	Cadmium1027(m)
Wood Pole Scaffolds28(b)(15)	Classification of Hazards1200(d)
Guards (see also Guardrails).		Coke Oven Emissions1029(i)
Derricks181(j)(1)	3,3'-Dichlorobenzidine (and Its Salts).	.1003(e)(1)
Hoisting Ropes179(e)(5)	4-Dimethylaminoazobenzene1003(e)(1)
Manlifts68(b)(7)-(9)	Effective Dates1200(j)
Moving Parts179(e)(6)	Employee Information and Train- ing.	.1200(h)
Trucks178(e)	Ethyleneimine1003(e)(1)
Guide Posts217(d)(4)	Hazard Communication Program, Written.	.1200(e)
Gudgeon Pin181(a)(20)	Information and Training1200(h)
Guy Derricks181(a)(7)	Labels and Other Forms of Warn- ing.	.1200(f)
Hammers, Forging (see Forging Ham- mers).		Labels, on Shipped Con- tainers.	.1200(f)(1)
Hand and Portable Powered Tools and Other Hand-Held Equipment (see Guarding of Portable Powered Tools; Portable Tools and Equip- ment, Other).	.241 to .244	Labels, on Solid Materials1200(f)(4)
Definitions241	Methyl Chloromethyl Ether1003(e)(1)
Hand and Portable Powered Tools and Equipment, General.	.242	Methylene Chloride1052(k)
Compressed Air Used for Cleaning.	.242(b)	4,4-Methylenedianiline1050(k)
General Requirements242(a)	Mixtures, Classification of1200(d)(3)
Hand Protection138	Multi-Employer Workplaces1200(e)(2)
Hand Spraying Equipment (see Elec- trostatic Hand Spraying Equipment).		alpha-Naphthylamine1003(e)(1)
Hand Tools242	beta-Naphthylamine1003(e)(1)
Dead-Man Controls243(a)(2)	4-Nitrophenyl1003(e)(1)
Electric Power Generation, Trans- mission, and Distribution.	.269(i)	N-Nitrosodimethylamine1003(e)(1)
Pulp, Paper, and Paperboard Mills	.261(c)(13)	beta-Propiolactone1003(e)(1)
Logging Operations266(e)	Purpose of Standard1200(a)
Handholds, Manlifts68(c)(4)	Safety Data Sheets1200(g)
Handling (see also Materials Handling and Storage).		Scope and Application1200(b)
Ammonia, Anhydrous111	Trade Secrets1200(i)
Compressed Gases101(b)	Welding252(c)(1)(iv)
		Hazardous Chemicals, Occupational Exposure in Laboratories hazardous	.1450
		Hazardous Chemicals, Highly, Process Safety Management (see Chemicals, Hazardous)	.119 App. A
		Hazardous Energy, Control of (see Lockout/Tagout)..	
		Hazardous Materials..	
		Acetylene102
		Ammonia, Anhydrous, Storage and Handling of.	.111
		Blasting Agents109
		Bulk Oxygen Systems104
		Combustible Liquids106
		Compressed Gases, General Re- quirements.	.101
		DOT Markings1201
		Explosives and Blasting Agents109

Pt. 1910, Index

29 CFR Ch. XVII (7–1–13 Edition)

Subject term	Section No.	Subject term	Section No.
Flammable Liquids106	RCRA (Resource Conservation and Recovery Act), Operations Conducted under.	.120(p)
Forklifts Used178(c)(2)	Scope, Applications, and Definitions.	.120(a)
Hazard Communication1200	Safety and Health Program120(b)
Hazardous Wastes120	Contractors and Subcontractors.	.120(b)(1)(iv)
Hydrogen103	Sanitation at Temporary Workplaces.	.120(n)
Liquefied Petroleum Gases110	Site Characterization and Analysis	.120(c)
Nitrous Oxide105	Site Control120(d)
Oxygen104	Elements of Site Control System.	.120(d)(3)
Process Safety Management, Highly Hazardous Chemicals.	.119	Training120(e)
Spray Finishing Using Flammable and Combustible Materials.	.107	Certification Training120(e)(6)
Hazardous Waste Operations and Emergency Response..		Curriculum Guidelines120 App. E
Compliance Guidelines120 App. C	Elements to Be Covered120(e)(2)
Decontamination120(k)	Emergency Response120(e)(7)
Decontamination Procedures	.120(k)(1)	Equivalent Training120(e)(9)
Emergency Response by Employees at Uncontrolled Hazardous Waste Sites.	.120(l)	Initial Training120(e)(3)
Elements of an Emergency Response Plan.	.120(l)(2)	Management and Supervisor Training.	.120(e)(4)
Handling Emergency Incidents, Procedures.	.120(l)(3)	Qualifications for Trainers120(e)(5)
Emergency Response to Hazardous Substance Releases.	.120(q)	Refresher Training120(e)(8)
Elements of an Emergency Response Plan.	.120(q)(2)	Uncontrolled Sites, Emergency Responses.	.120(l)
Plan, Emergency Response ..	.120(q)(1)	Work Practices, Engineering Controls, and PPE.	.120(g)
Training for120(q)(6)	Healthcare Professions and Related Industries, Exposures to Bloodborne Pathogens	1030
Engineering Controls, Work Practices, and PPE.	.120(g)	Hearing Conservation Program95(c)
for Substances Regulated in Subparts G and Z.	.120(g)(1)	Heating..	
Totally Encapsulating Chemical Protective Suits.	.120(g)(4)	Dip Tanks125(g)
Handling Drums and Containers120(j)	Bulk Plants106(f)(2)(ii)
Laboratory Waste Packs120(j)(6)	Service Stations106(g)(6)
Sampling of Drum and Container Contents.	.120(j)(7)	Helicopters183
Shipping and Transport120(j)(8)	Approach Distance183(o)
Shock-Sensitive Wastes120(j)(5)	Approaching Helicopter183(p)
Tank and Vault Procedures120(j)(9)	Briefing, Daily183(b)
Illumination120(m)	Communications183(r)
Laboratory Waste Packs120(j)(6)	Ground Lines183(l)
Medical Surveillance120(f)	Hooking and Unhooking Loads183(i)
Content of Medical Examinations and.		Hooks, Cargo183(d)
Consultations120(f)(4)	Housekeeping183(g)
Examination by a Physician and Costs.	.120(f)(5)	Loose Gear and Objects183(f)
Frequency of Examinations120(f)(3)	Load Safety183(h)
Information Provided to the Physician.	.120(f)(6)	Personnel183(q)
Physician's Written Opinion120(f)(7)	Personal Protective Equipment (PPE).	.183(e)
Recordkeeping120(f)(8)	Signal Systems183(n)
Monitoring120(h)	Slings and Tag Lines183c
Initial Entry120(h)(2)	Static Charge183(j)
Monitoring of High Risk Employees.	.120(h)(4)	Visibility183(m)
Periodic Monitoring120(h)(3)	Weight Limitation183(k)
New Technology Programs120(o)	Hepatitis B (see also Bloodborne Pathogens)	.1030
Personal Protective Equipment, Engineering Controls and Work Practices.	.120(g)	Hexavalent Chromium (see Chromium [VI])..	
Totally-Encapsulating Chemical Protective Suits.	.120(g)(4)	Hinged Floor Covers	.23(a)(3)(i)
Personal Protective Equipment Test Methods.	.120 App. A	Hoist Limit Switches.	
Protection, Levels of Protection and Protective Gear.	.120 App. B	Cranes179(e)(5), .179(h)
Radioactive Wastes120(j)(4)	Powered Platforms66(f)(4), .66(g)(6)
Releases, Emergency Response to Hazardous Substance.	.120(q)	Rope Guards179(e)(5)
		Holding Brakes	.179(f)(2)
		Holes (see also Floor Openings [Holes]; Wall Openings [Holes])	.23
		Hooks.	
		Cranes179(h)(4)
		Derricks181(j)(2)
		Horse Scaffolds	.28(m)
		Hoses.	
		Flammable Liquids107(e)(6)

Occupational Safety and Health Admin., Labor

Pt. 1910, Index

Subject term	Section No.	Subject term	Section No.
Liquefied Petroleum Gases110(b)(9)	Handling of Liquefied Hydrogen Inside Buildings Other Than Separate Buildings and Special Rooms.	.103(c)(2)(ii)
Semiconductors109(a)(12)	Specific Requirements103(c)(2)(i)
Sprinkler Systems159(c)(5)	Design Considerations at Specific Locations.	.103(c)(3)
Standpipe and Hose Systems158(c)(3)	Outdoor103(c)(3)(i)
Welding and Cutting253(e)	Separate Buildings103(c)(3)(ii)
Hot Metal, Forging and Hot Sources	.211(e)	Special Rooms103(c)(3)(iii)
Hot Work Permit (see Authorization).	.107(c)(3)	Operating Instructions103(c)(4)
Confined Spaces, Permit-Required	.146(f)(14)	Attendant103(c)(4)(ii)
Grain Handling Facilities272(f)	Grounding103(c)(4)(iv)
Process Safety Management of Highly Hazardous Chemicals.	.119(k)	Security103(c)(4)(iii)
Welding, Cutting, and Brazing252(a)(2)	Written Instructions103(c)(4)(i)
Hours of Transfer, Explosives	.109(f)(5)	Maintenance103(c)(5)
Housekeeping	.141(a)(3)	Scope103(a)(2)
Acrylonitrile1045(k)	Gaseous Hydrogen Systems	.103(a)(2)(i)
Arsenic, Inorganic1018(k)	Liquefied Hydrogen Systems	.103(a)(2)(ii)
Asbestos1001(k)	Testing103(c)(1)(vii)
Bloodborne Pathogens1030(d)(4)	Location of Liquefied Hydrogen Storage Handling of Liquefied Hydrogen Inside Buildings Other Than Separate Buildings and Special Rooms.	.103(c)(2)(ii)
Cadmium1027(k)	Specific Requirements103(c)(2)(i)
Chromium (VI)1026(j)	Design Considerations at Specific Locations.	.103(c)(3)
DBCP (1,2-Dibromo-3-Chloropropane).	.1044(k)	Outdoor103(c)(3)(i)
Formaldehyde1048(j)	Separate Buildings103(c)(3)(ii)
Grain Handling Facilities272(j)	Special Rooms103(c)(3)(iii)
Helicopters183(g)	Operating Instructions103(c)(4)
Industrial Plants106(e)(9)	Attendant103(c)(4)(ii)
Lead1025(h)	Grounding103(c)(4)(iv)
Materials Handling and Storage176(c)	Security103(c)(4)(iii)
4,4-Methylenedianiline1050(l)	Written Instructions103(c)(4)(i)
Processing Plants, Flammable and Combustible Liquids.	.106(h)(8)	Maintenance103(c)(5)
Sanitation141(a)(3)	Scope103(a)(2)
Storage Areas176(c)	Gaseous Hydrogen Systems103(a)(2)(i)
Walking-Working Surfaces22(a)	Liquefied Hydrogen Systems103(a)(2)(ii)
Hydraulic Barkers	261(e)(14)	Hydrostatic Tests (see also Testing).	.157(f)
Hydraulic Equipment	217(b)(11)	Fire Extinguishers106(c)(7)
Hydraulically Designed Sprinkler Systems	.159(c)(11)	Piping106(c)(7)
Hydrogen103	Ignition Sources..	
Definitions103(a)(1)	Bulk Plants106(f)(6)
Gaseous Hydrogen Systems103(b)	Dip Tanks125(e)
Design103(b)(1)	Industrial Plants106(e)(6)
Containers103(b)(1)(i)	Powder Coatings107(l)(1)
Equipment Assembly103(b)(1)(iv)	Processing Plants106(h)(7)
Marking103(b)(1)(v)	Service Stations106(g)(8)
Piping, Tubing, and Fittings103(b)(1)(iii)	Spraying Operations107(c)
Safety Relief Devices103(b)(1)(ii)	Combustible Residues107(c)(5)
Testing103(b)(1)(vi)	Conformance107(c)(1)
Location103(b)(2)	Electrical Wiring107(c)(4), .107(6)
General103(b)(2)(i)	Grounding107(c)(9)
Specific Requirements103(b)(2)(ii)	Hot Sources107(c)(3)
Design Consideration at Specific Locations.	.103(b)(3)	Lamps107(c)(7), (8)
Outdoor Locations103(b)(3)(i)	Separation Minimum107(c)(2)
Separate Buildings103(b)(3)(ii)	Storage Tanks106(b)(6)
Special rooms103(b)(3)(iii)	Illumination (see Lighting)..	
Maintenance103(b)(5)	Incorporation by Reference6
Operating Instructions103(b)(4)	Abrasive Wheel Machinery215(b)(12)
Liquefied Hydrogen Systems	.103(c)	Access to Employee Exposure and Medical Records.	.1020(c)(13)
Design103(c)(1)	Accident Prevention Signs and Tags.	.145(d)(10)
Bonding and Grounding103(c)(1)(x)	Acetylene102(a), .102(b), .102(c)
Containers103(c)(1)(i)	Air Receivers169(a)(2)
Electrical Systems103(c)(1)(ix)	Ammonia, Anhydrous111(b)(1), .111(2), .111(7), .111(8), .111(11), .111(d)(1), .111(4)
Equipment Assembly103(c)(1)(vii)	Arc Welding and Cutting254(b)(1)
Liquefied Hydrogen Vaporizers.	.103(c)(1)(viii)		
Marking103(c)(1)(iii)		
Piping, Tubing, and Fittings103(c)(1)(v)		
Safety Relief Devices103(c)(1)(iv)		
Supports103(c)(1)(ii)		
Testing103(c)(1)(vii)		
Location of Liquefied Hydrogen Storage.	.103(c)(2)		

Pt. 1910, Index

29 CFR Ch. XVII (7–1–13 Edition)

Subject term	Section No.
Bakery Equipment263(i)(24), .263(k)(2)
Compressed Gases (General Requirements).	.101(a), .101(b), .101 (c)
Crawler Locomotive, and Truck Cranes.	.180(b)(2), .180(c)(1), .180(e)(2)
Derricks181(b)(2)
Dipping and Coating Operations124(b)(4)
Existing Installations (Mandatory)	.66 App. D(b)-(d)
Explosives and Blasting Agents109(i)(1), (6)
Eye and Face Protection133(b)(1), (2)
Fire Brigades156(e)(3), .156(4), .156(5)
Fixed Ladders27(b)(6)
Flammable Liquids	106(b)(1), .106(2), .162(d)(3), .162(4), .162(g)(1), .162(i)(3), .162(j)(6)
Foot Protection136(b)(1), (2)
Forging Machines218(d)(4), .218(e)(1), .218(j), .218(j)(3)
Hazard Communication1200
Hazardous Waste Operations and Emergency Response.	.120(a)(3)
Head Protection135(b)(1)
Hydrogen103(b)(1), .103(3), .103(c)(1)
Logging Operations266(d)(3), .266(e)(2), .266(f)(3), .266(4), .266(5)
Manlifts68(b)(1), .68(2), .68(3), .68(4), .68(c)(3), .68(4)
Means of Egress Compliance with Alternate Exit-Route Codes.	.35
Means of Egress Coverage and Definitions.	.34
Means of Egress Design and Construction Requirements for Exit Routes.	.36
Means of Egress Maintenance, Safeguards, and Operational Features for Exit Routes.	.37
Mechanical Power Presses217(b)(12)
Mechanical Power-Transmission Apparatus.	.219(c)(5)
Nitrous Oxide105
Occupational Noise Exposure95(h)(2), .95(5), .95 App. B, .95 App. D, .95 App. I
Other Working Surfaces30(a)(3)
Overhead and Gantry Cranes179(b)(6), (c)(2)
Oxygen104(b)(4), .104(5), .104(6)
Oxygen-Fuel Gas Welding and Cutting.	.253(b)(1), .253(4), .253(c)(2), .253(d)(1), .253(4), .253(e)(4), .253(5), .253(6), .253(f)(6)
Powered Industrial Trucks178(a)(2), .178(3), .178(f)(1), .178(2)
Process Safety Management of Highly Hazardous Chemicals.	.119

Subject term	Section No.
Pulp, Paper, and Paperboard Mills	.261(a)(3) and (4), .261(b)(1) and (2), .261(b)(6), .261(c)(2) and (3), .261(c)(8) and (10), .261(C)(14) and (15), .261(c)(16), .261(d)(1), .261(e)(3), .261(e)(7) and (9), .261(f)(4) and (5), .261(g)(1) and (g)(10), .261 (g)(11), .261(15) and (18), .261(h)(2), .261(i)(2) and (4), .261(j)(2) and (5), .261(k)(12), .261(l)(3) and (4), .261(m)(2) and (5)
Respiratory Protection134(c), .134(d)(1) and (4)
Sawmills265(c)(2), (c)(15), (c)(18) and (20), .265(d)(2)
Slings184
Spray Finishing Using Flammable and Combustible Materials.	.107(d)(1), .107(j)(1), .107(l)(3)
Storage and Handling of Liquefied Petroleum Gases.	.110(b)(3) and (8), .110(b)(10) and (11), .110(b)(13), .110(b)(20), .110(d)(2), .110(e)(2) and (3) and (11), .110(g)(2), .110(h)(2), .110(i)(2) and (3)
Telecommunications268(f)(1), .268(i)(1), .268(j)(4), .268(n)(11), .268(s)(1)
Temporary Labor Camps142(i)(1)
Textiles262(c)(6)
Vehicle-Mounted Elevating and Rotating Work Platforms.	.67(c)(5)
Ventilation94(a)(2)to(6), .94(b)(3) and (4), .94(c)(2) and (3), .94(c)(5)to(7)
Welding, Cutting, and Brazing General Requirements.	.252, (a)(1), .252(b)(2), .252(d)(1)
Indoor Storage.	
Flammable and Combustible Liquids.	.106(b)(4), .106(d)(4) and (5), .106(e)(5), .106(g)(1)(iii), .106(h)(4)(i)
Rooms106(d)(4)
Industrial Plants.	
Flammable and Combustible Liquids.	.106(e)
Electrical Systems106(e)(7)
Fire Protection106(e)(5)
Housekeeping106(e)(9)
Incidental Storage106(e)(2)
Ignition Sources106(e)(6)
Maintenance106(e)(9)
Repairs, Equipment106(e)(8)
Tank Loading106(e)(4)

Occupational Safety and Health Admin., Labor

Pt. 1910, Index

Subject term	Section No.	Subject term	Section No.
Unit Physical Operations106(e)(3)	Disclosure to Former Employee of Individual Employee's Record.	.1096(o)
Liquefied Petroleum110(d)(12), .110(f)(4)	Exceptions from Posting Requirements.	.1096(g)
Information Collection Requirements (OMB Control Numbers).	.8	Exemptions for Radioactive Materials Packaged for Shipment.	.1096(h)
Insect Control.		Exposure of Individuals to Radiation in Restricted Areas.	.1096(b)
Sanitation141(a)(5)	Exposure to Airborne Radioactive Material.	.1096(c)
Labor Camps142(j)	Immediate Evacuation Warning Signal.	.1096(f)
Inspection (See Also Term to Which It Applies).		Instruction of Personnel, Posting ..	.1096(i)
Acrylonitrile1045(k)(2)	Notification of Incidents1096(l)
Asbestos1001(x)(3)	Nuclear Regulatory Commission Licensees.	.1096(p)
1,3-Butadiene1051 App. A	Precautionary Procedures and Personal Monitoring.	.1096(d)
Cadmium1027(p)(2)	Records1096(n)
Coke Oven Emissions1029(f)(3)	Reports of Overexposure and Excessive Levels and Concentrations.	.1096(m)
Compressed Gas Cylinders101(a)	Storage of Radioactive Materials ..	.1096(j)
Control of Hazardous Energy (Lockout/Tagout).	.147(c)(6)	Waste Disposal1096(k)
Cotton Dust1043(m)(2)	Jacks..	
Cranes.		Definitions241(d)
Crawler180(d)	Fixed Truck178(k)(3)
Gantry179(j)	Loading244(a)(1)
Ropes179(m)	Marking244(a)(1)
Locomotive180(d)	Maintenance244(a)(2)
Overhead179(j)	Truck178(k)(3)
Ropes179(m)	Trucks213(s)(12)
Truck180(d)	Keys, Projecting	.219(h)
Derricks181(d)	Kiers	.262(q)
Diving, Pre-dive procedures421(g)	Kilns	.265(f)
Electric Power Generation, Transmission, And Distribution.	.269(a)(2)(iii)	Kitchens, Labor Camps	.142(i)
Electrical Protective Devices137(a)(3)	Labels..	
Ethylene Oxide1047 App. A	Acrylonitrile1045(p)(3)
Fire Brigades156(b)(1)	Arsenic, Inorganic1018(p)(2)(iii)
Fire Extinguishers157(e)	Asbestos1001(j)(5)
Flammable Liquids106(c)(1)	Bloodborne Pathogens1030(g)(1)
Flooding, Tank Areas106(b)(5)(vi)	Benzene1028(j)(2)
Formaldehyde1048(j)	Cadmium1027(m)(3)
Gas Cylinders101(a)	Chromium (VI)1026(l)(1)(iii)
Grain Handling Facilities272(m)(1)	Coke Oven Emissions1029(l)(3)
Hazardous Waste Operations and Emergency Response.	.120(p)(1), .120(q)(1)	Cotton Dust1043(j)(2)(v)
Ionizing Radiation1096(f)(3)	1,2-Dibromo-3-Chloropropane1044(o)(3)
Live-Line Tools269(j)	DOT Markings, Placards, and Labels.	.1201
Laboratories1450 App. A	Electrical Specific Purpose Equipment and Installations.	.306(g)(1)
Ladders, Fixed27(f)	Ethylene Oxide1047(j)(2)
Ladders, Portable Wood25(b)(1)	Formaldehyde1048(h)(2)(ii)(B)
Logging Operations266(e)(1)	Hazard Communication1200(f)
Manlifts68(e)	Induction and Dielectric Heating Equipment.	.306(g)(1)(iv)
Methylene Chloride1052 App. A	Ionizing Radiation1096(e)
Methylenedianiline1050(e)(8)	Laboratories1450(h)
Power Presses217(e)	Lead1025(m)(1)(iii)
Powered Platforms66(g), .66(h)	Methylenedianiline1050(k)(2)(ii)
Process Safety Management of Highly Hazardous Chemicals.	.119(j)(4)	Vinyl Chloride1017(l)(3)
Pulp, Paper, and Paperboard Mills	.261(g)(21)	Labeling, Hazardous Chemicals	.1200
Respirators134(f)	Labor Camps, Temporary142
Ropes, Cranes179(m)	Bathing and Hand Washing Facilities.	.142(f)
Scaffolding28(c), .28(e), .28(g)	Beds, Cots, or Bunks142(b)(3)
Slings184(d)	Communicable Diseases Reporting.	.142(l)
Stairs, Fixed Industrial24(b)	Facilities	(b)
Telecommunications268(j)(1)	First Aid142(k)
Textiles262(c)(5)	Furnishings142(b)
Ventilation94(a)(4)	Floors142(b)(4), .142(b)(5)
Welding, Cutting, and Brazing252(d)(1)(vii), .255(e)		
Woodworking Machines213(s)		
Instruction Signs, Manlifts	.68(c)(7)		
Insulators107(h)(5)		
Interior Hung Scaffolds	.28(p)		
Ionizing Radiation1096		
Caution Signs, Labels, and Signals.	.1096(e)		

Pt. 1910, Index

29 CFR Ch. XVII (7–1–13 Edition)

Subject term	Section No.
Grounds142(a)(3)
Heating, Cooking, and Water Heating Equipment142(b)(11)
Insect Control142(j)
Kitchens, Dining Halls, and Feeding Facilities142(i)
Laundry Facilities142(f)
Lighting142(g)
Refuse Disposal142(h)
Rodent Control142(j)
Screens on Windows and Exterior Openings142(b)(8)
Sewage Disposal142(e)
Shelters142(b)
Site142(a)
Size142(a)(2)
Sleeping Room Requirements142(b)(2), (b)(3)
Space142(b)(2), (b)(9)
Stoves142(b)(10)
Toilet Facilities142(d)
Washing, Bathing, and Hand Washing142(f)
Waste Disposal142(h)
Water Supply142(c)
Windows and Exterior Openings142(b)(7), .142(b)(8)
Laboratories, Occupational Exposures to Hazardous Chemicals in (see Chemicals, Hazardous, Occupational Exposure in Laboratories)	.1450
Laboratories and Production Facilities, HIV and HBV Research	.1030(e)
Ladder-Jack Scaffolds	.28(q)
Ladder Stands, Manual Mobile; (See Work Platforms, Mobile)	.29(f)
Ladders..	
Cranes179(d)(4), .179(o)(1)
Electric Power Generation, Transmission, and Distribution269(h)
Fixed27
Manlifts68(b)(12)
Portable Metal26
Portable Wood25
Sawmills265(c)(10)
Telecommunications268(h)
Ladders, Fixed27
Cages27(c)(3), .27(d)(1)
Clearances27(c)
Cleats27(b)(1)
Design27(a)
Stresses27(a)(2)
Deterioration27(b)(7)
Electrolytic Action27(b)(5)
Extensions27(d)(3)
Fastenings27(b)(3)
Grab Bars27(c)(5), (d)(4)
Ladder Extensions27(d)(3)
Landing Platforms27(d)(2)
Maintenance27(f)
Pitch27(e)
Rungs27(b)(1)
Safety Devices27(d)(5)
Side Rails27(b)(2)
Splices27(b)(4)
Welding27(b)(6)
Wells27(d)(1)
Ladders, Portable Metal26
Care26(c)(2)
Electrical Safety-Related Work Practices333(c)(7)
Extension Ladders26(a)(2), (4)
General Requirements26(a)(1)
Platform Ladders26(a)(5)

Subject term	Section No.
Stepladders26(a)(3)
Straight Ladders26(a)(2), (4)
Use26(c)(3)
Ladders, Portable Wood25
Care25(d)(1)
Rung Ladders25(c)(3)
Sectional25(c)(3)(iv)
Single25(c)(3)(ii)
Trestle25(c)(3)(v)
Two-Section25(c)(3)(iii)
Side-Rolling Ladders25(c)(5)
Special Purpose Ladders25(c)(4)
Masons'25(c)(4)(iii)
Painters'25(c)(4)(ii)
Stepladders25(c)(2)
Trolley Ladders25(c)(5)
Materials25(b)
Use25(d)(2)
Ladderway Guarding	.23(a)(2)
Lamps(see also Lighting)107(c)(7), .107(c)(8), .305(j)(1)
Landings, Manlifts	.68(b)(6), .68(b)(10)
Lathers' Scaffolds (see also Plasterers' Scaffolds)	.28(o)
Lathes	.213(o)
Laundry Facilities, Labor Camps	.142(f)
Laundry Machinery and Operations264
Miscellaneous Machines and Equipment264(c)(4)
Operating Rules264(d)
Markers264(d)(1)(iii)
Mechanical Safeguards264(d)(2)
Point-of-Operation Guards264(c)
Starching and Drying Machines264(c)(2)
Washroom Machines264(c)(1)
Lavatories	.141(d)(2)
Lawn Mowers, Power243(e)
Forging Machines218(a)(1)
General Requirements243(e)(1)
Riding Rotary243(e)(2), .243(e)(4)
Walk-Behind243(e)(2), .243(e)(3)
Lead1025, .252(c)(7)
Communication of Hazards1025(m)(l)
Exposure Monitoring1025(d)
Housekeeping1025(h)
Hygiene Facilities and Practices1025(i)
Indoors252(c)(7)(ii), .252(c)(7)(iii)
Medical Removal Protection1025(k)
Medical Surveillance1025(j)
Methods of Compliance1025(e)
Observation of Monitoring1025(o)
Permissible Exposure Limit(PEL)1025(c)
Protective Work Clothing and Equipment1025(g)
Recordkeeping1025(n)
Respiratory Protection1025(f)
Ventilation252(c)(7)(iii)
Leakage,Bulk Oxygen Systems	.104(b)(2)(iii)
Lever, Hand-Operated	.217(b)(5)
Lifelines (see also Safety Belts)..	
Chicken Ladders28(t)(2)
Confined Spaces252(b)(4)(iv)
Crawling Boards28(t)(2)
Electric Power Generation, Transmission, and Distribution269(g)(2)(iii)
Grain Handling Facilities272(h)(1), .272(g)(2)
Powered Platforms66(d)(9), App. C
Pulp, Paper, and Paperboard Mills	.261(g)(2)(ii), .261(j)(5)(ii)

Occupational Safety and Health Admin., Labor

Pt. 1910, Index

Subject term	Section No.	Subject term	Section No.
Scaffolding28(g)(9), .28(j)(4), .28(u)(6)	Motor Fuel, Liquefied Petro- leum as a.	.110(e)
Welding, Cutting and Brazing252(b)(4)(iv)	Odorizing Gases110(b)(1)
Lighting (see also Lamps)..		Regulating Containers and Equipment.	.110(b)(6), .110(c)(5), .110(e)(9)
Container Areas110(d)(16)	Scope110(i)
Cranes179(c)(4), (g)(7)	Service Stations110(h)
Electric Equipment, Workspace About.	.303(g)(1)(v), .303(h)(3)(ii)	Sources of Ignition, Electrical Equipment and Other.	.110(b)(17)
Electrical Safety-Related Work Practices.	.333(c)(4)	Storage110
Hazardous Waste Operations120(m)	Storage of Containers Awaiting Use or Resale.	.110(f)
Labor Camps142(g)	Systems Using Containers Other Than DOT Con- tainers.	.110(d)
Machinery, Basement Areas219(c)(5)	Tank Car Loading110(b)(15)
Manlifts68(b)(6)(iii), .68(14)	Transfer of Liquids110(b)(14)
Operating Areas, Industrial Trucks Pulp, Paper, and Paperboard Mills	.178(h) .261(b)(2), .261(c)(10), .261(k)(21)	Transport Trucks110(b)(15)
Sawmills265(c)(9), .263(c)(23)(iii)	Truck Loading or Unloading, Points and Operations.	.110(b)(15)
Spray Booths107(b)(10)	Trucks Conversion178(d), .178(q)(12)
Storage Areas178(h)	Liquid Fuels..	
Lighting Receptacles..		Handling and Storage178(f)
Cranes179(g)(7)	Service Stations106(g)
Liquefied Hydrogen Systems(see Hy- drogen).		Liquid Heaters, Spray	.107(e)(7)
Liquefied Petroleum Gases, Storage and Handling of.	.110	Liquid Transfer..	
Appliances, Requirements for110(b)(20)	Ammonia, Anhydrous111(b)(12), (f)(6)
Attendants, During Transfer of Liq- uids.	.110(b)(14)	Flammable Liquids106(e)(2)(iv), .106(e)(3)(vi), .106(f)(3)(vi), .106(g), .106(h)(4), .107(e)(4), .107(e)(9)
Basic Rules110(b)	Liquefied Petroleum Gases110(b)(14)
Approval of Equipment and Systems.	.110(b)(2)	Load Handling..	
Construction of Containers110(b)(3)	Crawler Locomotives and Truck Cranes.	.180(h)
Odorizing Gases110(b)(1)	Attaching180(h)(2)
Requirements for Construction and Original Testing of Containers.	.110(b)(3)	Holding180(h)(4)
Buildings..		Moving180(h)(3)
Engines, Portable, in Build- ings.	.110(e)(12)	Size180(h)(1)
Engines, Stationary, in Build- ings.	.110(e)(11)	Derricks181
Industrial Trucks Inside Build- ings.	.110(e)(13)	Attaching181(i)(2)
Piping Gas into Buildings110(b)(13)	Boom Securing181(i)(6)
Condensed Gas Drips110(d)(9)	Holding181(i)(4)
Containers Other Than DOT Containers.	.110(d)	Moving181(i)(3)
Containers, Awaiting Use or Resale, Storage of.	.110(f)	Size181(i)(1)
Cylinder Systems110(c)	Winch Heads181(i)(5)
Definitions110(a)	Overhead and Gantry Cranes179(n)
Drains110(d)(11)	Attaching179(n)(2)
Electrical Equipment and Other Sources of Ignition.	.110(b)(17), .110(b)(18)	Hoist Limit Switches179(n)(4)
Engines in Buildings110(e)(11), (e)(12)	Moving179(n)(3)
Equipment, Approval of110(b)(2)	Size179(n)(1)
Fire Protection110(d)(14), .110(f)(7), .110(h)(14)	Load Ratings	
Gaging Devices, Liquid-Level Garaging LP-Gas-Fueled Ve- hicles.	.110(b)(19) .110(e)(14)	Cranes180(c)
Ignition (see Sources of)	.110(b)(17)	Derricks181(c)
Liquefied Petroleum Gas Service Stations.	.110(h)	Overhead and Gantry Cranes179(b)(5)
Liquid-Level Gaging Devices	.110(b)(19)	Loading	
Liquids, Transfer of110(b)(14)	Bulk Plants106(f)(3)
Loading or Unloading Points and Operations of Trucks.	.110(b)(15)	Explosives109(e)(3)
Location of Containers and Regulated Equipment.	.110(b)(6)	Industrial Plants106(e)(4)
		Liquefied Petroleum Gases110(b)(15)
		Processing Plants106(h)(5)
		Scaffolds29(a)(2)
		Lockout/Tagout..	
		Bakery Equipment263(k)(12)(i)
		Confined Spaces, Permit-Required	.146(f)(8)
		Control of Hazardous Energy147
		Control Sequence147(d)
		Employee Training and Com- munication.	.147(c)(7)
		Energy Control Program147(c)(1)

Pt. 1910, Index

29 CFR Ch. XVII (7–1–13 Edition)

Subject term	Section No.	Subject term	Section No.
Release Procedures, from Lockout/Tagout.	.147(e)	Cadmium1027(j)(4), .1027(p)(2)(vi)
Scope, Application and Purpose.	.147(a)	Coke Oven Emissions1029(i)(3), (i)(5)
Testing or Positioning of Machines, Equipment or Components.	.147(f)	DBCP (1,2-Dibromo-3-Chloropropane).	.1044(l)(3)
Training147(c)(7)	Lead1025(i)(4)
Electric Power Generation, Transmission, and Distribution.	.269(d), .269(m)	Location141(g)(1), .141(g)(2)
Electrical Safety-Related Work Practices.	.333(b)(1), (2)	Methylenedianiline1050(j)(3)
Definitions399	Waste Disposal Containers141(g)(3)
Forging Machines218(h)(2)	Machinery and Machine Guarding211-.222
Grain Handling Facilities272(h)(2)(i), .272(e)(1)(ii)	Abrasive Wheel Machinery215
Inspection, Periodic147(c)(6)	Anchoring Fixed Machinery212(b)
Powered Platforms66(f)(3)(i)(J)	Bakeries263(c)
Process Safety Management of Highly Hazardous Chemicals.	.119(f)(4), .119 App.C10	Barrels212(a)(4)
Pulp, Paper, and Paperboard Mills	.261(b)(1)	Blades Exposure212(a)(5)
Locomotive Cranes (see also Crawler Locomotives, and Truck Cranes)	.180	Calenders216
Logging Operations266	Containers212(a)(4)
Chain Saws266(e)(2)	Definitions211
Chipping266(h)(4)	Drums212(a)(4)
Environmental Conditions266(d)(5)	Forging Machines218
Explosives266(d)(10)	Machines, General Requirements for All	.212
First Aid266(d)(2), .266(i)(7), .266 App. A, .266 App. B	Anchoring Fixed Machinery212(b)
Hand and Portable Powered Tools	.266(e)	Machine Guarding212(a)
Harvesting266(h)	Mills216
Bucking266(h)(3)	Point of Operation212(a)(3)
Felling266(h)(2)	Power Presses217
Limbing266(h)(3)	Power Transmission Equipment ..	.219
Loading266(h)(6)	Types212(a)(1)
Machines for Moving Materials266(f)	Woodworking Machinery213
Designated Operator266(f)(2)	Machines..	
Exhaust Systems266(f)(6)	Abrasive Wheels215
FOPS/ROPS266(f)(3)	Definitions211
Guarding266(f)(8)	Forging218
Brakes266(f)(7)	Laundry264
Machine Access266(f)(5)	Logging Operations266(f)
Overhead Guard266(f)(4)	Mills and Calenders216
Personal Protective Equipment266(d)(1)	Power Transmission, Mechanical Presses, Mechanical219
Seat Belts266(d)(3)	Textiles262
Storage266(h)(8)	Woodworking213
Training266(i)	Magazines, Explosives	.109(c)(2)
Certification266(i)(10)	Class I109(c)(3)
Content266(i)(3)	Class II109(c)(4)
Designated Trainer266(i)(8)	Maintenance (see also Term to Which It Applies)	
First-Aid266(i)(7), .266 App. B	13 Carcinogens (4-Nitrophenyl, etc.).	.1003(c)(5)
Frequency266(i)(2)	Acetylene Generators253(f)(7)
Meetings266(i)(11)	Arc Welding and Cutting254(d)(9)
Vehicles266(g)	Building Maintenance Powered Platforms.	.66
Inspection266(g)(2)	Bulk Oxygen Systems104(b)(10)
Instructions266(g)(3)	Cranes179(l), .180(f)
Maintenance266(g)(1)	Derricks181(f)
Work Areas266(d)(6)	Dip Tanks125(e)(4)
Log Handling (See Also Sawmills)	.265(d)	Employee Alarm Systems165(d)
Longshoring16(a)	Exposure records1020(d)(1)
Looms262(n)	Fire Extinguishers157(e)
Low Pressure Tanks	.106(b)(1)(iv)	Fire Prevention Plans37
LP-Gases(see Liquefied Petroleum Gases, Storage and Handling of).		Flanges215(c)(9)
Lumber Handling265(c)(27), .265(c)(28)	Forging Machines218(a)(2)
Lunchrooms141(g)	Gaseous Hydrogen Systems103(b)(5)
Asbestos1001(i)(3), .1001(f)(5), .1018(m)(3), .1018(m)(5)	Industrial Plants106(e)(9)
Arsenic, Inorganic		Jacks244(a)(2)
		Ladders, Fixed27(f)
		Liquefied Hydrogen Systems103(c)(5)
		Logging Operations266(g)(1)
		Mechanical Power Presses217(e)
		Medical Records1020(d)(1)
		Powder Coatings107(g), (l)(4)
		Powered Industrial Trucks178(q)
		Processing Plants106(h)(8)

Occupational Safety and Health Admin., Labor

Pt. 1910, Index

Subject term	Section No.	Subject term	Section No.
Records, Medical and Exposure1020(d)(1)	Materials Handling and Storage..	
Resistance Welding255(e)	Aisles and Passageways176(a)
Standpipe and Hose System158(e)	Clearance Limit Signs176(e)
Sprinkler Systems159(c)(2)	Cranes, Crawler Locomotives, and Trucks.	.180
Woodworking Machinery Requirements.	.213(s)	Electric Power Generation, Transmission, and Distribution.	.269(k)
Manifolding Gas Cylinders253(c)	Guarding Openings176(g)
Fuel-Gas253(c)(1)	Handling Materials, General176
Operating Procedures253(c)(5)	Hazardous Materials, Retention of DOT Markings.	.1201
Oxygen253(c)(2), (3)	Hazardous Waste Operations120(j), (p)(6)
Portable Outlet Headers253(c)(4)	Housekeeping176(c)
Manholes.		Mechanical Equipment, Use of176(a)
Electric Power Generation, Transmission, and Distribution.	.269(t)(2)	Secure Storage176(b)
Telecommunications268(o)	Powered Industrial Trucks178
Guarding Floor and Wall Openings	.23(a)(6)	Pulp, Paper, and Paperboard Mills	.261(c), (d), (m)
Manlifts68	Railroad Cars, Rolling176(f)
Belts68(c)(1)(ii)	Telecommunications268(k)
Brakes68(c)(1)(i)	Maximum Allowable Concentration	
Clearances68(b)(11)	Fluorine252(c)(5)(ii)
Design68(b)(3)	Welding Contamination252(c)(1)(iii)
Exit Protection68(b)(8)	Mechanical Handling Equipment.	
Floor Openings68(b)(5), (7)	Clearances176(a)
Guardrails68(b)(8)(i), (10)(iv)	Powered Industrial Trucks177(e), .178
Guards68(b)(7), (9)	Mechanical Power Presses217
Handholds68(c)(4)	Definitions211(d)
Inspections68(e)	Design, Construction, Setting and Feeding Dies.	
Instruction Signs68(c)(7)	Guide Post Hazards217(d)(4)
Ladders68(b)(12)	Unitized Tooling217(d)(5)
Landings68(b)(6)	Dies217(d)
Lighting68(b)(6), .68(b)(iii), .68(b)(14)	Guarding and Construction217(b)
Machinery68(c)	Air Counterbalance Cylinders	.217(b)(9)(iii)-(v)
Mechanical Requirements68(c)	Air Controlling Equipment217(b)(10)
Operating Rules68(d)	Brakes, Friction217(b)(2)
Platforms68(c)(3)	Electrical Controls217(b)(8)
Speed68(c)(2)	Foot Pedals217(b)(4)
Standards Sources68(b)(4)	Full Revolution Clutches217(b)(3)
Steps68(c)(3)	Hazards to Personnel from Broken or Falling Machine Components.	.217(b)(1)
Stops68(c)(5), (6)	Hydraulic Equipment217(b)(11)
Warning Signs68(c)(7)	Lever, Hand-Operated217(b)(5)
Weather Protection68(b)(15)	Part Revolution Clutches217(b)(7)
Marine Service Stations	.106(g)(4)	Pressure Vessels217(b)(12), .217(b)(9)(i), .217(b)(ii)
Marine Terminals16(b)	Treadles, Foot Pedals217(b)(4)
Marking Physical Hazards, Safety Color Codes	.144	Trips, Two-Hand217(b)(6)
Sawmills265(c)(11)	Inspection, Maintenance, and Modification of Presses.	.217(e)
Markings (see also Signs and Tags, Specifications for Accident Prevention; Marking Physical Hazards, Safety Color Codes).		Modifications217(e)(2)
Bulk Oxygen Systems104(b)(8)(viii)	Records217(e)(1)
Compressed Gas Cylinders253(b)(1)	Training Maintenance Personnel.	.217(e)(3)
Electric Equipment		Operation of Power Presses217(f)
General303(e)	Clearances, Work Area217(f)(3)
Hazardous Locations307(b)(2)(ii)	Instructions to Operators217(f)(2)
Explosives109(d)(2)(ii)	Overloading217(f)(4)
Eye and Face Protection133(a)(4)	Point of Operation, Safeguarding ..	.217(c)
Gaseous Hydrogen Systems103(b)(1)(v)	Hand Feeding Tools217(c)(4)
Hazardous Materials, Retention of DOT Markings.	.1201	Power Press Guarding and Construction (see Mechanical Power Press Guarding and Construction).	.217(b)
Liquefied Hydrogen Systems103(c)(1)(iii)	Requirements, General217(a)
Liquefied Petroleum Gases110(b)(5), (c)	Excluded Machines217(a)(5)
Load Ratings..		Mechanical Power-Transmission Guarding..	
Cranes180(c)(2)	Definitions in 1910.219	.211(f)
Derricks181(c)	Mechanical Power-Transmission Apparatus.	.219
Powered Industrial Trucks178(a)(3)	Approved Materials219(o)
Physical Hazards144		
Sawmills265(c)(11)		
Mason's Adjustable Multiple Point Suspension Scaffolds	.25(c)(4)(iii)		
Masons' Ladders	.213(n)		
Matching Machines	.1200		
Material Safety Data Sheets, Chemical Hazards Information.			

Pt. 1910, Index

29 CFR Ch. XVII (7–1–13 Edition)

Subject term	Section No.
Guards for Horizontal Overhead Belts.	.219(o)(3)
Guards for Horizontal Overhead Rope and Chain Drives.	.219(o)(4)
Guardrails and Toeboards219(o)(5)
Minimum Requirements219(o)(1)
Wood Guards219(o)(2)
Bearings and Facilities for Oiling ..	.219(j)
Belt, Rope, and Chain Drives219(e)
Belt Tighteners219(e)(6)
Cone-Pulley Belts219(e)(5)
Horizontal Belt and Rope219(e)(1)
Overhead Horizontal Belts219(e)(2)
Vertical and Inclined Belts219(e)(3)
Vertical Belts219(e)(4)
Belt Shifters, Clutches, Shippers, Poles, Perches, and Fasteners.	.219(l)
Belt Shifters219(l)(1)
Belt Shippers and Shipper Poles.	.219(l)(2)
Care of Equipment219(p)
Bearings219(p)(3)
Belts, Care of219(p)(6)
General Care219(p)(1)
Hangers219(p)(4)
Lubrication219(p)(7)
Pulleys219(p)(5)
Shafting219(p)(2)
Chains219(f)
Clutches219(k), .219(l)
Collars and Couplings219(i)
Collars219(i)(1)
Couplings219(i)(2)
Couplings219(i)
Cutoff Couplings219(k)
Drives, Chain219(e)
Friction Drives, Guarding219(g)
Gears, Sprockets, and Chains219(f)
Gears219(f)(1)
Hand-Operated Gears219(f)(2)
Openings for Oil219(f)(4)
Sprockets and Chains219(f)(3)
Guarding Friction Drives219(g)
Guarding of Clutches, Cutoff Couplings, and Clutch Pulleys.	.219(k)
Guards219(k)(1)
Engine Rooms219(k)(2)
Keys, Setscrews, and Other Projections.	.219(h)
Prime-Mover Guards219(b)
Cranks and Connecting Rods219(b)(2)
Extension Piston Rods219(b)(3)
Flywheels219(b)(1)
Tail Rods or Extension Piston Rods.	.219(b)(3)
Projections, Keys, Setscrews, and Other.	.219(h)
Pulleys219(d)
Broken Pulleys219(d)(3)
Guarding Pulleys219(d)(1)
Location of Pulleys219(d)(2)
Speeds, Pulley219(d)(4)
Requirements, General219(a)
Textile Industry, Requirements for.	.219(a)(3)
Setscrews219(h)
Shafting219(c)
Basements, Power-Transmission Apparatus Located in.	.219(c)(5)
Guarding Horizontal Shafting219(c)(2)
Guarding Vertical and Inclined Shafting.	.219(c)(3)

Subject term	Section No.
Inclined Shafting219(c)(3)
Installation219(c)(1)
Projecting Shaft Ends219(c)(4)
Power-Transmission Apparatus in Basements, Rooms or Towers, Locks.	.219(c)(5)
Vertical Shafting219(c)(3)
Sprockets219(f)
Standard Guards, General Requirements for.	.219(m)
Materials219(m)(1)
Methods of Manufacture219(m)(2)
Textile Industry, General Requirements for the.	.219(a)(3)
Medical Evaluations..	
13 Carcinogens1003(g)
Acrylonitrile1045(n)
Arsenic, Inorganic1018(n)
Asbestos1001(f)
Benzene1028(i)
Bloodborne Pathogens1030(f)(1), (3)
1,3-Butadiene1051(k)(5)-(7)
Cadmium1027(l)
Chromium (VI)1026(k)
Coke Oven Emissions1029(j)
Cotton Dust1043(h)
DBCP (1,2-Dibromo-3-Chloropropane).	.1044(m)
Ethylene Oxide1047(i)
Formaldehyde1048(l)
Hazardous Waste Operations and Emergency Response.	.120(f)
Laboratories1450(g)
Lead1025(j), App. C
Methylene Chloride1052(j)(4), (i)
4,4-Methylenedianiline1050(m)
Respiratory Protection134(e)
Vinyl Chloride1017(k)
Medical Removal..	
Benzene1028(i)(8), (9)
Cadmium1027(l)(11)-(12), App. A
Formaldehyde1048(l)(8), (9)
Lead1025(k), (n)(3), App.B, App. C
Methylenedianiline1050(m)(9), (n)(5)
Methylene Chloride1052(j)(11)-(13)
Medical Services and First Aid151
Eye Flushing151(c)
First Aid151(b)
First Aid Kits151 App. A
Hazardous Waste Operations and Emergency Response.	.120(f)
Medical Surveillance120(f)
Medical Personnel Advice and Consultation.	.151(a)
Labor Camps, Temporary142(k)
Logging Operations266(d)(2), (i)(7), App. A, App. B
Telecommunications268(c)(3)
Textiles262(pp)
Welding, Cutting, and Brazing252(c)(13)
Mercantile Occupancies106(d)(5)(iv)
Mercury252(c)(10)
Metal Cutting (see Cutting; Welding)	
Metal Ladders, Portable (see also Ladders, Portable Metal)	.26
Methods of Compliance..	
Acrylonitrile1045(g)
Arsenic, Inorganic1018(g)
Asbestos1001(f)
Benzene1028(f)
Bloodborne Pathogens1030(d)
1,3-Butadiene1051(f)

Occupational Safety and Health Admin., Labor

Pt. 1910, Index

Subject term	Section No.	Subject term	Section No.
Cadmium1027(f)	Mixing.	
Chromium (VI)1026(f)	Blasting Agents109(g)(2), (3), (h)(3), (4)
Coke Oven Emissions1029(f)	Explosives109(h)(3), (4)
Cotton Dust1043(e)	Molding Machines213(n)
DBCP (1,2-Dibromo-3-Chloropropane).	.1044(g)	Monitoring	
Ethylene Oxide1047(f)	Benzene Oxide1028(e)
Formaldehyde1048(f)	1,3-Butadiene1051(d)
Lead1025(e)	Cadmium1027(d)
Methylene Chloride1052(f)	Coke Oven Emissions1029(e)
4,4-Methylenedianiline1050(g)	Cotton Dust1043(d)
Vinyl Chloride1017(f)	Electric Power Generation, Transmission, and Distribution.	.269(e)(11)
Methyl Chloromethyl Ether (see also 13 Carcinogens).	.10	Grain Handling Facilities272(q)(4)(ii), .272(l)(1)
Methylene Chloride1052	Motor Fuels	.110
Employee Information and Training.	.1052(l)	Motor Vehicles..	
Exposure Monitoring1052(d)	Ammonia, Anhydrous111(f)
Hazard Communication1052(k)	Motorized Hand Trucks (see also Powered Industrial Trucks)	.178
Hygiene Facilities1052(i)	Multi-Piece Rim Wheels, and Single Piece, Servicing	.177
Medical Surveillance1052(j)	alpha-Naphthylamine (see also 13 Carcinogens).	.1004
Methods of Compliance1052(f)	beta-Naphthylamine (see also 13 Carcinogens).	.1009
Permissible Exposure Limit(PEL) ..	.1052(c)	Nationally Recognized Testing Laboratories, Definition and Requirements for.	.7
Protective Work Clothing and Equipment.	.1052(h)	Alternative Test Standard7(d)
Recordkeeping1052(m)	Fees7(f)
Regulated Areas1052(e)	Implementation7(e)
Respiratory Protection1052(g)	Laboratory Requirements7(b)
4,4-Methylenedianiline1050	OSHA Recognition, Procedures for.	.7, App. A
Communication of Hazards1050(k)	Test Standards7(c)
Emergency Situations1050(d)	Needle Beam Scaffolds	.28(n)
Exposure Monitoring1050(e)	4-Nitrobiphenyl (see also 13 Carcinogens).	.1003
Housekeeping1050(l)	N-Nitrosodimethylamine (see also 13 Carcinogens).	.1016
Hygiene Facilities and Practices ..	.1050(j)	Nitrous Oxide105
Medical Surveillance1050(m)	Noise Exposure (see Occupational Noise Exposure)	.95
Methods of Compliance1050(g)	Non-ionizing Radiation97
Observation of Monitoring1050(o)	Electromagnetic Radiation97(a)
Permissible Exposure Limit (PEL) ..	.1050(c)	Definitions97(a)(1)
Protective Work Clothing and Equipment.	.1050(i)	Radiation Protection Guide97(a)(2)
Recordkeeping1050(n)	Scope97(a)(4)
Regulated Areas1050(f)	Warning Symbol97(a)(3)
Respiratory Protection1050(h)	Nonpotable Water	.120(n)(2)
Microwave Transmission	.268(p), .269(s)(1)	Noxious Gases, Storage Areas	.178(i)
Mill Roll Heights	.216(a)(4)	Nozzles	
Mills, Pulp, Paper and Paperboard (see Pulp, Paper and Paperboard Mills)	.261	Abrasive Blasting94(a)(2)(iii), .244(b)
Mills and Calenders in the Rubber and Plastics Industries.	.216	Gasoline106(g)(3)(vi)
Calender Safety Controls216(c)	Standpipe158(c)(4)
Definitions211(c)	Occupational Health and Environmental Control.	Subpart G
Location Protection216(d)	Occupational Noise Exposure95
Requirements, General216(a)	Access to Information and Training Materials.	.95(l)
Auxiliary Equipment216(a)(3)	Administrative Controls(b)(1)
Mill Roll Heights216(a)(4)	Appendices95(n)
Mill Safety Controls216(b)	Mandatory Appendices A, B, C, D, and E.	.95(n)(1)
Auxiliary Equipment216(b)(3)	Informational Appendices F and G.	.95(n)(2)
Roll Heights, Mill216(a)(4)	Audiometric Testing Program95(g)
Safety Controls, Mill216(b)	Audiometric Test Requirements95(b)(1)
Auxiliary Equipment216(b)(3)	Sound Exceeding the Limits in Table G-16.	
Roll Heights, Mill216(a)(4)	Employee Notification95(e)
Safety Controls, Mill216(b)	Engineering Controls95(b)(1)
Auxiliary Equipment216(b)(3)	Exemptions95(o)
Safety Trip Control216(b)(1)		
Stopping Limits216(f)		
Switches, Trip and Emergency216(e)		
Trip and Emergency Switches216(e)		
Mills, Rubber and Plastics Industry..			
Definitions211(c)		
Location Protection216(d)(1)		
Roll Heights216(a)(4)		
Safety Controls216(b)		
Auxiliary Equipment216(b)(3)		
Safety Trip Control216(b)(1)		
Stopping Limits216(f)(1), (2)		
Switches, Trip and Emergency216(e)		

Pt. 1910, Index

29 CFR Ch. XVII (7–1–13 Edition)

Subject term	Section No.
Hearing Conservation Program95(c)
Hearing Protector Attenuation95(j)
Hearing Protectors95(i)
Monitoring95(d)
Observation of Monitoring95(f)
Personal Protective Equipment95(b)(1), (c), (i), (j)
Protection Against Effects of Noise Exposures Listed in Table G-16.	.95(a)
Recordkeeping95(m)
Exposure Measurements95(m)(1)
Audiometric Tests95(m)(2)
Record Retention95(m)(3)
Access to Records95(m)(4)
Transfer of Records95(m)(5)
Training Program95(k)
Odorizing Gases110(b)(1)
OMB Control Numbers (Information Collection Requirements).	.8
Open-Sided Floors23(c)
Openings (see also Floor Openings [Holes], Wall Openings [Holes])	.23
Tanks: Inside106(b)(4)(iv)
Organic Peroxide Coatings (see also Dual Component Coatings).	.107(m)
Outdoor Storage.	
Flammable Liquids106(d)(6)
Outlet Headers, Welding253(c)(4)
Protective Equipment253(e)(4)
Outrigger Scaffolds28(e)
Outside Storage Trucks178(c)(2)(ix), .178(c)(2)(xi)
Ovens263(l)
Direct-Fire263(l)(10)
Direct Re-circulating263(l)(11)
Electrical Heating Equipment263(l)(8)
General Requirements263(l)(9)
Indirect Re-circulating263(l)(15)
Location263(l)(1)
Mechanical Parts263(l)(3)
Overflow Pipes, Dip Tanks125(b)
Overhead Cranes (see Overhead and Gantry Cranes).	.179
Overhead and Gantry Cranes.	
Access to Crane179(c)(2)
Adjustments179(l)(3)
Brakes179(f)
Bridge Bumpers179(e)(2)
Cabs179(c)
Clearances from Obstruction179(b)(6)
Effective Dates179(b)(2)
Electric Equipment179(g)
Fire Extinguishers179(c)(3), .179(o)(3)
Footwalks and Ladders179(d)
General Requirements, Application Guards179(b)(1) .179(e)(5), .179(e)(6)
Handrails179(d)(3), .179(d)(4)(ii)
Hoisting Equipment179(h)
Hoisting Rope Guards179(e)(5)
Inspections179(j), .179(m)
Ladders and Stairways179(d)(4)
Lighting179(c)(4)
Load Handling179(n)
Maintenance179(l)
Modifications179(b)(3)
Moving Parts, Guards179(e)(6)
Rail Clamps179(b)(4)
Rail Sweeps179(e)(4)
Rated Loads	
Markings, Rated Load179(b)(5)
Test, Rated Load179(k)(2)
Repairs179(l)(3)

Subject term	Section No.
Rope Inspection179(m)
Stairways179(d)(4)
Stops, Bumpers, Rail Sweeps, and Guards.	.179(e)
Testing179(k)
Toeboards179(d)(3)
Trolley Bumpers179(e)(3)
Trolley Stops179(e)(1)
Warning Devices179(i)
Wind Indicators179(b)(4)
Overhead Lines	
Crawler Locomotive, and Truck Cranes.	.180(j)
Derricks181(j)(5)
Electrical Safety-Related Work Practices.	.333(c)(3)
Electric Power Generation, Trans- mission, and Distribution.	.269(q)(2)
Telecommunications268(n)(9)
Overspray Collectors107(b)(6)
Oxygen104
Bulk Oxygen Systems104(b)
Definitions104(b)(1)
Distance Between Systems and Exposures.	.104(b)(3)
Combustible Liquid Storage Above-Ground.	.104(b)(3)(vii)
Combustible Liquid Storage Below-Ground.	.104(b)(3)(viii)
Combustible Structures, Prox- imity to.	.104(b)(3)(ii)
Fire Resistive Structures104(3)(iii)
Flammable Gas Storage104(b)(3)(ix)
Flammable Liquid Storage Above-Ground.	.104(b)(3)(v)
Flammable Liquid Storage Below-Ground.	.104(b)(3)(vi)
General104(b)(3)(i)
Highly Combustible Materials	.104(b)(3)(x)
Openings104(b)(3)(iv)
Slow-Burning Materials104(b)(3)(xi)
Ventilation104(b)(3)(xii)
Equipment Assembly and Installa- tion.	.104(b)(8)
Cleaning104(b)(8)(i)
Electrical Wiring104(b)(8)(ix)
Installation104(b)(8)(iv)
Joints104(b)(8)(ii)
Placarding104(b)(8)(viii)
Security104(b)(8)(vi)
Testing104(b)(8)(v)
Venting104(b)(8)(vii)
Liquid Oxygen Vaporizers104(b)(7)
Grounding104(b)(7)(iv)
Heating104(b)(7)(iii)
Mounts and Couplings104(b)(7)(i)
Relief Devices104(b)(7)(ii)
Location104(b)(2)
Accessibility104(b)(2)(ii)
Congested Areas104(b)(3)(xiii)
Dikes104(b)(2)(v)
Elevation104(b)(2)(iv)
Exceptions104(b)(3)(xviii)
General104(b)(2)(i)
Leakage104(b)(2)(iii)
Maintenance104(b)(10)
Operating Instructions104(b)(9)
Piping, Tubing, and Fittings104(b)(5)
Safety Relief Devices104(b)(6)
DOT Containers104(b)(6)(ii)
ASME Containers104(b)(6)(iii)
Insulation104(b)(6)(iv)
Reliability104(b)(6)(v)
Storage Containers104(b)(4)

Occupational Safety and Health Admin., Labor

Pt. 1910, Index

Subject term	Section No.	Subject term	Section No.
Construction—Gaseous104(b)(4)(iii)	Coke Oven Emissions1029(h)
Construction—Liquid104(b)(4)(ii)	Compliance Guidelines for Hazard Assessment and PPE Selection, Non-mandatory.	Subpart I App. B
Foundations and Supports104(b)(4)(i)	Cotton Dust1043(f)
Oxygen-Fuel Gas Welding and Cutting253	DBCP (1,2-Dibromo-3-Chloropropane).	.1044(j)
Cylinders253(b)	Electrical Protective Equipment137
Cylinders, Storage of253(b)(2)	Electrical Safety-Related Work Practices, Use of PPE.	.333(c)(2), .335(a)
Fuel-Gas Cylinder Storage253(b)(3)	Electric Power Generation, Transmission, and Distribution.	.269(g)
Manifolding253(c)	Eye133
Operating Procedures253(b)(5)	Shade Number Guide (Welding, Cutting, Brazing).	.252(b)(2)
Oxygen Storage253(b)(4)	Face133
Outlet Headers253(c)(4)	Ethylene Oxide1047(g)
Piping Systems253(d)	Face Protection133
Pressure Relief Devices252(e)(2)	Fire Brigades156(e)
Protective Equipment, Hose, and Regulators.	.253(e)	Foot Protection136
Shutoff Valve253(c)(4)(ii), .253(c)(4)(iv), .253(d)(3)(iii), .253(d)(vi), .253(e)(4)(iii)	Formaldehyde1048(d)
Oxygen Manifolds		General Requirements132
High Pressure253(c)(2)	Hazardous Waste Operations120(g)
Low Pressure253(c)(3)	Hand Protection138
Painters' Stepladders25(c)(4)	Head Protection135
Paints.		Lead1025(g)
Color Code144	Logging Operations266(d)(1)
Paper and Paperboard Mills (see also Pulp, Paper, and Paperboard Mills).	.261	Methylene Chloride1052(h)
Passageways, Working Surfaces22(b)	4,4-Methylenedianiline1050(i)
Permissible Exposure Limits1000	Noise Exposure95(b)(1)
Acrylonitrile1045(c)	Pulp, Paper, and Paperboard Mills	.261(g)(2), .261(i)(4), .261(k)(3)
Asbestos1001(c)	References for Further Information	Subpart I App. A
Arsenic, Inorganic1018(c)	Respiratory Protection134
Benzene1028(c)	Fit Testing Procedures for Respiratory Protection.	.134 App. A
1,3-Butadiene1051(c)	Information for Employees Using Respirators When Not Required Under the Standard.	.134 App. D
Cadmium1027(c)	OSHA Respirator Medical Evaluation Questionnaire.	.134 App. C
Chromium (VI)1026(c)	Respirator Cleaning Procedures.	.134 App. B-2
Coke Oven Emissions1029(c)	User Seal Check Procedures	.134 App. B-1
Confined Spaces, Permit-Required	.146(b)	Sawmills265(c)(17)(ii)
Cotton Dust1043(c)	Telecommunications268(e), (f)
DBCP (1,2-Dibromo-3-Chloropropane).	.1044(c)	Textiles262(qq)(1)
Electric Power Generation, Transmission, and Distribution.	.269(x)	Welding252-.255
Ethylene Oxide1047(c)	Booths252(b)(2)(iii)
Formaldehyde1048(c)	Cable252(b)(1)(ii)
Hazardous Waste Operations and Emergency Response.	.120(a)(3), .120(c)(5), .120(c)(7), .120(e)(3), .120(f)(2)-(3), .120(g), .120(h), .120(n)(6)-(7), .120(p)(1)	Clothing252(b)(3)
Laboratories1450(c)	Eye Protection252(b)(2)
Lead1025(c)	Helmets252(b)(2)
Methylene Chloride1052(c)	Railing252(b)(1)(i)
4,4-Methylenedianiline1050(c)	Shade Numbers, Lenses252(b)
Process Safety Management of Highly Hazardous Chemicals.	.119(d)(1)	Pest Control (see Rodent and Pest Control)	.144
Respiratory Protection134(b)	Physical Hazards Markings (see also Color Codes, Safety, for Marking Physical Hazards).	
Ventilation94(b)(2)	Physician's Written Opinion (see also Medical Evaluations).	
Vinyl Chloride1017(c)	Acrylonitrile1045(n)(6)
Personal Protective Equipment	Subpart I	Arsenic, Inorganic1018(n)(6)
Abrasive Blasting94(a)(5)	Asbestos1001(i)(7)
Acrylonitrile1045(j)	Benzene1028(h)
Arsenic, Inorganic1018(j)	Cadmium1027(l)(10), (15)(i)
Asbestos1001(h)	Coke Oven Emissions1029(j)(5)
Benzene1028(h)	Cotton Dust1043(h)(5)
Bloodborne Pathogens1030(c)(2), (c)(3), (d)(2)	DBCP (1,2-Dibromo-3-Chloropropane).	.1044(m)(5)
1,3-Butadiene1051(i)		
Cadmium1027(i)		
Chromium (VI)1026(h)		

Pt. 1910, Index

29 CFR Ch. XVII (7–1–13 Edition)

Subject term	Section No.	Subject term	Section No.
Ethylene Oxide1047(i)(4)	Portable Stepladders (see Stepladders, Portable).	
Fire Brigades156(b)(2)	Portable Tank Storage (see Tanks, Storage, Portable).	
Formaldehyde1048(l)(7)	Portable Tanks (see Tanks, Storage, Portable).	
Hazardous Waste Operations and Emergency Response.	.120(f)(7)	Portable Tools (see also Powered Tools, Hand and Portable).	.244
Laboratories1450(g)(4)	Portable Tools and Equipment, Other ..	.244
Lead1025(n)(2)	Abrasive Blast Cleaning Nozzles ..	.244(b)
Methylenedianiline1050(m)(8)	Jacks, Loading and Marking244(a)(1)
Respiratory Protection, Medical Determination.	.134(6)	Operation and Maintenance244(a)(2)
Piers and Wharves (see also Wharves).		Portable Welding Machines (see Welding Machines, Portable).	
Trucks Used	FGV.178(c)(2)(x)	Portable Wood Ladders (see also Ladders, Portable Wood).	.25
Pipes.		Powder Coatings107(l)
Dip Tanks125(b)	Power Presses, Mechanical (see Mechanical Power Presses).	.217
Flammable Liquids107(e)(6)	Definitions211(d)
Overflow125(b)	Powered Industrial Trucks (see also Forklifts).	
Piping (see Piping, Fittings, and Tubing; Piping, Valves, and Tubing).		Approval Labels178(a)(3), .178(a)(7)
Piping, Fittings, and Tubing.		Batteries, Changing and Charging ..	.178(g)
Ammonia, Anhydrous111(b)(7)	Combustible Dusts178(c)(2)(vi)
Bulk Oxygen Systems104(b)(5)	Converted Industrial Trucks178(d), .178(q)(12)
Gaseous Hydrogen Systems103(b)(1)(ii), (iii)	Design and Construction178(a)(2)
Liquefied Hydrogen Systems103(c)(1)(iv), (v)	Designated Locations178(c)
Liquefied Petroleum Gases110(b)(8)	Designations, Trucks178(b)
Safety Relief Devices103(b)(1)(ii), (c)(1)(iv)	Dockboards (Bridge Plates)178(j)
Piping Systems, Oxygen-Fuel253(d)	Fire Protection178(a)(1)
Fittings253(d)(1)	Front End Attachments, on Trucks ..	.178(a)(5)
Installation253(d)(3)	Fuel Handling and Storage178(f)
Painting253(d)(4)	Gases and Fumes, Control of ..	.178(i)
Piping253(d)(1)	Grain Handling, Combustible Dust ..	.178(c)(2)(vi)
Piping Joints253(d)(2)	Hazardous Materials178(c)(2)
Pressure Relief Devices253(e)(2)	Lighting for Operating Areas178(h)
Protective Equipment253(e)(3), (4)	Loading178(o)
Signs253(d)(4)	Maintenance, of Industrial Trucks ..	.178(q)
Station Outlets253(e)(4)	Markings, Nameplates and178(a)(6)
Testing253(d)(5)	Modifications178(a)(4)
Piping, Valves, and Fittings.		Operation, of the Truck178(p)
Flammable and Combustible Liquids.	.106(c)	Repairs, Maintenance of178(q)
Corrosion Protection106(c)(5)	Safety Guards178(e)
Design106(c)(1)	Stability of Powered Industrial Trucks.	.178 App. A
Joints106(c)(3)	Training, Operator178(l)
Materials106(c)(2)	Avoidance of Duplicative Training.	.178(l)(5)
Supports106(c)(4)	Certification178(l)(6)
Testing106(c)(7)	Dates178(l)(7)
Valves106(c)(6)	Refresher Training and Evaluation.	.178(l)(4)
Liquefied Petroleum Gases110(h)(7)	Training Program Implementation.	.178(l)(2)
Processing Plants106(h)(4)(ii)	Training Program Content178(l)(3)
Pits23(a)(5)	Traveling178(n)
Drains110(d)(11)	Truck Operations178(m)
Planing Machines213(n)	Trucks and Railroad Cars178(k)
Plasterers' Scaffolds28(o)	Powered Platforms, Manlifts, and Vehicle-Mounted Work Platforms Subpart F.	
Plastics Industry (see also Mills, Rubber and Plastics Industry)		Powered Platforms for Building Maintenance.	.66
Auxiliary Equipment216(a)(3)	Application66(b)
Platform Lift Trucks (see also Powered Industrial Trucks).	.178	Existing Installations66(b)(2)
Platforms, Scaffolds (see also Listings Under Specific Type Scaffold).		New Installations66(b)(1)
Guarding23(c)	Assurance66(c)
Manlifts68(c)(3)	Definitions66(d)
Pneumatic Powered Tools243(b)	Fall Protection66(f)(5)
Airhoses243(b)(2)	Inspection and Tests66(g)
Portable243(b)(1)	Hoist Inspection66(g)(6)
Point of Operation Guarding212(a)(3), .217(c)		
Polishing (see Grinding, Polishing, and Buffing).			
Portable Fire Extinguishers (see also Fire Extinguishers, Portable).	.157		
Portable Metal Ladders (see also Ladders, Portable Metal).	.26		

Occupational Safety and Health Admin., Labor

Pt. 1910, Index

Subject term	Section No.	Subject term	Section No.
Installations and Alterations66(g)(1)	Stabilizer Tie Length66 App. A 6
Maintenance, Inspection and Replacement, Suspension Wire Rope.	.66(g)(5)	Suspension and Securing of Powered Platforms (Equivalency).	.66 App. A 11
Maintenance Inspections and Tests.	.66(g)(3)	Tie-in Guides66 App. A 4
Periodic Inspections and Tests.	.66(g)(2)	Training66 App. A 10
Special Inspection of Governors and Secondary Brakes.	.66(g)(4)	Use of the Appendix66 App. A 1
Maintenance66(h)	Wire Rope Inspection66 App. A 8
Building Face Guiding Members.	.66(h)(6)	Appendix B Exhibits (Advisory)66 App. B
Cleaning66(h)(2)	Appendix C Personal Fall Arrest System.	.66 App. C
General Maintenance66(h)(1)	Mandatory (Section I)66 App. C
Inoperative Safety Devices66(h)(7)	Non-Mandatory (Section II)66 App. C
Periodic Re-shackling of Suspension Wire Ropes and Rope Connections.	.66(h)(4)	Appendix D Existing Installations.	
Periodic Re-socketing of Wire Rope Fastenings.	.66(h)(3)	Mandatory66 App. D
Roof Systems66(h)(5)	Powered Tools, Hand and Portable.	
Powered Platform Installations		Abrasive Wheels243(c)
Affected Parts of Buildings66(e)	Compressed Air Cleaning242(b)
Building Maintenance66(e)(10)	Definitions241
Cable Stabilization66(e)(8)	Employees242(a)
Electrical Requirements66(e)(11)	Explosive Actuated Fastening243(d)
Elevated Track66(e)(6)	Guarding243
Emergency Planning66(e)(9)	Lawn Mowers, Power243(e)
Equipment Stops66(e)(4)	Pneumatic Powered243(b)
General Requirements66(e)(1)	Woodworking243(a)
Maintenance Access66(e)(5)	Presses (see also Mechanical Power Presses).	
Roof Guarding66(e)(3)	Cold Trimming218(g)(2)
Tie-Down Anchors66(e)(7)	Forging218(f)
Tie-In Guides66(e)(2)	Hydraulic Forging218(f)(2)
Powered Platform Installations-Equipment.	.66(f)	Trimming218(g)
Construction Requirements66(f)(2)	Pressure Gages, Air Receivers169(b)(3)
General Requirements66(f)(1)	Pressure Vessels106(b)(1)(v), .217(b)(12)
Hoisting Machines66(f)(4)	Chemical Plants106(i)(3)
Suspended Equipment66(f)(5)	Distilleries106(i)(3)
Button-Guide Stabilized Platforms.	.66(f)(5)(vi)	Pulp, Paper, and Paperboard Mills	.261(g)(16), (17)
General Requirements66(f)(5)(i)	Refineries106(i)(3)
Ground-Rigged Working Platforms.	.66(f)(5)(iv)	Pressures (see Safety Relief Devices)	
Intermittently Stabilized Platforms.	.66(f)(5)(v)	Prime Mover Guards219(b)
Single Point Suspended Working Platforms.	.66(f)(5)(iii)	Primers, Ammunition109(j)(4)
Supported Equipment66(f)(6)	Process Safety Management of Highly Hazardous Chemicals (see also Chemicals).	.119
Suspension Methods66(f)(3)	Application119(a)
Carriages66(f)(3)(i)	Changes to Management of Process Chemicals, Technology, Equipment, and Procedures.	.119(l)
Lockout66(f)(3)(i)	Chemicals, List of Highly Hazardous Chemicals, Toxic and Reactive, Thresholds.	.119, App. A
Transportable Outriggers66(f)(3)(ii)	Compliance Audits119(o)
Two- and Four-Point Suspended Working Platforms.	.66(f)(5)(ii)	Contactors119(h)
Suspension Wire Ropes and Rope Connections.	.66(f)(7)	Contract Employer Responsibilities.	.119(h)(3)
Reshacking Hoists66(h)(4)	Employer Responsibilities119(h)(2)
Operations66(i)	Emergency Planning and Response.	.119(n)
Training66(i)(1)	Employee Participation119(c)
Use66(i)(2)	Hot Work Permit119(k)
Personal Fall Protection66(j)	Incident Investigation119(m)
Scope66(a)	Inspection and Testing119(j)(4)
Appendix A Advisory Guidelines66 App. A	Mechanical Integrity119(j)
Assurance66 App. A 2	Operating Procedures119(f)
Building Anchors (Intermittent Stabilization Systems).	.66 App. A 5	Pre-startup Safety Review119(i)(1)
Design Requirements66 App. A 3	Process Hazard Analysis119(e)
General Maintenance66 App. A 9	Process Safety Information119(d)
Intermittent Stabilization Systems.	.66 App. A 7	Trade Secrets119(p)
		Training119(g)
		Training, Documentation of119(g)(3)
		Training for Process Maintenance Activities.	.119(j)(3)
		Processing Plants, Flammable and Combustible Liquids.	.106(h)

Pt. 1910, Index

29 CFR Ch. XVII (7–1–13 Edition)

Subject term	Section No.
Application	.106(h)(1)
Buildings	.106(h)(3)
Fire Protection	.106(h)(6)
Housekeeping	.106(h)(8)
Ignition Sources	.106(h)(7)
Liquid Handling	.106(h)(4)
Loading	.106(h)(5)
Location	.106(h)(2)
Maintenance	.106(h)(8)
Professional Engineer (PE).	
Manually Propelled Mobile Ladder Stands and Scaffolds (Towers).	.29(b)(5), (d)(3)
Powered Platforms for Building Maintenance.	.66(c)(2)
Safety Requirements for Scaffolding.	.28(b)(16), .28(c)(4), .28(d)(11), .28(e)(3)
Profile Lathes	.213(o)
Projections	.219(h)
beta-Propiolactone (see also 13 Carcinogens).	.1013
Protective Clothing (see Clothing, Protective; Personal Protective Equipment).	
Protective Equipment, Piping (see also Personal Protective Equipment).	.253(e)
Hoses and Connections	.253(5)
Pressure-Reducing Regulations	.253(6)
Stations Outlet	.253(4)
Pulleys	.219(d), (k), (p)(5)
Pulp, Paper, and Paperboard Mills	.261
Barking Devices	.261(c)(12)
Belt Conveyors	.261(c)(15)
Bleaching	.261(h)
Chemical Processes	.261(g)
Cranes	.261(c)(8)
Finishing Room	.261(1)
Hand Tools	.261(c)(13)
Handling of Pulpwood and Pulp Chips.	.261(c), (d)
Hydraulic Barkers	.261(e)(14)
Machine Room	.261(k)
Materials Handling	.261(m)
Mechanical Pulp Processes	.261(i)
Personal Protective Equipment	.261(d)(1)
Lifelines	.261(g)(4)(i), (15)(iii), (j)(5)(ii)
Respirators	.261(g)(2)(i)
Pulpwood	
Preparation	.261(e)
Removal	.261(c)(14)
Rag and Old Paper	.261(f)
Safe Practices	.261(b)
Emergency Lighting	.261(b)(2), (c)(10), (k)(21)
Emergency Showers	.261(g)(18)(i)
Lockouts	.261(b)(1)
Pressure Vessels	.261(g)(17)
Signs	
Conveyors	.261(c)(16)
Traffic	.261(c)(9)
Standards Sources	.261(a)(3), (4)
Stock Preparation	.261(j)
Storage	.261(c), (d)
Chocking Rolls	.261(d)(4)
Clearances	.261(d)(2)
Piling	.261(d)(3)
Traffic Warning Signs	.261(c)(9)
Pumps, Gasoline (see also Service Stations).	
Pyrotechnics	.109(k), .119
Qualified Employees, Qualified Person.	
Acrylonitrile	.1045 App. B
Air Contaminants	.1000(e)

Subject term	Section No.
Arc Welding and Cutting	.254(d)(9)(i)
DBCP (1,2-Dibromo-3-Chloropropane).	.1044 App. B
Electrical	
General	.303(g)(2)(i), (h)(2), (h)(5)(ii)
Scope	.331(a), (b), (c)
Selection and use of work practices.	.333(b)(2), .333(c)(2), .333(c)(3)(ii), .333(c)(10)
Special Systems	.308(a)(1), (a)(6), (g)(1)(ii)
Specific Purpose Equipment and Installations.	.306(a)(2)(ii), .306(c)(5)
Training	.332(b)(3)
Use of Equipment	.334(c)(1)
Wiring Design and Protection	.304(e)(2), (f)(1)
Wiring Methods, Components, and Equipment for General Use).	.305(a)(2), .305(a)(3), .305(d)(1), .305(d)(2)
Electric Power Generation, Transmission, and Distribution.	.269(a)(1), .269(a)(2), .269(g)(2), .269(k)(2), .269(l)(1), .269(p)(4)
Ethylene Oxide	.1047 App. B
Explosives and Blasting Agents	.109(f)(3)(iv)(c)
Hazardous Waste Operations and Emergency Response.	.120(c)(2)
Hydrogen	.103(f)(4)(ii)
Methylene Chloride	.1052 App. A
Powered Platforms for Building Maintenance.	.66 App. B, App. C
Sawmills	.265(c)(24)
Radial Saws	.213(h)
Radiation.	
Non-ionizing	.97
Rail Clamps	.179(b)(4), .180(i)(1)
Rail Sweeps	.179(e)(4)
Railroad Cars	.176, .178(k)(2)-(4)
Explosives	.109(f)
Ramps.	
Rated Load Markings.	
Cranes	.179(b)(5)
Derricks	.181(c)(1)
Rated Load Test	
Crawler, Locomotive, and Truck Cranes.	.180(e)(2)
Overhead and Gantry Cranes	.179(k)(2)
Recordkeeping.	
Asbestos	.1001(m)
Acrylonitrile	.1045(q)
Arsenic, Inorganic	.1018(q)
Benzene	.1028(k)
Bloodborne Pathogens	.1030(h)
1,3-Butadiene	.1051(m)
Cadmium	.1027(n)
Chromium (VI)	.1026(m)
Coke Oven Emissions	.1029(m)
Commercial Diving	.440
Cotton Dust	.1043(k)
Cranes	
Crawler, Locomotive and Truck, Inspection Records	.180(d)(6)
Rope Inspection Records	.180(g)
Production-Crane "Rated Load Test".	.180(e)(2)
Overhead and Gantry	.179(k)(2), (m)(1), (2)
Derricks	.181(g)
DBCP (1,2-Dibromo-3-Chloropropane).	.1044(p)

Subject term	Section No.	Subject term	Section No.
Ethylene Oxide1047(k)	Safety Pins255(b)(8)
Exposure Records1020(d)(1)	Stop Buttons255(b)(7)
Formaldehyde1048(a)	Thermal Protection255(a)(2)
Hazardous Waste Operations and Emergency Response.	.120(f)(8)	Resistors.	
Injury and Illness Records (see 1904)		Cranes179(g)(4)
Labor Camps142(l)(1), (2)	Respirators (see also Gas Mask Can- isters).	.134
Lead1025(e)	Abrasive Blasting94(a)(1)(ii), (a)(5)
Manlifts68(e)(3)	Air Supply94(a)(6), .134(d)
Mechanical Power Presses217(e)(1)	Employer Provided134(a)(2)
Medical Records1020(d)(1)	Fire Brigades156(f)
Methylene Chloride1052(m)	Inspection134(f)
4,4-Methylenedianiline1050(n)	Positive-Pressure156(f)(2)
Noise95(m)	Pulp, Paper, and Paperboard Mills	.261(g)(2), .261(g)(6), .261(g)(10), .261(g)(15)(ii)
Power Presses Inspection217(e)(1)	Textiles262(qq)(2)
Powered Platforms Inspection66(g)	Welding252(c)(4), (5), (7), (8), (9), (10)
Welding Equipment, Resistance Welding.	.255(e)	Respiratory Protection (see also Res- pirators).	.134
Refineries, Chemical Plants, and Dis- tilleries.	.106(i)	13 Carcinogens1003(d)(1)
Application106(j)	Acrylonitrile1450(i)
Fire Protection106(i)(5)	Ammonia, Anhydrous111(b)(10)
Pressure Vessels106(i)(3)	Arsenic, Inorganic1018(h)
Process Unit Location106(i)(4)	Asbestos1001(g)
Storage Tanks106(i)(1)	Air Quality94(a)(6), .134(d)
Wharves106(i)(2)	Air Supply94(a)(6), .134(d)
Refrigerated Containers.		Benzene1028(g)
Ammonia, Anhydrous111(d)	1,3-Butadiene1051(h)
Refueling.		Cadmium1027(g)
Cranes180(i)(4)	Coke Oven Emissions1029(g)
Derricks181(j)(4)	Cotton Dust1043(f)
Trucks178(p)(2)	DBCP (1,2-Dibromo-3- Chloropropane).	.1044(h)
Refuse.		Ethylene Oxide1047(g)
Disposal142(h)	Fire Brigades156(f)
Receptacles141(a)(4)	Fit Testing134(f), .1025(f)(3), .1048(g)(3)
Regulated Areas		Formaldehyde1048(g)
13 Carcinogens1003(d)	Chromium (VI)1026(g)
Arsenic, Inorganic1018(f)	Lead1025(f)
Asbestos1001(e)	Methylene Chloride1052(g)
Benzene1028(d)	4,4-Methylenedianiline1050(h)
1,3-Butadiene1051(e)	Permissible Practices134(a)(1)
Cadmium1027(e)	Respirators134(a)(2), (b), (c)
Chromium (VI)1026(e)	Use134(e)(5)
Coke Oven Emissions1029(d)	Vinyl Chloride1017(g)
Cotton Dust1043(e)	Rim Wheels, Multi-Piece and Single Piece, Servicing.	.177
DBCP (1,2-Dibromo-3- Chloropropane).	.1044(e)	Definitions177(b)
Ethylene Oxide1047(e)	Employee Training177(c)
Formaldehyde1048(e)	Safe Operating Procedure177(f)
Lead1025(e)	Single Piece Wheel Rims, Safe Operating Procedures.	.177(g)
Methylene Chloride1052(e)	Scope177(a)
4,4-Methylenedianiline1050(f)	Tire Chart, Ordering from OSHA ..	.177 App. B
Vinyl Chloride1017(e)	Tire Servicing Equipment177(d)
Relief Devices (see Safety Relief De- vices).		Wheel Component Accessibility177(e)
Remote Gas Pumping Systems106(g)(3)(v)	Ring Test215(d)(1)
Reporting Requirements: All items that must be reported to OSHA.		Ripsaws213(c)
Residue Disposal (see Waste Dis- posal).		Rodent and Pest Control.	
Resistance Welding255	Labor Camps, Temporary142(j)
Disconnecting Means306(d)(2)	Sanitation141(a)(5)
Flash Welding Equipment255(d)	Rolling Scaffolds (see Work Platforms, Mobile).	
Guarding255(a)(4), (b)(4)	Roll-Over Protection .	
Installation255(a)(1)	Electric Power Generation, Trans- mission, and Distribution.	.269(p)(1)(iv)
Maintenance255(e)	Logging Operations266(f)(3)(i)
Portable Welding Machines255(c)	Telecommunications268(j)(2)(i)
Spot and Seam Welding255(b)	Roofing Brackets28(s)
Capacitor Discharge Welding	.255(b)(2)	Catch Platforms28(s)(3)
Foot Switches255(b)(6)		
Grounding255(b)(9)		
Interlocks255(b)(3)		
Shields255(b)(5)		

Pt. 1910, Index

29 CFR Ch. XVII (7–1–13 Edition)

Subject term	Section No.
Construction	.28(s)(1)
Supports	.28(s)(2)
Rope Inspections	
Cranes	.179(m), .180(g)
Derricks	.181(g)
Ropes.	
Cranes	.179(m), .180(g)
Hoists	.179(h)(2)
Inspections	.179(m), .180(g)
Running	.179(m)(1)
Derricks	.181(g)
Idle Ropes	.181(g)(3)
Limited Travel	.181(g)(2)
Nonrotating Ropes	.181(g)(4)
Running	.181(g)(1)
Powered Platforms	.66(f)(7), (g)(5), (h)(3), (4)
Rotary Lawn Mowers	.243(e)(1), (4)
Rotating Work Platforms (see also Vehicle-Mounted Work Platforms).	.67
Rubber Industry (see also Mills, Rubber and Plastics Industry).	
Auxiliary Equipment	.216(a)(3), (b)(3)
Mills and Calenders	.216
Rung Ladders, Portable	.25(c)(3)
Running Ropes	
Cranes	.179(m)(1), .180(g)(1)
Derricks	.181(g)(1)
Runway Conductors	
Cranes	.179(g)(6)
Runway Protection	.23(c)
Safety Belts (see also Lifelines; Safety Straps)	
Powered Platforms	.66(f)(5)(ii), .66(f)(ii)(L), .66(f)(ii)(M), .66(f)(iii)(B), .66(j), .66App. C
Pulp, Paper, and Paperboard Mills	.261(g)(4), (15)
Scaffolding	.28(j)(4), (n)(8), (s)(3), (t)(2), (u)(6)
Telecommunications	.268(g)(1)
Welding	.252(b)(4)(iv)
Safety Devices	
Ladders	.27(d)(5)
Safety Guard Design, Abrasive Wheel Machinery.	.215(a)(2), .215(b)(10)-(12)
Safety Instruction Signs	.145(c)(3), (d)(6)
Safety Relief Devices.	
Ammonia, Anhydrous	.111(a)(2), .111(b)(6), .111(b)(8), .111(b)(9), (d)(4), .111(f)(3), .111(f)(5)
Bulk Oxygen Systems	.104(b)(6), (7)(ii)
Compressed Gases	.101(c)
Flammable Liquids	.107(e)(8)
Gaseous Hydrogen Systems	.103(b)(1)(ii)
Liquefied Hydrogen Systems	.103(c)(1)(iv)
Liquefied Petroleum Gases	.110(b)(10), .110(c)(7), .110(d)(4), .110(e)(7), .110(h)(4)
Non-DOT Containers	.110(d)(4)
Spraying	.107(e)(8)
Welding/Cutting, Oxygen-Fuel Gas	.253(c)(3), (d)(3)
Safety Straps	.268(g)(2)
Safety-Toe Footwear (see Foot Protection)	
Sanding Machines	.213(p), .243(a)(3)
Sanitation	.141

Subject term	Section No.
Application	.141(a)(1)
Change Rooms	.141(e)
Clothes Drying Facilities	.141(f)
Consumption of Food and Beverages on Premises.	.141(g)
Food Handling	.141(h)
Hazardous Waste Operations, Temporary Workplaces.	.120(n)
Housekeeping	.141(a)(3)
Insect Control	.141(a)(5)
Lunchrooms	.141(g)
Rodent Control	.141(a)(5)
Toilet Facilities	.141(c)
Vermin Control	.141(a)(5)
Washing Facilities	.141(d)
Waste Disposal	.141(a)(4)
Water Supply	.141(b)
Sawmills	.265
Bins, Bunkers, Hoppers, and Fuel Houses.	.265(c)(23)
Lighting	.265(c)(23)(iii)
Loading Bins	.265(c)(23)(ii)
Blower Systems	.265(c)(20)
Building Facilities	.265(c)
Docks	.265(c)(4)
Emergency Exits	.265(c)(6)
Fire Escapes	.265(c)(6)
Floors	.265(c)(3)
Lighting	.265(c)(9)
Platforms	.265(c)(4)
Stairways	.265(c)(5)
Handrails	.265(c)(5)(ii)
Lighting	.265(c)(5)(iii)
Tanks	.265(c)(8)
Vats	.265(c)(8)
Walkways	.265(c)(4)
Work Areas	.265(c)(2)
Burners	.265(c)(29)
Chippers	.265(c)(21)
Conveyors	.265(c)(18)
Definitions	.265(b)
Exhaust Systems	.265(c)(20)
Gas Piping and Appliances	.265(c)(15)
General Requirements	.265(a)
Guarding	.265(c)(18)(ii), (c)(23)(i), .265(e)(3)
Hydraulic Systems	.265(c)(13)
Kilns, Dry	.265(f)
Lighting	.265(c)(9)
Log Breakdown (see Saws)	.265(e)
Log Handling, Sorting, and Storage.	.265(d)
Barking Devices	.265(d)(4)
Log Decks	.265(d)(3)
Storage Areas	.265(d)(2)
Unloading	.265(d)(1)
Unloading Areas	.265(d)(2)
Lumber	
Loading	.265(c)(28)
Piling	.265(c)(27)
Storage	.265(c)(27)
Marking Physical Hazards	.265(c)(11)
Protective Equipment	.265(c)(17)(iii)
Refuse Removal	.265(c)(20)(vi)
Ropes, Cables, Slings, and Chains.	.265(c)(24)
Stackers and Unstackers, Mechanical.	.265(c)(26)
Traffic Control	.265(c)(31)
Tramways	.265(c)(19)
Trestles	.265(c)(19)
Vehicles	.265(c)(30)
Saws.	
Band	.213(i), .265(e)(2)(i)

Subject term	Section No.	Subject term	Section No.
Band Resaws213(i), .265(e)(3)	Ignition Sources106(g)(8)
Chain266(e)(2)	Marine Stations106(g)(4)
Circular213(f), .243(a)(1)	Multi-Piece Rim Wheels, Servicing177
Circular Resaws213(e), .265(e)(3)(ii)	Storage106(g)(1)
Cracked243(a)(4)	Waste Disposal106(g)(7)
Drag213(r)	Liquefied Petroleum Gases110(h)
Edgers265(e)(5)	Containers110(h)(2)
Head265(e)(2)	Accessories110(h)(3)
Single Circular265(e)(2)(iii)	Capacity110(h)(5)
Twin Circular265(e)(2)(iv)	Installation110(h)(6)
Whole-Log Sash Gang265(e)(2)(v)	Protecting Fittings110(h)(7), (9)
Inspection213(s)	Valves110(h)(3)
Planers265(e)(6)	Dispensing Devices110(h)(11)
Radial213(h)	Electrical Systems110(h)(13)
Ripsaws213(c)	Fire Protection110(h)(14)
Swing Cutoff213(g)	Fittings110(h)(7)
Table213(d)	Piping110(h)(9)
Trimmer265(e)(4)	Pumps110(h)(10)
Scaffolding (see also Scaffolds).		Safety Relief Valves110(h)(4)
Safety Requirements28	Truck Unloading110(h)(8)
Scaffolds (see also Ladder Stands		Valves110(h)(7)
Listings by Names of Scaffolds).		Setscrews219(h)
Boatswain's Chair28(j)	Sewage Disposal142(e)
Bricklayers' Square28(l)	Shafting Guarding.	
Carpenters' Bracket28(k)	Horizontal219(c)(2)
Chicken Ladders28(t)	Inclined219(c)(3)
Coupler, Mobile29(d)	Vertical219(c)(3)
Crawling Boards28(t)	Sheaves.	
Decorators'28(o)	Crane Hoists179(h)(1)
Float28(u)	Shelters, Labor Camps (see also Faci-	
Horse28(m)	lities, Labor Camps).	.142(b)
Interior Hung28(p)	Ship Scaffolds (see also Float Scaf-	
Ladder-Jack28(q)	olds).	.28(u)
Masons' Adjustable Multiple-Point		Side-Rolling Ladders25(c)(5)
Suspension.	.28(f)	Signs and Tags, Specifications for Acci-	
Needle Beam28(n)	dent Prevention (see also Mark-	.145
Outrigger28(e)	ings; Caution Signs and Labels; La-	
Plasterers'28(o)	bels; Warning Devices and Signs).	
Powered Platforms66	13 Carcinogens1003(e)(2)
Roofing Brackets28(s)	Accident Prevention145
Ship28(u)	Classification of Signs Ac-	
Single-Point Adjustable Suspen-		ording to Use.	.145(c)
sion.	.28(i)	Definitions145(b)
Stone Setters' Adjustable Multiple		Biological Hazards145(e)(4), .145(f)(8)
Point Suspension.	.28(h)	Bloodborne Pathogens1030(g)(1)(ii)
Suspension28(f), (g), (h), (i)	Caution Signs and Tags145(c)(2),
Swinging28(g)	.145(d)(4),	
Tube and Coupler28(c)	.145(f)(6)	
Tube and Coupler, Mobile29(d)	.145(d)(6)	
Tubular Welded Frame28(d), .29(b)	Cotton Dust1043(j)
Tubular Welded Sectional Folding		Danger Signs and Tags145(c)(1),
Two-Point Suspension29(c)	.145(d)(2),	
Window-Jack28(g)	.145(f)(5)	
Wood Pole28(r)	Design of Signs and Tags145(d), .145(f)(4)
Wood Pole28(b)	Electric Power Generation, Trans-	
Scaffolds, Manual Mobile (see also		mission, and Distribution.	.269(u)(4)(iii)
Work Platforms, Mobile).	.29	Electric Wiring306(a)
Scientific Diving (see Diving, Sci-		Hazardous Materials, Retention of	.1201
entific).		DOT Markings.	
Scissor Lift29	Instruction Signs, Manlifts68(c)(7)
Semigantry Cranes (see Gantry		Personal Protective Equipment261(c)(16), (9)
Cranes).		Powered Platforms66(f)(7)(vi)
Separation Walls (see also Distances		Pulp, Paper, and Paperboard	
from Hazards).		Mills, Traffic Warning Signs and	.261(c)(9),
Ammonium Nitrate109(i)(5)	Signals.	.261(c)(16)
Service Stations.		Radiation Warning Symbol97(a)(3)
Flammable and Combustible Liq-		Safety Instruction Signs145(c)(3),
uids.	.106(g)	.145(d)(6)	
Dispensing Systems106(g)(3)	Slow-Moving Vehicles, Emblem for	
Drainage106(g)(7)	Specifications145(d)(10)
Electrical Equipment106(g)(5)	Telecommunications145
Fire Protection106(g)(9)	Welding268(d)(1)
Handling106(g)(1)	Wording of Signs and Tags253(d)(4)
Heating Equipment106(g)(6)	Single-Point Adjustable Suspension	
		Scaffolds.	.28(i)

Pt. 1910, Index

29 CFR Ch. XVII (7–1–13 Edition)

Subject term	Section No.
Single-Rung Ladders25(c)(3)(ii)
Mason's25(c)(4)(iii)
Skylight Floor Openings23(a)(4)
Sleeping Facilities, Temporary120(n)(5)
Sleeves, Rubber Insulating137
Slings184
Alloy Steel Chain Slings184(e)
Definitions184(b)
Fiber-Rope Slings, Natural and Synthetic184(h)
Inspections184(d)
Metal Mesh Slings184(g)
Safe Operating Practices184(c)
Scope184(a)
Web Slings, Synthetic184(i)
Wire-Rope Slings184(f)
Slurries109(h)
Small Arms Ammunition109(j)
Primers109(j)(4)
Smokeless Propellants109(j)(3)
Storage109(j)
Smokeless Propellants109(j)(3)
Smoking	
Dual Component Coatings107(m)(2)
Explosives109(e)(1)
Flammable Liquids106(d)(7)(iii)
Powder Coatings107(l)(4)(iii)
Spraying107(g)(7), .107(l)(4)(iii), .107(m)(2)
Snagging Machines215(b)(7)
Sources of Standards (see Standards Sources)	
Special Industries.	
Bakeries263
Cooperage214
Forging218
Hazardous Waste Operations120
Laundries264
Logging Operations266
Plastics Industry216
Pulp, Paper, and Paperboard Mills261
Rubber Industry216
Sawmills265
Textiles219(a)(3), .262
Woodworking213
Spill Containment106(d)(6)(iii)
Spot and Seam Welding Machines255(b)
Spray Booths107(b)
Spray Finishing Using Flammable and Combustible Materials.	
Air Flow94(c)(6)
Application, Scope107(n)
Automobile Undercoating in Garages107(k)
Clean Air94(c)(7)(f)
Combustible Liquids Storage107(e)
Curing Apparatus107(j)
Drying Apparatus107(j)
Drying, Curing, or Fusion Apparatus107(j)
Dual Component Coatings107(m)
Electrical and Other Sources of Ignition107(c)
Conformance107(c)(1)
Electrical Systems107(c)
Electrostatic Apparatus, Fixed107(h)
Electrostatic Hand Spraying Equipment107(i)
Fire Protection107(f)
Flammable Liquids Storage107(e)
Flammable Liquids and Liquids with Flashpoints Greater Than 199.4 °F (93 °C)107(e)

Subject term	Section No.
Fusion Apparatus107(j)
Hand Spraying Equipment, Electrostatic107(i)
Ignition Sources107(c)
Location94(c)(2)
Maintenance, Operations and107(g)
Make-Up Air94(c)(7)
Operations and Maintenance107(g)
Organic Peroxide Coatings107(m)
Peroxide Coatings107(m)
Powder Coatings107(l)
Protection107(f)
Scope107(n)
Spray Booths107(b), .94(c)(3)
Undercoatings, Automobile, in Garages107(k)
Velocity and Air Flow Requirements94(c)(6)
Ventilation107(d), .94(c)(5)
Spray Liquid Heaters107(e)(7)
Spraying Operations107(g)
Sprinkler Systems, Automatic159
Acceptance Tests159(c)(3)
Design159(c)(1)
Drainage159(c)(7)
Hose Connections159(c)(5)
Hydraulically Designed159(c)(11)
Maintenance159(c)(2)
Protection of Piping159(c)(6)
Sprinkler Alarms159(c)(9)
Sprinkler Spacing159(c)(10)
Water Supply159(c)(4)
Sprinklers.	
Dip Tanks125(f)
Sprockets219(f)
Stability Margin.	
Crane Loads180(c)(1)(i)-(iv)
Stainless Steel Cutting252(c)(12)
Stairs, Fixed Industrial24
Handrails24(h)
Length of Stairways24(g)
Railings24(h)
Rise Angle24(e)
Strength24(c)
Treads24(f)
Vertical Clearance24(i)
Width24(d)
Standards Sources.	
Air Receivers169(a)(2)
Life Safety Code39
Standpipe and Hose Systems158
Equipment158(c)
Hose158(c)(3)
Hose Outlets and Connections158(c)(2)
Nozzles158(c)(4)
Reels and Cabinets158(c)(1)
Exception for Class I Standpipe Systems158(a)(2)
Protection of Standpipes158(b)
Scope and Application158(a)
Tests and Maintenance158(e)
Acceptance Tests158(e)(1)
Maintenance158(e)(2)
Water Supply158(d)
Stands, Ladder (see also Scaffolds; Work Platforms, Mobile).	
Stationary Derricks (see also Derricks)181
Static Sparks219(p)(2)(ii)
Steps (see Stairs, Fixed Industrial)	
Stapladders	
Portable Metal26(a)(3)
Stapladders, Portable25(c)(2)
Sticking Machines213(n)

Occupational Safety and Health Admin., Labor

Pt. 1910, Index

Subject term	Section No.	Subject term	Section No.
Stiffleg Derricks (see also Derricks)181	Table Saws213(d)
Stone Setters' Adjustable Multiple-Point Suspension Scaffolds.	.28(h)	Tags (see Signs and Tags, Specification for Accident Prevention).	
Stopping Limits, Mills and Calenders216(f)	Tagout (see Lockout/Tagout).	
Stops (see also Safety Devices)		Tanks (see also Cargo Tanks—Portable Tanks).	
Manlifts68(c)(5), (6)	Hardening126(a)(1)(i), .126(a)(1)(ii)
Storage (see also Materials Handling Storage; Storage Areas; Tanks, Storage; Tanks, Storage, Portable).		Tempering126(a)
Ammonia, Anhydrous111	Tanks, Dip (see also Dip Tanks)123-.126
Ammonium Nitrate109(i)	Tanks, Storage.	
Bakery Equipment263(d)(6)	Flammable and Combustible Liquids.	.106(b)
Blasting Agents109(g)(5)	Atmospheric Tanks106(b)(1)(iii)
Buildings106(d)(5)	Construction106(b)(1)
Mercantile Occupancies106(d)(5)(iv)	Corrosion106(b)(1)(vi)
Office Occupancies106(d)(5)(iii)	Diking106(b)(2)(vii)
Warehouses106(d)(5)(v)	Ignition Sources106(b)(6)
Calcium Carbide253(g)	Installation..	
Clothing107(g)(4)	Above Ground, Outside106(b)(2)
Compressed Gas Cylinders253(b)(2)-(4)	Inside Buildings106(b)(4)
Compressed Gases101(b)	Underground106(b)(3)
Containers, Bulk Oxygen104(b)(4), (6)	Low Pressure Tanks106(b)(1)(iv)
Electric Power Generation, Transmission, and Distribution.	.269(k)(2)	Materials106(b)(1)(i)
Explosives109(c), (e)(2), (b)	Pressure Vessels106(b)(1)(v)
Flammable and Combustible Liquids.	.106(b), (d)	Supports106(b)(5)
Inside Storage Rooms106(d)(4)	Testing106(b)(7)
Storage Inside Buildings106(d)(5)	Venting106(b)(2)(iv), .106(b)(2)(v), .106(b)(2)(vi), .106(b)(3)(iv), .106(b)(4)(ii)-(iii)
Storage Outside Buildings106(d)(6)	Telecommunications268
Grain Handling Facilities272(g)-(h)	Approach Distances268(b)(7)
Hydrogen103(c)(2)	Battery Handling268(b)(2)
Indoor Rooms106(d)(5)	Cable Fault268(l)
Ionizing Radiation1096(j)	Definitions268(s)
Liquefied Petroleum Gases110	Employee Protection268(d)
Logs265(d)	Grounding268(m)
Logging Operations266(h)(8)	Ladders268(h)
Lumber265(c)(27)	Material Handling and Other Equipment.	.268(j)
Pulp, Paper, and Paperboard Mills	.261(c), (d)	Graders, Scrapers, Tractors268(j)(1)
Service Stations106(g)(1)	Elevating/Rotating Work Platforms268(j)(3)
Small Arms Ammunition109(j)	Derricks268(j)(4)
Spray Finishing Using Flammable and Combustible Materials.	.107(e)	Materials Handling and Storage268(k)
Storage Areas.		Microwave Transmission268(p)
Aisles and Passageways176(a)	Overhead Lines268(n)
Bridge Plates178(k)(4)	Testing Wood Poles268(n)(2), (3)
Clearance Signs176(e)	Outside Work Platforms268(n)(7)
Clearances176(a)	Energized Power Conductors268(n)(10)
Dockboards178(j), (k)(4)	Personal Climbing Equipment268(g)
Housekeeping176(c)	Safety Straps268(g)(2)
Lighting178(h)	Pole Climbers268(g)(3)
Noxious Gases178(i)	Personal Protective Equipment268(i)
Railroad Cars178(k)(2), (4)	Head Protection268(i)(1)
Sawmills265(d)(2)	Eye Protection268(i)(2)
Securing176(b)	Rubber Insulating Equipment268(f)
Trucks, Highway178(k)(1), (3), (m)	Telecommunications Centers268(b)(1)
Storage Batteries (see Battery Charging and Charging).		Training268(c)
Storage Bins (see Storage).		Tree Trimming268(q)
Storage Bridge Cranes (see Gantry Cranes).		Electrical Hazards268(q)(2)
Storage, Tanks (see Tanks, Storage; Tanks, Storage, Portable).		Storm Work268(q)(3)
Straight Ladders, Portable Metal26(a)(2)	Underground Lines268(o)
Surface Grinders215(b)(5)	Guarding Manholes268(o)(1)
Swing Frame Grinders215(b)(6)	Entering Manholes/Vaults268(o)(2)
Swing-Head Lathes213(o)	Joint Manholes268(o)(3)
Swinging Locomotive Cranes180(i)(6)	Tanks, Storage, Portable.	
Swinging Scaffolds (see also Two-Point Suspension Scaffolds).	.28(g)	Flammable and Combustible Liquids.	.106(d)
Switches.		Application106(d)(1)(i)
Electric305(c)	Capacity106(d)(2)
Cranes179(g)(5)	Design106(d)(2)
Trip and Emergency216(e)	Exceptions106(d)(1), (2)

Pt. 1910, Index

29 CFR Ch. XVII (7–1–13 Edition)

Subject term	Section No.
Fire Protection106(d)(7)
Indoor Storage106(d)(4), (5)
Outdoor Storage106(d)(6)
Storage Cabinets106(d)(3)
Temporary Floor Openings23(a)(7)
Temporary Labor Camps (see also Labor Camps, Temporary).	.142
Tempering Tanks126(a)
Tenoning Machines213(k)
Testing.	
Bulk Oxygen104(b)(8)(v)
Cranes179(k), .180(e)
Electric Power Generation, Transmission, and Distribution.	.269(o)
Fire Extinguishers157(e)
Gaseous Hydrogen Systems103(b)(1)(vi)
Liquefied Hydrogen Systems103(c)(1)(vii)
Piping106(c)(7)
Powered Platforms66(g)
Sprinkler Systems159(c)(3)
Standpipe and Hose Systems158(e)
Storage Tanks106(b)(7)
Textiles262
Acid Carboys262(nn)
Bleaching262(p)
Calenders262(ee)
Caustics262(oo)
Color-Mixing Room262(kk)
Cotton Cards262(e)
Cotton Combers262(j)
Drawing Frames262(j)
Drying Cans262(w)
Drying Tumblers262(cc)
Dyeing Jigs262(u)
Dye Vats262(mm)
Extractors262(y)
First Aid262(pp)
Flat Work Ironers262(x)
Folder, Overhead262(jj)
Garnett Machines262(f)
Gill Box262(k)
Hand Bailing Machine262(hh)
Handling262(oo)
Kiers262(q)
Lappers262(m)
Looms262(n)
Mercerizing Ranges262(s)
Nip Guards262(dd)(1), (v), (z)
Openers262(d)
Padders262(v)
Personal Protective Equipment262(qq)(1)
Pickers262(d)
Power Transmission219(a)(3)
Printing Machine262(dd)
Rings Frames262(j)
Roll Bench262(ii)
Rope Washers262(bb)
Sanforizing and Palmer Machine262(aa)
Shearing Machines262(o)
Slashers262(h)
Slubbers262(j)
Spinning Mules262(g)
Standards Sources262(a)(2)
Staple Cutters262(ff)
Tanks, Open262(ll)
Tenter Frames262(t)
Tumbler, Laundry Washer262(cc)
Warpers262(i)
Worsted Drawing262(l)
Toe Protection (see Foot Protection).	
Toeboards.	
Cranes179(d)(3)
Definition21(a)(9)
Power Transmission Apparatus219(o)(5)

Subject term	Section No.
Powered Platforms66(f)(5)(i)(G)
Walking-Working Surfaces23(a)(2), (3)(ii), (e)
Toilet Facilities141(c)
Construction141(c)(2)
Hazardous Waste120(n)(3)
Labor Camps142(d)
Lavatories141(d)(2)
Minimum Numbers141(c)(1), (d)(2)
Towels141(d)(3)(v)
Washing Facilities141(d)
Tongs, Upsetters218(h)(4)
Tooling217(d)(5)
Torch Valves, Welding252(a)(4)(ii)
Towels141(d)(3)(v)
Towers, Scaffolds (see Ladder Stands and Scaffolds; Scaffolds; Work Platforms, Mobile).	.29
Toxic and Hazardous Substances	Subpart Z
Tractors (see also Powered Industrial Trucks).	.178, .268(j)(1)
Training217(e)(3)
13 Carcinogens (4-Nitrophenyl, etc.).	.1003(e)(4)
Acrylonitrile1045(o)
Aerial Lift Operation Personnel Requirements.	.67(c)(2)
Arsenic, Inorganic1018(o)
Asbestos1001(j)(7)
Bloodborne Pathogens1030(g)(2)
HIV and HBV Research1030(e)(5)
Training Records1030(h)(2)
Benzene1028(j)(3)
Cadmium1027(m)(4)
Chemicals, Occupational Exposure in Laboratories.	.1450(f)
Chromium (VI)1026(l)(2)
Coke Oven Emissions1029(k)
Confined Spaces, Permit-Required146(g), .146(i), .146(k), .146 App. E 1-2, .146 App. F (B)
Control of Hazardous Energy (Lockout/Tagout).	.147(c)(1), (7)
Removal Procedures147(e)(3)
Outside Personnel147(f)(2)
Cotton Dust1043(i)
Cranes, Overhead and Gantry179(n)(3)
DBCP (1,2-Dibromo-3-Chloropropane).	.1044(n)
Diving, Qualifications410
Diving, Training	App. C
Electric Power Generation, Transmission, and Distribution.	.269(a)(2)
Control of Hazardous Energy269(d)(2)
Enclosed Spaces Entry269(e)(2)
Live-Line Bare-Hand Work269(q)(3)
Coal and Ash Handling269(v)(11)
Electrical Safety-Related Work Practices.	.332
Emergency Action Plans38(e), (f)
Emergency Response120(q)(6)
Employee Alarm Systems165(d)(5)
Explosives and Blasting Agents	
Operation of Transportation Vehicles.	.109(d)(3), (g)(3)
Bulk Delivery and Mixing Vehicles.	.109(h)(4)
Ethylene Oxide1047(j)(3)
Fire Brigades156(c)
Fire Detection Systems164(c)(4)
Fire Extinguishers, Portable157(d), (f), (g)
Overhead and Gantry Cranes	.179(o)(3)
Crawler, Locomotives, and Truck Cranes.	.180(i)(5)

Occupational Safety and Health Admin., Labor

Pt. 1910, Index

Subject term	Section No.	Subject term	Section No.
Fire Extinguishing Systems160(b)(2), (b)(10)	Resistance Welding255(a)(3)
Fire Prevention Plans39(d)	Transmission Pipeline Welding252(d)(1)
First Aid151	Construction Standards252(d)(1)(v)
Electric Power Generation, Transmission and Distribu- tion.	.269(b)(1)	Electric Shock252(d)(1)(iii)
Logging266 App. B	Field Shop Operations252(d)(1)(ii)
Telecommunications268(c)(3)	Flammable Substances252(d)(1)(vi)
Flammable and Combustible Liq- uids.	.106(b)(5)	Pressure Testing252(d)(1)(iv)
Forging Machines218(a)(2)	X-ray Inspection252(d)(1)(vii)
Formaldehyde1048(n)	Transportation.	
Grain Handling Facilities272(e)	Blasting Agents109(g)(6)
Contractors272(i)(1)	Explosives109(d)
Rescue272(g)(5)	Fire Extinguishers109(d)(2)(iii)
Hazardous Chemicals (Hazard Communication).	.1200(h)	Markings109(d)(2)(ii)
Hazardous Waste Operations and Emergency Response.	.120(e)	Vehicles109(d)(2), (3)
Treatment, Storage and Dis- posal Facilities.	.120(p)(7)	Trapdoors23(a)(5)
Emergency Response120(q)(6)	Traps, Air Receivers169(b)(2)
Hearing Protection95(k)	Treads, Stairs24(f)
Use of Hearing Protectors95(i)(4)	Treadles217(b)(4)
Chromium (VI), Employee Infor- mation and Training.	.1026(l)(2)	Tree-Trimming.	
Laundry Machine and Operations	.264(d)(1)	Electrical Line-Clearance269(r), (x)
Lead1025(l)	Electrical Safety-Related Work Practices.	.331(c)(1)
Liquefied Petroleum Gases, Stor- age.	.110(b)(16)	Electrical Safety, Definitions339
Watch Service110(d)(12)	Telecommunications268(g)
Logging Operations266(i), App. B	Trestle Ladders, Portable.	
Manlift Personnel Requirements68(b)(1)	Metal26(a)(4)
Mechanical Power Presses		Wood25(c)(3)(v)
Maintenance Personnel217(e)(3), (h)(10)	Trimming Presses218(g)
Operator Training217(h)(13)	Trips, Two-Hand217(b)(6)
Methylene Chloride1052(l)	Trolley Bumpers, Cranes179(e)(3)
4' Methyleneedianiline1050(k)(4)	Trolley Ladders, Portable25(c)(5)
4-Nitrophenyl1003(e)(4)	Trolley Stops, Cranes179(e)(1)
Noise Exposure95(k)	Truck Cranes (see also Crawler, Loco- motive, and Truck Cranes).	.180
Powered Industrial Trucks178(l)	Trucks178(k), (m)
Powered Platforms for Building Maintenance		Forklift261(c)(1)
Care and Use66 App. C	Hand261(m)(1)
Operations Training66(i)(1)	Highway178(k), (m)
Process Safety Management of Highly Hazardous Chemicals.	.119(g)	Powered Industrial178
Contractor Training119(h)(3)	Trucks, Powered Industrial (see also Powered Industrial Trucks).	.28(c)
Notification of Change in Process.	.119(i)(3)	Tube and Coupler Scaffolds28(c)
Process Maintenance Activi- ties.	.119(j)(4)	Tube and Coupler Scaffolds, Mobile29(d)
Radiation, Ionizing1096(i)(2)	Tubing (see Piping, Fittings, and Tub- ing).	
Respiratory Protection134(k)	Tubular Welded Frame Scaffolds28(d)
Rim Wheels, Servicing177(c)	Tubular Welded Frame Scaffolds, Mo- bile.	.29(b)
Signs and Tags145(c)	Tubular Welded Sectional Folding Scaffolds.	.29(c)
Standpipe and Hose Systems158(e)(2)	Turning Machines213(o)
Telecommunications268(c)	Two-Point Suspension Scaffolds28(g)
Battery Handling268(b)(2)	Two-Section Rung Ladders25(c)(3)(iii)
Cable Fault Locating268(l)(1)	Underground Storage Tanks, Flam- mable Liquids.	.106(b)(3)
Derrick Trucks268(j)(4)	Location106(b)(3)(i)
Manholes268(o)	Depth and Cover106(b)(3)(ii)
Tree Trimming268(q)	Corrosion Protection106(b)(3)(iii)
Temporary Labor Camps (First Aid).	.142(k)	Vents106(b)(3)(iv)
Truck Operators (see Powered In- dustrial Trucks; Explosives and Blasting Agents; Telecommuni- cations)		Upsetters218(h)
Vinyl Chloride1017(j)	Dies Changing218(h)(5)
Welding, Cutting, and Brazing252(a)(2)	Lockouts218(h)(2)
Arc Welding and Cutting254(a)(3)	Manual Controls218(h)(3)
Oxygen-Fuel Gas Welding and Cutting.	.253(a)(4)	Supporting Foundations218(h)(1)
		Tongs218(h)(4)
		Valves (see also Piping, Valves, and Fittings).	
		Air Receivers169(b)(3)
		Liquefied Petroleum Gases110(b)(7)
		Non-DOT Containers110(d)(3)
		Vaporizers.	
		Liquefied Petroleum Gases110(b)(11)
		Liquid Hydrogen103(c)(1)(viii)
		Liquid Oxygen104(b)(7)

Pt. 1910, Index

29 CFR Ch. XVII (7–1–13 Edition)

Subject term	Section No.
Vehicle-Mounted Elevating and Rotating Work Platforms	.67
Definitions Applicable to This Section.	.67(a)
General Requirements	.67(b)
Specific Requirements	.67(c)
Bursting Safety Factor	.67(c)(4)
Electrical Tests	.67(c)(3)
Extensible and Articulating Boom Platforms.	.67(c)(2)
Ladder Trucks and Tower Trucks.	.67(c)(1)
Welding Standards	.67(C)(5)
Manlifts	.68
Definitions Applicable to This Section.	.68(a)
General Requirements	.68(b)
Mechanical Requirements	.68(c)
Emergency Stop	.68(c)(6)
Handholds	.68(c)(4)
Machines, General	.68(c)(1)
Platforms or Steps	.68(c)(3)
Speed	.68(c)(2)
Up Limit Stops	.68(c)(5)
Operating Rules	.68(d)
Proper Use of Manlifts	.68(d)(1)
Periodic Inspection	.68(e)
Frequency	.68(e)(1)
Inspection Record	.68(e)(3)
Items Covered	.68(e)(2)
Vehicles.	
Logging Operations	.266(g)
Sawmills	.265(c)(30)
Vehicles, Slow-Moving, Signs	.145(d)(10)
Veneer Machinery	.30(c)
Cutters	.213(q), (s)(13)
Ventilation.	
13 Carcinogens	.1003(c)(4), (d)(4)
Asbestos	.1001(f)(1)
Arsenic, Inorganic	.1018(k)(5)
Bakery Equipment	.263(l)(10)
Bloodborne Pathogens	.1030(e)(4)(vi)
Cadmium	.1027(f)(3), (k)(6)
Chromium (VI)	.1026(j)(2), App. A, Exhibit A-3
Confined Spaces, Permit-Required Cotton Dust	.146(c)(5), App. C
Cranes, Overhead and Gantry	.1043(e)(4)
1,2-Dibromo-3-Chloropropane	.179(e)(4)
Dipping and Coating Operations	.1044(k)(1), App. B
Flashpoints Greater Than 199.4 deg C.	.124(b), (j)(4)
Flashpoints Greater Than 199.4 deg C.	.125(f)
Electric Power Generation, Transmission, and Distribution Enclosed Spaces.	.269(e)
Explosives and Blasting Agents	.109(c)(3), (i)(2), (i)(4)
Flammable Liquids	.106(a)(31), .106(d)(4), .106(e)(2), .106(e)(3), .106(e)(7), .106(f)(2), .106(h)(3)
Forging Machines	.218(a)(1)
Formaldehyde	.1048 App. A
Grain Handling Facilities Entry into Grain Storage Structures.	.272(g)
Hazardous Locations, Definitions	.399
Hazardous Waste Operations and Emergency Response.	.120(n)(7)
Hydrogen	.103(b)(3)(ii), (c)(3)(ii)
Laboratories	.1450(b)

Subject term	Section No.
Lead	.1025(e)(4)
Liquefied Petroleum Gases, Storage and Handling.	.110(a)(13)
Oxygen	.104(b)(3)
Powered Industrial Trucks	.178(c)(2), .178(g)(2)
Pulp, Paper, and Paperboard Mills	.261(f)(2), .261(g)(20), .261(h)(2)
Resistance Welding	.255(d)(1)
Respiratory Protection	.134(a)
Sawmills	.265(c)(7), (d)(2)
Spray Finishing Operations	.107(d), (h)(11), (i)(8)-(9), (k), (l)(2), (l)(7)
Telecommunications	
Battery Handling	.268(b)(2)
Ladder Storage, Wooden	.268(h)(4)
Tent Heaters	.268(i)(3)
Underground Lines (Manholes, Unvented Vaults).	.268(o)
Welding, Cutting, and Brazing	.252(b)(4), (c)
Wiring Methods, Components, and Equipment.	.305(a)(1)
for General Use	(j)(7)
Ventilation Standard	.94
Abrasive Blasting	.94(a)
Air Supply and Air Compressors.	.94(a)(6)
Blast-Cleaning Enclosures	.94(a)(3)
Definitions Applicable to This Paragraph.	.94(a)(1)
Dust Hazards from Abrasive Blasting.	.94(a)(2)
Exhaust Ventilation Systems	.94(a)(4)
Operational Procedures and General Safety.	.94(a)(7)
Personal Protective Equipment.	.94(a)(5)
Scope	.94(a)(8)
Grinding, Polishing, and Buffing Operations.	.94(b)
Application	.94(b)(2)
Definitions Applicable to This Paragraph.	.94(b)(1)
Exhaust Systems	.94(b)(4)
Hood and Branch Pipe Requirements.	.94(b)(3)
Hood and Enclosure Design	.94(b)(5)
Scope	.94(b)(6)
Spray Finishing Operations	.94(c)
Definitions Applicable to This Paragraph.	.94(c)(1)
Design and Construction of Spray Booths.	.94(c)(3)
Design and Construction of Spray Rooms.	.94(c)(4)
Location and Application	.94(c)(2)
Make-Up Air	.94(c)(7)
Scope	.94(c)(8)
Velocity and Air Flow Requirements.	.94(c)(6)
Ventilation	.94(c)(5)
Venting, Tanks.	
Aboveground	.106(b)(2)(iv)-(vi)
Inside	.106(b)(4)(ii)
Portable	.106(d)(2)(ii)
Underground	.106(b)(3)(iv)
Vents (see Venting).	
Vermin Control	.141(a)(5)
Vinyl Chloride	.1017
Emergency Situations	.1017(i)
Hazardous Operations	.1017(h)
Medical Surveillance	.1017(k)

Subject term	Section No.	Subject term	Section No.
Methods of Compliance1017(f)	Other Working Surfaces30
Monitoring1017(d)	Portable Metal Ladders26
Permissible Exposure Limit (PEL)1017(c)	Portable Wood Ladders25
Regulated Areas1017(e)	Scaffolding, Safety Requirements for.	.28
Respiratory Protection1017(g)	Boatswain's Chairs28(j)
Communication of Hazards1017(i)	Bricklayers' Square Scaffolds28(l)
Training1017(j)	Carpenters' Bracket Scaffolds28(k)
Walking-Working Surfaces; Subpart D	.21	Chicken Ladders28(t)
Definitions21	Crawling Boards28(t)
Fixed Industrial Stairs24	Decorators' Scaffolds28(o)
Angle of Stairway Rise24(e)	Float or Ship Scaffolds28(u)
Application of Requirements ..	.24(a)	General Requirements for All Scaffolds.	.28(a)
Railings and Handrails24(h)	Horse Scaffolds28(m)
Stair Strength24(c)	Interior Hung Scaffolds28(p)
Stair Treads24(f)	Ladder-Jack Scaffolds28(q)
Stair Width24(d)	Large Area Scaffolds28(o)
Stairway Platforms24(g)	Needle Beam Scaffold28(n)
Vertical Clearance24(i)	Outrigger Scaffolds28(e)
Where Fixed Stairs Are Required.	.24(b)	Plasterers', Decorators', and Large Area Scaffolds.	.28(o)
Fixed Ladders27	Powered Platforms66
Clearance27(c)	Roofing Brackets28(s)
Clearance in Back of Grab Bar.	.27(c)(5)	Scope28(v)
Clearance in Back of Ladder Climbing Side27(c)(4)	Ship Scaffolds28(u)
Hatch Cover27(c)(7)	Suspension Scaffolds, Adjustable Single-Point Suspension Scaffolds, Masons'.	.28(i)
Ladders with Cages or Baskets.	.27(c)(3)	Adjustable Multiple-Point28(f)
Ladders Without Cages or Wells.	.27(c)(2)	Suspension Scaffolds, Stone Setters' Adjustable Multiple-Point.	.28(h)
Step-Across Distance27(c)(6)	Swinging Scaffolds, Two-Point Suspension.	.28(g)
Design Requirements27(a)	Tube and Coupler Scaffolds ..	.28(c)
Design Stresses27(a)(2)	Tubular Welded Frame Scaffolds.	.28(d)
Maintenance27(f)	Two-Point Suspension Scaffolds (Swinging).	.28(g)
Pitch27(e)	Window-Jack Scaffolds28(r)
Specific features27(b)	Wood Pole Scaffolds, Requirements for.	.28(b)
Electrolytic Action27(b)(5)	Scaffolds (Towers), Manually Propelled Rolling.	.29
Fastenings27(b)(3)	Stairs, Fixed Industrial24
Protection from Deterioration	.27(b)(7)	Wall Openings, Guarding23
Rungs and Cleats27(b)(1)	Working Surfaces, Other30
Side Rails27(b)(2)	Wall Cranes (see Gantry Cranes)	
Splices.27(b)(4).		Wall Openings (Holes)23(b)
Welding27(b)(6)	Warehouses.	
Special Requirements27(d)	Ammonium Nitrate109(i)(4)
Cages or Wells27(d)(1)	Flammable Liquids106(d)(5)(v)
Grab Bars27(d)(4)	Warning Devices and Signs (see also Signs and Tags, Specifications for Accident Prevention).	
Ladder Extensions27(d)(3)	Arsenic, Inorganic1018 App. A
Landing Platforms27(d)(2)	Asbestos1001(j)(4)
Ladder Safety Devices27(d)(5)	Benzene1028(j)(2)
Floor and Wall Openings, Guarding.	.23	Bloodborne Pathogens1030(e)(2), (g)(1)
Open-Sided Floors, Platforms, and Runways.	.23(c)	Cadmium1027(m)(2)
Protection for Floor Openings	.23(a)	Coke Oven Emissions1029 App. A
Protection for Wall Openings and Holes.	.23(b)	Confined Spaces, Permit-Required	.146(h)(4)-(5)
Railings, Toe Boards, and Covers.	.23(e)	Cotton Dust1043(j)(1)
Stairway Railings and Guards	.23(d)	Cranes179(i)
General Requirements22	Electric Power Generation, Transmission, and Distribution.	.269(v)(11)(x), .269(w)(6)
Aisles and Passageways22(b)	Electrical	
Covers and Guardrails22(c)	General303(g)(2), (h)(5)
Floor Loading, Protection22(d)	Specific Purpose Equipment and Installations.	.306(c)(8)-(9)
Guardrails22(c)	Explosives and Blasting Agents109(e)(1), (e)(5)
Housekeeping22(a)	Lead1025(m)(2), App. B
Guarding Floor and Wall Openings and Holes (see above).	.23	Manlifts68(c)(7)
Ladders, Fixed27		
Ladders, Portable Metal26		
Ladders, Portable Wood25		
Ladders, Mobile Stands29		
Manually Propelled Mobile Ladder Stands and Scaffolds (Towers).	.29		

Pt. 1910, Index

29 CFR Ch. XVII (7–1–13 Edition)

Subject term	Section No.
Nonionizing Radiation97(a)(3)
Pulp, Paper, and Paperboard Mills261(c)(9)
Sawmills265(c)(6), (e)(1)
Spray Finishing Using Flammable and Combustible Materials107(j)(4)(v)
Telecommunications268(d)(1)
Welding, Cutting, Brazing, General Requirements252(b)(4)(vii)
Washing Facilities141(d), .142(f), .120(n)(6)
Waste Disposal141(a)(4)
Bulk Plants106(f)(7)
Containers141(g)(3)
Dip Tanks125(e)(4)(ii), .125(e)(4)(iii)
Labor Camps142(e), (h)
Processing Plants106(h)(8)(iii)
Service Stations106(g)(7)
Spraying107(g)(3)
Water Gels109(h)
Water Spray Extinguishing Systems, Fixed163
Water Supply	
Hazardous Waste Operations120(n)
Labor Camps142(c)
Nonpotable Water141(b)(2)
Potable Water141(b)(1)
Sprinkler Systems159(c)(4)
Standpipe and Hose Systems158(d)
Weather Protection Manlifts68(b)(15)
Welding (see also Acetylene Generators; Arc Welding and Cutting	
Flash Welding Equipment; Oxygen-Fuel Gas Welding and Cutting; Resistance Welding; Welding Machines, Portable)251-.255
Acetylene Generators253(f)
Authorization (Hot Work Permit)252(a)(2)(iv)
Beryllium252(c)(8)
Cadmium252(c)(9)
Calcium Carbide Storage253(g)
Chemicals, Highly Hazardous, Process Safety Management, Hot-Work Permits119(k)
Cleaning Compounds252(c)(11)
Concentrations, Maximum Allowable252(c)(1)(iii)
Confined Spaces252(a)(4), (c)(4)
Ventilation252(c)(2), (c)(4)
Cutting Containers252(a)(3)
Contamination252(c)(1)(i)
Definitions251
Eye Protection252(b)(2)
Goggles252(b)(2)(i)(B)
Shade Number Guide252(b)(2)(ii)(H)
Fire Protection252(a)(2)(i)
Fire Watch252(a)(2)(iii), (x), (xiv)
First Aid Equipment252(c)(13)
Fluorine Compounds252(c)(5)
Hazard Communication252(c)(1)(iv)
Hoods252(c)(3)
Labels252(c)(1)(iv)
Ladders, Fixed27(b)(6)
Lead252(c)(7)
Liquefied Petroleum Gases110(b)(4)
Mercury252(c)(10)
Operating Procedures253(b)(5)
Piping Systems, Mechanical252(d)(2)
Personnel Protection252(b)
Helmets252(b)(2)(i)(A)
Lifelines252(b)(4)(iv)
Precautions252(a)(2), .255(e)
Prohibited Areas252(a)(2)(vi)

Subject term	Section No.
Screens252(c)(1)(ii)
Spot and Seam255(b)
Stainless Steels252(c)(12)
Supervisor Responsibility252(a)(2)(xiv)
Transmission Pipelines252(d)(1)
Ventilation252(c)(2)
X-ray Inspection252(d)(1)(vii)
Zinc252(c)(6)
Welding Machines, Portable255(c)
Clevis255(c)(3)
Counterbalance255(c)(1)
Grounding255(c)(6)
Holder, Movable255(c)(5)
Safety Chains255(c)(2)
Switch Guards255(c)(4)
Wharves	
Bulk Plants106(f)(4)
Chemical Plants106(i)(2)
Distilleries106(i)(2)
Explosives109(f)
Marine Service Stations106(g)(4)
Refineries106(i)(2)
Wheels, Multi-Piece Rim, Servicing177
Winch Heads, Derricks181(i)(5)
Wind Indicators179(b)(4)
Window-Jack Scaffolds28(r)
Guardrails28(r)(3)
Use28(r)(1), (2)
Wood Heel Turning Machines213(o)
Wood Ladders, Portable (see also Ladders, Portable Wood)25, .268(h)
Wood Pole Scaffolds28(b)
Wood Shapers213(m)
Wooden Guards219(o)(2)
Woodworking Machinery Requirements213
Bandsaws and Band Resaws213(i)
Boring and Mortising Machines213(l)
Circular Resaws213(e)
Circular Saws, Self-Feeding213(f)
Construction of Machinery, General213(a)
Controls213(b)
Cross-Cut Table Saws, Hand-Fed213(d)
Definitions211(a)
Drag Saws213(r)
Glue Spreaders, Roll-Type213(r)
Inspection and Maintenance213(s)
Woodworking Machines	
Hand-Fed Crosscut Table Saws213(d)
Hand-Fed Ripsaws213(c)
Jointers213(j)
Machine Controls and Equipment213(b)
Maintenance213(s)
Matching Machines213(n)
Miscellaneous Woodworking Machines213(r)
Molding Machines213(n)
Mortising Machines213(l)
Planing, Molding, Sticking, and Matching Machines213(n)
Profile and Swing-Head Lathes and Wood Heel Turning Machine213(o)
Radial Saws213(h)
Resaws, Circular213(e)
Ripsaws, Hand-Fed213(c)
Sanding Machines213(p)
Self-Fed Circular Saws213(f)
Sticking213(n)
Swing Cutoff Saws213(g)
Swing Head Lathes213(o)
Table Saws213(d)
Tenoning Machines213(k)
Turning Machines, Wood Heel213(o)

Occupational Safety and Health Admin., Labor

Pt. 1910, Index

Subject term	Section No.	Subject term	Section No.
Veneer Cutters and Wringers213(q)	Cotton Dust1043(e)(3), (g)
Wood Heel Turning Machines213(o)	1,2-Dibromo-3-Chloropropane1044(g)(2)
Wood Shapers and Similar Equipment.	.213(m)	Diving, Commercial Safe Practices Manual.	.440(b)(2)
Woodworking Machines, Inspection and Maintenance.	.213(s)	Electric Power Generation, Transmission, and Distribution, Energy Control Procedures.	.269(d)(2)
Woodworking Machines, Miscellaneous.	.213(r)	Electrical	
Woodworking Tools, Portable Powered	.243(a)	Wiring Design and Protection, Assured Equipment Grounding Conductor Program.	.304(b)(3)
Belt Sanding Machines243(a)(3)	Selection and Use of Work Practices, Lockout and Tagging.	.333(b)(2)
Circular Saws243(a)(1)	Ethylene Oxide1047(f)(2)
Cracked Saws243(a)(4)	Grain Handling Facilities272(j),
Dead-Man Controls243(a)(2)	Hazard Communication1200(e)
Grounding243(a)(5)	Hazardous Waste Operations and Emergency Response.	.120(b), .120(d), .120(l), .120(p), .120(q)
Sanding Machines243(a)(3)	Laboratories, Chemical Hygiene Plan.	.1450(e)
Work Platforms66, .67	Lead1025(e)(3)
Elevating and Rotating67	Methylenedianiline1050(g)(2)
Powered Platforms66	Process Safety Management of Highly Hazardous Chemicals.	.119(c)(1), (d), (f)(1), (j)(2)
Vehicle-Mounted67	Respiratory Protection134(c)
Application67(b)(1)	Vinyl Chloride1017(f), (i)
Design67(b)(2)	X-ray Inspections, Mechanical Piping Systems.	.252(d)(2)(ii)
Work Platforms, Mobile (see also Scaffolds).	.29(e)	Zinc, Welding/Cutting252(c)(6)
Working Surfaces (see also Walking-Working Surfaces).	.30	Confined Spaces252(c)(6)(i)
Written Programs (see also Emergency Action Plans; Fire Prevention Plan).		Indoors252(c)(6)(ii), .252(c)(6)(ii)
Acrylonitrile1045(g)(2)		
Asbestos1001(f)(2)		
Arsenic, Inorganic1018(g)(2)		
Benzene1028(f)(2)		
Bloodborne Pathogens1030		
Coke Oven Emissions1029(f)(6)		
Confined Spaces, Permit-Required Control of Hazardous Energy (Lockout/Tagout).	.146(c)(4), (d) .147(c)		