

Environmental Protection Agency

§ 180.364

distannoxane, and its organotin metabolites, dihydroxybis(2-methyl-2-phenylpropyl) stannane and 2-methyl-2-phenylpropylstannic acid, calculated as the stoichiometric equivalent of fenbutatin-oxide, in or on the commodity.

Commodity	Parts per million
Cattle, fat	0.5
Cattle, meat	0.5
Cattle, meat byproducts	0.5
Egg	0.1
Goat, fat	0.5
Goat, meat	0.5
Goat, meat byproducts	0.5
Hog, fat	0.5
Hog, meat	0.5
Hog, meat byproducts	0.5
Horse, fat	0.5
Horse, meat	0.5
Horse, meat byproducts	0.5
Milk, fat	0.1
Poultry, fat	0.1
Poultry, meat	0.1
Poultry, meat byproducts	0.1
Sheep, fat	0.5
Sheep, meat	0.5
Sheep, meat byproducts	0.5

(b) *Section 18 emergency exemptions.*
[Reserved]

(c) *Tolerances with regional registrations.* A tolerance with regional registration, as defined in §180.1(l), is established for residues of the miticide/acaricide fenbutatin-oxide, including its metabolites and degradates, in or on the plant commodity in the table in this paragraph. Compliance with the tolerance level specified in this paragraph is to be determined by measuring only fenbutatin-oxide, hexakis (2-methyl-2-phenylpropyl) distannoxane, in or on the commodity.

Commodity	Parts per million
Raspberry	10.0

(d) *Indirect or inadvertent residues.*
[Reserved]

[65 FR 33713, May 24, 2000, as amended at 72 FR 41930, Aug. 1, 2007; 73 FR 5109, Jan. 29, 2008; 76 FR 23494, Apr. 27, 2011]

§ 180.364 Glyphosate; tolerances for residues.

(a) *General.* (1) Tolerances are established for residues of glyphosate, including its metabolites and degradates, in or on the commodities listed below resulting from the application of

glyphosate, the isopropylamine salt of glyphosate, the ethanolamine salt of glyphosate, the dimethylamine salt of glyphosate, the ammonium salt of glyphosate, and the potassium salt of glyphosate. Compliance with the following tolerance levels is to be determined by measuring only glyphosate (*N*-(phosphonomethyl)glycine).

Commodity	Parts per million
Acerola	0.2
Alfalfa, seed	0.5
Almond, hulls	25
Aloe vera	0.5
Ambarella	0.2
Animal feed, nongrass, group 18	400
Artichoke, globe	0.2
Asparagus	0.5
Atemoya	0.2
Avocado	0.2
Bamboo, shoots	0.2
Banana	0.2
Barley, bran	30
Beet, sugar, dried pulp	25
Beet, sugar, roots	10
Beet, sugar, tops	10
Berry and small fruit, group 13-07	0.20
Betelnut	1.0
Biriba	0.2
Blimbe	0.2
Breadfruit	0.2
Cacao bean, bean	0.2
Cactus, fruit	0.5
Cactus, pads	0.5
Canistel	0.2
Carrot	5.0
Chaya	1.0
Cherimoya	0.2
Citrus, dried pulp	1.5
Coconut	0.1
Coffee, bean, green	1.0
Corn, pop, grain	0.1
Corn, sweet, kernel plus cob with husk removed	3.5
Cotton, gin byproducts	210
Custard apple	0.2
Date, dried fruit	0.2
Dokudami	2.0
Durian	0.2
Epazote	1.3
Feijoa	0.2
Fig	0.2
Fish	0.25
Fruit, citrus, group 10-10	0.50
Fruit, pome, group 11-10	0.20
Fruit, stone, group 12	0.2
Galangal, roots	0.2
Ginger, white, flower	0.2
Gourd, buffalo, seed	0.1
Governor's plum	0.2
Gow kee, leaves	0.2
Grain, cereal, forage, fodder and straw, group 16, except field corn, forage and field corn, stover	100
Grain, cereal, group 15 except field corn, popcorn, rice, sweet corn, and wild rice	30
Grass, forage, fodder and hay, group 17	300
Guava	0.2
Herbs subgroup 19A	0.2
Hop, dried cones	7.0
Ilama	0.2
Imbe	0.2

§ 180.364

40 CFR Ch. I (7-1-14 Edition)

Commodity	Parts per million
Imbu	0.2
Jaboticaba	0.2
Jackfruit	0.2
Kava, roots	0.2
Kenaf, forage	200
Leucaena, forage	200
Longan	0.2
Lychee	0.2
Mamey apple	0.2
Mango	0.2
Mangosteen	0.2
Marmaladebox	0.2
Mioga, flower	0.2
Noni	0.20
Nut, pine	1.0
Nut, tree, group 14	1.0
Oilseeds, group 20, except canola	40
Okra	0.5
Olive	0.2
Oregano, Mexican, leaves	2.0
Palm heart	0.2
Palm heart, leaves	0.2
Palm, oil	0.1
Papaya	0.2
Papaya, mountain	0.2
Passionfruit	0.2
Pawpaw	0.2
Pea, dry	8.0
Peanut	0.1
Peanut, hay	0.5
Pepper leaf, fresh leaves	0.2
Peppermint, tops	200
Perilla, tops	1.8
Persimmon	0.2
Pineapple	0.1
Pistachio	1.0
Pomegranate	0.2
Pulasan	0.2
Quinoa, grain	5.0
Rambutan	0.2
Rice, grain	0.1
Rice, wild, grain	0.1
Rose apple	0.2
Sapodilla	0.2
Sapote, black	0.2
Sapote, mamey	0.2
Sapote, white	0.2
Shellfish	3.0
Soursop	0.2
Spanish lime	0.2
Spearmint, tops	200
Spice subgroup 19B	7.0
Star apple	0.2
Starfruit	0.2
Stevia, dried leaves	1.0
Sugar apple	0.2
Sugarcane, cane	2.0
Sugarcane, molasses	30
Surinam cherry	0.2
Sweet potato	3.0
Tamarind	0.2
Tea, dried	1.0
Tea, instant	7.0
Teff, forage	100
Teff, grain	5.0
Teff, hay	100
Ti, leaves	0.2
Ti, roots	0.2
Ugli fruit	0.5
Vegetable, bulb, group 3-07	0.20
Vegetable, cucurbit, group 9	0.5
Vegetable, foliage of legume, subgroup 7A, except soybean	0.2

Commodity	Parts per million
Vegetable, fruiting, group 8-10 (except okra)	0.10
Vegetable, leafy, brassica, group 5	0.2
Vegetable, leafy, except brassica, group 4	0.2
Vegetable, leaves of root and tuber, group 2, except sugar beet tops	0.2
Vegetable, legume, group 6 except soybean and dry pea	5.0
Vegetables, root and tuber, group 1, except carrot, sweet potato, and sugar beet	0.20
Wasabi, roots	0.2
Water spinach, tops	0.2
Watercress, upland	0.2
Wax jambu	0.2
Yacon, tuber	0.2

(2) Tolerances are established for residues of glyphosate, including its metabolites and degradates, in or on the commodities listed below resulting from the application of glyphosate, the isopropylamine salt of glyphosate, the ethanolamine salt of glyphosate, the dimethylamine salt of glyphosate, the ammonium salt of glyphosate, and the potassium salt of glyphosate. Compliance with the following tolerance levels is to be determined by measuring only glyphosate (*N*-(phosphonomethyl)glycine) and its metabolite *N*-acetyl-glyphosate (*N*-acetyl-*N*-(phosphonomethyl)glycine; calculated as the stoichiometric equivalent of glyphosate).

Commodity	Parts per Million
Canola, seed	20
Cattle, meat byproducts	5.0
Corn, field, forage	13
Corn, field, grain	5.0
Corn, field, stover	100
Egg	0.05
Goat, meat byproducts	5.0
Grain aspirated fractions	310.0
Hog, meat byproducts	5.0
Horse, meat byproducts	5.0
Poultry, meat	0.10
Poultry, meat byproducts	1.0
Sheep, meat byproducts	5.0
Soybean, forage	100.0
Soybean, hay	200.0
Soybean, hulls	120.0
Soybean, seed	20.0

(b) Section 18 emergency exemptions. [Reserved]

(c) Tolerances with regional registrations. [Reserved]

(d) Indirect or inadvertent residues. [Reserved]

[45 FR 64911, Oct. 1, 1980]

EDITORIAL NOTE: For FEDERAL REGISTER citations affecting § 180.364, see the List of CFR

Environmental Protection Agency

§ 180.368

Sections Affected, which appears in the Finding Aids section of the printed volume and at www.fdsys.gov.

§ 180.367 *n*-Octyl bicycloheptenedicarboximide; tolerances for residues.

(a) *General*. A tolerance of 5 parts per million is established for residues of the insecticide synergist *N*-octyl bicycloheptene dicarboximide, including its metabolites and degradates, in or on all food items in food handling establishments where food and food products are held, processed, prepared and/or served, provided that the food is removed or covered prior to such use, except for bagged food in warehouse storage which need not be removed or covered prior to applications of formulations containing *N*-octyl bicycloheptene dicarboximide. Compliance with the tolerance level specified in this paragraph is to be determined by measuring only *N*-octyl bicycloheptene dicarboximide, in or on the commodity.

(b) *Section 18 emergency exemptions*. [Reserved]

(c) *Tolerances with regional registrations*. [Reserved]

(d) *Indirect or inadvertent residues*. [Reserved]

[65 FR 33713, May 24, 2000, as amended at 75 FR 60243, Sept. 29, 2010]

§ 180.368 Metolachlor; tolerances for residues.

(a) *General*. (1) Tolerances are established for the combined residues (free and bound) of the herbicide metolachlor, 2-chloro-*N*-(2-ethyl-6-methylphenyl)-*N*-(2-methoxy-1-methylethyl)acetamide, and its metabolites, determined as the derivatives, 2-[(2-ethyl-6-methylphenyl)amino]-1-propanol and 4-(2-ethyl-6-methylphenyl)-2-hydroxy-5-methyl-3-morpholinone, each expressed as the parent compound in the following raw agricultural commodities:

Commodity	Parts per million
Almond, hulls	0.30
Animal feed, nongrass, group 18	1.0
Cattle, fat	0.02
Cattle, kidney	0.20
Cattle, liver	0.05
Cattle, meat	0.02
Cattle, meat byproducts, except kidney and liver	0.04

Commodity	Parts per million
Corn, field, forage	6.0
Corn, field, grain	0.10
Corn, field, stover	6.0
Corn, pop, grain	0.10
Corn, pop, stover	6.0
Corn, sweet, forage	6.0
Corn, sweet, kernel plus cob with husks removed	0.10
Corn, sweet, stover	6.0
Cotton, gin byproducts	4.0
Cotton, undelinted seed	0.10
Dillweed	0.50
Egg	0.02
Goat, fat	0.02
Goat, kidney	0.20
Goat, liver	0.05
Goat, meat	0.02
Goat, meat byproducts, except kidney and liver	0.04
Grass, forage	10
Grass, hay	0.20
Horse, fat	0.02
Horse, kidney	0.20
Horse, liver	0.05
Horse, meat	0.02
Horse, meat byproducts, except kidney and liver	0.04
Milk	0.02
Nut, tree, group 14	0.10
Okra	0.50
Peanut	0.20
Peanut, hay	20
Peanut, meal	0.40
Potato	0.20
Poultry, fat	0.02
Poultry, meat	0.02
Poultry, meat byproducts	0.05
Safflower, seed	0.10
Sheep, fat	0.02
Sheep, kidney	0.20
Sheep, liver	0.05
Sheep, meat	0.02
Sheep, meat byproducts, except kidney and liver	0.04
Sorghum, grain, forage	1.0
Sorghum, grain, grain	0.30
Sorghum, grain, stover	4.0
Soybean, forage	5.0
Soybean, hay	8.0
Soybean, seed	0.20
Tomato	0.10
Vegetable, foliage of legume, subgroup 7A, except soybean	15.0
Vegetable, legume, group 6	0.30

(2) Tolerances are established for residues of *S*-metolachlor, including its metabolites and degradates, in or on the commodity(s), as defined. Compliance with the tolerance levels specified in the following table below is to be determined by measuring only the sum of free and bound *S*-metolachlor, *S*-2-chloro-*N*-(2-ethyl-6-methylphenyl)-*N*-(2-methoxy-1-methylethyl)acetamide, its *R*-enantiomer, and its metabolites, determined as the derivatives, 2-(2-ethyl-6-methylphenyl)amino-1-propanol and 4-(2-ethyl-6-methylphenyl)-2-