

**Environmental Protection Agency**

**§ 141.61**

**§ 141.54 Maximum residual disinfectant level goals for disinfectants.**

MRDLGs for disinfectants are as follows:

Disinfectant residual	MRDLG(mg/L)
Chlorine .....	4 (as Cl <sub>2</sub> ).
Chloramines .....	4 (as Cl <sub>2</sub> ).
Chlorine dioxide .....	0.8 (as ClO <sub>2</sub> )

[63 FR 69465, Dec. 16, 1998]

**§ 141.55 Maximum contaminant level goals for radionuclides.**

MCLGs for radionuclides are as indicated in the following table:

Contaminant	MCLG
1. Combined radium-226 and radium-228 .....	Zero.
2. Gross alpha particle activity (excluding radon and uranium).	Zero.
3. Beta particle and photon radioactivity .....	Zero.
4. Uranium .....	Zero.

[65 FR 76748, Dec. 7, 2000]

**Subpart G—National Primary Drinking Water Regulations: Maximum Contaminant Levels and Maximum Residual Disinfectant Levels**

**§ 141.60 Effective dates.**

(a) The effective dates for §141.61 are as follows:

CAS No.	Contaminant	MCL (mg/l)
(1) 75-01-4 .....	Vinyl chloride .....	0.002
(2) 71-43-2 .....	Benzene .....	0.005
(3) 56-23-5 .....	Carbon tetrachloride .....	0.005
(4) 107-06-2 .....	1,2-Dichloroethane .....	0.005
(5) 79-01-6 .....	Trichloroethylene .....	0.005
(6) 106-46-7 .....	para-Dichlorobenzene .....	0.075
(7) 75-35-4 .....	1,1-Dichloroethylene .....	0.007
(8) 71-55-6 .....	1,1,1-Trichloroethane .....	0.2
(9) 156-59-2 .....	cis-1,2-Dichloroethylene .....	0.07
(10) 78-87-5 .....	1,2-Dichloropropane .....	0.005
(11) 100-41-4 .....	Ethylbenzene .....	0.7
(12) 108-90-7 .....	Monochlorobenzene .....	0.1
(13) 95-50-1 .....	o-Dichlorobenzene .....	0.6
(14) 100-42-5 .....	Styrene .....	0.1
(15) 127-18-4 .....	Tetrachloroethylene .....	0.005
(16) 108-88-3 .....	Toluene .....	1
(17) 156-60-5 .....	trans-1,2-Dichloroethylene .....	0.1
(18) 1330-20-7 .....	Xylenes (total) .....	10
(19) 75-09-2 .....	Dichloromethane .....	0.005
(20) 120-82-1 .....	1,2,4-Trichloro- benzene .....	.07
(21) 79-00-5 .....	1,1,2-Trichloro- ethane .....	.005

(b) The Administrator, pursuant to section 1412 of the Act, hereby identifies as indicated in the Table below granular activated carbon (GAC),

(1) The effective date for paragraphs (a)(1) through (a)(8) of §141.61 is January 9, 1989.

(2) The effective date for paragraphs (a)(9) through (a)(18) and (c)(1) through (c)(18) of §141.61 is July 30, 1992.

(3) The effective date for paragraphs (a)(19) through (a)(21), (c)(19) through (c)(25), and (c)(27) through (c)(33) of §141.61 is January 17, 1994. The effective date of §141.61(c)(26) is August 17, 1992.

(b) The effective dates for §141.62 are as follows:

(1) The effective date of paragraph (b)(1) of §141.62 is October 2, 1987.

(2) The effective date for paragraphs (b)(2) and (b)(4) through (b)(10) of §141.62 is July 30, 1992.

(3) The effective date for paragraphs (b)(11) through (b)(15) of §141.62 is January 17, 1994.

(4) The effective date for §141.62(b)(16) is January 23, 2006.

[56 FR 3593, Jan. 30, 1991, as amended at 57 FR 31846, July 17, 1992; 59 FR 34324, July 1, 1994; 66 FR 7063, Jan. 22, 2001]

**§ 141.61 Maximum contaminant levels for organic contaminants.**

(a) The following maximum contaminant levels for organic contaminants apply to community and non-transient, non-community water systems.