

## §412.2

to exceed 180 calendar days, under the following conditions:

- (i) The proposed label would not misrepresent the product;
- (ii) The use of the label would not present any potential health, safety, or dietary problems to the consumer;
- (iii) Denial of the request would create undue economic hardship; and
- (iv) An unfair competitive advantage would not result from the granting of the temporary approval.

(2) Extensions of temporary approvals may also be granted by the FSIS Labeling and Program Delivery Staff provided that the applicant demonstrates that new circumstances, meeting the above criteria, have developed since the original temporary approval was granted.

### §412.2 Approval of generic labels.

(a)(1) An official establishment, or an establishment certified under a foreign inspection system in accordance with part 327, or part 381, subpart T of this chapter, is authorized to use generically approved labels, as defined in paragraph (b) of this section, and thus is free to use such labels without submitting them to the Food Safety and Inspection Service for approval, provided the label, in accordance with this section, displays all mandatory features in a prominent manner in compliance with part 317 or part 381, and is not otherwise false or misleading in any particular.

(2) The Food Safety and Inspection Service will select samples of generically approved labels from the records maintained by official establishments and establishments certified under foreign inspection systems, in accordance with part 327 or part 381, subpart T, to determine compliance with label requirements. If the Agency finds that an establishment is using a false or misleading label, it will institute the proceedings prescribed in §500.8 of this chapter to revoke the approval for the label.

(b) Generically approved labels are labels that bear all applicable mandatory labeling features (i.e., product name, safe handling statement, ingredients statement, the name and place of business of the manufacturer, packer or distributor, net weight, legend, safe

## 9 CFR Ch. III (1–1–21 Edition)

handling instructions, and nutrition labeling) in accordance with Federal regulations. Labels that bear claims and statements that are defined in FSIS's regulations or the Food Standards and Labeling Policy Book (except for natural and negative claims), such as a statement that characterizes a product's nutrient content, such as "low fat," has geographical significance, such as "German Brand," or makes a country of origin statement on the label of any meat or poultry product "covered commodity",<sup>1</sup> and that comply with those regulations are also deemed to be generically approved by the Agency without being submitted for evaluation and approval. Allergen statements (e.g., "contains soy") applied in accordance with the Food Allergen Labeling and Consumer Protection Act are also deemed generically approved.

## PART 416—SANITATION

### Sec.

- 416.1 General rules.
- 416.2 Establishment grounds and facilities.
- 416.3 Equipment and utensils.
- 416.4 Sanitary operations.
- 416.5 Employee hygiene.
- 416.6 Tagging insanitary equipment, utensils, rooms or compartments.
- 416.11 General rules.
- 416.12 Development of sanitation SOP's.
- 416.13 Implementation of SOP's.
- 416.14 Maintenance of Sanitation SOP's.
- 416.15 Corrective Actions.
- 416.16 Recordkeeping requirements.
- 416.17 Agency verification.

AUTHORITY: 21 U.S.C. 451–470, 601–695, 1031–1056; 7 U.S.C. 450, 1901–1906; 7 CFR 2.18, 2.53.

SOURCE: 61 FR 38868, July 25, 1996, unless otherwise noted.

### §416.1 General rules.

Each official establishment must be operated and maintained in a manner sufficient to prevent the creation of insanitary conditions and to ensure that product is not adulterated.

[64 FR 56417, Oct. 20, 1999]

### §416.2 Establishment grounds and facilities.

(a) *Grounds and pest control.* The grounds about an establishment must

<sup>1</sup> See 9 CFR 317.8(b)(40) and 381.129(f).

be maintained to prevent conditions that could lead to insanitary conditions, adulteration of product, or interfere with inspection by FSIS program employees. Establishments must have in place a pest management program to prevent the harborage and breeding of pests on the grounds and within establishment facilities. Pest control substances used must be safe and effective under the conditions of use and not be applied or stored in a manner that will result in the adulteration of product or the creation of insanitary conditions.

(b) *Construction.* (1) Establishment buildings, including their structures, rooms, and compartments must be of sound construction, be kept in good repair, and be of sufficient size to allow for processing, handling, and storage of product in a manner that does not result in product adulteration or the creation of insanitary conditions.

(2) Walls, floors, and ceilings within establishments must be built of durable materials impervious to moisture and be cleaned and sanitized as necessary to prevent adulteration of product or the creation of insanitary conditions.

(3) Walls, floors, ceilings, doors, windows, and other outside openings must be constructed and maintained to prevent the entrance of vermin, such as flies, rats, and mice.

(4) Rooms or compartments in which edible product is processed, handled, or stored must be separate and distinct from rooms or compartments in which inedible product is processed, handled, or stored, to the extent necessary to prevent product adulteration and the creation of insanitary conditions.

(c) *Light.* Lighting of good quality and sufficient intensity to ensure that sanitary conditions are maintained and that product is not adulterated must be provided in areas where food is processed, handled, stored, or examined; where equipment and utensils are cleaned; and in hand-washing areas, dressing and locker rooms, and toilets.

(d) *Ventilation.* Ventilation adequate to control odors, vapors, and condensation to the extent necessary to prevent adulteration of product and the creation of insanitary conditions must be provided.

(e) *Plumbing.* Plumbing systems must be installed and maintained to:

(1) Carry sufficient quantities of water to required locations throughout the establishment;

(2) Properly convey sewage and liquid disposable waste from the establishment;

(3) Prevent adulteration of product, water supplies, equipment, and utensils and prevent the creation of insanitary conditions throughout the establishment;

(4) Provide adequate floor drainage in all areas where floors are subject to flooding-type cleaning or where normal operations release or discharge water or other liquid waste on the floor;

(5) Prevent back-flow conditions in and cross-connection between piping systems that discharge waste water or sewage and piping systems that carry water for product manufacturing; and

(6) Prevent the backup of sewer gases.

(f) *Sewage disposal.* Sewage must be disposed into a sewage system separate from all other drainage lines or disposed of through other means sufficient to prevent backup of sewage into areas where product is processed, handled, or stored. When the sewage disposal system is a private system requiring approval by a State or local health authority, the establishment must furnish FSIS with the letter of approval from that authority upon request.

(g) *Water supply and water, ice, and solution reuse.* (1) A supply of running water that complies with the National Primary Drinking Water regulations (40 CFR part 141), at a suitable temperature and under pressure as needed, must be provided in all areas where required (for processing product, for cleaning rooms and equipment, utensils, and packaging materials, for employee sanitary facilities, etc.). If an establishment uses a municipal water supply, it must make available to FSIS, upon request, a water report, issued under the authority of the State or local health agency, certifying or attesting to the potability of the water supply. If an establishment uses a private well for its water supply, it must make available to FSIS, upon request,

### §416.3

documentation certifying the potability of the water supply that has been renewed at least semi-annually.

(2) Water, ice, and solutions (such as brine, liquid smoke, or propylene glycol) used to chill or cook ready-to-eat product may be reused for the same purpose, provided that they are maintained free of pathogenic organisms and fecal coliform organisms and that other physical, chemical, and microbiological contamination have been reduced to prevent adulteration of product.

(3) Water, ice, and solutions used to chill or wash raw product may be reused for the same purpose provided that measures are taken to reduce physical, chemical, and microbiological contamination so as to prevent contamination or adulteration of product. Reuse that which has come into contact with raw product may not be used on ready-to-eat product.

(4) Reconditioned water that has never contained human waste and that has been treated by an onsite advanced wastewater treatment facility may be used on raw product, except in product formulation, and throughout the facility in edible and inedible production areas, provided that measures are taken to ensure that this water meets the criteria prescribed in paragraph (g)(1) of this section. Product, facilities, equipment, and utensils coming in contact with this water must undergo a separate final rinse with non-reconditioned water that meets the criteria prescribed in paragraph (g)(1) of this section.

(5) Any water that has never contained human waste and that is free of pathogenic organisms may be used in edible and inedible product areas, provided it does not contact edible product. For example, such reuse water may be used to move heavy solids, to flush the bottom of open evisceration troughs, or to wash antemortem areas, livestock pens, trucks, poultry cages, picker aprons, picking room floors, and similar areas within the establishment.

(6) Water that does not meet the use conditions of paragraphs (g)(1) through (g)(5) of this section may not be used in areas where edible product is handled or prepared or in any manner that would allow it to adulterate edible

### 9 CFR Ch. III (1–1–21 Edition)

product or create insanitary conditions.

(h) *Dressing rooms, lavatories, and toilets.* (1) Dressing rooms, toilet rooms, and urinals must be sufficient in number, ample in size, conveniently located, and maintained in a sanitary condition and in good repair at all times to ensure cleanliness of all persons handling any product. They must be separate from the rooms and compartments in which products are processed, stored, or handled.

(2) Lavatories with running hot and cold water, soap, and towels, must be placed in or near toilet and urinal rooms and at such other places in the establishment as necessary to ensure cleanliness of all persons handling any product.

(3) Refuse receptacles must be constructed and maintained in a manner that protects against the creation of insanitary conditions and the adulteration of product.

[64 FR 56417, Oct. 20, 1999]

### §416.3 Equipment and utensils.

(a) Equipment and utensils used for processing or otherwise handling edible product or ingredients must be of such material and construction to facilitate thorough cleaning and to ensure that their use will not cause the adulteration of product during processing, handling, or storage. Equipment and utensils must be maintained in sanitary condition so as not to adulterate product.

(b) Equipment and utensils must not be constructed, located, or operated in a manner that prevents FSIS inspection program employees from inspecting the equipment or utensils to determine whether they are in sanitary condition.

(c) Receptacles used for storing inedible material must be of such material and construction that their use will not result in the adulteration of any edible product or in the creation of insanitary conditions. Such receptacles must not be used for storing any edible product and must bear conspicuous and distinctive marking to identify permitted uses.

[64 FR 56417, Oct. 20, 1999]