


1991


GRANT NO. NA170Z0497-01

TASK 16

Distribution of
Submerged
Aquatic
Vegetation
in the
Chesapeake
Bay



Virginia Institute of Marine Science
School of Marine Science
The College of William and Mary



Distribution of Submerged Aquatic Vegetation in
the Chesapeake Bay and Tributaries and Chincoteague Bay - 1991

by

Robert J. Orth, Judith F. Nowak, Gary F. Anderson,
Kevin P. Kiley, and Jennifer R. Whiting

Virginia Institute of Marine Science
School of Marine Science
College of William and Mary
Gloucester Point, VA 23062

Funded by: U.S. Environmental Protection Agency (Grant X00346503)
National Oceanographic Atmospheric Administration
(Grant No. NA170Z0359-01)
Virginia Institute of Marine Science/School of Marine Science
Maryland Department of Natural Resources (C272-92-005)
U.S. Fish and Wildlife Service (14-16-0005-91-9023)
Allied-Signal Foundation

Final Report Submitted to: U.S. Environmental Protection Agency
Chesapeake Bay Program Office
Annapolis, MD 21403

December 1992 U. S. DEPARTMENT OF COMMERCE NOAA
COASTAL SERVICES CENTER
2234 SOUTH HOBSON AVENUE
CHARLESTON, SC 29405-2413

Property of CSC Library

Cover Photograph: *Hydrilla verticillata* in the Potomac River. (Photograph by Nancy Rybicki, USGS.)

Inside Cover: Map of Chesapeake Bay and Tributaries and Chincoteague Bay.

OK 122.8 .D57 1991
28166319
JAN 14 1992

CONTENTS

| | Page |
|--|------|
| TABLES | iv |
| FIGURES | v |
| EXECUTIVE SUMMARY | viii |
| ACKNOWLEDGEMENTS | xiii |
| SAV SPECIES | 1 |
| METHODS | 2 |
| Introduction | 2 |
| Aerial photography | 2 |
| Mapping process | 5 |
| SAV perimeter digitization and area calculation | 9 |
| Tests of precision and accuracy | 9 |
| Standard operating procedures | 11 |
| Choice of representative SAV bed | 11 |
| Conversion of SAV perimeter points from X,Y centimeters to Universal Transverse Mercator (UTM) coordinates in ARC/INFO format | 12 |
| Calculation of 1991 SAV areas | 12 |
| Organizational procedures for analysis | 13 |
| Ground truth and other data bases | 17 |
| RESULTS | 20 |
| Data presentation | 20 |
| 1991 Summary | 20 |
| Upper Bay Zone | 20 |
| Middle Bay Zone | 37 |
| Lower Bay Zone | 37 |
| Chincoteague Bay | 38 |
| Discussion of sections arranged within zones | 38 |
| Upper Bay Zone | 38 |
| Susquehanna Flats (Section 1) | 38 |
| Upper Eastern Shore (Section 2) | 38 |
| Upper Western Shore (Section 3) | 41 |
| Chester River (Section 4) | 41 |
| Middle Bay Zone | 41 |

CONTENTS (continued)

| | Page |
|--|-----------|
| RESULTS (continued) | |
| Central Western Shore (Section 5) | 41 |
| Eastern Bay (Section 6) | 45 |
| Choptank River (Section 7) | 45 |
| Patuxent River (Section 8) | 45 |
| Middle Western Shore (Section 9) | 45 |
| Lower Potomac River (Section 10) | 50 |
| Upper Potomac River (Section 11) | 50 |
| Middle Eastern Shore (Section 12) | 53 |
| Mid-Bay Island Complex (Section 13) | 53 |
| Lower Bay Zone | 53 |
| Lower Eastern Shore (Section 14) | 53 |
| Reedville Region (Section 15) | 57 |
| Rappahannock River Complex (Section 16) | 57 |
| New Point Comfort Region (Section 17) | 60 |
| Mobjack Bay Complex (Section 18) | 60 |
| York River (Section 19) | 60 |
| Lower Western Shore (Section 20) | 60 |
| James River (Section 21) | 65 |
| Chincoteague Bay | 65 |
| LITERATURE CITED | 68 |
| APPENDICES | 71 |
| A. Species of submerged aquatic plants found in the Chesapeake Bay and tributaries | 73 |
| B. Latitude and longitude coordinate points defining the 21 Chesapeake Bay sections and Chincoteague Bay | 85 |
| C. Topographic quadrangles for the Chesapeake Bay and Chincoteague Bay showing distribution, abundance, and ground truthing of SAV in 1991 | 89 |
| Map Legend | 90 |
| D. Number of square meters of SAV for individual beds and totals for density categories for each topographic quadrangle in 1991 | 205 |
| E. 1991 SAV ground truth data listed by topographic quadrangle and by SAV bed, cross referenced with 1990 SAV beds | 233 |

TABLES

| Number | Page |
|--|------|
| 1 Guidelines for acquisition of aerial photographs | 4 |
| 2 List of USGS 7.5 minute topographic quadrangles for the Chesapeake Bay and Chincoteague Bay SAV study areas and corresponding code numbers | 7 |
| 3 Area descriptions for each of the 21 sections in the Chesapeake Bay SAV study area | 15 |
| 4 Total area of SAV in hectares by USGS 7.5 minute topographic quadrangle for 1990 and 1991 | 21 |
| 5 Number of hectares of SAV in 1990 and 1991 for the 21 sections and three zones of the Chesapeake Bay, and for Chincoteague Bay | 26 |
| 6 Number of square meters of SAV in 1991 for each quadrangle of the 21 sections in the Chesapeake Bay and of Chincoteague Bay | 27 |

FIGURES

| Number | Page |
|---|------|
| 1 Map of Chesapeake Bay and tributaries with Upper, Middle, and Lower zones, and Chincoteague Bay, with locations of all SAV beds in 1991 | ix |
| 2 Total hectares SAV for the Upper, Middle, and Lower zones of the Chesapeake Bay in 1991 | x |
| 3 Total hectares SAV in 1991 by section of the Chesapeake Bay | xi |
| 4 Map of Chesapeake Bay, its tributaries, and Chincoteague Bay with approximate locations of flight lines for 1991 SAV photography. | 3 |
| 5 Location of USGS 7.5 minute topographic quadrangles in the Chesapeake Bay, its tributaries, and Chincoteague Bay with corresponding code numbers | 6 |
| 6 Crown density scale used for determining density of SAV beds: (1) very sparse, 0-10%; (2) sparse, 10-40%; (3) moderate, 40-70%; (4) dense, 70-100% | 10 |
| 7 Location of Chincoteague Bay and Chesapeake Bay with Upper, Middle, and Lower zones and 21 sections used for delineation of SAV distribution patterns | 14 |
| 8 Distribution of SAV in the Susquehanna Flats (Section 1) | 39 |
| 9 Distribution of SAV in the Upper Eastern Shore (Section 2) | 40 |
| 10 Distribution of SAV in the Upper Western Shore (Section 3) | 42 |
| 11 Distribution of SAV in the Chester River (Section 4) | 43 |
| 12 Distribution of SAV in the Central Western Shore (Section 5) | 44 |
| 13 Distribution of SAV in the Eastern Bay (Section 6) | 46 |
| 14 Distribution of SAV in the Choptank River (Section 7) | 47 |
| 15 Distribution of SAV in the Patuxent River (Section 8) | 48 |

FIGURES (continued)

| Number | Page |
|---|------|
| 16 Distribution of SAV in the Middle Western Shore (Section 9) | 49 |
| 17 Distribution of SAV in the Lower Potomac River (Section 10) | 51 |
| 18 Distribution of SAV in the Upper Potomac River (Section 11) | 52 |
| 19 Distribution of SAV in the Middle Eastern Shore (Section 12) | 54 |
| 20 Distribution of SAV in the Mid-Bay Island Complex (Section 13) | 55 |
| 21 Distribution of SAV in the Lower Eastern Shore (Section 14) | 56 |
| 22 Distribution of SAV in the Reedville Region (Section 15) | 58 |
| 23 Distribution of SAV in the Rappahannock River Complex (Section 16) | 59 |
| 24 Distribution of SAV in the New Point Comfort Region (Section 17) | 61 |
| 25 Distribution of SAV in the Mobjack Bay Complex (Section 18) | 62 |
| 26 Distribution of SAV in the York River (Section 19) | 63 |
| 27 Distribution of SAV in the Lower Western Shore (Section 20) | 64 |
| 28 Distribution of SAV in the James River (Section 21) | 66 |
| 29 Distribution of SAV in the Chincoteague Bay | 67 |
| 30 Illustration of <i>Chara</i> spp. (Muskgrass) | 74 |
| 31 Illustration of <i>Nitella</i> spp. (Stonewort) | 75 |
| 32 Illustration of <i>Najas guadalupensis</i> (Southern naiad) | 76 |
| 33 Illustration of <i>Vallisneria americana</i> (Tapegrass) | 77 |
| 34 Illustration of <i>Egeria</i> spp. (Water-weed) | 78 |
| 35 Illustration of <i>Hydrilla verticillata</i> (Hydrilla) | 79 |

FIGURES (continued)

| Number | Page |
|---|------|
| 36 A comparison: illustrations of <i>Hydrilla verticillata</i> , <i>Elodea canadensis</i> , and <i>Egeria</i> spp. | 80 |
| 37 A comparison: illustrations of <i>Hydrilla verticillata</i> , <i>Elodea canadensis</i> , and <i>Egeria</i> spp. | 81 |
| 38 Illustration of <i>Ceratophyllum demersum</i> (Coontail) | 82 |
| 39 Illustration of <i>Trapa natans</i> (Water chestnut) | 83 |
| 40 Illustration of <i>Myriophyllum spicatum</i> (Eurasian watermilfoil) | 84 |

EXECUTIVE SUMMARY

The distribution of submerged aquatic vegetation, principally rooted vascular macrophytes, in the Chesapeake Bay, its tributaries, and Chincoteague Bay was mapped during May to October 1991 at a scale of 1:24,000 using black and white aerial photography. SAV bed perimeter information was digitized and stored in a computerized data base. Ground truth information was obtained from the U. S. Fish and Wildlife Service, the University of Maryland Horn Point Environmental Laboratories, the Metropolitan Washington Council of Governments, the Maryland Department of Natural Resources, Harford Community College, Essex Community College SAV Research Group of Baltimore County, National Park Service, Assateague Island, and the College of William and Mary/Virginia Institute of Marine Science/School of Marine Science. Citizen support via the U. S. Fish and Wildlife Service and Chesapeake Bay Foundation provided additional ground truth information.

In 1991, the Chesapeake Bay had 25,623 hectares of SAV, compared to 24,296 hectares in 1990, with 2,158 hectares (8.4%), 11,664 hectares (45.5%), and 11,802 hectares (46.1%) occurring in the Upper, Middle, and Lower Bay zones, respectively (Figs. 1, 2, and 3).

In 1991 seventy-eight percent (1,684 hectares) of the SAV within the Upper Bay zone was located in the Susquehanna Flats (Section 1). Eight species of SAV were documented by ground truth surveys in this section, with *Myriophyllum spicatum* being dominant. A recently introduced exotic species, *Hydrilla verticillata*, was found in the Flats but occurred in small isolated beds. Overall abundance of SAV declined from the 1990 (1,773 hectares) level, but the density of beds increased slightly from 1990. Eighty-nine percent of all SAV beds in the Flats were classified as very sparse (0-10% coverage), and 7% of beds were classified as dense (70-100% coverage). This is a slight improvement over 1990 coverage when 92% were very sparse and 5% of beds were classified as dense. In the Upper Eastern Shore (Section 2) there were 326 hectares of SAV (95 hectares less than in 1990) located principally in the Elk and lower Sassafras rivers, and Swan, Stillpond, and Churn creeks, with many of the same species as reported in the Susquehanna Flats section. The Upper Western Shore (Section 3) had 91 hectares of SAV, primarily *M. spicatum* and *Vallisneria americana*, concentrated in Saltpeter and Dundee creeks. This is similar to 1990 when there were 90.47 hectares. In the Chester River (Section 4) SAV abundance (57 hectares) was down 10 hectares from 1990. SAV was most abundant adjacent to Eastern Neck, Eastern Neck Island, and in the lower Chester River. In this region *Ruppia maritima* was the most abundant of seven species reported.

In 1991 forty-nine percent (5,707 hectares) of the SAV in the Middle Bay zone was found in the Mid-Bay Island Complex (Section 13) which includes the broad shoal area between Smith and Tangier Islands. This is an increase of 310 hectares over 1990. The two dominant species were *R. maritima* and *Zostera marina*. Nineteen percent (2,178 hectares) of the SAV in this zone was present in the Middle Eastern Shore (Section 12), primarily in the Barren Island-Honga River area, the Big and Little Annemessex rivers, and the lower section of the Manokin River, with *R. maritima* being the dominant species reported. Little




Figure 1. Map of Chesapeake Bay and tributaries with Upper, Middle, and Lower zones, and Chincoteague Bay, with locations of all SAV beds in 1991. (SAV is shown in red.)

Hectares of SAV in Each Zone of the Chesapeake Bay - 1991




Figure 2. Total hectares SAV for the Upper, Middle, and Lower zones of the Chesapeake Bay in 1991. (Refer to Figures 1 and 7 for zone locations.)




Figure 3. Total hectares SAV in 1991 by section of the Chesapeake Bay. (Refer to Figure 7, Table 3, and Appendix B for section locations and boundaries.)

or no SAV was mapped or reported from the Central Western Shore (Section 5), Patuxent River (Section 8), and Middle Western Shore (Section 9).

The Middle Bay zone also includes the entire Potomac River, where 3,597 hectares of SAV were present in 1991. SAV was concentrated in two distinct regions: 1) the Upper Potomac River (Section 11) with 3,016 hectares, where *Hydrilla verticillata* remained the numerically dominant species (nine other species were reported by the COG, VIMS, and Citizen's surveys); and 2) the upper portion of the Lower Potomac River (Section 10) with 581 hectares, including Nanjemoy Creek and Port Tobacco River, with *V. americana* and *M. spicatum* being the most frequently reported species. The total abundance of SAV in the Upper Potomac section increased from 1990 by 493 hectares. It increased in the Lower Potomac section by 49 hectares. SAV continued to decline in the Eastern Bay and Choptank River sections. SAV in the Eastern Bay (Section 6) decreased 321 hectares from 1990 to a total of 68 hectares in 1991, while in the Choptank River (Section 7) it declined 79 hectares from 1990 to a total of 114 hectares in 1991.

Distribution and abundance in 1991 in the Lower Bay zone were similar to 1990. Forty-eight percent (5,720 hectares) of SAV in this zone was found in the Lower Eastern Shore (Section 14) around the Fox Islands and the mouths of major creeks (i.e. Cherrystone Inlet and Hungars, Mattawoman, Occahannock, Craddock, Pungoteague, and Onancock creeks). Along the western shore of the Chesapeake Bay, SAV was abundant in Mobjack Bay (Section 18) (15% of SAV in the Lower Bay zone), in the lower York River (Section 19) (7% of SAV in the Lower Bay zone), and in the Lower Western Shore (Section 20), specifically Back River and Drum Island Flats area adjacent to Plum Tree Island (17% of SAV in the Lower Bay zone). There were 635 hectares of SAV mapped in the Reedville Region (Section 15) in 1991, a 4% increase over 1990. There were 339 hectares of SAV identified in 1991 in the New Point Comfort Region (Section 17) compared to 357 hectares in 1990. Both *R. maritima* and *Z. marina* were abundant throughout this zone. SAV abundance was down 7% from 1990 in both the Piankatank and Rappahannock rivers (Section 16). *Ruppia maritima* was the dominant species in those rivers, with *Zostera marina* also present as a result of previously successful transplant efforts. The James River (Section 21) had less than 3 hectares of SAV in 1991, which is the same as in 1990.

SAV in the Chincoteague Bay section increased in distribution from 1990 with 2,746 hectares mapped in 1991. SAV in Chincoteague Bay and Sinpuxent Bay consisted of *R. maritima* and *Z. marina*, and was located along the eastern side of the bay behind Assateague Island. Assawoman Bay contained only *R. maritima* while only *Z. marina* was reported from Isle of Wight Bay.

ACKNOWLEDGEMENTS

We would like to gratefully acknowledge all federal and state agencies who financially supported this project: the U. S. Environmental Protection Agency (USEPA); the U. S. Fish and Wildlife Service (USFWS); the Virginia Council on the Environment's and MD-DNR's Coastal Resources Management Program of the National Oceanographic and Atmospheric Administration (NOAA), under the Coastal Zone Management Act of 1972 as amended by the Office of Ocean Coastal Resource Management (OCRM); the Maryland Department of Natural Resources (MD-DNR); and the Virginia Institute of Marine Science, School of Marine Science, College of William and Mary (VIMS). Also, we thank Allied - Signal, Inc. for providing supplemental funding for this work. Additionally, the Virginia Council on the Environment EcoMAPS Program, under the direction of Dr. Adam A. Frisch, provided ARC/INFO expertise and training for converting 1991 SAV digital data to ARC/INFO 5.0.1 format.

Acknowledgement would not be complete without commendation for the groups which provided ground truthing of SAV beds which was used in conjunction with interpretation of the 1991 photography. USFWS conducted a survey and, with the Chesapeake Bay Foundation (CBF), also organized citizens to report locations and species composition of grassbeds around the bay. Bill Dennison of the University of Maryland Horn Point Environmental Laboratories (HPEL), Stan Kollar of Harford Community College (HCC), and the Essex Community College SAV Research Group of Baltimore County, Maryland provided ground truth information for certain specific regions of the Maryland portion of the Bay. The Metropolitan Washington Council of Governments (COG) provided ground truth information from the Potomac River. The National Park Service, Assateague Island, provided ground truth data for the Chincoteague Bay section. Ken Moore, Lori Morris, Mike Rosenzweig, Curtis Harper, Jill Goodman, and Cindi Horton of VIMS provided ground truth information for the lower bay.

The production of this report required the dedication of numerous scientists, technicians, artists, photographers, and others. The following people deserve a note of thanks: Silvia Terziotti (Virginia Council on the Environment) for developing computer software necessary for conversion of digital data to ARC/INFO 5.0.1 format; Rich Batiuk and Carin Bisland, USEPA-Chesapeake Bay Program Office; Linda Hurley Kelsey and Kathryn Reshetiloff, USFWS; David Bleil, MD-DNR; and Christina Pompa, and Ed Pendleton, CBF.

We are especially grateful to the dedicated VIMS personnel who contributed greatly to the production of this report: Leah Nagey for her tremendous assistance and perseverance in digitizing most of the maps, editing the digital data files, mapping ground truth information, and for her constant, careful efforts to maintain high quality control; Melanie Rippon for assistance in designing the map products with ARC/INFO; Harold Burrell, Kay Stubblefield, Sylvia Motley, and Billy Jenkins for graphic services; Ruth Hershner for typography; and Pat Hall for computer services.

Michael Upchurch, Virginia Division of Mineral Resources, Randy Karin, Maryland Geological Survey, Claud Summers, USGS, National Cartographic Information Center

(NCIC), and the Mid-Continent Mapping Center were helpful in the procurement of high quality topo maps. Craig Breen, Professional Blueprinters, Inc., Newport News, VA, and Architectural and Engineering Supply Company, Richmond, VA, provided high quality reprographic services. Air Photographics, Inc. conducted the aerial photographic missions and was responsible for the high quality aerial photographs.

Aquatic plant illustrations were provided by the Information Office of the University of Florida, Institute of Food and Agricultural Sciences, Center for Aquatic Plants (Gainesville) and were drawn by Laura Line Reep, biological illustrator.

SAV SPECIES

The term "submerged aquatic vegetation" for the purpose of this report encompasses 19 taxa from 10 vascular macrophyte families and 3 taxa from 1 freshwater macrophytic algal family, the Characeae, but excludes all other algae, both benthic and planktonic, which occur in the Chesapeake Bay and tributaries (Appendix A). Although outside the scope of this study, the algal component does constitute a portion of the SAV biomass in the Chesapeake Bay and tributaries. For instance, benthic marine algae, including many macrophytes, sometimes co-occur in the same beds with vascular plants, even as epiphytes on vascular plants (Humm, 1979). However, except for the Characeae, this study has not attempted to identify, delineate or discuss the algal component of the vegetation nor its relative importance in the flora.

Ten species of submerged aquatic vegetation exclusive of the algae are commonly found in the Chesapeake Bay and its tributaries. *Zostera marina* (eelgrass) is dominant in the lower reaches of the bay. *Myriophyllum spicatum* (Eurasian watermilfoil), *Potamogeton pectinatus* (sago pondweed), *Potamogeton perfoliatus* (redhead grass), *Zannichellia palustris* (horned pondweed), *Vallisneria americana* (wild celery), *Elodea canadensis* (common elodea), *Ceratophyllum demersum* (coontail) and *Najas guadalupensis* (southern naiad) are less tolerant of high salinities and are found in the middle and upper reaches of the bay (Stevenson and Confer, 1978; Orth et al., 1979; Orth and Moore, 1981, 1983). *Ruppia maritima* (widgeon grass) is tolerant of a wide range of salinities and is found from the bay mouth to the Susquehanna Flats. Approximately twelve other species are only occasionally found and, when present, occur primarily in the middle and upper reaches of the bay and the tidal rivers (Appendix A). *Hydrilla verticillata* (hydrilla), a recently introduced species, presently dominates SAV beds in the tidal freshwater reaches of the Potomac River. It has also been reported again in 1991 in the Susquehanna Flats where its growth has not been as widespread as in the Potomac River (Kollar, pers. comm.).

Zostera marina and *Ruppia maritima* are the dominant species reported from Chincoteague Bay.

METHODS

Introduction

Black and white aerial photography at a scale of 1:24,000 was the principal source of information used to assess the distribution and abundance of SAV in the Chesapeake Bay, its tributaries, and Chincoteague Bay in 1991. SAV beds mapped from photographs onto USGS 7.5 minute topographic quadrangles were then digitized, providing a digital data base for analysis of bed area and location. Ground truth information collected in 1991 was mapped onto the same topographic quadrangles.

Aerial Photography

The 1991 SAV photography was obtained by Air Photographics (Martinsburg, West Virginia) using a Wild RC-20 camera, with a 153 mm (6 inch) focal length Aviogon lens, and Agfa Pan 200 film. The camera was mounted in the bottom fuselage of the Air Photographics' Piper Aztec, a twin engine reconnaissance aircraft. Photography was acquired at approximately 12,000 feet altitude, yielding a 1:24,000 photographic scale.

Flight lines for photography, which were drawn on 1:250,000 scale USGS maps, were predetermined by Air Photographics to include all areas known to have SAV, as well as those areas which could potentially have SAV (i.e. all areas where water depths were less than 2 m at mean low water). There were 141 flight lines covering approximately 1800 miles of shoreline and yielding 1527 photographs. Flight lines also included land features that are necessary as control points for accurate mapping (Fig. 4). Sections of the upper Rappahannock, upper York, and most of the James rivers were not flown because of the continued absence of SAV in these areas.

Flight lines were prioritized by major sections. Flights were timed to occur at peak standing crop of species known to occur in the sections. In addition, specific areas with significant coverage were given priority. Prior approval by the VIMS staff was required to extend dates of flight windows if necessary. Actual dates of acquisition of photography are noted on each quadrangle map in Appendix C.

General guidelines for mission planning and execution (Table 1) address tidal stage, plant growth, sun elevation, water and atmospheric transparency, turbidity, wind, sensor operation, and plotting. Adherence to these guidelines assured acquisition of photography under nearly optimal conditions for detection of SAV, thus insuring accurate photo interpretation.

Quality assurance and calibration procedures were consistently followed. The altimeter was calibrated by the Federal Aviation Administration annually. Photographic settings were selected with an




Figure 4. Map of Chesapeake Bay, its tributaries, and Chincoteague Bay with approximate locations of flight lines for 1991 SAV photography.

Table 1**Guidelines Followed During Acquisition of Aerial Photographs.**

1. Tidal Stage - Photography was acquired at low tide, +/- 0-1.5 ft., as predicted by the National Ocean Survey tables.
2. Plant Growth - Imagery was acquired when growth stages ensured maximum delineation of SAV, and when phenologic stage overlap was greatest.
3. Sun Angle - Photography was acquired when surface reflection from sun glint did not cover more than 30 percent of frame. Sun angle was generally between 20° and 40° to minimize water surface glitter. At least 60 percent line overlap and 20 percent side lap was used to minimize image degradation due to sun glint.
4. Turbidity - Photography was acquired when clarity of water ensured complete delineation of grass beds. This was visually determined from the airplane to insure that SAV could be seen by the observer.
5. Wind - Photography was acquired during periods of no or low wind. Off-shore winds were preferred over on-shore winds when wind conditions could not be avoided.
6. Atmospherics - Photography was acquired during periods of no or low haze and/or clouds below aircraft. There could be no more than scattered or thin broken clouds, or thin overcast above aircraft, to ensure maximum SAV to bottom contrast.
7. Sensor Operation - Photography was acquired in the vertical mode with less than 5 degrees tilt. Scale/altitude/film/focal length combination permitted resolution and identification of one square meter area of SAV (at the surface).
8. Plotting - Each flight line included sufficient identifiable land area to assure accurate plotting of grass beds.

automatic exposure control. Sun angle was measured with an indicator on the plane. Flight lines were plotted on 1:250,000 scale maps to allow for overlap of photography. To minimize image degradation due to sun glint, the camera was equipped with a computer controlled intervalometer which established 60% line overlap and 20% sidelap. An automatic bubble level held the camera to within one degree tilt. The scale/altitude/film/focal length combination was coordinated so that SAV patches of one square meter could be resolved. Wind speed was monitored hourly from the flight service available in the region. Under normal operating conditions, flights were usually conducted under wind speeds less than 10 mph. (Above this, wind generated waves stir the bottom sediments which can easily obscure SAV beds in less than one hour.) Pilot experience determined what acceptable level of turbidity would ensure complete delineation of SAV beds. At low tide the pilot should have been able to distinguish bottom features such as SAV or algae. When turbid conditions prevailed photography did not commence.

Determination of cloud cover was based on pilot experience. Records of this parameter were kept in a flight notebook. Every attempt was made to acquire photographs with no cloud cover below 12,000 feet. Cloud cover did not exceed 5% of the area covered by the camera frame. A thin haze layer above 12,000 feet was generally acceptable. Experience has shown that the optimal conditions given above generally occur two to three days following passage of a cold front when winds have shifted from north-northwest to south and have moderated to less than 10 mph. Where possible, and within the guidelines given for prioritizing and executing the photography, flights were planned to coincide with these atmospheric conditions.

Exposed film was processed by Air Photographics. A contact print was produced for each exposed frame. Each photograph was labeled with date of acquisition as well as flight line number. Film and photographs were stored under appropriate environmental conditions to prevent degradation.

Mapping Process

This study utilized 176 USGS 7.5 minute topographic quadrangle maps as a basis for mapping SAV beds from aerial photography, for digitizing the SAV beds, and for compiling SAV bed area measurements. Figure 5 gives locations of topographic quadrangles in the study area which includes all regions with potential for SAV growth. Most quadrangles are sequentially numbered for efficient access to data. The name corresponding to each quadrangle in Figure 5 is listed in Table 2.

Photo-interpretation to identify and delineate SAV beds utilized all available information including knowledge of aquatic grass signatures on film, distribution of SAV in 1991 from aerial photography, 1991 ground truth information, and aerial site surveys. USGS-published 7.5 minute topographic quadrangle masters (1:24,000 scale) printed by the Mid-Continent Mapping Center of the USGS on stable transparent mylar were used as base maps. Identical copies of these base maps were made at the same scale on stable transparent mylar using a contact diazo process.




Figure 5. Location of USGS 7.5 minute topographic quadrangles in the Chesapeake Bay, its tributaries, and Chincoteague Bay with corresponding code numbers . (See Table 2 for quad names.)

Table 2

List of USGS 7.5 Minute Topographic Quadrangles for the Chesapeake Bay and Chincoteague Bay SAV Study Areas with Corresponding Code Numbers. (See Fig. 5 for Location of Quadrangles. Topographic Quadrangles with SAV Beds Can Be Found in Appendix C.)

- | | |
|-----------------------------------|-----------------------------------|
| 1. Conowingo Dam, Md.-Pa. | 46. Preston, Md. |
| 2. Aberdeen, Md. | 47. Quantico, Va.-Md. |
| 3. Havre de Grace, Md. | 48. Indian Head, Va.-Md. |
| 4. North East, Md. | 49. Benedict, Md. |
| 5. Elkton, Md.-Del. | 50. Prince Frederick, Md. |
| 6. White Marsh, Md. | 51. Hudson, Md. |
| 7. Edgewood, Md. | 52. Church Creek, Md. |
| 8. Perryman, Md. | 53. Cambridge, Md. |
| 9. Spesutie, Md. | 54. East New Market, Md. |
| 10. Earleville, Md. | 55. Widewater, Va.-Md. |
| 11. Cecilton, Md. | 56. Nanjemoy, Md. |
| 12. Baltimore East, Md. | 57. Mathias Point, Md.-Va. |
| 13. Middle River, Md. | 58. Popes Creek, Md. |
| 14. Gunpowder Neck, Md. | 59. Mechanicsville, Md. |
| 15. Hanesville, Md. | 60. Broomes Island, Md. |
| 16. Betterton, Md. | 61. Cove Point, Md. |
| 17. Galena, Md. | 62. Taylors Island, Md. |
| 18. Curtis Bay, Md. | 63. Golden Hill, Md. |
| 19. Sparrows Point, Md. | 64. Passapatanzy, Md.-Va. |
| 20. Swan Point, Md. | 65. King George, Va.-Md. |
| 21. Rock Hall, Md. | 66. Dahlgren, Va.-Md. |
| 22. Chestertown, Md. | 67. Colonial Beach North, Md.-Va. |
| 23. Round Bay, Md. | 68. Rock Point, Md. |
| 24. Gibson Island, Md. | 69. Leonardtown, Md. |
| 25. Love Point, Md. | 70. Hollywood, Md. |
| 26. Langford Creek, Md. | 71. Solomons Island, Md. |
| 27. Centreville, Md. | 72. Barren Island, Md. |
| 28. Washington West, Md.-D.C.-Va. | 73. Honga, Md. |
| 29. Washington East, D.C.-Md. | 74. Wingate, Md. |
| 30. South River, Md. | 75. Nanticoke, Md. |
| 31. Annapolis, Md. | 76. Colonial Beach South, Va.-Md. |
| 32. Kent Island, Md. | 77. Stratford Hall, Va.-Md. |
| 33. Queenstown, Md. | 78. St. Clements Island, Va.-Md. |
| 34. Alexandria, Va.-D.C.-Md. | 79. Piney Point, Md.-Va. |
| 35. Deale, Md. | 80. St. Marys City, Md. |
| 36. Claiborne, Md. | 81. Point No Point, Md. |
| 37. St. Michaels, Md. | 82. Richland Point, Md. |
| 38. Easton, Md. | 83. Bloodsworth Island, Md. |
| 39. Fort Belvoir, Va.-Md. | 84. Deal Island, Md. |
| 40. Mt. Vernon, Md.-Va. | 85. Monie, Md. |
| 41. Lower Marlboro, Md. | 86. Champlain, Va. |
| 42. North Beach, Md. | 87. Machodoc, Va. |
| 43. Tilghman, Md. | 88. Kinsale, Va.-Md. |
| 44. Oxford, Md. | 89. St. George Island, Va.-Md. |
| 45. Trappe, Md. | 90. Point Lookout, Md. |

Table 2 (concluded)

- | | |
|--------------------------------|---------------------------------|
| 91. Kedges Straits, Md. | 134. Cheriton, Va. |
| 92. Terrapin Sand Point, Md. | 135. Savedge, Va. |
| 93. Marion, Md. | 136. Claremont, Va. |
| 94. Mount Landing, Va. | 137. Surry, Va. |
| 95. Tappahannock, Va. | 138. Hog Island, Va. |
| 96. Lottsburg, Va. | 139. Yorktown, Va. |
| 97. Heathsville, Va.-Md. | 140. Poquoson West, Va. |
| 98. Burgess, Va.-Md. | 141. Poquoson East, Va. |
| 99. Ewell, Md.-Va. | 142. Elliotts Creek, Va. |
| 100. Great Fox Island, Va.-Md. | 143. Townsend, Va. |
| 101. Crisfield, Md.-Va. | 144. Bacons Castle, Va. |
| 102. Saxis, Va.-Md. | 145. Mulberry Island, Va. |
| 103. Dunnsville, Va. | 146. Newport News North, Va. |
| 104. Morattico, Va. | 147. Hampton, Va. |
| 105. Lively, Va. | 148. Benns Church, Va. |
| 106. Reedville, Va. | 149. Newport News South, Va. |
| 107. Tangier Island, Va. | 150. Norfolk North, Va. |
| 108. Chesconessex, Va. | 151. Little Creek, Va. |
| 109. Parksley, Va. | 152. Cape Henry, Va. |
| 110. Urbanna, Va. | 153. Chuckatuck, Va. |
| 111. Irvington, Va. | 154. Bowers Hill, Va. |
| 112. Fleets Bay, Va. | 155. Norfolk South, Va. |
| 113. Nandua Creek | 156. Kempsville, Va. |
| 114. Pungoteague, Va. | 157. Princess Anne, Va. |
| 115. West Point, Va. | 158. Wye Mills, Md. |
| 116. Saluda, Va. | 159. Bristol, Md. |
| 117. Wilton, Va. | 160. Fowling Creek, Md. |
| 118. Deltaville, Va. | 161. Port Tobacco, Md. |
| 119. Jamesville, Va. | 162. Charlotte Hall, Md. |
| 120. Toano, Va. | 163. Mardela Springs, Md. |
| 121. Gressitt, Va. | 164. Wetipquin, Md. |
| 122. Ware Neck, Va. | 165. Selbyville, Md. |
| 123. Mathews, Va. | 166. Assawoman Bay, Md. |
| 124. Franktown, Va. | 167. Berlin, Md. |
| 125. Westover, Va. | 168. Ocean City, Md. |
| 126. Charles City, Va. | 169. Public Landing, Md. |
| 127. Brandon, Va. | 170. Tingles Island, Md. |
| 128. Norge, Va. | 171. Girdle Tree, Md.-Va. |
| 129. Williamsburg, Va. | 172. Boxiron, Md.-Va. |
| 130. Clay Bank, Va. | 173. Whittington Point, Md.-Va. |
| 131. Achilles, Va. | 174. Chincoteague West, Va. |
| 132. New Point Comfort, Va. | 175. Chincoteague East, Va. |
| 133. Cape Charles, Va. | 176. Anacostia, D.C.-Md. |

SAV beds from the 1991 aerial photographs were mapped onto these diazo copies of USGS topographic quadrangles. Delineation of each SAV bed onto the topographic quadrangle maps was facilitated by superimposing the photographic print with the appropriate mylar quadrangle on a light table. SAV boundaries were then traced directly onto the mylar quadrangle with a pencil. Where minor scale differences were evident between a photograph and a quadrangle, or where significant shoreline erosion or accretion had occurred since USGS publication of a map, either a best fit was obtained or shoreline changes were noted on the quadrangle.


In addition to delineating SAV bed boundaries, an estimate of percent cover within each bed was made visually in comparison with an enlarged Crown Density Scale similar to those developed for estimating of forest tree crown cover from aerial photography (Fig. 6). Bed density was classified into one of four categories based on a subjective comparison with the density scale. These were: 1, very sparse (<10% coverage); 2, sparse (10 to 40%); 3, moderate (40 to 70%); or 4, dense (70-100%). Either the entire bed or subsections within the bed were assigned a number (1 to 4) corresponding to the above density categories. Additionally, each distinct SAV unit (bed or bed subsection) was assigned an identifying two letter designation unique to its map. Subsections of beds were further identified as being part of a contiguous bed by the addition of two letters unique to each contiguous bed. These contiguous bed descriptions aid the tracking of a single bed between quad sheets as well as the analysis of those beds that had to be separated due to variation in SAV density.

SAV Perimeter Digitization

The perimeters of all SAV beds mapped from the aerial photography were digitized in a clockwise direction using a Numonics Model 2400/2200 DigiTablet Graphics Analysis System having a resolution of .001 inches (.00254 cm) and an accuracy of .005 inches (.0127 cm). Coordinates were transmitted to a PRIME 9955 computer for data manipulation via software developed at VIMS. The perimeter of each SAV bed was defined by a polygon with a linear data point density of 127 per chart inch (50 per cm, 5 meter ground resolution). The total number of points defining any SAV bed is dependent on overall bed size. The SAV bed perimeter was stored as X and Y coordinates in centimeters from the quadrangle origin (lower left corner).

Tests of Precision and Accuracy

Prior to each digitization session, the Numonics instrument was checked manually against a digitizing standard. After a map had been secured to the digitizing tablet, the standard was secured to the map and digitized four times. The information from digitizing the standard was transmitted to the beginning of the SAV bed perimeter file on the PRIME computer. This same procedure was followed at the end of each digitizing session. When this file was processed by the computer, the digitized area



PERCENT CROWN COVER

Figure 6. Crown density scale used for determining density of SAV beds: (1) very sparse, 0-10%; (2) sparse, 10-40%; (3) moderate, 40-70%; (4) dense, 70-100%.

of each standard was compared to the known area of the standard. If a variation between the known and the mean of the observed areas exceeded 1.0%, a warning was printed advising the operator to check the digitizing system. In addition, checks were made with respect to the absolute location of the digitizing standard as secured to the map. A comparison was made between the location of the standard before and after the digitizing session. If the absolute location differed by more than 0.10 cm another warning to check the system was printed. Any movement in absolute location can be indicative of digitizer instrument drift or chart movement during the digitization session. These checks assure that the final calculated bed locations are as accurate as possible.

Maximum accuracy was maintained by exclusively using mylar topographic quadrangles rather than paper ones which can change scale as a function of changes in air temperature and humidity in the digitizer room.

A complete outline of the digitization procedure can be found in Orth et al., 1988.

Standard Operating Procedures for Quality Assurance/Quality Control

Standard operating procedures (SOPs) were developed to facilitate orderly and efficient processing of the 1991 SAV maps and the SAV bed perimeter computer files produced from them, and to comply with the need for consistency, quality assurance, and quality control. SOPs developed include: a detailed procedure outlining 46 steps for digitization of SAV maps; a 47 step checklist for editing SAV perimeter computer files to insure completeness and accuracy; a digitizer log in which all operations were recorded and dated, and which was used to guide and record editing operations; and a flow chart used to track progress of all operations including all changes in file names. Examples of these SOPs are in Orth et al., 1988.

Choice of Representative SAV Bed

Every SAV bed mean area was the result of at least four independent digitizations of the outline of each SAV bed as part of a quality assurance/quality control program designed to isolate and remove anomolous data and produce accurate and representative SAV bed polygons. The computer calculated area for each replication, and the three bed outlines or perimeters most similar in terms of area were then used for the calculation of a mean area. The areas used in the mean area calculation had to be, by contract, within 5% or less from that of the mean area. All beds whose areal difference were in excess of 5% of the mean bed area were flagged by the VIMS quality assurance quality control computer program for additional error assesment. The VIMS error rate was normally less than 1%. The replicate bed whose area was most similar to the mean area was identified as the "best bed". The best bed area and

perimeter coordinate points were then saved by the computer program and transferred to the ARC/INFO GIS system for area calculations.

Conversion of SAV Perimeter Points from X,Y Centimeters to Universal Transverse Mercator (UTM) Coordinates in ARC/INFO 5.0.1 Format

The EPA Chesapeake Bay Program Computer Center manages its geographic data base using Environmental Systems Research Institute (ESRI) ARC/INFO Geographic Information System (GIS) (ESRI, 1989). During 1992, the VIMS SAV program also began converting its operation from the Prime to ARC/INFO based on a SUN Sparc 2 Unix workstation. With the assistance of the Virginia Council on the Environment EcoMAPS program, procedures were developed in 1991 to convert/transform the best bed perimeter points from X,Y centimeters to UTM based coordinates in ARC/INFO 5.0.1 format. This involved construction of data transfer files in an ARC/INFO standard format ("generate"). This was done on the VIMS PRIME for each topographic quadrangle with SAV beds present. Four files per quadrangle were produced:

1. Polygon file containing SAV bed coordinates in digitizer-based centimeters.
2. Attribute file containing SAV bed labels, density, species composition, and dates.
3. Tic file containing map corner locations in digitizer-based coordinates (cm).
4. Geo file containing corresponding latitude and longitude positions for map corners.

The generate files were then transferred to the workstation and imported into the ARC/INFO system.

A set of automated ARC/INFO routines were used to input quadrangle-based SAV "generate" data into ARC/INFO 5.0.1 format, and to assist in interactive editing of SAV polygons. ARC-based SAV polygons were displayed and edited by VIMS staff. SAV polygons appearing on the computer display screen were compared to their counterparts on the mylar quad maps. Discrepancies and artifacts were edited using a suite of ARC/INFO editing "tools". ARC/INFO-based data sets were considered satisfactory for submission to the EPA when the shape, location, and label of all SAV beds corresponded to those on the base mylar quad input map. ARC/INFO-based SAV data were transformed to UTM coordinates, Zone 18, and submitted to EPA for final review, analysis, and deposition to archives.

Calculation of 1991 SAV Areas

The SAV coverages in UTM ARC/INFO Zone 18 format were used to calculate area in square meters for all SAV beds. These areas are reported as quadrangle totals in Table 4, and section and zone totals in Tables 5 and 6. Section and zone totals were calculated by using an overlay operation of

the polygons on the SAV beds in ARC/INFO. The definition of the sections used in this analysis are provided in Table 3.

Organizational Procedures for Analysis and Discussion

Discussion of the distribution of SAV in the Chesapeake Bay and tributaries has been organized into three zones as established by Orth and Moore (1982) and modified by Orth et al., (1989) (Fig. 7). The area between the mouth of the bay to a line stretching from the mouth of the Potomac River at Smith Point in Virginia to approximately 3 nautical miles south of Tangier Island then extending to the eastern side of the bay to an area just south of the mouth of the Little Annemessex River is referred to as the Lower Bay zone.

The area between the south shore of the Little Annemessex River and the south shore of the Potomac River to the Chesapeake Bay bridge at Kent Island is referred to as the Middle Bay zone. The area between the Chesapeake Bay bridge and the Susquehanna Flats is referred to as the Upper Bay zone. The salinity within each zone roughly coincides with the major salinity zones of estuaries: polyhaline (18-25‰), Lower zone; mesohaline (5-18‰), Middle zone; oligohaline (0.5-5 ‰), Upper zone. Although the major rivers and smaller tributaries of the bay have their own salinity regimes, the distribution of SAV in each river is discussed within the zone where it connects to the bay proper.

In addition, 21 major sections of the bay are identified for more detailed discussion of SAV distribution (Fig. 7, Table 3). These sections, which were first delineated for the 1984 survey (Orth et al., 1985) and slightly modified for the 1987 survey (Orth et al., 1989), denote relatively distinct parts of the bay and its tributaries that are readily identifiable from a map. The section boundaries used for analysis and discussion of the 1991 SAV distribution and abundance data are those used for the 1987, 1989, and 1990 reports (Orth et al., 1989; Orth and Nowak, 1990, Orth et al., 1991). Sections 1 through 4 are located in the Upper Bay zone. Sections 5 through 13 are located in the Middle Bay zone, and sections 14 through 21 are located in the Lower Bay zone. Appendix B gives the latitude and longitude of the boundary points of each Chesapeake Bay section and Chincoteague Bay in decimal degrees. SAV distribution in Chincoteague Bay is presented and discussed separately from the Chesapeake Bay.




Figure 7. Location of Chincoteague Bay and Chesapeake Bay with Upper, Middle, and Lower zones and 21 sections used for delineation of SAV distribution patterns. (See Table 3 and Appendix B for exact boundary positions.)

Table 3

Area Descriptions for Each of the 21 Major Sections of the Chesapeake Bay SAV Study Area.

- Section 1. Susquehanna Flats - all areas between and including Spesutie Island and Turkey Point at the mouth of the Elk River to include the Northeast River.
- Section 2. Upper Eastern Shore - all areas in the Elk, Bohemia, and Sassafras Rivers, and SAV in areas on the eastern shore above the Swan Point quadrangle.
- Section 3. Upper Western Shore - all areas south of Spesutie Island and north of the bay bridge to include the Bush, Gunpowder, Middle, Patapsco, and Magothy Rivers.
- Section 4. Chester River - includes all of the Chester River, Eastern Neck, areas north of the bay bridge on Kent Island, and south of Swan Point, and to include SAV on the Swan Point quadrangle.
- Section 5. Central Western Shore - all areas south of the bay bridge and north of Holland Point on Herring Bay to include the Severn, South, and West Rivers and Herring Bay.
- Section 6. Eastern Bay - all areas south of the bay bridge on Kent Island and north of Tilghman Island from Green Marsh Point to include the Wye, East, and Miles Rivers, Crab Alley Bay, Prospect Bay, and Poplar, Jefferson, and Coaches Islands.
- Section 7. Choptank River - all areas south of Tilghman Island from Green Marsh Point and north of Taylor Island to include the Choptank and Little Choptank Rivers.
- Section 8. Patuxent River - all areas in the Patuxent River.
- Section 9. Middle Western Shore - all areas south of Holland Point at Herring Bay and north of Point Lookout on the Potomac River but not the mouth of the Patuxent River.
- Section 10. Lower Potomac River - all areas between the mouth of the Potomac River to a line extending from Maryland Point on the north shore, just above Nanjemoy Creek, to Somerset Beach on the south shore.
- Section 11. Upper Potomac River - all areas from upriver limit of the Lower Potomac River Section to Chain Bridge at Washington D.C.

Table 3 (concluded)

- Section 12.** Middle Eastern Shore - all areas south of Taylor Island and north of a line bisecting Cedar Island to include the Big and Little Annemessex Rivers, Fishing Bay, and the Honga, Nanticoke, Wicomico, and Manokin Rivers.
- Section 13.** Mid-bay Island Complex - all areas in and adjacent to Bloodsworth, South Marsh, Smith, and Tangier Islands.
- Section 14.** Lower Eastern Shore - all areas south of a line bisecting Cedar Island and located just above the Maryland-Virginia line to Fisherman's Island.
- Section 15. Reedville Region - includes the area between Windmill Point on the Rappahannock River, and Smith Point at the mouth of the Potomac River.
- Section 16. Rappahannock River Complex - includes the entire Rappahannock River, Piankatank River, and Milford Haven area.
- Section 17. New Point Comfort Region - includes the area fronting the bay from the lighthouse at New Point Comfort north to, but not including, the bay entrance to Milford Haven.
- Section 18.** Mobjack Bay Complex - includes the East, North, Ware, and Severn Rivers, the north shore of the Mobjack Bay from New Pt. Comfort lighthouse to the North River, and north of a line bisecting the large shoal area around the Guinea Marsh area.
- Section 19.** York River - all areas along the north shore from Clay Bank to the Guinea Marsh area and south of a line bisecting the large shoal area around the Guinea Marsh area, and along the south shore to include the north shore of Goodwin Island.
- Section 20.** Lower Western Shore - includes all areas south of Goodwin Island to Broad Bay off Lynnhaven Inlet, excluding the James River.
- Section 21. James River - all SAV in the James River including the Chickahominy River.

** - Sections 12, 13, 14, 18, 19, and 20 were given new boundaries for the 1987 report (Orth et al., 1989) which also changed the delineation of the three major zones. These new boundaries were retained for the 1989 and 1990 reports (Orth and Nowak, 1990; Orth et al., 1991) and for this report. (Refer to Figure 7 and Appendix B for boundary locations.)

Ground Truth and Other Data Bases

Ground truthing was accomplished by cooperative efforts of a number of agencies and individuals. Although not all areas of the bay were groundtruthed this program does provide valuable supplemental information. This program confirmed the existence of some SAV beds mapped from 1991 aerial photography, located a few 1991 SAV beds not visible from the photography, and provided species data for many of these beds. Ground truth survey information supplied to VIMS researchers was included on the SAV distribution and abundance maps reproduced in Appendix C to show positions of the survey stations in relation to the 1991 beds of SAV mapped from the aerial photographs. Each survey was designated by a unique symbol to identify the different methods of sampling. In most cases, the symbols on the SAV maps (Appendix C) have been enlarged and offset from the actual sampling point to avoid confusion with the mapped SAV bed. Where species information was available, it was included on the map. Because of space limitations on the maps reproduced in Appendix C, in some cases certain survey points were omitted, or data from one or more survey points were combined where the information was duplicated. Additionally, all ground truth data supplied to VIMS referenced on copies of 1990 SAV maps were tabulated in Appendix E and cross-referenced at VIMS by 1991 bed locations.

For those areas in Virginia waters where aerial photographic evidence of SAV beds was inconclusive, photo-verification was accomplished by ground truthing. Observations were principally made from small boats and by divers snorkeling over areas indicated from the photographs. In several river systems included in this survey (York, Piankatank and Rappahannock) where VIMS researchers transplanted SAV (principally eelgrass), transplant sites were also examined carefully by divers for any extant SAV. VIMS scientists also surveyed a number of sites in the bay as part of an intensive quantitative SAV study (VIMS, unpublished data). Citizen Field Observation data for Virginia waters (compiled by the USFWS) were also added to the 1991 Virginia SAV maps reproduced in Appendix C. In addition, a great deal of ground truth information could be extrapolated from earlier studies (Orth et al., 1979; Orth and Moore, 1982) since SAV beds in the lower bay contain primarily one or two species and have not undergone drastic fluctuations in distribution and abundance since the first bay-wide survey in 1978.

In Maryland, ground truth data were obtained in 1991 by the Metropolitan Washington Council of Governments (COG) Potomac River survey, three SAV research projects, the USFWS, the Maryland DNR, and the Citizens' volunteer survey (this data set was compiled by the USFWS along with their own survey data). USFWS personnel surveyed selected locations in the upper bay, including the Potomac River, by boat using rakes to collect samples to determine presence or absence of SAV. All plant samples collected by USFWS were identified to species. Citizen groundtruthing identified plants to species when possible. SAV sightings

were referenced on USGS 7.5 minute topographic maps. USFWS staff transferred data from these surveys to full-scale copies of 1990 SAV distribution maps (USGS 7.5 minute topographic quads with 1990 SAV beds). These USFWS-prepared survey maps were supplied to VIMS SAV researchers and survey data were transferred by VIMS staff to the 1991 SAV distribution maps reproduced in Appendix C. USFWS survey data were tabulated, locating each SAV siting by listing its associated 1990 bed. This table was supplied to VIMS where additional survey data were added and it became the basis for the much expanded table published in Appendix E. In this latter VIMS version of the USFWS table, all ground truth data were added from the additional surveys, as noted in this report, and all were cross-referenced by 1991 bed locations as well as by 1990 bed locations.

The field study in the Potomac River by the COG, which covered the shoreline areas from the District of Columbia (D.C.) to Aquia Creek used shoreline surveys to document the distribution of SAV in the tidal freshwater and transition zones of the Potomac River and tributaries (Maps 28, 34, 39, 40, 47, 48, 55, and 64) in September. This survey was done by boat, using rakes to collect samples to determine presence or absence of SAV. Plants were identified by species and the proportion of each was estimated for vegetated areas. Each vegetated area with species proportions was referenced on USGS 7.5 minute topographic maps by the surveyors. The USFWS and Citizens' Survey also collected ground truth data from tributaries of the Potomac. The USFWS surveyed the Port Tobacco River, while the Citizens' Survey covered Nanjemoy and Piscataway creeks. Survey maps were supplied to VIMS SAV researchers. Patuxent River ground truth data were obtained by the Citizens' Survey. Data from these surveys were transferred by VIMS staff to the 1991 SAV distribution maps (reproduced in Appendix C) and were tabulated in Appendix E.

One 1991 SAV project being conducted on the Susquehanna Flats by Stan Kollar of Harford Community College provided data in the form of species presence by percentage, primarily by visual estimates. A SAV research group headed by William Dennison at the University of Maryland Horn Point Environmental Laboratories (HPEL) also provided 1991 ground truth data in collaboration with the VIMS research team. This was part of the intensive quantitative study mentioned earlier (VIMS, unpublished data). The Essex Community College SAV Research Group of Baltimore County, Maryland, contributed ground truth data for quads 13 and 14. The National Park Service, Assateague Island, as well as citizens, provided ground truthing for Chincoteague Bay. Maps of these study sites with species data were provided to VIMS researchers. Species locations from these data were added to the 1991 SAV maps reproduced in Appendix C and were tabulated in Appendix E by VIMS staff.

In addition to the scientific surveys, private citizens participated in identifying 1991 SAV beds by checking for presence of SAV at previous years' SAV bed locations in certain areas in the bay, and by identifying new SAV beds in 1991. Private citizens volunteered to assist in the 1991

SAV ground survey under guidance of the USFWS and the Chesapeake Bay Foundation (CBF). This program entailed identifying and recording the location of SAV in the bay in 1991. Volunteers, who were recruited through press releases, newsletters, and personal letters, were provided with a SAV identification guide, reduced 1990 SAV maps to aid in location of SAV beds, and data sheets for reporting visits to numerous sites around the bay. Each volunteer was asked to identify the location where SAV was sighted, and to identify the species. All information from the Citizens' Survey was submitted to Kathryn Reshetiloff (USFWS) for processing. SAV sitings reported by the Citizens' Survey were mapped on 1990 SAV maps. As previously explained, USFWS personnel also tabulated data from most of the 1991 Citizens' Survey along with their own survey's data, listing each SAV siting by 1990 bed location. VIMS staff mapped these data on 1991 maps reproduced in Appendix C, and data were tabulated in Appendix E.

RESULTS

Data Presentation

SAV distribution data are presented by topographic quadrangle (Table 4), by section and zone (Table 5), and by quadrangles within a section (Table 6). Topographic quadrangle maps annotated with all SAV beds are presented in Appendix C, while individual bed areas for each quadrangle are given in Appendix D. Appendix E tabulates all ground truth data for 1991. The 1991 SAV distribution data and species occurrences are first discussed relative to the Upper, Middle, and Lower Bay zones, respectively. The 21 sections of the Chesapeake Bay, and Chincoteague Bay, are then discussed individually and the data compared to results from the 1990 survey of SAV distribution and abundance (Orth, et al., 1991). SAV is plotted for each section and for Chincoteague Bay in Figures 8 through 29. SAV is plotted in red, a bold black line represents a section boundary, and USGS 7.5 minute topographic quadrangles are represented by a grid of numbered rectangles. (Refer to Table 2 for quadrangle names listed by map number.)

1991 SUMMARY

In 1991, the Chesapeake Bay had 25,623 hectares of SAV, compared to 24,296 hectares in 1990, with 2,158 hectares (8.4%), 11,664 hectares (45.5%), and 11,802 hectares (46.1%) occurring in the Upper, Middle, and Lower Bay zones, respectively (Figs. 1, 2, and 3).

Upper Bay Zone

In 1991 seventy-eight percent (1,684 hectares) of the SAV within the Upper Bay zone was located in the Susquehanna Flats (Section 1). Eight species of SAV were documented by ground truth surveys in this section, with *Myriophyllum spicatum* being dominant. A recently introduced exotic species, *Hydrilla verticillata*, was found in the Flats but occurred in small isolated beds. Overall abundance of SAV declined from the 1990 (1,773 hectares) level, but the density of beds increased slightly from 1990. Eighty-nine percent of all SAV beds in the Flats were classified as very sparse (0-10% coverage), and 7% of beds were classified as dense (70-100% coverage). This is a slight improvement over 1990 coverage when 92% were very sparse and 5% of beds were classified as dense. In the Upper Eastern Shore (Section 2) there were 326 hectares of SAV (95 hectares less than in 1990) located principally in the Elk and lower Sassafras rivers, and Swan, Stillpond, and Churn creeks, with many of the same species as reported in the Susquehanna Flats section. The Upper Western Shore (Section 3) had 91 hectares of SAV, primarily *M. spicatum* and *Vallisneria americana*, concentrated in Saltpeter and Dundee creeks. This is similar to 1990 when there were 90.47 hectares. In the Chester River (Section 4) SAV abundance (57 hectares) was down 10 hectares from 1990. SAV was most abundant adjacent to Eastern Neck, Eastern Neck Island, and in the lower Chester River. In this region *Ruppia maritima* was the most abundant of seven species reported.

Table 4**Total Area of SAV in Hectares by USGS 7.5 Minute Topographic
Quadrangles for 1990 and 1991.**

| QUADRANGLE | 1990 | 1991 |
|--------------------------------|----------|----------|
| 001. Conowingo Dam, Md.-Pa. | - | 0 |
| 002. Aberdeen, Md. | 2.12 | 8.79 |
| 003. Havre de Grace, Md. | 1,768.85 | 1,652.84 |
| 004. North East, Md. | 146.75 | 75.36 |
| 005. Elkton, Md.-Del. | 39.65 | 24.97 |
| 006. White Marsh, Md. | - | # |
| 007. Edgewood, Md. | 0 | 0 |
| 008. Perryman, Md. | 0 | 0 |
| 009. Spesutie, Md. | 50.84 | 87.15 |
| 010. Earleville, Md. | 166.22 | 155.01 |
| 011. Cecilton, Md. | - | 0 |
| 012. Baltimore East, Md. | - | 0 |
| 013. Middle River, Md. | .69 | 4.40 |
| 014. Gunpowder Neck, Md. | 89.78 | 84.24 |
| 015. Hanesville, Md. | 6.32 | 4.02 |
| 016. Betterton, Md. | 4.23 | .60 |
| 017. Galena, Md. | 7.90 | 3.89 |
| 018. Curtis Bay, Md. | # | # |
| 019. Sparrows Point, Md. | # | # |
| 020. Swan Point, Md. | 6.46 | 3.81 |
| 021. Rock Hall, Md. | 11.99 | 9.74 |
| 022. Chestertown, Md. | 0 | 0 |
| 023. Round Bay, Md. | # | # |
| 024. Gibson Island, Md. | # | # |
| 025. Love Point, Md. | 0 | 0 |
| 026. Langford Creek, Md. | 47.75 | 42.04 |
| 027. Centreville, Md. | 0 | 0 |
| 028. Washington West, Md.-D.C. | 0 | 3.96 |
| 029. Washington East, D.C.-Md. | # | # |
| 030. South River, Md. | # | # |
| 031. Annapolis, Md. | # | # |
| 032. Kent Island, Md. | 133.08 | 1.58 |
| 033. Queenstown, Md. | 55.76 | 4.24 |
| 034. Alexandria, Va.-D.C.-Md. | 400.23 | 453.72 |
| 035. Deale, Md. | # | # |

Table 4 (continued)

| QUADRANGLE | 1990 | 1991 |
|--------------------------------|----------|--------|
| 036. Claiborne, Md. | 139.11 | 59.47 |
| 037. St. Michaels, Md. | 62.76 | 3.68 |
| 038. Easton, Md. | # | # |
| 039. Fort Belvoir, Va.-Md. | 105.16 | 160.27 |
| 040. Mt. Vernon, Va.-Md. | 358.03 | 526.17 |
| 041. Lower Marlboro, Md. | # | # |
| 042. North Beach, Md. | 0 | - |
| 043. Tilghman, Md. | 11.83 | 12.54 |
| 044. Oxford, Md. | 19.28 | 6.28 |
| 045. Trappe, Md. | 0 | 0 |
| 046. Preston, Md. | 0 | 0 |
| 047. Quantico, Va.-Md. | 694.15 | 805.93 |
| 048. Indian Head, Md.- Va. | 303.92 | 355.27 |
| 049. Benedict, Md. | # | # |
| 050. Prince Frederick, Md. | 0 | - |
| 051. Hudson, Md. | 96.63 | 62.85 |
| 052. Church Creek, Md. | 6.45 | 2.24 |
| 053. Cambridge, Md. | 0 | 0 |
| 054. East New Market, Md. | 0 | 0 |
| 055. Widewater, Va.-Md. | 614.49 | 648.13 |
| 056. Nanjemoy, Md. | 126.91 | 140.79 |
| 057. Mathias Point, Md.-Va. | 284.96 | 290.27 |
| 058. Popes Creek, Md. | 4.86 | 20.13 |
| 059. Mechanicsville, Md. | 0 | 0 |
| 060. Broomes Island, Md. | 0 | # |
| 061. Cove Point, Md. | # | # |
| 062. Taylors Island, Md. | 58.41 | 30.01 |
| 063. Golden Hill, Md. | 4.05 | 8.92 |
| 064. Passapatanzy, Md.-Va. | 0 | # |
| 065. King George, Va.-Md. | 52.97 | 64.17 |
| 066. Dahlgren, Va.-Md. | 51.59 | 58.33 |
| 067. Colonial Beach North, Va. | 45.86 | 46.62 |
| 068. Rock Point, Md. | # | # |
| 069. Leonardtown, Md. | # | 0 |
| 070. Hollywood, Md. | # | # |
| 071. Solomons Island, Md. | # | # |
| 072. Barren Island, Md. | 299.56 | 121.72 |
| 073. Honga, Md. | 1,005.06 | 861.83 |

Table 4 (continued)

| QUADRANGLE | 1990 | 1991 |
|-----------------------------------|----------|----------|
| 074. Wingate, Md. | 399.64 | 460.31 |
| 075. Nanticoke, Md. | 0 | 0 |
| 076. Colonial Beach South, Va. | 0 | 0 |
| 077. Stratford Hall, Va.-Md. | 0 | 0 |
| 078. St. Clements Island, Va.-Md. | 0 | # |
| 079. Piney Point, Md.-Va. | # | 0 |
| 080. St. Mary's City, Md. | 0 | 0 |
| 081. Point No Point, Md. | 0 | - |
| 082. Richland Point, Md. | 30.79 | 20.91 |
| 083. Bloodsworth Island, Md. | 699.45 | 801.70 |
| 084. Deal Island, Md. | 39.05 | 24.35 |
| 085. Monie, Md. | 18.33 | 7.28 |
| 086. Champlain, Va. | - | 0 |
| 087. Machodoc, Va. | 0 | 0 |
| 088. Kinsale, Va.-Md. | 0 | 0 |
| 089. St. George Island, Md.-VA | 0 | 1.74 |
| 090. Point Lookout, Md. | 0 | 0 |
| 091. Kedges Straits, Md. | 875.24 | 884.83 |
| 092. Terrapin Sand Point, Md. | 256.95 | 261.07 |
| 093. Marion, Md. | 191.96 | 305.93 |
| 094. Mount Landing, Va. | - | - |
| 095. Tappahannock, Va. | - | - |
| 096. Lottsburg, Va. | 0 | 0 |
| 097. Heathsville, Va.-Md. | 0 | 0 |
| 098. Burgess, Va.-Md. | 0 | 0 |
| 099. Ewell, Md.-Va. | 2,442.48 | 2,605.93 |
| 100. Great Fox Island, Md.-Va. | 1,372.34 | 1,421.02 |
| 101. Crisfield, Md.-Va. | 226.44 | 318.73 |
| 102. Saxis, Va.-Md. | .78 | 1.26 |
| 103. Dunnsville, Va. | - | - |
| 104. Morattico, Va. | 0 | 0 |
| 105. Lively, Va. | 0 | 0 |
| 106. Reedville, Va. | 226.76 | 242.79 |
| 107. Tangier Island, Va. | 749.74 | 782.21 |
| 108. Chesconessex, Va. | 952.46 | 1,052.51 |
| 109. Parksley, Va. | 339.38 | 483.10 |
| 110. Urbanna, Va. | 15.89 | 5.39 |
| 111. Irvington, Va. | 221.48 | 165.03 |

Table 4 (continued)

| QUADRANGLE | 1990 | 1991 |
|------------------------------|----------|----------|
| 112. Fleets Bay, Va. | 381.44 | 391.85 |
| 113. Nandua Creek, Va. | 364.46 | 441.55 |
| 114. Pungoteague, Va. | 823.09 | 976.18 |
| 115. West Point, Va. | 0 | - |
| 116. Saluda, Va. | 1.97 | 0 |
| 117. Wilton, Va. | 48.63 | 16.00 |
| 118. Deltaville, Va. | 90.50 | 107.54 |
| 119. Jamesville, Va. | 509.45 | 621.64 |
| 120. Toano, Va. | - | - |
| 121. Gressitt, Va. | - | - |
| 122. Ware Neck, Va. | 302.98 | 321.73 |
| 123. Mathews, Va. | 196.06 | 260.64 |
| 124. Franktown, Va. | 484.56 | 627.61 |
| 125. Westover, Va. | # | # |
| 126. Charles City, Va. | - | - |
| 127. Brandon, Va. | - | # |
| 128. Norge, Va. | - | - |
| 129. Williamsburg, Va. | - | - |
| 130. Clay Bank, Va. | 1.48 | 0 |
| 131. Achilles, Va. | 996.40 | 1,010.88 |
| 132. New Point Comfort, Va. | 1,398.44 | 1,448.69 |
| 133. Cape Charles, Va. | 318.81 | 362.17 |
| 134. Cheriton, Va. | 70.93 | 82.73 |
| 135. Savedge, Va. | - | - |
| 136. Claremont, Va. | - | - |
| 137. Surry, Va. | - | # |
| 138. Hog Island, Va. | - | - |
| 139. Yorktown, Va. | 1.68 | .71 |
| 140. Poquoson West, Va. | 540.40 | 554.65 |
| 141. Poquoson East, Va. | 1,007.92 | 1,151.41 |
| 142. Elliotts Creek, Va. | 28.20 | 68.17 |
| 143. Townsend, Va. | 1.51 | .72 |
| 144. Bacons Castle, Va. | - | - |
| 145. Mulberry Island, Va. | - | - |
| 146. Newport News North, Va. | - | - |
| 147. Hampton, Va. | 342.10 | 381.24 |
| 148. Benns Church, Va. | - | - |

Table 4 (concluded)

| QUADRANGLE | 1990 | 1991 |
|----------------------------------|---------------|---------------|
| 149. Newport News South, Va. | 0 | - |
| 150. Norfolk North, Va. | 0 | - |
| 151. Little Creek, Va. | 0 | 0 |
| 152. Cape Henry, Va. | 28.31 | 23.66 |
| 153. Chuckatuck, Va. | - | - |
| 154. Bowers Hill, Va. | - | - |
| 155. Norfolk South, Va. | - | - |
| 156. Kempsville, Va. | - | - |
| 157. Princess Anne, Va. | .73 | 0 |
| 158. Wye Mills, Md. | 0 | 0 |
| 159. Bristol, Md. | # | 0 |
| 160. Fowling Creek, Md. | 0 | 0 |
| 161. Port Tobacco, Md. | 11.89 | 12.65 |
| 162. Charlotte Hall, Md. | 0 | 8.97 |
| 163. Mardela Springs, Md. | 0 | 0 |
| 164. Wetipquin, Md. | 0 | 0 |
| 165. Selbyville, Md. | 0 | 0 |
| 166. Assawoman Bay, Md. | 0 | 1.23 |
| 167. Berlin, Md. | 6.34 | 11.13 |
| 168. Ocean City, Md. | 19.76 | 17.67 |
| 169. Public Landing, Md. | 0 | 0 |
| 170. Tingles Island, Md. | 993.17 | 1,066.44 |
| 171. Girdle Tree, Md.-Va. | 0 | 0 |
| 172. Boxiron, Md.-Va. | 635.15 | 672.52 |
| 173. Whittington Point, Md.-VA | 239.86 | 363.68 |
| 174. Chincoteague West, Va. | 0 | .63 |
| 175. Chincoteague East, Va. | 598.66 | 612.86 |
| 176. Anacostia, D.C.-Md. | 0 | 0 |
| TOTAL SAV - Chesapeake Bay | 24,295.79 | 25,623.47 |
| TOTAL SAV - Chincoteague Bay | 2492.95 | 2,746.17 |

NOTES:

- Indicates quadrangle not photographed and assumed to have no SAV.
- 0 Indicates quadrangle photographed and no SAV noted.
- # SAV detected by ground truthing only.

Table 5

Number of Hectares of SAV in 1990 and 1991 for the 21 Major Sections and Three Zones of the Chesapeake Bay and for Chincoteague Bay.

| ZONE | SECTION | AREA (HECTARES) | |
|--------------------------------|--------------------------------|--------------------|-----------|
| | | 1990 | 1991 |
| Upper | 1. Susquehanna Flats | 1,772.74 | 1,684.06 |
| | 2. Upper Eastern Shore | 420.57 | 326.19 |
| | 3. Upper Western Shore | 90.47 | 91.00 |
| | 4. Chester River | 67.32 | 56.68 |
| | Zone Total | 2,351.10 | 2,157.93 |
| Middle | 5. Central Western Shore | 0.00 | 0.00 |
| | 6. Eastern Bay | 389.18 | 67.89 |
| | 7. Choptank River | 192.60 | 113.92 |
| | 8. Patuxent River | 0.00 | 0.00 |
| | 9. Middle Western Shore | 0.00 | 0.00 |
| | 10. Lower Potomac River | 531.85 | 581.10 |
| | 11. Upper Potomac River | 2,523.18 | 3,016.04 |
| | 12. Middle Eastern Shore | 2,284.60 | 2,177.51 |
| | 13. Mid-Bay Island Complex | 5,396.71 | 5,707.36 |
| | Zone Total | 11,318.12 | 11,663.82 |
| Lower | 14. Lower Eastern Shore | 4,823.39 | 5,719.50 |
| | 15. Reedville | 608.20 | 634.64 |
| | 16. Rappahannock River Complex | 544.14 | 508.93 |
| | 17. New Point Comfort Region | 356.91 | 338.87 |
| | 18. Mobjack Bay Complex | 1,703.48 | 1,787.76 |
| | 19. York River | 790.87 | 803.53 |
| | 20. Lower Western Shore | 1,796.84 | 2,005.75 |
| | 21. James River | 2.73 | 2.74 |
| | Zone Total | 10,626.56 | 11,801.72 |
| Total SAV for Chesapeake Bay | | 24,295.79 | 25,623.47 |
| Total SAV for Chincoteague Bay | | 2,492.95 | 2,746.17 |

Table 6

**Number of Square Meters of SAV in 1991 for Each Quadrangle of
the 21 Sections in the Chesapeake Bay and of Chincoteague Bay.
(Map Code Numbers from Table 2 in Parentheses.)**

| SECTION | QUADRANGLE | AREA |
|-------------------------|---------------------|--------------------|
| Susquehanna Flats - 1 | Conowingo Dam (1) | 0.00 |
| | Aberdeen (2) | 87,854.22 |
| | Havre de Grace (3) | 16,528,372.04 |
| | North East (4) | 0.00 |
| | Elkton (5) | 0.00 |
| | Perryman (8) | 0.00 |
| | Spesutie (9) | 224,397.45 |
| | Earleville (10) | <u>0.00</u> |
| | | 16,840,623.71 sq.m |
| | | 1,684.06 hectares |
| | | 4,161.32 acres |
| Upper Eastern Shore - 2 | North East (4) | 753,561.57 |
| | Elkton (5) | 249,674.66 |
| | Perryman (8) | 0.00 |
| | Spesutie (9) | 623,425.10 |
| | Earleville (10) | 1,550,110.67 |
| | Cecilton (11) | 0.00 |
| | Gunpowder Neck (14) | 0.00 |
| | Hanesville (15) | 40,200.46 |
| | Betterton (16) | 6000.27 |
| | Galena (17) | 38,897.80 |
| | Swan Point (20) | 0.00 |
| | Rock Hall (21) | 0.00 |
| | Chestertown (22) | <u>0.00</u> |
| | | 3,261,870.53 sq.m |
| | | 326.19 hectares |
| | | 806.01 acres |
| Upper Western Shore - 3 | White Marsh (6) | 0.00 |
| | Edgewood (7) | 0.00 |
| | Perryman (8) | 0.00 |
| | Spesutie (9) | 23,662.02 |
| | Baltimore East (12) | 0.00 |
| | Middle River (13) | 44,006.71 |
| | Gunpowder Neck (14) | 842,359.28 |

Table 6 (continued)

| SECTION | QUADRANGLE | AREA |
|-------------------------------------|---------------------|------------------|
| Upper Western Shore - 3 (continued) | | |
| | Hanesville (15) | 0.00 |
| | Curtis Bay (18) | 0.00 |
| | Sparrows Point (19) | 0.00 |
| | Swan Point (20) | 0.00 |
| | Round Bay (23) | 0.00 |
| | Gibson Island (24) | 0.00 |
| | Love Point (25) | <u>0.00</u> |
| | | 910,028.01 sq.m |
| | | 91.00 hectares |
| | | 224.87 acres |
| Chester River - 4 | | |
| | Betterton (16) | 0.00 |
| | Galena (17) | 0.00 |
| | Swan Point (20) | 38,128.53 |
| | Rock Hall (21) | 97,388.73 |
| | Chestertown (22) | 0.00 |
| | Love Point (25) | 0.00 |
| | Langford Creek (26) | 420,387.02 |
| | Centreville (27) | 0.00 |
| | Kent Island (32) | 0.00 |
| | Queenstown (33) | <u>10,855.25</u> |
| | | 566,759.53 sq.m |
| | | 56.68 hectares |
| | | 140.05 acres |
| Central Western Shore - 5 | | |
| | Curtis Bay (18) | 0.00 |
| | Round Bay (23) | 0.00 |
| | Gibson Island (24) | 0.00 |
| | South River (30) | 0.00 |
| | Annapolis (31) | 0.00 |
| | Deale (35) | 0.00 |
| | North Beach (42) | <u>0.00</u> |
| | | 0.00 sq.m |
| | | 0.00 hectares |
| | | 0.00 acres |
| Eastern Bay - 6 | | |
| | Centreville (27) | 0.00 |
| | Annapolis (31) | 0.00 |

Table 6 (continued)

| SECTION | QUADRANGLE | AREA |
|-----------------------------|-----------------------|-------------------|
| Eastern Bay - 6 (continued) | Kent Island (32) | 15,831.92 |
| | Queenstown (33) | 31,494.79 |
| | Claiborne (36) | 594,702.21 |
| | St. Michaels (37) | 36,845.75 |
| | Easton (38) | 0.00 |
| | Tilghman (43) | 0.00 |
| | Oxford (44) | 0.00 |
| | Wye Mills (158) | <u>0.00</u> |
| | | 678,874.67 sq.m |
| | | 67.89 hectares |
| Choptank River - 7 | | 167.75 acres |
| | Centreville (27) | 0.00 |
| | Claiborne (36) | 0.00 |
| | St. Michaels (37) | 0.00 |
| | Easton (38) | 0.00 |
| | Tilghman (43) | 125,408.08 |
| | Oxford (44) | 62,772.74 |
| | Trappe (45) | 0.00 |
| | Preston (46) | 0.00 |
| | Hudson (51) | 628,458.07 |
| | Church Creek (52) | 22,390.68 |
| | Cambridge (53) | 0.00 |
| | East New Market (54) | 0.00 |
| | Taylors Island (62) | 300,132.97 |
| | Golden Hill (63) | 0.00 |
| | Nanticoke (75) | 0.00 |
| | Wye Mills (158) | 0.00 |
| | Fowling Creek (160) | <u>0.00</u> |
| | | 1,139,162.54 sq.m |
| Patuxent River - 8 | | 113.92 hectares |
| | | 281.49 acres |
| | Deale (35) | 0.00 |
| | Lower Marlboro (41) | 0.00 |
| | North Beach (42) | 0.00 |
| | Benedict (49) | 0.00 |
| | Prince Frederick (50) | 0.00 |
| | Mechanicsville (59) | 0.00 |

Table 6 (continued)

| SECTION | QUADRANGLE | AREA |
|--------------------------------|---------------------------|---------------|
| Patuxent River - 8 (continued) | Broomes Island (60) | 0.00 |
| | Cove Point (61) | 0.00 |
| | Hollywood (70) | 0.00 |
| | Solomons Island (71) | 0.00 |
| | Bristol (159) | 0.00 |
| | Charlotte Hall (162) | <u>0.00</u> |
| | | 0.00 sq.m |
| | | 0.00 hectares |
| | | 0.00 acres |
| Middle Western Shore - 9 | North Beach (42) | 0.00 |
| | Prince Frederick (50) | 0.00 |
| | Hudson (51) | 0.00 |
| | Broomes Island (60) | 0.00 |
| | Cove Point (61) | 0.00 |
| | Taylors Island (62) | 0.00 |
| | Solomons Island (71) | 0.00 |
| | Barren Island (72) | 0.00 |
| | St. Marys City (80) | 0.00 |
| | Point No Point (81) | 0.00 |
| | Richland Point (82) | 0.00 |
| | Point Lookout (90) | <u>0.00</u> |
| | | 0.00 sq.m |
| | | 0.00 hectares |
| | | 0.00 acres |
| Lower Potomac River - 10 | Nanjemoy (56) | 1,407,941.03 |
| | Mathias Point (57) | 2,902,732.51 |
| | Popes Creek (58) | 201,296.25 |
| | Mechanicsville (59) | 0.00 |
| | King George (65) | 140,416.50 |
| | Dahlgren (66) | 583,297.24 |
| | Colonial Beach North (67) | 466,224.38 |
| | Rock Point (68) | 0.00 |
| | Leonardtown (69) | 0.00 |
| | Hollywood (70) | 0.00 |
| | Solomons Island (71) | 0.00 |
| | Colonial Beach South (76) | 0.00 |
| | Stratford Hall (77) | 0.00 |

Table 6 (continued)

| SECTION | QUADRANGLE | AREA |
|---|--------------------------|--------------------|
| Lower Potomac River - 10 (continued) | | |
| | St. Clements Island (78) | 0.00 |
| | Piney Point (79) | 0.00 |
| | St. Marys City (80) | 0.00 |
| | Champlain (86) | 0.00 |
| | Machodoc (87) | 0.00 |
| | Kinsale (88) | 0.00 |
| | St. George Island (89) | 17,394.50 |
| | Point Lookout (90) | 0.00 |
| | Lottsburg (96) | 0.00 |
| | Heathsville (97) | 0.00 |
| | Burgess (98) | 0.00 |
| | Port Tobacco (161) | 1,936.12 |
| | Charlotte Hall (162) | <u>89,746.53</u> |
| | | 5,810,985.06 sq.m |
| | | 581.10 hectares |
| | | 1,435.90 acres |
| Upper Potomac River - 11 | | |
| | Washington West (28) | 39,603.63 |
| | Washington East (29) | 0.00 |
| | Alexandria (34) | 4,537,155.33 |
| | Fort Belvoir (39) | 1,602,669.61 |
| | Mt. Vernon (40) | 5,261,718.59 |
| | Quantico (47) | 8,059,338.98 |
| | Indian Head (48) | 3,552,675.31 |
| | Widewater (55) | 6,481,334.74 |
| | Nanjemoy (56) | 0.00 |
| | Mathias Point (57) | 0.00 |
| | Passapatanzy (64) | 0.00 |
| | King George (65) | 501,326.80 |
| | Dahlgren (66) | 0.00 |
| | Port Tobacco (161) | 124,586.30 |
| | Anacostia (176) | <u>0.00</u> |
| | | 30,160,409.29 sq.m |
| | | 3,016.04 hectares |
| | | 7,452.65 acres |
| Middle Eastern Shore - 12 | | |
| | Taylors Island (62) | 0.00 |
| | Golden Hill (63) | 89,204.58 |
| | Barren Island (72) | 1,217,150.55 |

Table 6 (continued)

| SECTION | QUADRANGLE | AREA |
|--|--------------------------|---------------------|
| Middle Eastern Shore - 12 (continued) | | |
| | Honga (73) | 8,618,267.55 |
| | Wingate (74) | 4,603,087.15 |
| | Nanticoke (75) | 0.00 |
| | Point No Point (81) | 0.00 |
| | Richland Point (82) | 209,149.62 |
| | Bloodsworth Island (83) | 1,072,434.03 |
| | Deal Island (84) | 243,518.42 |
| | Monie (85) | 72,752.33 |
| | Terrapin Sand Point (92) | 193,695.86 |
| | Marion (93) | 3,059,298.19 |
| | Great Fox Island (100) | 1,302,055.06 |
| | Crisfield (101) | 1,094,474.54 |
| | Mardela Springs (163) | 0.00 |
| | Wetipquin (164) | <u>0.00</u> |
| | | 21,775,087.88 sq.m |
| | | 2,177.51 hectares |
| | | 5,380.63 acres |
| Mid-Bay Island Complex - 13 | | |
| | Richland Point (82) | 0.00 |
| | Bloodsworth Island (83) | 6,944,572.70 |
| | Deal Island (84) | 0.00 |
| | Kedges Straits (91) | 8,848,294.97 |
| | Terrapin Sand Point (92) | 2,416,997.70 |
| | Ewell (99) | 26,059,291.19 |
| | Great Fox Is. (100) | 5,582,617.55 |
| | Tangier Island (107) | <u>7,221,859.69</u> |
| | | 57,073,633.80 sq.m |
| | | 5,707.36 hectares |
| | | 14,102.91 acres |
| Lower Eastern Shore - 14 | | |
| | Marion (93) | 0.00 |
| | Great Fox Island (100) | 7,325,551.74 |
| | Crisfield (101) | 2,092,802.67 |
| | Saxis (102) | 12,604.37 |
| | Tangier Island (107) | 600,259.70 |
| | Chesconessex (108) | 10,525,052.96 |
| | Parksley (109) | 4,831,002.93 |
| | Nandua Creek (113) | 4,415,540.04 |
| | Pungoteague (114) | 9,761,805.83 |

Table 6 (continued)

| SECTION | QUADRANGLE | AREA |
|--------------------------------------|----------------------|---------------------|
| Lower Eastern Shore - 14 (continued) | | |
| | Jamesville (119) | 6,216,401.30 |
| | Franktown (124) | 6,276,144.04 |
| | Cape Charles (133) | 3,621,726.88 |
| | Cheriton (134) | 827,269.68 |
| | Elliotts Creek (142) | 681,657.12 |
| | Townsend (143) | <u>7,217.51</u> |
| | | 57,195,036.77 sq. m |
| | | 5,719.50 hectares |
| | | 14,132.91 acres |
| Reedville Region - 15 | | |
| | Heathsville (97) | 0.00 |
| | Burgess (98) | 0.00 |
| | Reedville (106) | 2,427,887.01 |
| | Irvington (111) | 0.00 |
| | Fleets Bay (112) | <u>3,918,542.87</u> |
| | | 6,346,429.88 sq. m |
| | | 634.64 hectares |
| | | 1,568.20 acres |
| Rappahannock River Complex - 16 | | |
| | Tappahannock (95) | 0.00 |
| | Lottsburg (96) | 0.00 |
| | Dunnsville (103) | 0.00 |
| | Morattico (104) | 0.00 |
| | Lively (105) | 0.00 |
| | Urbanna (110) | 53,866.07 |
| | Irvington (111) | 1,650,345.65 |
| | Fleets Bay (112) | 0.00 |
| | Saluda (116) | 0.00 |
| | Wilton (117) | 159,977.81 |
| | Deltaville (118) | 1,075,439.81 |
| | Ware Neck (122) | 0.00 |
| | Mathews (123) | <u>2,149,646.62</u> |
| | | 5,089,275.96 sq.m |
| | | 508.93 hectares |
| | | 1,257.56 acres |

Table 6 (continued)

| SECTION | QUADRANGLE | AREA |
|-------------------------------|--------------------------|---------------------|
| New Point Comfort Region - 17 | Mathews (123) | 0.00 |
| | New Point Comfort (132) | <u>3,388,663.14</u> |
| | | 3,388,663.14 sq. m |
| | | 338.87 hectares |
| | | 837.34 acres |
| Mobjack Bay Complex - 18 | Ware Neck (122) | 3,217,268.38 |
| | Mathews (123) | 456,732.50 |
| | Clay Bank (130) | 0.00 |
| | Achilles (131) | 6,920,407.22 |
| | New Point Comfort (132) | <u>7,283,189.59</u> |
| | | 17,877,597.69 sq.m |
| York River - 19 | | 1,787.76 hectares |
| | | 4,417.56 acres |
| | Toano (120) | 0.00 |
| | Gressitt (121) | 0.00 |
| | Williamsburg (129) | 0.00 |
| | Clay Bank (130) | 0.00 |
| | Achilles (131) | 3,188,378.21 |
| | New Point Comfort (132) | 3,815,095.07 |
| | Hog Island (138) | 0.00 |
| | Yorktown (139) | 7,078.38 |
| | Poquoson West (140) | 1,024,715.31 |
| | Poquoson East (141) | <u>0.00</u> |
| | | 8,035,266.97 sq. m |
| | | 803.53 hectares |
| | | 1,985.52 acres |
| Lower Western Shore - 20 | New Point Comfort (132) | 0.00 |
| | Poquoson West (140) | 4,521,745.16 |
| | Poquoson East (141) | 11,514,108.41 |
| | Elliotts Creek (142) | 0.00 |
| | Newport News North (146) | 0.00 |
| | Hampton (147) | 3,785,021.89 |
| | Norfolk North (150) | 0.00 |
| | Little Creek (151) | 0.00 |
| | Cape Henry (152) | 236,623.52 |

Table 6 (continued)

| SECTION | QUADRANGLE | AREA |
|--------------------------------------|--------------------------|--------------------|
| Lower Western Shore - 20 (continued) | | |
| | Kempsville (156) | 0.00 |
| | Princess Anne (157) | <u>0.00</u> |
| | | 20,057,498.98 sq.m |
| | | 2,005.75 hectares |
| | | 4,956.21 acres |
| James River - 21 | | |
| | Toano (120) | 0.00 |
| | Westover (125) | 0.00 |
| | Charles City (126) | 0.00 |
| | Brandon (127) | 0.00 |
| | Norge (128) | 0.00 |
| | Williamsburg (129) | 0.00 |
| | Savage (135) | 0.00 |
| | Claremont (136) | 0.00 |
| | Surry (137) | 0.00 |
| | Hog Island (138) | 0.00 |
| | Yorktown (139) | 0.00 |
| | Bacons Castle (144) | 0.00 |
| | Mulberry Island (145) | 0.00 |
| | Newport News North (146) | 0.00 |
| | Hampton (147) | 27,356.48 |
| | Benns Church (148) | 0.00 |
| | Newport News South (149) | 0.00 |
| | Norfolk North (150) | 0.00 |
| | Little Creek (151) | 0.00 |
| | Chuckatuck (153) | 0.00 |
| | Bowers Hill (154) | 0.00 |
| | Norfolk South (155) | 0.00 |
| | Kempsville (156) | <u>0.00</u> |
| | | 27,356.48 sq. m |
| | | 2.74 hectares |
| | | 6.76 acres |
| Chincoteague Bay | | |
| | Selbyville (165) | 0.00 |
| | Assawoman Bay (166) | 12,336.71 |
| | Berlin (167) | 111,297.89 |
| | Ocean City (168) | 176,746.94 |
| | Public Landing (169) | 0.00 |

Table 6 (concluded)

| SECTION | QUADRANGLE | AREA |
|--------------------------------|-------------------------|--------------------|
| Chincoteague Bay - (continued) | | |
| | Tingles Island (170) | 10,664,391.90 |
| | Girdle Tree (171) | 0.00 |
| | Boxiron (172) | 6,725,236.53 |
| | Whittington Point (173) | 3,636,812.61 |
| | Chincoteague West (174) | 6,316.30 |
| | Chincoteague East (175) | 6,128,605.33 |
| | Anacostia (176) | <u>0.00</u> |
| | | 27,261,744.21 sq.m |
| | | 2,746.17 hectares |
| | | 6,785.80 acres |

Middle Bay Zone

In 1991 forty-nine percent (5,707 hectares) of the SAV in the Middle Bay zone was found in the Mid-Bay Island Complex (Section 13) which includes the broad shoal area between Smith and Tangier Islands. This is an increase of 310 hectares over 1990. The two dominant species were *R. maritima* and *Zostera marina*. Nineteen percent (2,178 hectares) of the SAV in this zone was present in the Middle Eastern Shore (Section 12), primarily in the Barren Island-Honga River area, the Big and Little Annemessex rivers, and the lower section of the Manokin River, with *R. maritima* being the dominant species reported. Little or no SAV was mapped or reported from the Central Western Shore (Section 5), Patuxent River (Section 8), and Middle Western Shore (Section 9).

The Middle Bay zone also includes the entire Potomac River, where 3,597 hectares of SAV were present in 1991. SAV was concentrated in two distinct regions: 1) the Upper Potomac River (Section 11) with 3,016 hectares, where *Hydrilla verticillata* remained the numerically dominant species (nine other species were reported by the COG, VIMS, and Citizens' Survey); and 2) the upper portion of the Lower Potomac River (Section 10) with 581 hectares, including Nanjemoy Creek and Port Tobacco River, with *V. americana* and *M. spicatum* being the most frequently reported species. The total abundance of SAV in the Upper Potomac section increased from 1990 by 493 hectares; it increased in the Lower Potomac section by 49 hectares. SAV continued to decline in the Eastern Bay and Choptank River sections. SAV in the Eastern Bay (Section 6) decreased 321 hectares from 1990 to a total of 68 hectares in 1991, while in the Choptank River (Section 7) it declined 79 hectares from 1990 to a total of 114 hectares in 1991.

Lower Bay Zone

Distribution and abundance in 1991 in the Lower Bay zone were similar to 1990. Forty-eight percent (5,720 hectares) of SAV in this zone was found in the Lower Eastern Shore (Section 14) around the Fox Islands and the mouths of major creeks (i.e. Cherrystone Inlet and Hungars, Mattawoman, Occahannock, Craddock, Pungoteague, and Onancock creeks). Along the western shore of the Chesapeake Bay, SAV was abundant in Mobjack Bay (Section 18) (15% of SAV in the Lower Bay zone), in the lower York River (Section 19) (7% of SAV in the Lower Bay zone), and in the Lower Western Shore (Section 20), specifically Back River and Drum Island Flats area adjacent to Plum Tree Island (17% of SAV in the Lower Bay zone). There were 635 hectares of SAV mapped in the Reedville Region (Section 15) in 1991, a 4% increase over 1990. There were 339 hectares of SAV identified in 1991 in the New Point Comfort Region (Section 17) compared to 357 hectares in 1990. Both *R. maritima* and *Z. marina* were abundant throughout this zone. SAV abundance was down 7% from 1990 in both the Piankatank and Rappahannock rivers (Section 16). *Ruppia maritima* was the dominant species in those rivers, with *Zostera marina* also present as a result of previously successful transplant efforts from 1984 to 1990 using both seeds and whole plants. The James River (Section 21) had less than 3 hectares of SAV in 1991, which is the same as in 1990.

Chincoteague Bay

SAV in the Chincoteague Bay section increased slightly in distribution from 1990 with 2,746 hectares mapped in 1991. SAV in Chincoteague Bay and Sinepuxent Bay consisted of *R. maritima* and *Z. marina*, and was located along the eastern side of the bay behind Assateague Island. Assawoman Bay contained only *R. maritima* while only *Z. marina* was reported from Isle of Wight Bay.

DISCUSSION OF SECTIONS ARRANGED WITHIN ZONES

Upper Bay Zone

1. SUSQUEHANNA FLATS

There were 1,684 hectares of SAV in the Susquehanna Flats section in 1991 (Tables 4-6; Fig. 8; Appendix C, Maps 2, 3, and 9) compared to 1,773 hectares mapped in 1990. Seven percent of the total coverage of SAV in this section was dense (density class 4), 1% was moderate (density class 3), 3% was sparse (density class 2), and 89% was very sparse (density class 1). SAV beds were located principally in two main areas: 1) sparse to dense fringing beds in the Susquehanna River consisting primarily of *M. spicatum*, with *P. pectinatus*, *C. demersum*, *V. americana*, *H. dubia*, *N. guadalupensis*, *N. minor*, *H. verticillata*, and *Najas* spp. in lesser amounts from Spencer Island to the river mouth at Havre de Grace on the west side, and to Stump Point at the mouth of Mill Creek on the north side; and 2) a large area of very sparse SAV located in the broad shoal area at the river mouth. This broad shoal consisted primarily of small patches of *M. spicatum*. In addition, SAV beds were mapped in Spesutie Narrows for the first time this year. Most of the beds were small, fringing beds, most likely *M. spicatum*.

A total of ten species (*M. spicatum*, *H. dubia*, *V. americana*, *H. verticillata*, *C. demersum*, *P. pectinatus*, *N. guadalupensis*, *N. minor*, *N. gracillima*, *P. perfoliatus*, and *Najas* spp.) have been reported either by Stan Kollar of Harford Community College, or the Citizens' Survey.

2. UPPER EASTERN SHORE

There were 326 hectares of SAV mapped for the Upper Eastern Shore section in 1991 (Tables 4-6; Fig. 9; Appendix C, Maps 4, 5, 9, 10, 15, 16, and 17) compared to 421 hectares mapped for 1990. One percent of the total coverage of SAV in this section was moderate (density class 3), 32% was sparse (density class 2), and 66% was very sparse (density class 1). Principal locations of beds were in the Elk River, mouth of Bohemia River, Swan Creek, lower Sassafras River, Still Pond and the mouth of Churn Creek. Very little SAV was mapped in the Bohemia River and along the mainstem of the bay from Still Pond to Swan Point.

Myriophyllum spicatum and *V. americana* were the two most commonly reported species, with four other species (*H. verticillata*, *Najas* spp., *Z. palustris*, and *P. pectinatus*) reported in lesser amounts as determined by Stan Kollar of Harford Community College and the Citizens' Survey (maps 4, 5, 9, 10, 15, and 16).




Figure 8. Distribution of SAV in the Susquehanna Flats (Section 1).




Figure 9. Distribution of SAV in the Upper Eastern Shore (Section 2).

3. UPPER WESTERN SHORE

There were 91 hectares of SAV mapped from the aerial photographs in 1991 for the Upper Western Shore section (Tables 4-6; Fig. 10; Appendix C, Maps 9, 13 and 14) compared to 90 hectares in 1990. Ninety percent of the total coverage of SAV in this section was moderate (density class 3), and 10% was sparse (density class 2). SAV beds were concentrated in Saltpeter and Dundee creeks. SAV was mapped in the lower Spesutie Narrows in 1991, the first time SAV was mapped in this part of section 3. Very little or no SAV was reported in the Back, Patapsco, Bush, Gunpowder, Middle, and Magothy rivers. *M. spicatum*, *E. canadensis*, *C. demersum*, *Z. palustris*, *R. maritima*, *N. quadalupensis*, and *V. americana* were reported by the Citizens' Survey, Stan Kollar of Harford Community College, and Essex Community College (Maps 13, 14, 19, 23, and 24).

4. CHESTER RIVER

There were 57 hectares of SAV in the Chester River section in 1991 (Tables 4-6; Fig. 11; Appendix C, Maps 20, 21, 26, and 33) compared to 67 hectares in 1990. Ten percent of the total coverage of SAV in this section was dense (density class 4), 56% was moderate (density class 3), and 34% was sparse (density class 2). SAV has continually declined in this section since 1987 when 515 hectares of SAV were mapped and large, dense beds of *R. maritima* dominated this section. SAV was located adjacent to Eastern Neck and Eastern Neck Island, especially near Eastern Neck Narrows, and in Robin Cove in the Chester River. Additional beds are found in Rock Hall Harbor, The Haven, Swan, and Huntingfield creeks, located above Eastern Neck on the Chesapeake Bay.

Six species of SAV were reported from this section in 1991 by the Citizens', University of Maryland's HPEL, and USFWS surveys (*R. maritima*, *P. perfoliatus*, *P. pectinatus*, *M. spicatum*, *E. canadensis*, and *Z. palustris*). Robin Pond was reported to have all six species from the Citizens' Survey which would make this one of the most diverse beds in this section.

Middle Bay Zone

5. CENTRAL WESTERN SHORE

There was no SAV observed from the aerial photography in the Central Western Shore section in 1991 (Tables 4-6; Fig. 12) which was similar to 1990. Although not evident in the aerial photography, the Citizens' Survey reported SAV from a few sites in this section, primarily the Severn and South rivers, Lake Ogleton, and South Creek of the West River (Maps 18, 23, 24, 30, 31, and 35). Species reported from this section include *Z. palustris*, *C. demersum*, *M. spicatum*, and *R. maritima*.




Figure 10. Distribution of SAV in the Upper Western Shore (Section 3).




Figure 11. Distribution of SAV in the Chester River (Section 4).




Figure 12. Distribution of SAV in the Central Western Shore (Section 5).

6. EASTERN BAY

There were 68 hectares of SAV identified from the Eastern Bay section in 1991 (Tables 4-6; Fig. 13; Appendix C, Maps 32, 33, 36, and 37) compared to 389 hectares reported in 1990. This is a dramatic reduction from 1989 when 831 hectares were found. Eight percent of the total coverage of SAV in this section was dense (density class 4), 4% was moderate (density class 3), 57% was sparse (density class 2), and 30% was very sparse (density class 1). In 1991 most of the SAV was found in lower Cox Creek, the eastern shore of lower Kent Island, Parson Island, Harbor Cove and between Wades Point and Claiborne. *R. maritima* and *Z. palustris* were the only species reported by the University of Maryland HPEL and the Citizens' surveys (Maps 32, 33, 36, 37 and 38).

7. CHOPTANK RIVER

There were 114 hectares of SAV observed in the Choptank River section in 1991 (Tables 4-6; Fig. 14; Appendix C, Maps 43, 44, 51, 52, and 62) compared to 193 hectares in 1990. Thirty-one percent of the total coverage of SAV in this section was moderate (density class 3), 68% was sparse (density class 2), and 1% was very sparse (density class 1). SAV was found in mainly small beds in Blackwalnut Cove at the southern tip of Tilghman Island, Broad Creek at the mouth of Bulls Creek, Brannock Bay, the mouth of Chapel Creek, Tred Avon River, Irish Creek, Cook Point Cove, Covey Creek, Catons Cove, and James Island.

Ground truthing by Citizens' Survey and scientists from the University of Maryland's HPEL located two species of SAV in this section (Maps 36, 43, 44, 51, and 52) with *R. maritima* being the most prevalent. *Zannichellia palustris* was observed in scattered locations.

8. PATUXENT RIVER

There was no SAV observed from the aerial photography in the Patuxent River section in 1991 (Tables 4-6; Fig. 15) which was similar to 1990. There were sporadic sightings of four SAV species in the Patuxent River by the Citizens' Survey (Maps 41, 49, 61, 70, 71, and 159). Those species reported from the lower sections of the river were *Z. palustris* and *R. maritima*. Species found from the upper sections of the river were *V. americana*, *C. demersum*, *Najas guadalupensis*, *Najas minor*, *Z. palustris*, *E. canadensis* and *P. crispus*.

9. MIDDLE WESTERN SHORE

There were no SAV beds identified in the Middle Western Shore section in 1991 (Tables 4-6; Fig. 16) which was similar to 1990. There were no observations from ground surveys in 1991.




Figure 13. Distribution of SAV in the Eastern Bay (Section 6).




Figure 14. Distribution of SAV in the Choptank River (Section7).




Figure 15. Distribution of SAV in the Patuxent River (Section 8).




Figure 16. Distribution of SAV in the Middle Western Shore (Section 9).

10. LOWER POTOMAC RIVER

There were 581 hectares of SAV identified in the Lower Potomac River section from the 1991 aerial photography (Tables 4-6; Fig. 17; Appendix C, Maps 56, 57, 58, 65, 66, 67, 89, 161, and 162) compared to 532 hectares reported in 1990. Sixty-one percent of the total coverage of SAV in this section was dense (density class 4), 26.5% was moderate (density class 3), 8% was sparse (density class 2), and 4.5% was very sparse (density class 1). Most of the SAV occurred in the region near the Route 301 bridge, in Nanjemoy Creek and Port Tobacco River, and in the shoreline adjacent to these two creeks. SAV beds were fringing along the eastern side of Mathias Point Neck to just below the Route 301 bridge. Several small beds were observed in Machodoc, Rosier, and Cuckhold creeks, and the Wicomico River. VIMS surveys reported *R. maritima*, *E. canadensis*, and *P. perfoliatus* in Cuckhold Creek and *R. maritima*, *V. americana*, and *P. perfoliatus* between the mouth of Cuckhold Creek and the 301 bridge (map 67). VIMS surveys also reported *R. maritima*, *M. spicatum*, on the upper Wicomico River (maps 58 and 162), and the Citizens' Survey reported *Z. palustris* at the mouth of the Wicomico River (map 68).

VIMS surveys reported *V. americana*, and *R. maritima*, at Windmill Point on the Port Tobacco River, *V. americana* at Upper Cedar Point and Mathias Point, and *V. americana* and *M. spicatum* in Nanjemoy Creek and Goose Creek (Map 57). The Citizens' Survey reported *V. americana* and *C. demersum* in Nanjemoy Creek (map 56), and *Z. palustris* and *R. maritima* in lower Machodoc Creek (map 78). The USFWS reported *V. americana*, *P. perfoliatus*, *P. pectinatus*, *E. canadensis*, and *R. maritima* in the Port Tobacco River.

11. UPPER POTOMAC RIVER

There were 3,016 hectares of SAV mapped in the Upper Potomac River section (Tables 4-6; Fig. 18; Appendix C, Maps 28, 34, 39, 40, 47, 48, 55, 65, and 161) in 1991 compared to 2,523 hectares reported in 1990. A total of 81% of the SAV beds were densely vegetated (density class 4), 4.7% was moderate (density class 3), 8.5% was sparse (density class 2), and 5.8% was very sparse (density class 1). SAV beds from the Woodrow Wilson Bridge (except those in the middle of the river - Map 34, beds MA4, EA4, and FA4) to just below Piscataway Creek still remain reduced in coverage from 1989. However, SAV distribution in the Alexandria and Mount Vernon quadrangles increased 13% and 47% respectively from 1990. SAV is still absent from Occoquan Bay and Belmont Bay.

Extensive groundtruth surveys were conducted by the Council of Governments (Maps 28, 34, 39, 40, 47, 48, 55 and 64) while the Citizens' Survey reported SAV from Maps 29 and 40. There were ten species identified from this section in 1991. *Hydrilla verticillata* was reported from Quantico, Mattawoman, Chicamuxen, Dogue, Pomonkey, Piscataway, Swan, and Broad creeks, Gunston Cove, and both sides of the mainstem Potomac River from Washington D.C. to Aquia Creek. Other species reported from this section included *M. spicatum*, *C. demersum*, *H. dubia*, *N. minor*, *V. americana*, *P. pectinatus*, *P. crispus*, *N. gracillima*, and *Najas* spp.




Figure 17. Distribution of SAV in the Lower Potomac River (Section 10).




Figure 18. Distribution of SAV in the Upper Potomac River (Section 11).

12. MIDDLE EASTERN SHORE

There were 2,178 hectares of SAV identified in the Middle Eastern Shore section (Tables 4-6; Fig. 19; Appendix C, Maps 63, 72, 73, 74, 82, 83, 84, 85, 92, 93, 100, and 101) in 1991 compared to 2,285 hectares reported in 1990. SAV beds, of which 41% were dense (class 4), 29% moderate (class 3), 22% sparse (class 2), and 8% very sparse (class 1) were very abundant in: 1) the Honga River, 2) between Barren Island and Meekins Neck-Upper Hooper Island, and 3) the lower Manokin and the Big and Little Annemessex rivers. Few SAV beds were observed in Fishing Bay and in the Nanticoke and Wicomico rivers.

Ruppia maritima was the predominant species found by the HPEL and Citizens' surveys (Maps 63, 72, 73, 74, 82, 83, 84, 85, 92, 93, 100, and 101). *Zostera marina* was reported from several locations on the Marion (Map 93), Great Fox Island (Map 100), and Crisfield (Map 101) quadrangles. *Zannichellia palustris* was reported from Crisfield quad (Map 101) and Marion quad (Map 93).

13. MID-BAY ISLAND COMPLEX

There were 5,707 hectares of SAV mapped in the Mid-Bay Island Complex in 1991 (Tables 4-6; Fig. 20; Appendix C, Maps 83, 91, 92, 99, 100, and 107) compared to 5,397 hectares reported in 1990. This section contains 22.3% of the SAV in the entire Chesapeake Bay, an increase of only 0.1% over 1990. However, the density of SAV has increased since 1990. Fifty-nine percent of the SAV within this section was in density class 4 compared to 45% in 1990. Twenty-three percent of SAV within this section in 1991 was moderate in density (class 3), 16% was sparse (class 2), and 2% was very sparse (class 1).

Ground truth surveys were conducted by VIMS, HPEL, and the Citizens' Survey. The broad, expansive shoal area between Tangier Island and Smith Island continued to be densely vegetated by both *R. maritima* and *Z. marina*, and was by far the largest bed in the Chesapeake Bay. *R. maritima* was the species most often reported by the surveys around these islands.

Lower Bay Zone

14. LOWER EASTERN SHORE

There were 5,720 hectares of SAV observed in the Lower Eastern Shore section in 1991 (Tables 4-6; Fig. 21; Appendix C, Maps 100, 101, 102, 107, 108, 109, 113, 114, 119, 124, 133, 134, 142, and 143) compared to 4,823 hectares reported in 1990. Forty-seven percent of the total SAV was in density class 4; 15% was in class 3; 28% was in class 2; and 10% was in class 1. Species reported were primarily *Z. marina* and *R. maritima* with *Z. palustris* reported at a few sites. There were ground truth observations from VIMS and Citizens' surveys (Maps 100, 101, 108, 113, 114, and 124). Large, dense beds continue to persist at the mouth of Cherrystone Inlet near Cape Charles, at the mouths of Hungars, Mattawoman, Occohannock, Craddock, Pungoteague, Onancock, and Chesconessex creeks, at the Big Marsh area near Chesconessex Creek, at Webb Island off the mouth of Deep Creek, and on the large




Figure 19. Distribution of SAV in the Middle Eastern Shore (Section 12).




Figure 20. Distribution of SAV in the Mid-Bay Island Complex (Section 13).




Figure 21. Distribution of SAV in the Lower Eastern Shore (Section 14).

shoal area on the eastern side of the Fox and Cedar Islands. The only SAV in the Pocomoke Sound area was on the eastern side of Watts Island. There was no SAV south of Old Plantation Creek just below Cape Charles.

15. REEDVILLE REGION

There were 635 hectares of SAV identified in the Reedville Region in 1991 (Tables 4-6; Fig. 22; Appendix C, Maps 106 and 112) compared to 608 hectares reported in 1990. Twenty-three percent of the total coverage of SAV in this section was dense (density class 4), 34% was moderate (density class 3), 36% was sparse (density class 2), and 7% was very sparse (density class 1). *R. maritima* and *Z. marina* were the two species identified by VIMS and Citizens' Survey in 1991 (Maps 106 and 112). Most beds were found in Little Bay, Fleets Bay, Dyer Creek, Indian Creek, Dividing Creek, Ball Creek, Cloverdale Creek, Dameron Marsh, Ingram Bay, and Fleeton Point. There was one large bed in Fleets Bay, principally *Z. marina*, that was located in a water depth of two meters (MLW). This bed may be one of the deepest occurring *Z. marina* beds in the bay, and although undoubtedly present during previous surveys, had not been mapped.

16. RAPPAHANNOCK RIVER COMPLEX

There were 509 hectares of SAV observed in the Rappahannock River Complex in 1991 (Tables 4-6; Fig. 23; Appendix C, Maps 110, 111, 117, 118, and 123) compared to 544 hectares reported in 1990. SAV coverage has been declining in this section over the last three years when it reached a peak abundance of 669 hectares in 1989. This decline has occurred in the Rappahannock River where some of the large beds of *R. maritima* present in recent surveys have either disappeared or been reduced in coverage. However, the abundance is still greater than in 1986 when only 18 hectares were mapped, with none in the Rappahannock River. Thirty-eight percent of the total coverage of SAV in this section was dense (density class 4), 17% was moderate (density class 3), 44% was sparse (density class 2), and 1% was very sparse (density class 1).

Ruppia maritima continues to be the dominant species in both the Rappahannock and Piankatank rivers. In particular, dense beds of *R. maritima* were present in the Corrotoman River and along the north shore of the Rappahannock River between Carters Creek and the Corrotoman River (includes observations from the Citizens' and VIMS surveys; Maps 110, 111, 117, 118, and 123). *Z. marina* is present in small patches in both rivers. This is a result of successful transplant efforts using both seeds and whole plants in a number of different areas since 1984 (VIMS, unpublished data) and as a result of natural propagation from nearby beds. In the Rappahannock River transplanted *Z. marina* is still doing well off Sanders Cove just above the bridge, while the large bed off Windmill Pt. at the mouth continues to expand to an area of 13.3 hectares, up from 8.8 hectares in 1990. In the Piankatank River *Z. marina* is present off Burton Point (transplanted), along the northeast side of Gwynn Island (both transplanted and natural) and off Stingray Pt. (natural). In Milford Haven *Z. marina* is present off Hills Creek (transplanted), on the west side of Gwynn Island off The Hole in the Wall and off the northeast tip of the island, and in the Willis Wharf area.




Figure 22. Distribution of SAV in the Reedville Region (Section 15).




Figure 23. Distribution of SAV in the Rappahannock River Complex (Section 16).

17. NEW POINT COMFORT REGION

There were 339 hectares of SAV identified in the New Point Comfort Region in 1991 (Tables 4-6; Fig. 24; Appendix C, Map 132) compared to 357 hectares reported in 1990. Fifty-nine percent of the total coverage of SAV in this section was dense (density class 4), 20% was moderate (density class 3), and 21% was sparse (density class 2). The Citizens' Survey reported only *Z. marina*, although *R. maritima* has been found in earlier surveys.

18. MOBJACK BAY COMPLEX

The Mobjack Bay Complex contained 1,788 hectares of SAV in 1991 (Tables 4-6; Fig. 25; Appendix C, Maps 122, 123, 131, and 132) compared to 1,703 hectares reported in 1990. SAV beds consisting of both *Z. marina* and *R. maritima* (from ground truth observations made by citizens and VIMS personnel in maps 122, 123, 131, and 132) were abundant along the entire shoreline of Mobjack Bay, as well as in the four tributaries: Severn, Ware, North, and East rivers. The Mobjack Bay area continued to harbor some of the more extensive SAV beds on the western shore of the lower Chesapeake Bay. Fifty-six percent of the total coverage of SAV in this section was dense (density class 4), 27% was moderate (density class 3), and 13% was sparse (density class 2).

19. YORK RIVER

There were 804 hectares of SAV observed in the York River section in 1991 (Tables 4-6; Fig. 26; Appendix C, Maps 131, 132, 139, and 140) compared to 791 hectares reported in 1990. Seventy-eight percent of the total coverage in this section is classified as dense (class 4), while 2% was moderately dense (density class 3), 19.8% was sparse (density class 2), and less than 1% was very sparse (density class 1). Ground truth observations were made by VIMS surveys (Maps 131, 132, 139, and 140). Dense SAV beds, consisting of both *Z. marina* and *R. maritima*, were located principally along the north shore from Gloucester Point to the mouth of the river. SAV beds were absent upstream of Gloucester Point on the north shore except for one small bed of *Z. marina* near Gloucester Point, a result of VIMS transplanting efforts using seeds in 1990. *Z. marina* was transplanted to Mumfort Island, Catlett Island, and Clay Bank in the fall of 1990 by VIMS staff and was present through the spring and early summer, but did not survive the summer. Except for one large bed located on the north side of the Goodwin Islands and a smaller bed adjacent to the Coast Guard Station, the south shore was unvegetated.

20. LOWER WESTERN SHORE

There were 2,006 hectares of SAV mapped in the lower Western Shore section in 1991 (Tables 4-6; Fig. 27; Appendix C, Maps 140, 141, 147, and 152) compared to 1,797 hectares reported in 1990. Ground truth surveys by citizens and VIMS (Maps 140, 141 and 152) reported both *Z. marina* and *R. maritima*. Forty-one percent of the total coverage in this section was mapped as dense (density class 4), 28% as moderate




Figure 24. Distribution of SAV in the New Point Comfort Region (Section 17).




Figure 25. Distribution of SAV in the Mobjack Bay Complex (Section 18).




Figure 26. Distribution of SAV in the York River (Section 19).




Figure 27. Distribution of SAV in the Lower Western Shore (Section 20).

(density class 3), 17% as sparse (density class 2), and 14% as very sparse (density class 1). SAV was mapped in Broad Bay, Back River, the mouth of the Poquoson River off Pasture and Hunts Neck, Drum Island Flats, Poquoson Flats, adjacent to Crab Neck just south of Goodwin Island, and on the south side of Goodwin Island. No SAV was present in the southwest and northwest branches of Back River, or in the Poquoson River, Chisman Creek, and Back Creek.

21. JAMES RIVER

There were 2.74 hectares of SAV (density class 3) in the mainstem James River in 1991 (Tables 4-6; Fig. 28; Appendix C, Map 147), compared to 2.73 hectares in 1990. This moderately dense bed located at the mouth of Hampton Creek adjacent to the Veteran's Hospital had no ground truthing in 1991 but has been reported to consist predominantly of *Z. marina* in previous ground surveys. The Citizens' Survey reported *C. demersum* and *Z. palustris* in Herring Creek (Map 125) and Morris Creek (Map 127), and *C. demersum* in Gray's Creek but no SAV was mapped from aerial photography for these quadrangles.

CHINCOTEAGUE BAY

There were 2,746 hectares of SAV identified in Chincoteague Bay in 1991 (Tables 4-6; Fig. 29; Appendix C, Maps 167, 168, 170, 172, 173, and 175) compared to 2,493 hectares reported in 1990. Sixty-nine percent of the total coverage in this section was mapped as dense (density class 4), 24% as moderate (density class 3), 2% as sparse (density class 2), and 5% as very sparse (density class 1). The VIMS, Citizens', MD-DNR, and National Park Service surveys found both *Z. marina* and *R. maritima* throughout Chincoteague Bay (Maps 170, 172, 173, and 175). The Citizens' and MD-DNR surveys both reported only *Z. marina* from Sinepuxent Bay (maps 167, 168, and 170), however, the National Park Service reported *Z. marina* and *R. maritima* for Sinepuxent Bay (map 167, and 170). Only *R. maritima* was reported from Assawoman Bay (Map 166) while the Citizens' Surveys reported *Z. marina* in Isle of Wight Bay (map 168). All of the SAV in Chincoteague Bay continues to be present on the eastern side of the bay adjacent to Assateague Island. The vegetation was concentrated in four relatively distinct areas identical to that reported in the earlier surveys from 1986 through 1990. They were located west of the northern end of Chincoteague Island, and west of West Bay, Green Run Bay, and the Tingles Island area.




Figure 28. Distribution of SAV in the James River (Section 21).




Figure 29. Distribution of SAV in the Chincoteague Bay.

LITERATURE CITED

- Anderson, R. R. and R. T. Macomber. 1980. Distribution of submersed vascular plants, Chesapeake Bay, Maryland. Final Report to U.S. EPA, Chesapeake Bay Program. Grant No. R805970. 126 pp.
- Chesapeake Executive Council. 1989. Submerged Aquatic Vegetation Policy for the Chesapeake Bay and Tidal Tributaries. Annapolis, MD. July.
- Chesapeake Executive Council. 1990. Implementation Plan for the Submerged Aquatic Vegetation Policy. Annapolis, MD. July.
- Environmental Systems Research Institute, Inc. 1989. Volume I & II, User Guide. ESRI, Redlands, CA.
- Godfrey, R. K. and J. W. Wooten. 1981. Aquatic and Wetland Plants of Southeastern United States: Dicotyledons. The University of Georgia Press, Athens. 933 pp.
- Godfrey, R. K. and J. W. Wooten. 1979. Aquatic and Wetland Plants of Southeastern United States: Monocotyledons. The University of Georgia Press, Athens. 712 pp.
- Harvill, A. M. Jr., C. E. Stevens and D. M. E. Ware. 1977. Atlas of the Virginia Flora: Part I, Pteridophytes through Monocotyledons. Virginia Botanical Associates, Farmville. 59 pp.
- Harvill, A. M. Jr., T. R. Bradley and C. E. Stevens. 1981. Atlas of the Virginia Flora: Part II, Dicotyledons. Virginia Botanical Associates, Farmville. 148 pp.
- Humm, Harold J. 1979. The Marine Algae of Virginia. Special Papers in Marine Science, Number 3, Virginia Institute of Marine Science. The University Press of Virginia, Charlottesville. 263 pp.
- Kartesz, J. T. and R. Kartesz. 1980. A Synonymized Checklist of the Vascular Flora of the United States, Canada and Greenland: Volume II, The Biota of North America. The University of North Carolina Press, Chapel Hill. 498 pp.
- Orth, R. J. and K. A. Moore. 1981. Submerged aquatic vegetation in the Chesapeake Bay: past, present and future. pp. 271-283. In: Proc. 46th North American Wildlife and Natural Resources Conf., Wildlife Manage. Inst., Wash., D.C.
- Orth, R. J. and K. A. Moore. 1982. The biology and propagation of *Zostera marina*, eelgrass, in the Chesapeake Bay, Virginia. Final Report to U.S. EPA, Chesapeake Bay Program. Grant No. R805953. 187 pp.
- Orth, R. J. and K. A. Moore. 1983. Chesapeake Bay: an unprecedented decline in submerged aquatic vegetation. Sci. 222:51-53.
- Orth, R. J. and K. A. Moore. 1984. Distribution and abundance of submerged aquatic vegetation in Chesapeake Bay: an historical perspective. Est. 7:531-540.

-
- Orth, R. J. and K. A. Moore. 1988. Submerged aquatic vegetation in the Chesapeake Bay: A barometer of Bay health. pp. 619-629. In: M. Lynch (Ed.), *Understanding the Estuary: Advances in Chesapeake Bay Res.* Chesapeake Res. Consort. Pub. No. 129. CBP/TRS/24/88.
- Orth, R. J., K. A. Moore and H. H. Gordon. 1979. Distribution and abundance of submerged aquatic vegetation in the lower Chesapeake Bay, Virginia. Final Report to U.S. EPA, Chesapeake Bay Program. EPA-600/8-79-029/SAV1.
- Orth, R. J. and J. F. Nowak. 1990. Distribution of submerged aquatic vegetation in the Chesapeake Bay and tributaries and Chincoteague Bay - 1989. Final Report to U.S. EPA. 247pp.
- Orth, R. J., J. F. Nowak, A. A. Frisch, K. P. Kiley, and J. R. Whiting. 1991. Distribution of submerged aquatic vegetation in the Chesapeake Bay and tributaries and Chincoteague Bay - 1990. Final Report to U.S. EPA. 261pp.
- Orth, R. J., J. Simons, R. Allaire, V. Carter, L. Hindman, K. Moore and N. Rybicki. 1985. Distribution of submerged aquatic vegetation in the Chesapeake Bay and tributaries - 1984. Final Report to U.S. EPA, Coop. Agreement X-003301-01. 155 pp.
- Orth, R. J., J. Simons, J. Capelli, V. Carter, L. Hindman, S. Hodges, K. Moore and N. Rybicki. 1986. Distribution of submerged vegetation in the Chesapeake Bay and tributaries - 1985. Final Report to U.S. EPA. 296 pp.
- Orth, R. J., J. Simons, J. Capelli, V. Carter, A. Frisch, L. Hindman, S. Hodges, K. Moore and N. Rybicki. 1987. Distribution of submerged aquatic vegetation in the Chesapeake Bay and tributaries and Chincoteague Bay - 1986. Final Report to U.S. EPA. 180 pp.
- Orth, R. J., A. A. Frisch, and J. F. Nowak. 1988. Quality assurance project plan for the 1987 submerged aquatic vegetation distribution and abundance survey of the Chesapeake and Chincoteague Bays. Plan submitted to U.S. EPA, Chesapeake Bay Liason Office, Annapolis, MD. 47 pp.
- Orth, R. J., A. A. Frisch, J. F. Nowak, and K. A. Moore. 1989. Distribution of submerged aquatic vegetation in the Chesapeake Bay and tributaries and Chincoteague Bay - 1987. Final Report to U.S. EPA. 247pp.
- Radford, A. E., H. E. Ahles and C. R. Bell. 1968. *Manual of the Vascular Flora of the Carolinas.* The University of North Carolina Press, Chapel Hill. 1183 pp.
- Stevenson, J. C. and N. Confer. 1978. Summary of Available Information on Chesapeake Bay Submerged Vegetation. U.S. Dept. of Interior, Fish and Wildlife Serv. FWS/OBS-78/66. 335 p.
- Wood, R. D. and K. Imahori. 1965. A Revision of the Characeae: Volume I, Monograph of the Characeae. Verlag Von J. Cramer, Weinheim. 904 pp.
- Wood, R. D. and K. Imarhori. 1964. A Revision of the Characeae: Volume II, Iconograph of the Characeae. Verlag Von J. Cramer, Weinheim. 395 icones with Index.

APPENDICES

APPENDIX A

Species of Submerged Aquatic Plants Found in the Chesapeake Bay and Tributaries Exclusive of the Marine Algae (Classification and Nomenclature Derived from: Godfrey and Wooten, 1979, 1981; Harvill et al., 1977, 1981; Kartesz and Kartesz, 1980; Radford et al., 1968; Wood and Imahori, 1965, 1965)

| Family | Species | Common name |
|----------------------------------|--|--|
| Characeae (muskgrass) | <i>Chara braunii</i> Gm. <i>Chara zeylanica</i> Klein. ex Willd., em. <i>Nitella flexilis</i> (L.) Ag., em. | Muskgrass Stonewort |
| Potamogetonaceae (pondweed) | <i>Potamogeton perfoliatus</i> L. var. <i>bupleuroides</i> (Fernald) Farwell <i>Potamogeton epihydrus</i> <i>Potamogeton pectinatus</i> L. <i>Potamogeton crispus</i> L. <i>Potamogeton pusillus</i> L. | Redhead grass Leafy pondweed Sago pondweed Curly pondweed Slender pondweed |
| Ruppiaaceae | <i>Ruppia maritima</i> L. | Widgeon grass |
| Zannichelliaceae | <i>Zannichellia palustris</i> L. | Horned pondweed |
| Najadaceae | <i>Najas guadalupensis</i> (Sprengel) Magnus <i>Najas gracillima</i> (A. Braun) Magnus <i>Najas minor</i> Allioni | Southern naiad Naiad |
| Hydrocharitaceae (frogbit) | <i>Vallisneria americana</i> Michaux <i>Elodea canadensis</i> (Michaux) <i>Egeria densa</i> Planchon <i>Hydrilla verticillata</i> (L.f.) Boyle | Wild celery, tapegrass Common elodea Water-weed Hydrilla |
| Pontedariaceae (pickerelweed) | <i>Heteranthera dubia</i> (Jacquin) MacMillian | Water stargrass |
| Ceratophyllaceae (coontail) | <i>Ceratophyllum demersum</i> L. | Coontail |
| Trapaceae | <i>Trapa natans</i> L. | Water chestnut |
| Haloragaceae (watermilfoil) | <i>Myriophyllum spicatum</i> L. | Eurasian watermilfoil |
| Zosteraceae | <i>Zostera marina</i> (L.) | Eelgrass |




Figure 30. Illustration of *Chara* spp. (Muskgrass): 1. habit, upper portion of plant with branchlet whorls; 2. axial node and fertile branchlets with oogonia; 3. oogonium; 4. branchlet end segment; 5. axial node with 2 tier stipulodes.




Figure 31. Illustration of *Nitella* spp. (Stonewort): 1. habit, entire plant; 2. portion of ecorticate branchlet; 3. mucus cloud surrounding compacted upper whorls with gametangia.



Figure 32. Illustration of *Najas guadalupensis* (Southern naiad): 1. habit, portion of plant; 2. branches; 3. leaf; 4. female flower; 5. male flower.




Figure 33. Illustration of *Vallisneria americana* (Tapegrass): 1. female plant; 2. male plant; 3. leaf tip with longitudinal air channels; 4-5. male flower (two views); 6. female flower.




Figure 34. Illustration of *Egeria* spp. (Water-weed): 1. habit, end of branched stem with flower; 2. leaf whorl; 3. leaf; 4. female flower; 5. male flower.




Figure 35. Illustration of *Hydrilla verticillata* (Hydrilla): 1. habit, entire plant; 2. leaf; 3. turion; 4. male flower; 5. female flower and leaf whorl.




Figure 36. A comparison: illustrations of *Hydrilla verticillata*, *Elodea canadensis*, and *Egeria* spp.




Figure 37. A comparison: illustrations of *Hydrilla verticillata*, *Elodea canadensis*, and *Egeria* spp. showing ends of stems with flowers; leaf whorls; single leaves.




Figure 38. Illustration of *Ceratophyllum demersum* (Coontail): 1. habit, portion of plant; 2. leaf whorl; 3. flower in axil of whorl with branches; 4. fruit.




Figure 39. Illustration of *Trapa natans* (Water chestnut): 1. habit, portion of mature plant; 2. flower; 3. seedling.




Figure 40. Illustration of *Myriophyllum spicatum* (Eurasian watermilfoil): 1. habit, upper portion of plant with flower spike borne above water; 2. leaf whorl; 3. female and male flowers on spike.

APPENDIX B

Latitude and Longitude Coordinate Points Defining the 21 Major Chesapeake Bay Sections and Chincoteague Bay. (For Section Locations and Descriptions See Fig. 7 and Table 3.)

| | Latitude Deg Min | Longitude Deg Min | | Latitude Deg Min | Longitude Deg Min |
|-----------------------------|---------------------|----------------------|-------------------------------|---------------------|----------------------|
| SEC. 1. Susquehanna Flats | | | SEC. 5. Central Western Shore | | |
| 39 27.00 | 76 10.00 | | 38 42.90 | 76 35.00 | |
| 39 39.15 | 76 10.00 | | 38 55.00 | 76 37.50 | |
| 39 39.15 | 75 51.00 | | 39 12.40 | 76 49.00 | |
| 39 27.50 | 76 00.00 | | 39 11.15 | 76 40.00 | |
| 39 26.50 | 76 01.31 | | 39 06.82 | 76 35.40 | |
| | | | 39 03.50 | 76 32.30 | |
| SEC. 2. Upper Eastern Shore | | | 39 00.00 | 76 20.00 | |
| 39 10.00 | 76 20.00 | | 38 55.00 | 76 25.00 | |
| 39 20.00 | 76 12.50 | | 38 45.00 | 76 25.00 | |
| 39 26.50 | 76 01.31 | | | | |
| 39 27.50 | 76 00.00 | | SEC. 6. Eastern Bay | | |
| 39 39.15 | 75 51.00 | | 38 45.00 | 76 25.00 | |
| 39 39.15 | 75 45.00 | | 38 55.00 | 76 25.00 | |
| 39 19.50 | 75 45.00 | | 39 00.00 | 76 20.00 | |
| 39 20.00 | 76 00.00 | | 39 00.00 | 76 19.10 | |
| 39 12.55 | 76 10.40 | | 38 57.10 | 76 11.85 | |
| 39 09.25 | 76 16.00 | | 39 05.00 | 76 00.00 | |
| | | | 38 50.00 | 76 01.65 | |
| SEC. 3. Upper Western Shore | | | 38 44.10 | 76 10.50 | |
| 39 12.40 | 76 49.00 | | 38 50.00 | 76 16.50 | |
| 39 30.00 | 76 20.00 | | 38 45.00 | 76 20.00 | |
| 39 27.00 | 76 10.00 | | 38 42.50 | 76 20.50 | |
| 39 26.50 | 76 01.31 | | | | |
| 39 20.00 | 76 12.50 | | SEC. 7. Choptank River | | |
| 39 10.00 | 76 20.00 | | 38 23.50 | 76 20.00 | |
| 39 00.00 | 76 20.00 | | 38 45.00 | 76 25.00 | |
| 39 03.50 | 76 32.30 | | 38 42.50 | 76 20.50 | |
| 39 06.82 | 76 35.40 | | 38 45.00 | 76 20.00 | |
| 39 11.15 | 76 40.00 | | 38 50.00 | 76 16.50 | |
| | | | 38 44.10 | 76 10.50 | |
| SEC. 4. Chester River | | | 38 50.00 | 76 01.65 | |
| 39 00.00 | 76 20.00 | | 39 05.00 | 76 00.00 | |
| 39 10.00 | 76 20.00 | | 39 05.00 | 75 45.00 | |
| 39 09.25 | 76 16.00 | | 38 45.00 | 75 45.00 | |
| 39 12.55 | 76 10.40 | | 38 45.00 | 75 50.00 | |
| 39 20.00 | 76 00.00 | | 38 21.93 | 75 55.00 | |
| 39 19.50 | 75 45.00 | | 38 25.00 | 76 06.80 | |
| 39 05.00 | 75 45.00 | | | | |
| 39 05.00 | 76 00.00 | | | | |
| 38 57.10 | 76 11.85 | | | | |
| 39 00.00 | 76 19.10 | | | | |

| | Latitude | | Longitude | | | Latitude | | Longitude | |
|------------------------------|----------|-------|-----------|-----|---------------------------------|----------|-------|-----------|-----|
| | Deg | Min | Deg | Min | | Deg | Min | Deg | Min |
| SEC. 8. Patuxent River | | | | | SEC. 11. Upper Potomac River | | | | |
| 38 15.00 | 76 | 25.45 | | | 38 15.00 | 77 | 06.40 | | |
| 38 35.00 | 77 | 00.00 | | | 38 20.00 | 77 | 24.80 | | |
| 38 58.00 | 76 | 45.00 | | | 38 27.65 | 77 | 25.00 | | |
| 38 55.00 | 76 | 37.50 | | | 39 01.80 | 77 | 17.10 | | |
| 38 42.90 | 76 | 35.00 | | | 38 58.00 | 76 | 45.00 | | |
| 38 30.00 | 76 | 32.30 | | | 38 35.00 | 77 | 00.00 | | |
| 38 21.66 | 76 | 23.50 | | | 38 24.20 | 77 | 14.08 | | |
| 38 18.00 | 76 | 22.83 | | | 38 20.00 | 77 | 09.40 | | |
| SEC. 9. Middle Western Shore | | | | | SEC. 12. Middle Eastern Shore | | | | |
| 38 02.85 | 76 | 19.40 | | | 38 11.10 | 76 | 13.30 | | |
| 38 05.00 | 76 | 21.54 | | | 38 23.50 | 76 | 20.00 | | |
| 38 15.00 | 76 | 25.45 | | | 38 25.00 | 76 | 06.80 | | |
| 38 18.00 | 76 | 22.83 | | | 38 21.93 | 75 | 55.00 | | |
| 38 21.66 | 76 | 23.50 | | | 38 45.00 | 75 | 50.00 | | |
| 38 30.00 | 76 | 32.30 | | | 38 40.00 | 75 | 37.00 | | |
| 38 42.90 | 76 | 35.00 | | | 38 00.00 | 75 | 38.00 | | |
| 38 45.00 | 76 | 25.00 | | | 38 00.73 | 75 | 49.50 | | |
| 38 23.50 | 76 | 20.00 | | | 37 57.10 | 75 | 50.30 | | |
| 38 05.00 | 76 | 10.00 | | | 37 55.00 | 75 | 55.10 | | |
| SEC. 10. Lower Potomac River | | | | | 38 11.70 | 75 | 59.00 | | |
| 37 53.40 | 76 | 14.45 | | | 38 13.60 | 76 | 05.83 | | |
| 37 55.50 | 76 | 18.15 | | | SEC. 13. Mid-Bay Island Complex | | | | |
| 37 53.85 | 76 | 28.00 | | | 37 45.00 | 75 | 58.30 | | |
| 38 06.15 | 76 | 53.00 | | | 37 50.00 | 76 | 10.00 | | |
| 38 15.00 | 77 | 06.40 | | | 38 05.00 | 76 | 10.00 | | |
| 38 20.00 | 77 | 09.40 | | | 38 11.10 | 76 | 13.30 | | |
| 38 24.20 | 77 | 14.08 | | | 38 13.60 | 76 | 05.83 | | |
| 38 35.00 | 77 | 00.00 | | | 38 11.70 | 75 | 59.00 | | |
| 38 15.00 | 76 | 25.45 | | | 37 55.00 | 75 | 55.10 | | |
| 38 05.00 | 76 | 21.54 | | | SEC. 14. Lower Eastern Shore | | | | |
| 38 02.85 | 76 | 19.40 | | | 37 00.00 | 75 | 58.95 | | |
| 38 05.00 | 76 | 10.00 | | | 37 20.00 | 76 | 10.00 | | |
| 37 50.00 | 76 | 10.00 | | | 37 38.75 | 76 | 10.00 | | |
| | | | | | 37 50.00 | 76 | 10.00 | | |
| | | | | | 37 45.00 | 75 | 58.30 | | |
| | | | | | 37 55.00 | 75 | 55.10 | | |
| | | | | | 37 57.10 | 75 | 50.30 | | |
| | | | | | 38 00.73 | 75 | 49.50 | | |
| | | | | | 38 00.00 | 75 | 38.00 | | |
| | | | | | 38 00.00 | 75 | 30.00 | | |
| | | | | | 37 46.45 | 75 | 39.30 | | |
| | | | | | 37 20.00 | 75 | 55.50 | | |

| | Latitude Deg Min | Longitude Deg Min | | Latitude Deg Min | Longitude Deg Min |
|-------------------------------------|---------------------|----------------------|------------------------------|---------------------|----------------------|
| SEC. 15. Reedville | | | SEC. 18. Mobjack Bay Complex | | |
| | 37 38.75 | 76 10.00 | | 37 17.00 | 76 19.33 |
| | 37 37.40 | 76 21.40 | | 37 16.25 | 76 22.50 |
| | 37 38.05 | 76 23.50 | | 37 17.00 | 76 25.42 |
| | 37 44.35 | 76 23.00 | | 37 16.50 | 76 28.50 |
| | 37 48.00 | 76 28.00 | | 37 20.00 | 76 31.88 |
| | 37 53.85 | 76 28.00 | | 37 25.75 | 76 31.00 |
| | 37 55.50 | 76 18.15 | | 37 29.00 | 76 25.00 |
| | 37 53.40 | 76 14.45 | | 37 28.00 | 76 20.00 |
| | 37 50.00 | 76 10.00 | | 37 25.00 | 76 18.00 |
| SEC. 16. Rappahannock River Complex | | | | 37 22.25 | 76 19.50 |
| | 37 26.50 | 76 10.00 | | 37 21.00 | 76 17.40 |
| | 37 25.00 | 76 18.08 | | 37 20.00 | 76 17.40 |
| | 37 28.00 | 76 20.00 | | 37 19.30 | 76 16.62 |
| | 37 29.00 | 76 25.00 | | 37 17.45 | 76 16.16 |
| | 37 32.00 | 76 35.00 | SEC. 19. York River | | |
| | 37 49.15 | 76 48.00 | | 37 14.00 | 76 22.50 |
| | 37 53.73 | 76 49.65 | | 37 13.25 | 76 24.00 |
| | 37 58.00 | 76 45.45 | | 37 12.50 | 76 27.50 |
| | 37 48.00 | 76 28.00 | | 37 07.30 | 76 28.20 |
| | 37 44.35 | 76 23.00 | | 37 14.00 | 76 36.50 |
| | 37 38.05 | 76 23.50 | | 37 16.72 | 76 43.65 |
| | 37 37.40 | 76 21.40 | | 37 26.29 | 76 49.77 |
| | 37 38.75 | 76 10.00 | | 37 30.55 | 76 40.00 |
| SEC. 17. New Point Comfort Region | | | | 37 28.56 | 76 35.00 |
| | 37 17.45 | 76 16.16 | | 37 20.00 | 76 31.88 |
| | 37 19.45 | 76 16.62 | | 37 16.50 | 76 28.50 |
| | 37 20.00 | 76 17.40 | | 37 17.00 | 76 25.42 |
| | 37 21.00 | 76 17.40 | | 37 16.25 | 76 22.50 |
| | 37 22.25 | 76 19.50 | | 37 17.00 | 76 19.33 |
| | 37 25.00 | 76 18.00 | | 37 14.00 | 76 19.33 |
| | 37 26.50 | 76 10.00 | | | |
| | 37 20.00 | 76 10.00 | | | |

Latitude Longitude
Deg Min Deg Min

SEC. 20. Lower Western Shore

36 49.11 75 58.05
36 45.75 76 07.00
36 55.85 76 16.00
36 57.79 76 16.00
36 58.00 76 17.70
37 01.05 76 18.52
37 03.68 76 19.80
37 00.60 76 24.00
37 07.30 76 28.20
37 12.50 76 27.50
37 13.25 76 24.00
37 14.00 76 22.50
37 14.00 76 19.33
37 17.00 76 19.33
37 17.45 76 16.16
37 20.00 76 10.00
37 00.00 75 58.95

SEC. 21. James River

36 45.75 76 07.00
36 40.00 76 10.00
36 40.00 76 30.00
36 40.00 76 40.00
36 55.63 76 40.00
37 17.30 77 18.00
37 20.15 77 14.00
37 27.45 77 08.10
37 26.29 76 49.77
37 16.72 76 43.65
37 14.00 76 36.50
37 07.30 76 28.20
37 00.60 76 24.00
37 03.68 76 19.80
37 01.05 76 18.52
36 58.00 76 17.70
36 57.79 76 16.00
36 55.85 76 16.00

Latitude Longitude
Deg Min Deg Min

Chincoteague Bay

37 52.50 75 30.00
38 00.00 75 30.00
38 07.50 75 22.50
38 15.00 75 17.50
38 15.00 75 15.00
38 22.50 75 15.00
38 30.00 75 10.00
38 30.00 75 02.50
38 22.50 75 02.50
38 15.00 75 07.50
38 07.50 75 10.00
38 00.00 75 15.00
37 52.50 75 20.00
37 51.00 75 22.30
37 51.00 75 30.00

APPENDIX C

Topographic Quadrangles for the Chesapeake Bay and Chincoteague Bay Showing the 1991 Distribution and Abundance of SAV.
[Boundaries of Individual SAV Beds Are Delineated by Solid Lines. Each Bed Is Identified with a Unique Two Letter (AA-ZA, AB-ZB, etc.) and One Number (1-4) Designation. These Numbers Represent the Density Classification Discussed in the Text and Fig. 6, i.e. 1 = <10%; 2 = 10-40%; 3 = 40-70%; 4 = 70-100%. Ground Truthing Represented by Symbols and Species Codes which Are Explained in the Legend.]

KEY FOR 1991 SAV MAPS

SPECIES

| | |
|-----|--|
| Zm | <i>Zostera marina</i> (eelgrass) |
| Rm | <i>Ruppia maritima</i> (widgeon grass) |
| Ms | <i>Myriophyllum spicatum</i> (Eurasian watermilfoil) |
| Ppf | <i>Potamogeton perfoliatus</i> (redhead-grass) |
| Ppc | <i>Potamogeton pectinatus</i> (sago pondweed) |
| Zp | <i>Zannichellia palustris</i> (horned pondweed) |
| N | <i>Najas</i> spp. (naiad) |
| Ec | <i>Elodea canadensis</i> (common elodea) |
| Va | <i>Vallisneria americana</i> (wild celery) |
| Tn | <i>Trapa natans</i> (water chestnut) |
| Pe | <i>Potamogeton epihydrus</i> (leafy pondweed) |
| Hv | <i>Hydrilla verticillata</i> (hydrilla) |
| Hd | <i>Heteranthera dubia</i> (water stargrass) |
| Pcr | <i>Potamogeton crispus</i> (curly pondweed) |
| Cd | <i>Ceratophyllum demersum</i> (coontail) |
| Ppu | <i>Potamogeton pusillus</i> (slender pondweed) |
| Ngu | <i>Najas guadalupensis</i> (southern naiad) |
| Ngr | <i>Najas gracillima</i> (naiad) |
| C | <i>Chara</i> sp. (muskgrass) |
| Nm | <i>Najas minor</i> (slender naiad) |
| U | Unknown species composition |

SURVEY STATIONS


- ▲ VIMS Field Survey
- * Harford Community College
- ▼ University MD-HPCL
- ★ USFWS Survey
- ◆ Council of Governments
- MD Dept. of Natural Resources
- Citizens Field Observation
- National Park Service
- ☒ Essex Community College



Indicates 'NO SAV'
polygon

SUBMERGED AQUATIC VEGETATION 1991


Aberdeen, MD. (002)




Scale (meters): 0 1000 2000 3000
 Sources: Virginia Institute of Marine Science
 U.S. Geological Survey
 Date Flown: 08-29-91

Produced by:
 Virginia Institute of Marine Science
 School of Marine Science
 College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991
Havre de Grace, MD. (003)




Scale (meters): 
Sources: Virginia Institute of Marine Science
U.S. Geological Survey
Date Flown: 08-01-91

Produced by:
Virginia Institute of Marine Science
School of Marine Science
College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

North East, MD. (004)




Scale (meters): 0 1000 2000 3000
 Sources: Virginia Institute of Marine Science
 U.S. Geological Survey
 Date Flown: 09-02-91

Produced by:
 Virginia Institute of Marine Science
 School of Marine Science
 College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Elkton, MD.-DEL. (005)



Scale (meters): 0 1000 2000 3000


Sources: Virginia Institute of Marine Science
U.S. Geological Survey

Date Flown: 08-01-91


Produced by:
Virginia Institute of Marine Science
School of Marine Science
College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

White Marsh, MD. (006)



Scale (meters):



Sources: Virginia Institute of Marine Science
U.S. Geological Survey


Date Flown: 07-17-91

Produced by:

Virginia Institute of Marine Science
School of Marine Science
College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Edgewood, MD. (007)



Scale (meters): 0 1000 2000 3000


Sources: Virginia Institute of Marine Science
U.S. Geological Survey

Date Flown: 09-02-91

Produced by:
Virginia Institute of Marine Science
School of Marine Science
College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Spesutie, MD. (009)




Scale (meters): 0 1000 2000 3000
 Sources: Virginia Institute of Marine Science
 U.S. Geological Survey
 Date Flown: 08-01-91

Produced by:
 Virginia Institute of Marine Science
 School of Marine Science
 College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Earleville, MD. (010)




Scale (meters): 0 1000 2000 3000
 Sources: Virginia Institute of Marine Science
 U.S. Geological Survey
 Date Flown: 08-01-91

Produced by:
 Virginia Institute of Marine Science
 School of Marine Science
 College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Middle River, MD. (013)




Scale (meters): 0 1000 2000 3000
 Sources: Virginia Institute of Marine Science
 U.S. Geological Survey
 Date Flown: 09-02-91

Produced by:
 Virginia Institute of Marine Science
 School of Marine Science
 College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Gunpowder Neck, MD. (014)



Scale (meters): 0 1000 2000 3000

Sources: Virginia Institute of Marine Science
U.S. Geological Survey


Date Flown: 09-02-91

100


Produced by:
Virginia Institute of Marine Science
School of Marine Science
College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Hanesville, MD. (015)



Scale (meters):



Sources: Virginia Institute of Marine Science
U.S. Geological Survey


Date Flown: 07-17-91

Produced by:

Virginia Institute of Marine Science
School of Marine Science
College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Betterton, MD. (016)



Scale (meters): 0 1000 2000 3000

Sources: Virginia Institute of Marine Science
U.S. Geological Survey


Date Flown: 08-01-91

Produced by:

Virginia Institute of Marine Science
School of Marine Science
College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Galena, MD. (017)



Scale (meters): 0 1000 2000 3000
 Sources: Virginia Institute of Marine Science
 U.S. Geological Survey
 Date Flown: 08-01-91

Produced by:
 Virginia Institute of Marine Science
 School of Marine Science
 College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Curtis Bay, MD. (018)



Scale (meters): 0 1000 2000 3000


Sources: Virginia Institute of Marine Science
U.S. Geological Survey

Date Flown: 08-03-91

Produced by:
Virginia Institute of Marine Science
School of Marine Science
College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Sparrows Point, MD. (019)



Scale (meters):

0 1000 2000 3000

Sources: Virginia Institute of Marine Science
U.S. Geological Survey


Date Flown: 08-03-91

Produced by:

Virginia Institute of Marine Science
School of Marine Science
College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Swan Point, MD. (020)




Scale (meters): 0 1000 2000 3000
 Sources: Virginia Institute of Marine Science
 U.S. Geological Survey
 Date Flown: 08-03-91

Produced by:
 Virginia Institute of Marine Science
 School of Marine Science
 College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Rock Hall, MD. (021)



Scale (meters): 0 1000 2000 3000

Sources: Virginia Institute of Marine Science
U.S. Geological Survey


Date Flown: 08-03-91

Produced by:

Virginia Institute of Marine Science
School of Marine Science
College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Round Bay, MD. (023)




Scale (meters): 0 1000 2000 3000
 Sources: Virginia Institute of Marine Science
 U.S. Geological Survey
 Date Flown: 09-28-91

Produced by:
 Virginia Institute of Marine Science
 School of Marine Science
 College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Gibson Island, MD. (024)




Scale (meters): 0 1000 2000 3000
 Sources: Virginia Institute of Marine Science
 U.S. Geological Survey
 Date Flown: 08-03-91

Produced by:
 Virginia Institute of Marine Science
 School of Marine Science
 College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Langford Creek, MD. (026)




Scale (meters): 0 1000 2000 3000
 Sources: Virginia Institute of Marine Science
 U.S. Geological Survey
 Date Flown: 08-03-91

Produced by:
 Virginia Institute of Marine Science
 School of Marine Science
 College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Washington West, MD.-D.C.-VA. (028)



Scale (meters): 0 1000 2000 3000


Sources: Virginia Institute of Marine Science
U.S. Geological Survey

Date Flown: 10-08-91

Produced by:
Virginia Institute of Marine Science
School of Marine Science
College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Washington East, D.C.-MD. (029)




Scale (meters): 0 1000 2000 3000
 Sources: Virginia Institute of Marine Science
 U.S. Geological Survey
 Date Flown: 09-02-91

Produced by:
 Virginia Institute of Marine Science
 School of Marine Science
 College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

South River, MD. (030)




Scale (meters): 0 1000 2000 3000
 Sources: Virginia Institute of Marine Science
 U.S. Geological Survey
 Date Flown: 09-28-91

Produced by:
 Virginia Institute of Marine Science
 School of Marine Science
 College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Annapolis, MD. (031)



Scale (meters): 0 1000 2000 3000


Sources: Virginia Institute of Marine Science
U.S. Geological Survey

Date Flown: 08-03-91

Produced by:
Virginia Institute of Marine Science
School of Marine Science
College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Kent Island, MD. (032)




Scale (meters): 0 1000 2000 3000
 Sources: Virginia Institute of Marine Science
 U.S. Geological Survey
 Date Flown: 09-08-91

Produced by:
 Virginia Institute of Marine Science
 School of Marine Science
 College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Queenstown, MD. (033)




Scale (meters): 0 1000 2000 3000
 Sources: Virginia Institute of Marine Science
 U.S. Geological Survey
 Date Flown: 09-09-91

Produced by:
 Virginia Institute of Marine Science
 School of Marine Science
 College of William and Mary

Produced by:
Virginia Institute of Marine Science
School of Marine Science
College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Deale, MD. (035)




Scale (meters): 0 1000 2000 3000
 Sources: Virginia Institute of Marine Science
 U.S. Geological Survey
 Date Flown: 09-28-91

Produced by:
 Virginia Institute of Marine Science
 School of Marine Science
 College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Claiborne, MD. (036)



Scale (meters): 0 1000 2000 3000

Sources: Virginia Institute of Marine Science
U.S. Geological Survey


Date Flown: 09-08-91

Produced by:

Virginia Institute of Marine Science
School of Marine Science
College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

St. Michaels, MD. (037)




Scale (meters): 0 1000 2000 3000
 Sources: Virginia Institute of Marine Science
 U.S. Geological Survey
 Date Flown: 09-09-91

Produced by:
 Virginia Institute of Marine Science
 School of Marine Science
 College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Easton, MD. (038)




Scale (meters): 0 1000 2000 3000
 Sources: Virginia Institute of Marine Science
 U.S. Geological Survey
 Date Flown: 09-09-91

Produced by:
 Virginia Institute of Marine Science
 School of Marine Science
 College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Fort Belvoir, VA.-MD. (039)



Scale (meters): 0 1000 2000 3000

Sources: Virginia Institute of Marine Science
U.S. Geological Survey


Date Flown: 09-02-91

Produced by:

Virginia Institute of Marine Science
School of Marine Science
College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Mt. Vernon, VA.-MD. (040)



Scale (meters): 0 1000 2000 3000


Sources: Virginia Institute of Marine Science
U.S. Geological Survey

Date Flown: 10-08-91

Produced by:
Virginia Institute of Marine Science
School of Marine Science
College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Lower Marlboro, MD. (041)



Scale (meters): 0 1000 2000 3000


Sources: Virginia Institute of Marine Science
U.S. Geological Survey

Date Flown: 08-29-91

Produced by:
Virginia Institute of Marine Science
School of Marine Science
College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Tilghman, MD. (043)




Scale (meters): 0 1000 2000 3000
 Sources: Virginia Institute of Marine Science
 U.S. Geological Survey
 Date Flown: 09-08-91

Produced by:
 Virginia Institute of Marine Science
 School of Marine Science
 College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Oxford, MD. (044)




Scale (meters): 0 1000 2000 3000
 Sources: Virginia Institute of Marine Science
 U.S. Geological Survey
 Date Flown: 09-09-91

Produced by:
 Virginia Institute of Marine Science
 School of Marine Science
 College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Quantico, VA.-MD. (047)




Scale (meters): 0 1000 2000 3000
 Sources: Virginia Institute of Marine Science
 U.S. Geological Survey
 Date Flown: 08-23-91

Produced by:
 Virginia Institute of Marine Science
 School of Marine Science
 College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Indian Head, MD.- VA. (048)




Scale (meters): 0 1000 2000 3000
 Sources: Virginia Institute of Marine Science
 U.S. Geological Survey
 Date Flown: 10-08-91

Produced by:
 Virginia Institute of Marine Science
 School of Marine Science
 College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Benedict, MD. (049)




Scale (meters): 0 1000 2000 3000
 Sources: Virginia Institute of Marine Science
 U.S. Geological Survey
 Date Flown: 08-29-91

Produced by:
 Virginia Institute of Marine Science
 School of Marine Science
 College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Hudson, MD. (051)



Scale (meters): 0 1000 2000 3000


Sources: Virginia Institute of Marine Science
U.S. Geological Survey

Date Flown: 09-08-91

Produced by:
Virginia Institute of Marine Science
School of Marine Science
College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Church Creek, MD. (052)




Scale (meters): 0 1000 2000 3000
 Sources: Virginia Institute of Marine Science
 U.S. Geological Survey
 Date Flown: 09-08-91

Produced by:
 Virginia Institute of Marine Science
 School of Marine Science
 College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Widewater, VA.-MD. (055)




Scale (meters): 0 1000 2000 3000
 Sources: Virginia Institute of Marine Science
 U.S. Geological Survey
 Date Flown: 08-23-91

Produced by:
 Virginia Institute of Marine Science
 School of Marine Science
 College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Nanjemoy, MD. (056)



Scale (meters): 0 1000 2000 3000


Sources: Virginia Institute of Marine Science
U.S. Geological Survey

Date Flown: 08-23-91

Produced by:
Virginia Institute of Marine Science
School of Marine Science
College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Mathias Point, MD.-VA. (057)



Scale (meters): 0 1000 2000 3000


Sources: Virginia Institute of Marine Science
U.S. Geological Survey

Date Flown: 08-23-91

Produced by:
Virginia Institute of Marine Science
School of Marine Science
College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Popes Creek, MD. (058)




Scale (meters): 0 1000 2000 3000
 Sources: Virginia Institute of Marine Science
 U.S. Geological Survey
 Date Flown: 08-11-91

Produced by:
 Virginia Institute of Marine Science
 School of Marine Science
 College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Broomes Island, MD. (060)



Scale (meters): 0 1000 2000 3000


Sources: Virginia Institute of Marine Science
U.S. Geological Survey

Date Flown: 08-11-91

Produced by:
Virginia Institute of Marine Science
School of Marine Science
College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Cove Point, MD. (061)




Scale (meters): 0 1000 2000 3000
 Sources: Virginia Institute of Marine Science
 U.S. Geological Survey
 Date Flown: 08-11-91

Produced by:
 Virginia Institute of Marine Science
 School of Marine Science
 College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Taylors Island, MD. (062)




Scale (meters): 0 1000 2000 3000
 Sources: Virginia Institute of Marine Science
 U.S. Geological Survey
 Date Flown: 07-11-91

Produced by:
 Virginia Institute of Marine Science
 School of Marine Science
 College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Golden Hill, MD. (063)




Scale (meters): 0 1000 2000 3000
 Sources: Virginia Institute of Marine Science
 U.S. Geological Survey
 Date Flown: 06-25-91

Produced by:
 Virginia Institute of Marine Science
 School of Marine Science
 College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Passapatanzy, MD.-VA. (064)



Scale (meters):



Sources: Virginia Institute of Marine Science

U.S. Geological Survey

Date Flown: 08-23-91

Produced by:


Virginia Institute of Marine Science

School of Marine Science

College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

King George, VA.-MD. (065)




Scale (meters): 0 1000 2000 3000
 Sources: Virginia Institute of Marine Science
 U.S. Geological Survey
 Date Flown: 08-23-91


Produced by:
 Virginia Institute of Marine Science
 School of Marine Science
 College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Dahlgren, VA.-MD. (066)



Scale (meters):



Sources: Virginia Institute of Marine Science
U.S. Geological Survey

Date Flown: 08-11-91

Produced by:

Virginia Institute of Marine Science
School of Marine Science
College of William and Mary

A detailed map of the Potomac River area, showing various locations and points of interest. The map includes the following labels:


- Waterways:** Potomac River, Wicomico River, Waterbury Cr., Potomac Cr., Middlebrook Branch, Cuckold Cr., and Necke Sound.
- Mountains and Hills:** Mt. Victoria, Mount, and Swan Point.
- Towns and Villages:** Morgantown, Wayside, Cobb Neck, Tompkinsville, Middletown, Issue, Potomac View, and Woodland Point.
- Points of Interest:** JA1, IA3, HA1, Ppf Va, Lower Cedar Point, GA3, Lloyd Point, Ec, Ppf, Rm, FA3, EA4, DA2, CA4, BA2, AA4, Bachelor Hope Point, SWAN POINT NECK, Lone Holly, Bluff Point, White Point, and Colonial Beach.
- Infrastructure:** Harry W. Nice Memorial Bridge, Aqua-Land Clifton Skypark, Victoria Road, and various numbered roads (257, 301, 205, 632).

Date Flown: 08-11-91

Virginia Institute of Marine Science
School of Marine Science
College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Rock Point, MD. (068)




Scale (meters): 0 1000 2000 3000
 Sources: Virginia Institute of Marine Science
 U.S. Geological Survey
 Date Flown: 08-11-91

Produced by:
 Virginia Institute of Marine Science
 School of Marine Science
 College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Hollywood, MD. (070)




Scale (meters): 0 1000 2000 3000
 Sources: Virginia Institute of Marine Science
 U.S. Geological Survey
 Date Flown: 08-11-91

Produced by:
 Virginia Institute of Marine Science
 School of Marine Science
 College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Solomons Island, MD. (071)




Scale (meters): 0 1000 2000 3000
 Sources: Virginia Institute of Marine Science
 U.S. Geological Survey
 Date Flown: 08-11-91

Produced by:
 Virginia Institute of Marine Science
 School of Marine Science
 College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Barren Island, MD. (072)




Scale (meters): 0 1000 2000 3000
 Sources: Virginia Institute of Marine Science
 U.S. Geological Survey
 Date Flown: 07-11-91

Produced by:
 Virginia Institute of Marine Science
 School of Marine Science
 College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Honga, MD. (073)



Scale (meters): 0 1000 2000 3000

Sources: Virginia Institute of Marine Science
U.S. Geological Survey


Date Flown: 06-25-91

Produced by:

Virginia Institute of Marine Science
School of Marine Science
College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Wingate, MD. (074)




Scale (meters): 0 1000 2000 3000
 Sources: Virginia Institute of Marine Science
 U.S. Geological Survey
 Date Flown: 06-10-91

Produced by:
 Virginia Institute of Marine Science
 School of Marine Science
 College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

St. Clements Island, VA.-MD. (078)



Scale (meters): 0 1000 2000 3000


Sources: Virginia Institute of Marine Science
U.S. Geological Survey

Date Flown: 07-15-91

Produced by:
Virginia Institute of Marine Science
School of Marine Science
College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Richland Point, MD. (082)




Scale (meters): 0 1000 2000 3000
 Sources: Virginia Institute of Marine Science
 U.S. Geological Survey
 Date Flown: 07-11-91

Produced by:
 Virginia Institute of Marine Science
 School of Marine Science
 College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Bloodsworth Island, MD. (083)



Scale (meters): 0 1000 2000 3000


Sources: Virginia Institute of Marine Science
U.S. Geological Survey

Date Flown: 06-14-91

Produced by:
Virginia Institute of Marine Science
School of Marine Science
College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Deal Island, MD. (084)




Scale (meters): 0 1000 2000 3000
 Sources: Virginia Institute of Marine Science
 U.S. Geological Survey
 Date Flown: 06-25-91

Produced by:
 Virginia Institute of Marine Science
 School of Marine Science
 College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Monie, MD. (085)



Scale (meters): 0 1000 2000 3000


Sources: Virginia Institute of Marine Science
U.S. Geological Survey

Date Flown: 06-25-91

Produced by:
Virginia Institute of Marine Science
School of Marine Science
College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Champlain, VA. (086)




Scale (meters): 0 1000 2000 3000
 Sources: Virginia Institute of Marine Science
 U.S. Geological Survey
 Date Flown: 07-15-91

Produced by:
 Virginia Institute of Marine Science
 School of Marine Science
 College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

St. George Island, MD.-VA. (089)



Scale (meters): 0 1000 2000 3000


Sources: Virginia Institute of Marine Science
U.S. Geological Survey

Date Flown: 07-15-91

Produced by:
Virginia Institute of Marine Science
School of Marine Science
College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Kedges Straits, MD. (091)



Scale (meters): 0 1000 2000 3000

Sources: Virginia Institute of Marine Science
U.S. Geological Survey


Date Flown: 06-14-91

Produced by:

Virginia Institute of Marine Science
School of Marine Science
College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Terrapin Sand Point, MD. (092)




Scale (meters): 0 1000 2000 3000
 Sources: Virginia Institute of Marine Science
 U.S. Geological Survey
 Date Flown: 06-14-91

Produced by:
 Virginia Institute of Marine Science
 School of Marine Science
 College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Marion, MD. (093)




Scale (meters): 0 1000 2000 3000
 Sources: Virginia Institute of Marine Science
 U.S. Geological Survey
 Date Flown: 06-14-91

Produced by:
 Virginia Institute of Marine Science
 School of Marine Science
 College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Ewell, MD.-VA. (099)




Scale (meters): 0 1000 2000 3000
 Sources: Virginia Institute of Marine Science
 U.S. Geological Survey
 Date Flown: 06-14-91

Produced by:
 Virginia Institute of Marine Science
 School of Marine Science
 College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Great Fox Island, MD.-VA. (100)




Scale (meters): 0 1000 2000 3000
 Sources: Virginia Institute of Marine Science
 U.S. Geological Survey
 Date Flown: 06-14-91

Produced by:
 Virginia Institute of Marine Science
 School of Marine Science
 College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Crisfield, MD.-VA. (101)




Scale (meters): 0 1000 2000 3000
 Sources: Virginia Institute of Marine Science
 U.S. Geological Survey
 Date Flown: 06-14-91

Produced by:
 Virginia Institute of Marine Science
 School of Marine Science
 College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Saxis, VA.-MD. (102)




Scale (meters): 0 1000 2000 3000
 Sources: Virginia Institute of Marine Science
 U.S. Geological Survey
 Date Flown: 05-16-91

Produced by:
 Virginia Institute of Marine Science
 School of Marine Science
 College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Reedville, VA. (106)



Scale (meters):



Sources: Virginia Institute of Marine Science
U.S. Geological Survey


Date Flown: 05-15-91

Produced by:

Virginia Institute of Marine Science
School of Marine Science
College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Tangier Island, VA. (107)




Scale (meters): 0 1000 2000 3000
 Sources: Virginia Institute of Marine Science
 U.S. Geological Survey
 Date Flown: 06-14-91

Produced by:
 Virginia Institute of Marine Science
 School of Marine Science
 College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Chesconessex, VA. (108)



Scale (meters): 0 1000 2000 3000

Sources: Virginia Institute of Marine Science
U.S. Geological Survey


Date Flown: 06-07-91

Produced by:

Virginia Institute of Marine Science
School of Marine Science
College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Parksley, VA. (109)



Scale (meters): 0 1000 2000 3000
 Sources: Virginia Institute of Marine Science
 U.S. Geological Survey
 Date Flown: 05-16-91

Produced by:
 Virginia Institute of Marine Science
 School of Marine Science
 College of William and Mary

Urbanna, VA. (110)




Date Flown: 05-15-91

168

SUBMERGED AQUATIC VEGETATION 1991

Irvington, VA. (111)




Scale (meters): 0 1000 2000 3000
 Sources: Virginia Institute of Marine Science
 U.S. Geological Survey
 Date Flown: 05-16-91

Produced by:
 Virginia Institute of Marine Science
 School of Marine Science
 College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Fleets Bay, VA. (112)



Scale (meters):

0 1000 2000 3000

Sources: Virginia Institute of Marine Science
U.S. Geological Survey


Date Flown: 05-15-91

Produced by:

Virginia Institute of Marine Science
School of Marine Science
College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Nandua Creek, VA. (113)




Scale (meters): 0 1000 2000 3000
 Sources: Virginia Institute of Marine Science
 U.S. Geological Survey
 Date Flown: 06-07-91

Produced by:
 Virginia Institute of Marine Science
 School of Marine Science
 College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Pungoteague, VA. (114)



Scale (meters): 0 1000 2000 3000


Sources: Virginia Institute of Marine Science
U.S. Geological Survey

Date Flown: 06-07-91

Produced by:
Virginia Institute of Marine Science
School of Marine Science
College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Wilton, VA. (117)




Scale (meters): 0 1000 2000 3000
 Sources: Virginia Institute of Marine Science
 U.S. Geological Survey
 Date Flown: 05-16-91

Produced by:
 Virginia Institute of Marine Science
 School of Marine Science
 College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Deltaville, VA. (118)



Scale (meters):



Sources: Virginia Institute of Marine Science
U.S. Geological Survey


Date Flown: 05-15-91

Produced by:

Virginia Institute of Marine Science
School of Marine Science
College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Jamesville, VA. (119)




Scale (meters): 0 1000 2000 3000
 Sources: Virginia Institute of Marine Science
 U.S. Geological Survey
 Date Flown: 06-07-91

Produced by:
 Virginia Institute of Marine Science
 School of Marine Science
 College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Ware Neck, VA. (122)



Scale (meters):



Sources: Virginia Institute of Marine Science
U.S. Geological Survey


Date Flown: 05-16-91

Produced by:

Virginia Institute of Marine Science
School of Marine Science
College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Mathews, VA. (123)



Scale (meters):

0 1000 2000 3000

Sources: Virginia Institute of Marine Science
U.S. Geological Survey


Date Flown: 05-16-91

Produced by:

Virginia Institute of Marine Science
School of Marine Science
College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Franktown, VA. (124)



Scale (meters): 0 1000 2000 3000


Sources: Virginia Institute of Marine Science
U.S. Geological Survey

Date Flown: 06-07-91

Produced by:
Virginia Institute of Marine Science
School of Marine Science
College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Westover, VA. (125)



Scale (meters): 0 1000 2000 3000

Sources: Virginia Institute of Marine Science
U.S. Geological Survey


Date Flown: (not flown)

Produced by:

Virginia Institute of Marine Science
School of Marine Science
College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Brandon, VA. (127)




Scale (meters): 0 1000 2000 3000
 Sources: Virginia Institute of Marine Science
 U.S. Geological Survey
 Date Flown: (not flown)

Produced by:
 Virginia Institute of Marine Science
 School of Marine Science
 College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Achilles, VA. (131)



Scale (meters): 0 1000 2000 3000

Sources: Virginia Institute of Marine Science
U.S. Geological Survey


Date Flown: 05-16-91

Produced by:

Virginia Institute of Marine Science
School of Marine Science
College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

New Point Comfort, VA. (132)




Scale (meters): 0 1000 2000 3000
 Sources: Virginia Institute of Marine Science
 U.S. Geological Survey
 Date Flown: 06-07-91

Produced by:
 Virginia Institute of Marine Science
 School of Marine Science
 College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Cape Charles, VA. (133)



Scale (meters): 0 1000 2000 3000


Sources: Virginia Institute of Marine Science
U.S. Geological Survey

Date Flown: 06-07-91

Produced by:
Virginia Institute of Marine Science
School of Marine Science
College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Cheriton, VA. (134)



Scale (meters): 0 1000 2000 3000


Sources: Virginia Institute of Marine Science
U.S. Geological Survey

Date Flown: 06-07-91

Produced by:
Virginia Institute of Marine Science
School of Marine Science
College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Surry, VA. (137)




Scale (meters): 0 1000 2000 3000
 Sources: Virginia Institute of Marine Science
 U.S. Geological Survey
 Date Flown: (not flown)

Produced by:
 Virginia Institute of Marine Science
 School of Marine Science
 College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Yorktown, VA. (139)




Scale (meters): 0 1000 2000 3000
 Sources: Virginia Institute of Marine Science
 U.S. Geological Survey
 Date Flown: 05-22-91

Produced by:
 Virginia Institute of Marine Science
 School of Marine Science
 College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Poquoson West, VA. (140)



Scale (meters): 0 1000 2000 3000

Sources: Virginia Institute of Marine Science
U.S. Geological Survey


Date Flown: 05-22-91

Produced by:

Virginia Institute of Marine Science
School of Marine Science
College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Poquoson East, VA. (141)



Scale (meters): 0 1000 2000 3000


Sources: Virginia Institute of Marine Science
U.S. Geological Survey

Date Flown: 05-22-91

Produced by:
Virginia Institute of Marine Science
School of Marine Science
College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Elliotts Creek, VA. (142)




Scale (meters): 0 1000 2000 3000
 Sources: Virginia Institute of Marine Science
 U.S. Geological Survey
 Date Flown: 06-07-91

Produced by:
 Virginia Institute of Marine Science
 School of Marine Science
 College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Townsend, VA. (143)



Scale (meters): 0 1000 2000 3000
 Sources: Virginia Institute of Marine Science
 U.S. Geological Survey
 Date Flown: 06-07-91

Produced by:
 Virginia Institute of Marine Science
 School of Marine Science
 College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Hampton, VA. (147)



Scale (meters): 0 1000 2000 3000

Sources: Virginia Institute of Marine Science
U.S. Geological Survey


Date Flown: 05-22-91

Produced by:

Virginia Institute of Marine Science
School of Marine Science
College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Cape Henry, VA. (152)



Scale (meters): 0 1000 2000 3000


Sources: Virginia Institute of Marine Science
U.S. Geological Survey

Date Flown: 05-22-91

Produced by:
Virginia Institute of Marine Science
School of Marine Science
College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Bristol, MD. (159)




Scale (meters): 0 1000 2000 3000
 Sources: Virginia Institute of Marine Science
 U.S. Geological Survey
 Date Flown: 08-29-91

Produced by:
 Virginia Institute of Marine Science
 School of Marine Science
 College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Port Tobacco, MD. (161)



Scale (meters): 0 1000 2000 3000


Sources: Virginia Institute of Marine Science
U.S. Geological Survey

Date Flown: 08-23-91

Produced by:
Virginia Institute of Marine Science
School of Marine Science
College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Charlotte Hall, MD. (162)




Scale (meters): 0 1000 2000 3000
 Sources: Virginia Institute of Marine Science
 U.S. Geological Survey
 Date Flown: 08-23-91

Produced by:
 Virginia Institute of Marine Science
 School of Marine Science
 College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991


Assawoman Bay, MD. (166)



Scale (meters): 0 1000 2000 3000
 Sources: Virginia Institute of Marine Science
 U.S. Geological Survey
 Date Flown: 06-14-91

Produced by:
 Virginia Institute of Marine Science
 School of Marine Science
 College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991
Berlin, MD. (167)



Scale (meters):



Sources: Virginia Institute of Marine Science
U.S. Geological Survey


Date Flown: 06-14-91

Produced by:

Virginia Institute of Marine Science
School of Marine Science
College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Ocean City, MD. (168)




Scale (meters): 0 1000 2000 3000
 Sources: Virginia Institute of Marine Science
 U.S. Geological Survey
 Date Flown: 06-14-91

Produced by:
 Virginia Institute of Marine Science
 School of Marine Science
 College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991


Tingles Island, MD. (170)



Scale (meters): 0 1000 2000 3000
 Sources: Virginia Institute of Marine Science
 U.S. Geological Survey
 Date Flown: 06-14-91

Produced by:
 Virginia Institute of Marine Science
 School of Marine Science
 College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991
Boxiron, MD.-VA. (172)



Scale (meters):

Sources: Virginia Institute of Marine Science
U.S. Geological Survey


Date Flown: 06-14-91

Produced by:

Virginia Institute of Marine Science
School of Marine Science
College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991


Whittington Point, MD.-VA. (173)




Scale (meters): 0 1000 2000 3000
 Sources: Virginia Institute of Marine Science
 U.S. Geological Survey
 Date Flown: 06-14-91

Produced by:
 Virginia Institute of Marine Science
 School of Marine Science
 College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991
Chincoteague West, VA. (174)




Scale (meters): 
Sources: Virginia Institute of Marine Science
U.S. Geological Survey
Date Flown: 06-14-91

Produced by:
Virginia Institute of Marine Science
School of Marine Science
College of William and Mary

SUBMERGED AQUATIC VEGETATION 1991

Chincoteague East, VA. (175)



Scale (meters): 0 1000 2000 3000
 Sources: Virginia Institute of Marine Science
 U.S. Geological Survey
 Date Flown: 06-14-91

Produced by:
 Virginia Institute of Marine Science
 School of Marine Science
 College of William and Mary

APPENDIX D

1991 SAV Bed Areas For Each Topographic Quadrangle

APPENDIX D

Number of Square Meters of SAV in 1991 for Individual Beds and Totals for Density Categories by Topographic Quadrangle. [See Maps in Appendix C for Location of Each Bed. Quadrangles Are Listed Numerically by VIMS Map Number. Slight Differences (1 Square Meter) in Quadrangle Totals From Density Totals Are Due To Rounding.]

ABERDEEN, MD. VIMS MAP # 002

| | |
|-----|-------|
| AA4 | 6700 |
| BA3 | 3269 |
| CA4 | 4951 |
| DA3 | 2410 |
| EA3 | 2188 |
| FA3 | 50758 |
| GA4 | 9804 |
| HA4 | 5646 |
| IA4 | 2128 |

TOTAL AREA

| | |
|-------------|-------|
| DENSITY 1 = | 0 |
| DENSITY 2 = | 0 |
| DENSITY 3 = | 58625 |
| DENSITY 4 = | 29230 |

TOTAL = 87854

HAVRE DE GRACE, MD. VIMS MAP # 003

| | |
|-----|----------|
| AA2 | 8597 |
| BA2 | 13507 |
| CA2 | 118775 |
| DA2 | 12914 |
| EA2 | 19278 |
| FA2 | 21288 |
| GA4 | 25600 |
| HA1 | 14961943 |
| IA4 | 248557 |
| JA4 | 14438 |
| KA4 | 37009 |
| LA4 | 17024 |
| MA4 | 30698 |
| NA4 | 3313 |
| OA4 | 9984 |
| PA4 | 188061 |

| | |
|-----|--------|
| QA4 | 5284 |
| RA4 | 7211 |
| SA4 | 25983 |
| TA4 | 2846 |
| UA3 | 3755 |
| VA4 | 1057 |
| WA4 | 13677 |
| XA4 | 4190 |
| YA4 | 78539 |
| ZA4 | 41960 |
| AB4 | 35034 |
| BB4 | 23690 |
| CB4 | 13814 |
| DB4 | 3694 |
| EB4 | 1419 |
| FB4 | 1173 |
| GB4 | 3876 |
| HB4 | 6872 |
| IB4 | 9397 |
| JB4 | 10152 |
| KB4 | 4160 |
| LB4 | 49545 |
| MB2 | 33568 |
| NB4 | 181463 |
| OB4 | 86170 |
| PB4 | 12012 |
| QB3 | 51254 |
| RB2 | 58610 |
| SB2 | 6393 |
| TB2 | 13515 |
| UB1 | 7075 |

TOTAL AREA

| | |
|-------------|----------|
| DENSITY 1 = | 14969018 |
| DENSITY 2 = | 306443 |
| DENSITY 3 = | 55009 |
| DENSITY 4 = | 1197902 |

TOTAL = 16528372

NORTH EAST, MD.
VIMS MAP # 004

| | |
|-----|--------|
| AA1 | 72739 |
| BA1 | 66478 |
| CA1 | 17470 |
| DA2 | 38097 |
| EA1 | 385386 |
| FA1 | 37938 |
| GA1 | 127255 |
| HA1 | 8199 |

TOTAL AREA

| | |
|-------------|--------|
| DENSITY 1 = | 715465 |
| DENSITY 2 = | 38097 |
| DENSITY 3 = | 0 |
| DENSITY 4 = | 0 |

TOTAL = 753562

ELKTON, MD.-DEL.
VIMS MAP # 005

| | |
|-----|--------|
| AA1 | 246780 |
| BA1 | 2894 |

TOTAL AREA

| | |
|-------------|--------|
| DENSITY 1 = | 249675 |
| DENSITY 2 = | 0 |
| DENSITY 3 = | 0 |
| DENSITY 4 = | 0 |

TOTAL = 249675

SPESUTIE, MD.
VIMS MAP # 009

| | |
|-----|--------|
| AA1 | 246946 |
| BA2 | 203197 |
| CA2 | 7374 |
| DA1 | 165908 |
| EA3 | 7318 |
| FA3 | 10042 |
| GA2 | 1867 |
| HA2 | 4435 |
| IA2 | 4066 |

| | |
|-----|-------|
| JA3 | 3451 |
| KA3 | 2481 |
| LA3 | 2199 |
| MA3 | 4746 |
| NA3 | 12461 |
| OA3 | 1640 |
| PA2 | 10628 |
| QA2 | 3832 |
| RA2 | 12416 |
| SA3 | 1732 |
| TA2 | 16665 |
| UA2 | 6867 |
| VA1 | 4570 |
| WA2 | 11286 |
| XA2 | 4053 |
| YA2 | 57291 |
| ZA2 | 8050 |
| AB2 | 22165 |
| BB2 | 33798 |

TOTAL AREA

| | |
|-------------|--------|
| DENSITY 1 = | 417423 |
| DENSITY 2 = | 407990 |
| DENSITY 3 = | 46071 |
| DENSITY 4 = | 0 |

TOTAL = 871485

EARLEVILLE, MD.
VIMS MAP # 010

| | |
|-----|--------|
| AA1 | 9131 |
| BA3 | 4355 |
| CA1 | 29698 |
| DA1 | 20922 |
| EA1 | 12349 |
| FA1 | 8384 |
| GA1 | 574827 |
| HA2 | 19167 |
| IA2 | 95463 |
| JA2 | 369918 |
| KA2 | 276871 |
| LA1 | 129026 |

TOTAL AREA

| | |
|-------------|--------|
| DENSITY 1 = | 784337 |
|-------------|--------|

| | |
|-------------|--------|
| DENSITY 2 = | 761419 |
| DENSITY 3 = | 4355 |
| DENSITY 4 = | 0 |

| | |
|---------|---------|
| TOTAL = | 1550111 |
|---------|---------|

MIDDLE RIVER, MD.
VIMS MAP # 013

| | |
|-----|-------|
| AA2 | 23900 |
| BA2 | 6525 |
| CA2 | 7414 |
| DA3 | 6167 |

TOTAL AREA

| | |
|-------------|-------|
| DENSITY 1 = | 0 |
| DENSITY 2 = | 37840 |
| DENSITY 3 = | 6167 |
| DENSITY 4 = | 0 |

| | |
|---------|-------|
| TOTAL = | 44007 |
|---------|-------|

GUNPOWDER NECK, MD.
VIMS MAP # 014

| | |
|-----|--------|
| AA2 | 2346 |
| BA2 | 15339 |
| CA2 | 3118 |
| DA2 | 3690 |
| EA3 | 25366 |
| FA3 | 2856 |
| GA3 | 2186 |
| HA3 | 34086 |
| IA2 | 5076 |
| JA2 | 2285 |
| KA3 | 58904 |
| LA2 | 13323 |
| MA2 | 2704 |
| NA3 | 53461 |
| OA3 | 371765 |
| PA3 | 133207 |
| QA3 | 4388 |
| RA3 | 108259 |

TOTAL AREA

| | |
|-------------|---|
| DENSITY 1 = | 0 |
|-------------|---|

| | |
|-------------|--------|
| DENSITY 2 = | 47882 |
| DENSITY 3 = | 794477 |
| DENSITY 4 = | 0 |

| | |
|---------|--------|
| TOTAL = | 842359 |
|---------|--------|

HANESVILLE, MD.
VIMS MAP # 015

| | |
|-----|-------|
| AA2 | 18174 |
| BA2 | 2303 |
| CA2 | 19724 |

TOTAL AREA

| | |
|-------------|-------|
| DENSITY 1 = | 0 |
| DENSITY 2 = | 40200 |
| DENSITY 3 = | 0 |
| DENSITY 4 = | 0 |

| | |
|---------|-------|
| TOTAL = | 40200 |
|---------|-------|

BETTERTON, MD.
VIMS MAP # 016

| | |
|-----|------|
| AA2 | 3910 |
| BA1 | 2090 |

TOTAL AREA

| | |
|-------------|------|
| DENSITY 1 = | 2090 |
| DENSITY 2 = | 3910 |
| DENSITY 3 = | 0 |
| DENSITY 4 = | 0 |

| | |
|---------|------|
| TOTAL = | 6000 |
|---------|------|

GALENA, MD.
VIMS MAP # 017

| | |
|-----|-------|
| AA3 | 38898 |
|-----|-------|

TOTAL AREA

| | |
|-------------|-------|
| DENSITY 1 = | 0 |
| DENSITY 2 = | 0 |
| DENSITY 3 = | 38898 |

| | |
|-------------|---|
| DENSITY 4 = | 0 |
|-------------|---|

| | |
|---------|-------|
| TOTAL = | 38898 |
|---------|-------|

SWAN POINT, MD.
VIMS MAP # 020

| | |
|-----|-------|
| AA2 | 11273 |
| BA2 | 12027 |
| CA2 | 5168 |
| DA2 | 9660 |

TOTAL AREA

| | |
|-------------|-------|
| DENSITY 1 = | 0 |
| DENSITY 2 = | 38129 |
| DENSITY 3 = | 0 |
| DENSITY 4 = | 0 |

| | |
|---------|-------|
| TOTAL = | 38129 |
|---------|-------|

ROCK HALL, MD.
VIMS MAP # 021

| | |
|-----|-------|
| AA2 | 4181 |
| BA2 | 20480 |
| CA4 | 33563 |
| DA3 | 6729 |
| EA3 | 12424 |
| FA3 | 11310 |
| GA3 | 8701 |

TOTAL AREA

| | |
|-------------|-------|
| DENSITY 1 = | 0 |
| DENSITY 2 = | 24661 |
| DENSITY 3 = | 39164 |
| DENSITY 4 = | 33563 |

| | |
|---------|-------|
| TOTAL = | 97389 |
|---------|-------|

LANGFORD CREEK, MD.
VIMS MAP # 026

| | |
|-----|--------|
| AA2 | 8322 |
| BA2 | 22287 |
| CA2 | 13921 |
| DA3 | 161755 |

| | |
|-----|------|
| EA3 | 8967 |
|-----|------|

| | |
|-----|-------|
| FA2 | 12369 |
|-----|-------|

| | |
|-----|-------|
| GA2 | 11281 |
|-----|-------|

| | |
|-----|-------|
| HA4 | 24177 |
|-----|-------|

| | |
|-----|-------|
| IA2 | 13373 |
|-----|-------|

| | |
|-----|-------|
| JA3 | 81915 |
|-----|-------|

| | |
|-----|------|
| KA2 | 7589 |
|-----|------|

| | |
|-----|-------|
| LA2 | 34284 |
|-----|-------|

| | |
|-----|-------|
| MA3 | 20147 |
|-----|-------|

TOTAL AREA

| | |
|-------------|---|
| DENSITY 1 = | 0 |
|-------------|---|

| | |
|-------------|--------|
| DENSITY 2 = | 123426 |
|-------------|--------|

| | |
|-------------|--------|
| DENSITY 3 = | 272784 |
|-------------|--------|

| | |
|-------------|-------|
| DENSITY 4 = | 24177 |
|-------------|-------|

| | |
|---------|--------|
| TOTAL = | 420387 |
|---------|--------|

WASHINGTON WEST, MD.-
D.C.-VA.

VIMS MAP # 028

| | |
|-----|-------|
| AA2 | 10368 |
|-----|-------|

| | |
|-----|------|
| BA2 | 9505 |
|-----|------|

| | |
|-----|-------|
| CA3 | 14556 |
|-----|-------|

| | |
|-----|------|
| DA2 | 1400 |
|-----|------|

| | |
|-----|------|
| EA3 | 3774 |
|-----|------|

TOTAL AREA

| | |
|-------------|---|
| DENSITY 1 = | 0 |
|-------------|---|

| | |
|-------------|-------|
| DENSITY 2 = | 21274 |
|-------------|-------|

| | |
|-------------|-------|
| DENSITY 3 = | 18330 |
|-------------|-------|

| | |
|-------------|---|
| DENSITY 4 = | 0 |
|-------------|---|

| | |
|---------|-------|
| TOTAL = | 39604 |
|---------|-------|

KENT ISLAND, MD.
VIMS MAP # 032

| | |
|-----|-------|
| AA2 | 10181 |
|-----|-------|

| | |
|-----|------|
| BA2 | 1756 |
|-----|------|

| | |
|-----|------|
| CA1 | 3895 |
|-----|------|

TOTAL AREA

| | |
|-------------|------|
| DENSITY 1 = | 3895 |
|-------------|------|

DENSITY 2 = 11937
 DENSITY 3 = 0
 DENSITY 4 = 0
 TOTAL = 15832

QUEENSTOWN, MD.
 VIMS MAP # 033

AA2 3147
 BA2 6957
 CA1 21391
 DA3 6033
 EA2 4822

TOTAL AREA

DENSITY 1 = 21391
 DENSITY 2 = 14926
 DENSITY 3 = 6033
 DENSITY 4 = 0

TOTAL = 42350

ALEXANDRIA, VA.-D.C.-MD.
 VIMS MAP # 034

AA2 136626
 BA4 95261
 CA4 71767
 DA4 9418
 EA4 230019
 FA4 551738
 GA4 4463
 HA4 4985
 IA4 39585
 JA4 3370
 KA4 45596
 LA4 31891
 MA4 1048842
 NA4 67100
 OA2 31826
 PA2 8662
 QA3 22643
 RA2 6682
 SA2 7815
 TA4 35580
 UA2 14222

VA2 124313
 WA1 190338
 XA4 125133
 YA3 16141
 ZA2 1681
 AB2 32035
 BB2 17877
 CB3 33786
 DB2 8470
 EB4 15377
 FB4 6511
 GB4 10380
 HB4 4504
 IB4 925977
 JB1 457240
 KB4 4960
 LB3 9274
 MB3 4312
 NB3 20250
 OB3 2763
 PB3 57744

TOTAL AREA

DENSITY 1 = 647578
 DENSITY 2 = 390207
 DENSITY 3 = 166912
 DENSITY 4 = 3332458

TOTAL = 4537155

CLAIBORNE, MD.
 VIMS MAP # 036

AA1 37087
 BA4 31832
 CA3 29799
 DA2 366750
 EA1 25430
 FA4 25287
 GA1 78518

TOTAL AREA

DENSITY 1 = 141035
 DENSITY 2 = 366750
 DENSITY 3 = 29799

| | |
|-------------|-------|
| DENSITY 4 = | 57118 |
|-------------|-------|

| | |
|---------|--------|
| TOTAL = | 594702 |
|---------|--------|

ST. MICHAELS, MD.
VIMS MAP # 037

| | |
|-----|-------|
| AA1 | 36846 |
|-----|-------|

TOTAL AREA

| | |
|-------------|-------|
| DENSITY 1 = | 36846 |
|-------------|-------|

| | |
|-------------|---|
| DENSITY 2 = | 0 |
|-------------|---|

| | |
|-------------|---|
| DENSITY 3 = | 0 |
|-------------|---|

| | |
|-------------|---|
| DENSITY 4 = | 0 |
|-------------|---|

| | |
|---------|-------|
| TOTAL = | 36846 |
|---------|-------|

FORT BELVOIR, VA.-MD.
VIMS MAP # 039

| | |
|-----|--------|
| AA4 | 449321 |
|-----|--------|

| | |
|-----|-------|
| BA2 | 13893 |
|-----|-------|

| | |
|-----|--------|
| CA4 | 250216 |
|-----|--------|

| | |
|-----|--------|
| DA2 | 475537 |
|-----|--------|

| | |
|-----|-------|
| EA4 | 59882 |
|-----|-------|

| | |
|-----|-------|
| FA4 | 64412 |
|-----|-------|

| | |
|-----|--------|
| GA3 | 280766 |
|-----|--------|

| | |
|-----|------|
| HA4 | 8642 |
|-----|------|

TOTAL AREA

| | |
|-------------|---|
| DENSITY 1 = | 0 |
|-------------|---|

| | |
|-------------|--------|
| DENSITY 2 = | 489431 |
|-------------|--------|

| | |
|-------------|--------|
| DENSITY 3 = | 280766 |
|-------------|--------|

| | |
|-------------|--------|
| DENSITY 4 = | 832473 |
|-------------|--------|

| | |
|---------|---------|
| TOTAL = | 1602670 |
|---------|---------|

MT. VERNON, VA.-MD.
VIMS MAP # 040

| | |
|-----|--------|
| AA3 | 342301 |
|-----|--------|

| | |
|-----|--------|
| BA4 | 397504 |
|-----|--------|

| | |
|-----|--------|
| CA4 | 754595 |
|-----|--------|

| | |
|-----|-------|
| DA1 | 52654 |
|-----|-------|

| | |
|-----|--------|
| EA4 | 163314 |
|-----|--------|

| | |
|-----|--------|
| FA4 | 333759 |
|-----|--------|

| | |
|-----|--------|
| GA4 | 573256 |
|-----|--------|

| | |
|-----|--------|
| HA4 | 987637 |
|-----|--------|

| | |
|-----|-------|
| IA4 | 14855 |
|-----|-------|

| | |
|-----|------|
| JA4 | 8256 |
|-----|------|

| | |
|-----|--------|
| KA4 | 185311 |
|-----|--------|

| | |
|-----|-------|
| LA1 | 34347 |
|-----|-------|

| | |
|-----|-------|
| MA2 | 17872 |
|-----|-------|

| | |
|-----|-------|
| NA4 | 34689 |
|-----|-------|

| | |
|-----|-------|
| OA4 | 36536 |
|-----|-------|

| | |
|-----|-------|
| PA2 | 54778 |
|-----|-------|

| | |
|-----|--------|
| QA4 | 105642 |
|-----|--------|

| | |
|-----|--------|
| RA2 | 133041 |
|-----|--------|

| | |
|-----|--------|
| SA2 | 209817 |
|-----|--------|

| | |
|-----|-------|
| TA1 | 51592 |
|-----|-------|

| | |
|-----|-------|
| UA1 | 12932 |
|-----|-------|

| | |
|-----|-------|
| VA3 | 12695 |
|-----|-------|

| | |
|-----|-------|
| WA3 | 15445 |
|-----|-------|

| | |
|-----|--------|
| XA4 | 102687 |
|-----|--------|

| | |
|-----|--------|
| YA2 | 626205 |
|-----|--------|

TOTAL AREA

| | |
|-------------|--------|
| DENSITY 1 = | 151525 |
|-------------|--------|

| | |
|-------------|---------|
| DENSITY 2 = | 1041713 |
|-------------|---------|

| | |
|-------------|--------|
| DENSITY 3 = | 370440 |
|-------------|--------|

| | |
|-------------|---------|
| DENSITY 4 = | 3698041 |
|-------------|---------|

| | |
|---------|---------|
| TOTAL = | 5261719 |
|---------|---------|

TILGHMAN, MD.
VIMS MAP # 043

| | |
|-----|-------|
| AA3 | 52063 |
|-----|-------|

| | |
|-----|-------|
| BA2 | 73346 |
|-----|-------|

TOTAL AREA

| | |
|-------------|---|
| DENSITY 1 = | 0 |
|-------------|---|

| | |
|-------------|-------|
| DENSITY 2 = | 73346 |
|-------------|-------|

| | |
|-------------|-------|
| DENSITY 3 = | 52063 |
|-------------|-------|

| | |
|-------------|---|
| DENSITY 4 = | 0 |
|-------------|---|

| | |
|---------|--------|
| TOTAL = | 125408 |
|---------|--------|

OXFORD, MD.
VIMS MAP # 044

| | |
|-----|-------|
| AA3 | 23216 |
|-----|-------|

| | | | |
|-------------|-------|------------|--------|
| BA2 | 13076 | DA4 | 54010 |
| CA3 | 15573 | EA3 | 9753 |
| DA2 | 10909 | FA4 | 131015 |
| | | GA4 | 561488 |
| TOTAL AREA | | HA2 | 39895 |
| | | IA4 | 86785 |
| DENSITY 1 = | 0 | JA4 | 288762 |
| DENSITY 2 = | 23984 | KA2 | 8423 |
| DENSITY 3 = | 38788 | LA2 | 17414 |
| DENSITY 4 = | 0 | MA4 | 38717 |
| TOTAL = | 62773 | TOTAL AREA | |

QUANTICO, VA.-MD.
VIMS MAP # 047

| | |
|-----|---------|
| AA4 | 543681 |
| BA4 | 1447693 |
| CA4 | 832902 |
| DA4 | 79810 |
| EA3 | 35768 |
| FA4 | 435462 |
| GA3 | 52627 |
| HA4 | 44279 |
| IA2 | 288416 |
| JA4 | 34670 |
| KA4 | 112663 |
| LA4 | 2832521 |
| MA4 | 601183 |
| NA3 | 93160 |
| OA4 | 64634 |
| PA4 | 559870 |

TOTAL AREA

| | |
|-------------|---------|
| DENSITY 1 = | 0 |
| DENSITY 2 = | 288416 |
| DENSITY 3 = | 181556 |
| DENSITY 4 = | 7589367 |
| TOTAL = | 8059339 |

INDIAN HEAD, MD.- VA.
VIMS MAP # 048

| | |
|-----|---------|
| AA3 | 169724 |
| BA4 | 2111793 |
| CA4 | 34896 |

| | |
|-------------|---------|
| DENSITY 1 = | 0 |
| DENSITY 2 = | 65732 |
| DENSITY 3 = | 179477 |
| DENSITY 4 = | 3307466 |

| | |
|---------|---------|
| TOTAL = | 3552675 |
|---------|---------|

HUDSON, MD.
VIMS MAP # 051

| | |
|-----|--------|
| AA2 | 2862 |
| BA3 | 19716 |
| CA3 | 68820 |
| DA1 | 3097 |
| EA2 | 401031 |
| FA2 | 4737 |
| GA2 | 109104 |
| HA3 | 19092 |

TOTAL AREA

| | |
|-------------|--------|
| DENSITY 1 = | 3097 |
| DENSITY 2 = | 517733 |
| DENSITY 3 = | 107628 |
| DENSITY 4 = | 0 |
| TOTAL = | 628458 |

CHURCH CREEK, MD.
VIMS MAP # 052

| | |
|-----|-------|
| AA2 | 15277 |
| BA1 | 7114 |

TOTAL AREA

| | |
|-------------|-------|
| DENSITY 1 = | 7114 |
| DENSITY 2 = | 15277 |
| DENSITY 3 = | 0 |
| DENSITY 4 = | 0 |

| | |
|---------|-------|
| TOTAL = | 22391 |
|---------|-------|

**WIDEWATER, VA.-MD.
VIMS MAP # 055**

| | |
|-----|---------|
| AA4 | 499093 |
| BA4 | 215725 |
| CA1 | 45112 |
| DA4 | 4858 |
| EA3 | 21931 |
| FA4 | 62149 |
| GA1 | 877293 |
| HA4 | 3248831 |
| IA4 | 60365 |
| JA4 | 176626 |
| KA2 | 35189 |
| LA4 | 452940 |
| MA2 | 19718 |
| NA4 | 646489 |
| OA2 | 35439 |
| PA2 | 2854 |
| QA3 | 71088 |
| RA2 | 5632 |

TOTAL AREA

| | |
|-------------|---------|
| DENSITY 1 = | 922405 |
| DENSITY 2 = | 98832 |
| DENSITY 3 = | 93019 |
| DENSITY 4 = | 5367078 |

| | |
|---------|---------|
| TOTAL = | 6481335 |
|---------|---------|

**NANJEMOY, MD.
VIMS MAP # 056**

| | |
|-----|--------|
| AA3 | 111230 |
| BA3 | 116719 |
| CA3 | 171183 |
| DA3 | 28603 |
| EA3 | 17015 |

| | |
|-----|--------|
| FA2 | 3531 |
| GA4 | 26425 |
| HA4 | 8438 |
| IA4 | 16273 |
| JA3 | 36292 |
| KA4 | 45446 |
| LA4 | 48584 |
| MA3 | 40739 |
| NA4 | 12425 |
| OA2 | 24628 |
| PA4 | 9786 |
| QA4 | 70534 |
| RA4 | 122737 |
| SA3 | 46386 |
| TA4 | 450968 |

TOTAL AREA

| | |
|-------------|--------|
| DENSITY 1 = | 0 |
| DENSITY 2 = | 28159 |
| DENSITY 3 = | 568166 |
| DENSITY 4 = | 811616 |

| | |
|---------|---------|
| TOTAL = | 1407941 |
|---------|---------|

**MATHIAS POINT, MD.-VA.
VIMS MAP # 057**

| | |
|-----|--------|
| AA2 | 32920 |
| BA4 | 236971 |
| CA1 | 51191 |
| DA4 | 131339 |
| EA4 | 171841 |
| FA4 | 47202 |
| GA2 | 22932 |
| HA3 | 27948 |
| IA4 | 231011 |
| JA2 | 9698 |
| KA3 | 16514 |
| LA4 | 56642 |
| MA4 | 55959 |
| NA4 | 47128 |
| OA2 | 16399 |
| PA4 | 52405 |
| QA4 | 291901 |
| RA3 | 82280 |
| SA4 | 285155 |
| TA4 | 314538 |

| | |
|-----|--------|
| UA2 | 202584 |
| VA2 | 41963 |
| WA3 | 11080 |
| XA4 | 5778 |
| YA3 | 12075 |
| ZA4 | 79482 |
| AB4 | 100593 |
| BB4 | 37983 |
| CB4 | 73048 |
| DB4 | 29078 |
| EB2 | 9090 |
| FB4 | 15592 |
| GB4 | 3552 |
| HB3 | 33291 |
| IB3 | 1897 |
| JB3 | 9229 |
| KB3 | 54443 |

TOTAL AREA

| | |
|-------------|---------|
| DENSITY 1 = | 51191 |
| DENSITY 2 = | 335586 |
| DENSITY 3 = | 248758 |
| DENSITY 4 = | 2267197 |
| TOTAL = | 2902733 |

POPES CREEK, MD.
VIMS MAP # 058

| | |
|-----|-------|
| AA3 | 3620 |
| BA2 | 6713 |
| CA4 | 57788 |
| DA2 | 78966 |
| EA3 | 30774 |
| FA4 | 15925 |
| GA2 | 7511 |

TOTAL AREA

| | |
|-------------|--------|
| DENSITY 1 = | 0 |
| DENSITY 2 = | 93189 |
| DENSITY 3 = | 34394 |
| DENSITY 4 = | 73713 |
| TOTAL = | 201296 |

TAYLORS ISLAND, MD.
VIMS MAP # 062

| | |
|-----|--------|
| AA2 | 118001 |
| BA2 | 25730 |
| CA3 | 151683 |
| DA2 | 4720 |

TOTAL AREA

| | |
|-------------|--------|
| DENSITY 1 = | 0 |
| DENSITY 2 = | 148450 |
| DENSITY 3 = | 151683 |
| DENSITY 4 = | 0 |

| | |
|---------|--------|
| TOTAL = | 300133 |
|---------|--------|

GOLDEN HILL, MD.
VIMS MAP # 063

| | |
|-----|-------|
| AA1 | 2838 |
| BA2 | 13171 |
| CA2 | 6897 |
| DA2 | 7961 |
| EA2 | 30421 |
| FA2 | 7414 |
| GA2 | 20503 |

TOTAL AREA

| | |
|-------------|-------|
| DENSITY 1 = | 2838 |
| DENSITY 2 = | 86367 |
| DENSITY 3 = | 0 |
| DENSITY 4 = | 0 |

| | |
|---------|-------|
| TOTAL = | 89205 |
|---------|-------|

KING GEORGE, VA.-MD.
VIMS MAP # 065

| | |
|-----|--------|
| AA2 | 160590 |
| BA1 | 17002 |
| CA4 | 187680 |
| DA3 | 276472 |

TOTAL AREA

| | |
|-------------|-------|
| DENSITY 1 = | 17002 |
|-------------|-------|

DENSITY 2 = 160590
 DENSITY 3 = 276472
 DENSITY 4 = 187680

TOTAL = 641743

DAHLGREN, VA.-MD.
 VIMS MAP # 066

AA3 8019
 BA2 2461
 CA3 13864
 DA3 38344
 EA4 9064
 FA4 2646
 GA1 150199
 HA3 51585
 IA3 164825
 JA4 59314
 KA4 58838
 LA4 4201
 MA4 16761
 NA4 3178

TOTAL AREA

DENSITY 1 = 150199
 DENSITY 2 = 2461
 DENSITY 3 = 276637
 DENSITY 4 = 154001

TOTAL = 583297

COLONIAL BEACH NORTH,
 VA.-MD.
 VIMS MAP # 067

AA4 94208
 BA2 3256
 CA4 8494
 DA2 1235
 EA4 68487
 FA3 51469
 GA3 56072
 HA1 55433
 IA3 120558
 JA1 7012

TOTAL AREA

DENSITY 1 = 62445
 DENSITY 2 = 4492
 DENSITY 3 = 228098
 DENSITY 4 = 171189

TOTAL = 466224

BARREN ISLAND, MD.
 VIMS MAP # 072

AA2 224485
 BA3 53011
 CA2 51964
 DA2 18575
 EA2 869115

TOTAL AREA

DENSITY 1 = 0
 DENSITY 2 = 1164140
 DENSITY 3 = 53011
 DENSITY 4 = 0

TOTAL = 1217151

HONGA, MD.
 VIMS MAP # 073

AA3 73361
 BA1 46223
 CA3 159125
 DA3 136842
 EA2 94787
 FA1 35100
 GA3 25769
 HA3 75854
 IA1 25814
 JA3 13778
 KA2 11953
 LA4 93304
 MA3 17274
 NA2 479607
 OA2 14890
 PA3 10245
 QA4 1937
 RA4 1846

| | |
|-----|---------|
| SA2 | 23764 |
| TA2 | 50520 |
| UA2 | 263752 |
| VA2 | 5023 |
| WA2 | 58307 |
| XA2 | 56871 |
| YA2 | 241781 |
| ZA2 | 122895 |
| AB1 | 27844 |
| BB2 | 5189 |
| CB2 | 19996 |
| DB2 | 37327 |
| EB2 | 21949 |
| FB2 | 302291 |
| GB1 | 115871 |
| HB4 | 543359 |
| IB1 | 43992 |
| JB4 | 446184 |
| KB2 | 71978 |
| LB1 | 628551 |
| MB2 | 78234 |
| NB2 | 63455 |
| OB2 | 87728 |
| PB4 | 82823 |
| QB2 | 34532 |
| RB3 | 254792 |
| SB2 | 44902 |
| TB2 | 20574 |
| UB4 | 2552798 |
| VB1 | 39485 |
| WB2 | 31090 |
| XB3 | 486328 |
| YB3 | 425323 |
| ZB1 | 11049 |

TOTAL AREA

| | |
|-------------|---------|
| DENSITY 1 = | 973928 |
| DENSITY 2 = | 2243396 |
| DENSITY 3 = | 1678692 |
| DENSITY 4 = | 3722251 |

| | |
|---------|---------|
| TOTAL = | 8618268 |
|---------|---------|

WINGATE, MD.
VIMS MAP # 074

| | |
|-----|-------|
| AA1 | 13348 |
|-----|-------|

| | |
|-----|---------|
| BA4 | 277661 |
| CA2 | 54788 |
| DA4 | 1583802 |
| EA1 | 108606 |
| FA3 | 176850 |
| GA4 | 1686128 |
| HA1 | 90101 |
| IA2 | 116204 |
| JA3 | 463302 |
| KA1 | 32296 |

TOTAL AREA

| | |
|-------------|---------|
| DENSITY 1 = | 244351 |
| DENSITY 2 = | 170993 |
| DENSITY 3 = | 640152 |
| DENSITY 4 = | 3547591 |

| | |
|---------|---------|
| TOTAL = | 4603087 |
|---------|---------|

RICHLAND POINT, MD.
VIMS MAP # 082

| | |
|-----|-------|
| AA3 | 73767 |
| BA3 | 73037 |
| CA3 | 62346 |

TOTAL AREA

| | |
|-------------|--------|
| DENSITY 1 = | 0 |
| DENSITY 2 = | 0 |
| DENSITY 3 = | 209150 |
| DENSITY 4 = | 0 |

| | |
|---------|--------|
| TOTAL = | 209150 |
|---------|--------|

BLOODSWORTH ISLAND,
MD.
VIMS MAP # 083

| | |
|-----|-------|
| AA3 | 8474 |
| BA3 | 4989 |
| CA2 | 9062 |
| DA3 | 2698 |
| EA2 | 42222 |
| FA2 | 29288 |
| GA2 | 28380 |
| HA3 | 30396 |

| | |
|-----|---------|
| IA3 | 485885 |
| JA3 | 71333 |
| KA3 | 3012671 |
| LA3 | 1284084 |
| MA2 | 13389 |
| NA2 | 432237 |
| OA3 | 265669 |
| PA2 | 5916 |
| QA2 | 362088 |
| RA4 | 573290 |
| SA2 | 14399 |
| TA3 | 29201 |
| UA2 | 8572 |
| VA2 | 3106 |
| WA3 | 52734 |
| XA2 | 174489 |
| YA3 | 755514 |
| ZA1 | 124485 |
| AB4 | 35904 |
| BB1 | 24402 |
| CB2 | 1850 |
| DB1 | 52733 |
| EB4 | 71558 |
| FB2 | 5989 |

TOTAL AREA

| | |
|-------------|---------|
| DENSITY 1 = | 201619 |
| DENSITY 2 = | 1130986 |
| DENSITY 3 = | 6003649 |
| DENSITY 4 = | 680752 |

TOTAL = 8017007

DEAL ISLAND, MD.
VIMS MAP # 084

| | |
|-----|--------|
| AA3 | 225789 |
| BA2 | 17729 |

TOTAL AREA

| | |
|-------------|--------|
| DENSITY 1 = | 0 |
| DENSITY 2 = | 17729 |
| DENSITY 3 = | 225789 |
| DENSITY 4 = | 0 |

TOTAL = 243518

MONIE, MD.
VIMS MAP # 085

| | |
|-----|-------|
| AA3 | 65363 |
| BA3 | 7389 |

TOTAL AREA

| | |
|-------------|-------|
| DENSITY 1 = | 0 |
| DENSITY 2 = | 0 |
| DENSITY 3 = | 72752 |
| DENSITY 4 = | 0 |

TOTAL = 72752

ST. GEORGE ISLAND, MD.
VA.
VIMS MAP # 089

| | |
|-----|-------|
| AA3 | 6283 |
| BA3 | 11112 |

TOTAL AREA

| | |
|-------------|-------|
| DENSITY 1 = | 0 |
| DENSITY 2 = | 0 |
| DENSITY 3 = | 17395 |
| DENSITY 4 = | 0 |

TOTAL = 17395

KEDGES STRAITS, MD.
VIMS MAP # 091

| | |
|-----|---------|
| AA4 | 67622 |
| BA2 | 154612 |
| CA4 | 98185 |
| DA3 | 3105214 |
| EA1 | 135373 |
| FA3 | 252165 |
| GA2 | 227261 |
| HA3 | 75217 |
| IA4 | 1456816 |
| JA2 | 29934 |
| KA3 | 417751 |
| LA2 | 13023 |
| MA1 | 61330 |
| NA4 | 449960 |

| | |
|-----|--------|
| OA2 | 3634 |
| PA4 | 775515 |
| QA2 | 77922 |
| RA3 | 604663 |
| SA3 | 61012 |
| TA2 | 11575 |
| UA2 | 22958 |
| VA4 | 212794 |
| WA2 | 13338 |
| XA2 | 9634 |
| YA2 | 16807 |
| ZA3 | 300629 |
| AB2 | 17337 |
| BB1 | 106748 |
| CB3 | 69267 |

TOTAL AREA

| | |
|-------------|---------|
| DENSITY 1 = | 303451 |
| DENSITY 2 = | 598034 |
| DENSITY 3 = | 4885918 |
| DENSITY 4 = | 3060892 |

TOTAL = 8848295

**TERRAPIN SAND POINT,
MD.
VIMS MAP # 092**

| | |
|-----|---------|
| AA2 | 22031 |
| BA3 | 112353 |
| CA4 | 1741813 |
| DA1 | 116384 |
| EA2 | 305514 |
| FA4 | 140934 |
| GA4 | 66972 |
| HA1 | 78038 |
| IA1 | 19337 |
| JA2 | 4851 |
| KA3 | 2467 |

TOTAL AREA

| | |
|-------------|---------|
| DENSITY 1 = | 213758 |
| DENSITY 2 = | 332396 |
| DENSITY 3 = | 114820 |
| DENSITY 4 = | 1949719 |

TOTAL = 2610694

**MARION, MD.
VIMS MAP # 093**

| | |
|-----|--------|
| AA3 | 12201 |
| BA3 | 7977 |
| CA3 | 10257 |
| DA3 | 66335 |
| EA1 | 186557 |
| FA3 | 46210 |
| GA2 | 56801 |
| HA4 | 67749 |
| IA2 | 37929 |
| JA4 | 63146 |
| KA4 | 72068 |
| LA3 | 204088 |
| MA2 | 28038 |
| NA4 | 421387 |
| OA2 | 119912 |
| PA2 | 18167 |
| QA2 | 26537 |
| RA2 | 7451 |
| SA2 | 28491 |
| TA2 | 47450 |
| UA3 | 33406 |
| VA2 | 138508 |
| WA3 | 286480 |
| XA2 | 97751 |
| YA3 | 65000 |
| ZA2 | 72246 |
| AB4 | 9589 |
| BB2 | 29244 |
| CB3 | 22601 |
| DB3 | 93686 |
| EB4 | 192157 |
| FB2 | 35601 |
| GB1 | 36723 |
| HB3 | 57948 |
| IB2 | 34002 |
| JB3 | 54625 |
| KB3 | 128428 |
| LB2 | 111968 |
| MB3 | 2214 |
| NB3 | 5514 |
| OB3 | 12805 |
| PB3 | 4603 |
| QB2 | 3386 |
| RB3 | 1200 |

| | | | |
|----------------|----------|---------------------------|----------|
| SB3 | 865 | TOTAL = | 26059291 |
| TOTAL AREA | | GREAT FOX ISLAND, MD.-VA. | |
| | | VIMS MAP # 100 | |
| DENSITY 1 = | 223280 | AA4 | 4175072 |
| DENSITY 2 = | 893481 | BA1 | 55923 |
| DENSITY 3 = | 1116441 | CA2 | 1406084 |
| DENSITY 4 = | 826096 | DA4 | 1227459 |
| TOTAL = | 3059298 | EA2 | 283082 |
| EWELL, MD.-VA. | | FA3 | 163532 |
| VIMS MAP # 099 | | GA3 | 231699 |
| AA4 | 11910730 | HA3 | 708171 |
| BA2 | 6035756 | IA2 | 99645 |
| CA1 | 143972 | JA3 | 13461 |
| DA4 | 2511069 | KA4 | 74403 |
| EA2 | 139435 | LA2 | 18181 |
| FA2 | 47890 | MA4 | 137609 |
| GA2 | 63038 | NA2 | 19831 |
| HA4 | 127665 | OA2 | 6415 |
| IA1 | 161606 | PA2 | 7040 |
| JA4 | 86235 | QA4 | 2852153 |
| KA4 | 33315 | RA3 | 46488 |
| LA3 | 1370135 | SA3 | 46875 |
| MA3 | 34456 | TA4 | 266002 |
| NA3 | 484781 | UA2 | 147478 |
| OA1 | 61085 | VA4 | 227279 |
| PA4 | 277695 | WA4 | 1729818 |
| QA1 | 60488 | XA1 | 256308 |
| RA2 | 44410 | YA4 | 10216 |
| SA3 | 125054 | TOTAL AREA | |
| TA2 | 3646 | DENSITY 1 = | 312231 |
| UA3 | 4532 | DENSITY 2 = | 1987756 |
| VA3 | 36230 | DENSITY 3 = | 1210226 |
| WA4 | 2066659 | DENSITY 4 = | 10700011 |
| XA2 | 50183 | TOTAL = | 14210224 |
| YA2 | 39156 | CRISFIELD, MD.-VA. | |
| ZA2 | 140070 | VIMS MAP # 101 | |
| TOTAL AREA | | AA4 | 1131324 |
| DENSITY 1 = | 427151 | BA2 | 73401 |
| DENSITY 2 = | 6563584 | CA2 | 38923 |
| DENSITY 3 = | 2055188 | DA2 | 47391 |
| DENSITY 4 = | 17013369 | | |

| | |
|-----|--------|
| EA3 | 26880 |
| FA2 | 15860 |
| GA2 | 353458 |
| HA4 | 168284 |
| IA2 | 51776 |
| JA2 | 13079 |
| KA4 | 69145 |
| LA3 | 91749 |
| MA3 | 5880 |
| NA2 | 5651 |
| OA3 | 112965 |
| PA3 | 113216 |
| QA4 | 59874 |
| RA2 | 19378 |
| SA2 | 3001 |
| TA2 | 12124 |
| UA4 | 48777 |
| VA4 | 307697 |
| WA3 | 27666 |
| XA4 | 81627 |
| YA2 | 12063 |
| ZA3 | 290341 |
| AB3 | 5746 |

TOTAL AREA

| | |
|-------------|---------|
| DENSITY 1 = | 0 |
| DENSITY 2 = | 646106 |
| DENSITY 3 = | 674443 |
| DENSITY 4 = | 1866728 |

| | |
|---------|---------|
| TOTAL = | 3187277 |
|---------|---------|

SAXIS, VA.-MD.
VIMS MAP # 102

| | |
|-----|------|
| AA2 | 2592 |
| BA2 | 2403 |
| CA2 | 7610 |

TOTAL AREA

| | |
|-------------|-------|
| DENSITY 1 = | 0 |
| DENSITY 2 = | 12604 |
| DENSITY 3 = | 0 |
| DENSITY 4 = | 0 |

| | |
|---------|-------|
| TOTAL = | 12604 |
|---------|-------|

REEDVILLE, VA.
VIMS MAP # 106

| | |
|-----|---------|
| AA2 | 13972 |
| BA2 | 39023 |
| CA2 | 87317 |
| DA1 | 95140 |
| EA4 | 1169453 |
| FA2 | 628202 |
| GA4 | 273075 |
| HA2 | 46802 |
| IA2 | 5490 |
| JA1 | 18345 |
| KA2 | 2844 |
| LA2 | 11014 |
| MA1 | 37211 |

TOTAL AREA

| | |
|-------------|---------|
| DENSITY 1 = | 150696 |
| DENSITY 2 = | 834663 |
| DENSITY 3 = | 0 |
| DENSITY 4 = | 1442528 |

| | |
|---------|---------|
| TOTAL = | 2427887 |
|---------|---------|

TANGIER ISLAND, VA.
VIMS MAP # 107

| | |
|-----|---------|
| AA3 | 447513 |
| BA1 | 152747 |
| CA4 | 1337455 |
| DA2 | 43162 |
| EA2 | 115617 |
| FA2 | 16965 |
| GA2 | 115279 |
| HA3 | 764935 |
| IA2 | 40961 |
| JA4 | 211943 |
| KA4 | 4475707 |
| LA2 | 69415 |
| MA1 | 30421 |

TOTAL AREA

| | |
|-------------|---------|
| DENSITY 1 = | 183168 |
| DENSITY 2 = | 401399 |
| DENSITY 3 = | 1212448 |

DENSITY 4 = 6025105

TOTAL = 10525053

TOTAL = 7822119

PARKSLEY, VA.
VIMS MAP # 109

CHESCONESSEX, VA.
VIMS MAP # 108

| | |
|-----|---------|
| AA2 | 116697 |
| BA2 | 54540 |
| CA4 | 163943 |
| DA4 | 17127 |
| EA2 | 47951 |
| FA3 | 1126 |
| GA4 | 256783 |
| HA2 | 125671 |
| IA2 | 232312 |
| JA3 | 490998 |
| KA2 | 233008 |
| LA3 | 338142 |
| MA4 | 350092 |
| NA3 | 369577 |
| OA4 | 948076 |
| PA2 | 249972 |
| QA2 | 283839 |
| RA4 | 159291 |
| SA2 | 603588 |
| TA4 | 632918 |
| UA1 | 174999 |
| VA4 | 332011 |
| WA2 | 531324 |
| XA4 | 730359 |
| YA4 | 53461 |
| ZA3 | 4618 |
| AB2 | 32761 |
| BB2 | 118757 |
| CB3 | 298783 |
| DB2 | 107797 |
| EB4 | 857990 |
| FB3 | 1461424 |
| GB1 | 145120 |

TOTAL AREA

| | |
|-------------|---------|
| DENSITY 1 = | 320119 |
| DENSITY 2 = | 2738215 |
| DENSITY 3 = | 2964667 |
| DENSITY 4 = | 4502052 |

| | |
|-----|---------|
| AA4 | 19478 |
| BA2 | 53821 |
| CA1 | 20259 |
| DA3 | 48217 |
| EA2 | 104226 |
| FA2 | 4594 |
| GA4 | 22507 |
| HA3 | 4696 |
| IA2 | 79467 |
| JA2 | 6308 |
| KA2 | 458804 |
| LA1 | 94738 |
| MA3 | 164542 |
| NA1 | 17872 |
| OA2 | 31522 |
| PA3 | 23162 |
| QA3 | 456622 |
| RA2 | 212568 |
| SA3 | 305295 |
| TA1 | 25668 |
| UA3 | 13130 |
| VA3 | 11974 |
| WA2 | 2859 |
| XA2 | 6811 |
| YA4 | 32545 |
| ZA4 | 1516 |
| AB4 | 87867 |
| BB3 | 43126 |
| CB4 | 2476813 |

TOTAL AREA

| | |
|-------------|---------|
| DENSITY 1 = | 158536 |
| DENSITY 2 = | 960979 |
| DENSITY 3 = | 1070762 |
| DENSITY 4 = | 2640725 |

TOTAL = 4831003

URBANNA, VA.
VIMS MAP # 110

| | |
|-----|-------|
| AA2 | 36639 |
|-----|-------|

| | | | |
|----------------|--------|-----------------|---------|
| BA2 | 13181 | TOTAL = | 1650346 |
| CA2 | 4047 | | |
| TOTAL AREA | | FLEETS BAY, VA. | |
| | | VIMS MAP # 112 | |
| DENSITY 1 = | 0 | AA2 | 570292 |
| DENSITY 2 = | 53866 | BA3 | 47097 |
| DENSITY 3 = | 0 | CA3 | 23404 |
| DENSITY 4 = | 0 | DA2 | 3131 |
| | | EA3 | 300853 |
| TOTAL = | 53866 | FA1 | 275857 |
| IRVINGTON, VA. | | GA3 | 258484 |
| VIMS MAP # 111 | | HA4 | 21969 |
| | | IA2 | 331537 |
| AA2 | 2183 | JA2 | 7214 |
| BA2 | 5520 | KA3 | 22562 |
| CA2 | 31856 | LA3 | 21467 |
| DA4 | 8625 | MA3 | 6878 |
| EA4 | 13831 | NA2 | 28510 |
| FA3 | 87403 | OA2 | 40347 |
| GA4 | 200535 | PA2 | 45594 |
| HA3 | 164321 | QA3 | 877449 |
| IA4 | 263874 | RA3 | 10697 |
| JA3 | 12218 | SA2 | 40341 |
| KA2 | 111659 | TA2 | 16326 |
| LA2 | 37521 | UA3 | 18227 |
| MA2 | 5250 | VA3 | 79589 |
| NA2 | 3540 | WA2 | 116809 |
| OA3 | 66777 | XA3 | 304050 |
| PA2 | 8549 | YA1 | 19377 |
| QA2 | 1540 | ZA2 | 9473 |
| RA2 | 27652 | AB3 | 187639 |
| SA4 | 2648 | BB2 | 111177 |
| TA3 | 18205 | CB3 | 2320 |
| UA4 | 75179 | DB2 | 56444 |
| VA3 | 96617 | EB2 | 21135 |
| WA3 | 80655 | FB2 | 29096 |
| XA4 | 158297 | GB2 | 13199 |
| YA2 | 1769 | | |
| ZA4 | 164122 | | |
| TOTAL AREA | | TOTAL AREA | |
| DENSITY 1 = | 0 | DENSITY 1 = | 295235 |
| DENSITY 2 = | 237040 | DENSITY 2 = | 1440624 |
| DENSITY 3 = | 526195 | DENSITY 3 = | 2160716 |
| DENSITY 4 = | 887111 | DENSITY 4 = | 21969 |
| | | TOTAL = | 3918543 |

NANDUA CREEK, VA.
VIMS MAP # 113

| | |
|-----|---------|
| AA1 | 33688 |
| BA2 | 51082 |
| CA1 | 118554 |
| DA3 | 7344 |
| EA4 | 96173 |
| FA3 | 3236 |
| GA4 | 458594 |
| HA2 | 1294036 |
| IA4 | 175051 |
| JA4 | 84350 |
| KA1 | 161576 |
| LA4 | 157442 |
| MA3 | 396269 |
| NA2 | 1378145 |

TOTAL AREA

| | |
|-------------|---------|
| DENSITY 1 = | 313818 |
| DENSITY 2 = | 2723263 |
| DENSITY 3 = | 406849 |
| DENSITY 4 = | 971610 |

TOTAL = 4415540

PUNGOTEAGUE, VA.
VIMS MAP # 114

| | |
|-----|---------|
| AA4 | 156876 |
| BA1 | 414509 |
| CA3 | 150548 |
| DA2 | 2974 |
| EA4 | 5711 |
| FA2 | 68850 |
| GA4 | 369270 |
| HA1 | 28456 |
| IA2 | 11046 |
| JA3 | 9244 |
| KA4 | 3784341 |
| LA2 | 2129231 |
| MA2 | 223275 |
| NA3 | 338526 |
| OA1 | 276043 |
| PA3 | 291240 |
| QA2 | 1764 |

| | |
|-----|--------|
| RA2 | 1190 |
| SA2 | 2751 |
| TA2 | 47550 |
| UA3 | 7903 |
| VA3 | 1435 |
| WA3 | 6952 |
| XA2 | 18920 |
| YA3 | 115977 |
| ZA4 | 90632 |
| AB4 | 71648 |
| BB2 | 204464 |
| CB1 | 282195 |
| DB2 | 424561 |
| EB3 | 137585 |
| FB4 | 52671 |
| GB3 | 4692 |
| HB2 | 28775 |

TOTAL AREA

| | |
|-------------|---------|
| DENSITY 1 = | 1001203 |
| DENSITY 2 = | 3165351 |
| DENSITY 3 = | 1064103 |
| DENSITY 4 = | 4531149 |

TOTAL = 9761806

WILTON, VA.
VIMS MAP # 117

| | |
|-----|-------|
| AA3 | 3318 |
| BA3 | 6082 |
| CA3 | 1878 |
| DA2 | 73210 |
| EA3 | 67790 |
| FA2 | 2975 |
| GA3 | 4724 |

TOTAL AREA

| | |
|-------------|-------|
| DENSITY 1 = | 0 |
| DENSITY 2 = | 76185 |
| DENSITY 3 = | 83793 |
| DENSITY 4 = | 0 |

TOTAL = 159978

DELTAVILLE, VA.
VIMS MAP # 118

| | |
|-----|--------|
| AA1 | 6525 |
| BA1 | 3394 |
| CA2 | 121551 |
| DA2 | 302564 |
| EA4 | 18019 |
| FA2 | 152372 |
| GA2 | 8318 |
| HA2 | 37024 |
| IA2 | 52498 |
| JA3 | 21947 |
| KA2 | 97364 |
| LA2 | 15000 |
| MA3 | 16934 |
| NA2 | 21454 |
| OA3 | 18834 |
| PA4 | 10814 |
| QA2 | 37820 |
| RA3 | 133009 |

TOTAL AREA

| | |
|-------------|--------|
| DENSITY 1 = | 9919 |
| DENSITY 2 = | 845965 |
| DENSITY 3 = | 190723 |
| DENSITY 4 = | 28833 |

TOTAL = 1075440

JAMESVILLE, VA.
VIMS MAP # 119

| | |
|-----|--------|
| AA2 | 140673 |
| BA1 | 42261 |
| CA2 | 592211 |
| DA4 | 773038 |
| EA3 | 85719 |
| FA1 | 90906 |
| GA3 | 5413 |
| HA3 | 7123 |
| IA2 | 21959 |
| JA2 | 10279 |
| KA3 | 12790 |
| LA2 | 7321 |
| MA1 | 12703 |
| NA4 | 15933 |

| | |
|-----|--------|
| OA3 | 53557 |
| PA1 | 265214 |
| QA3 | 668808 |
| RA4 | 193505 |
| SA1 | 739310 |
| TA2 | 78044 |
| UA2 | 2786 |
| VA3 | 30612 |
| WA4 | 680139 |
| XA2 | 41473 |
| YA2 | 1031 |
| ZA3 | 84364 |
| AB2 | 430326 |
| BB4 | 194647 |
| CB2 | 154815 |
| DB4 | 316375 |
| EB1 | 11096 |
| FB1 | 51584 |
| GB4 | 166250 |
| HB2 | 172229 |
| IB3 | 61907 |

TOTAL AREA

| | |
|-------------|---------|
| DENSITY 1 = | 1213073 |
| DENSITY 2 = | 1653148 |
| DENSITY 3 = | 1010294 |
| DENSITY 4 = | 2339887 |

TOTAL = 6216401

WARE NECK, VA.
VIMS MAP # 122

| | |
|-----|--------|
| AA2 | 4830 |
| BA2 | 437975 |
| CA3 | 53411 |
| DA4 | 98074 |
| EA2 | 93206 |
| FA3 | 293004 |
| GA2 | 358499 |
| HA3 | 293948 |
| IA3 | 202240 |
| JA3 | 109577 |
| KA3 | 177672 |
| LA3 | 141080 |
| MA3 | 953753 |

TOTAL AREA

DENSITY 1 = 0

DENSITY 2 = 894509

DENSITY 3 = 2224685

DENSITY 4 = 98074

TOTAL = 3217268

MATHEWS, VA.
VIMS MAP # 123

AA4 56956

BA4 190594

CA3 10232

DA3 3239

EA3 103296

FA3 92416

GA2 20581

HA4 2575

IA2 1341

JA2 231796

KA4 597524

LA1 38195

MA2 153954

NA4 103213

OA2 2527

PA4 313314

QA2 188645

RA2 148984

SA2 35208

TA4 13835

UA3 14073

VA4 11823

WA4 16179

XA1 5004

YA3 33250

ZA2 1678

AB2 215947

TOTAL AREA

DENSITY 1 = 43199

DENSITY 2 = 1000661

DENSITY 3 = 256506

DENSITY 4 = 1306013

TOTAL = 2606379

FRANKTOWN, VA.
VIMS MAP # 124

AA4 104869

BA4 7042

CA1 579663

DA3 71403

EA4 303339

FA4 444841

GA3 16425

HA2 25178

IA3 125830

JA3 34019

KA2 9970

LA3 233033

MA2 3772

NA2 159284

OA2 280568

PA4 1624117

QA2 68580

RA2 32894

SA2 47322

TA2 140035

UA1 553650

VA3 84258

WA4 319073

XA2 65056

YA1 17535

ZA2 16693

AB3 7583

BB3 3953

CB2 3274

DB3 159196

EB3 16096

FB2 83106

GB2 7788

HB2 22975

IB2 108175

JB2 137576

KB2 163693

LB4 194283

TOTAL AREA

DENSITY 1 = 1150847

DENSITY 2 = 1375938

DENSITY 3 = 751795

| | | | |
|---------------------------------|---------|------------------------|----------|
| DENSITY 4 = | 2997564 | OB2 | 12595 |
| TOTAL = | 6276144 | TOTAL AREA | |
| ACHILLES, VA. VIMS MAP # 131 | | DENSITY 1 = 107205 | |
| | | DENSITY 2 = 1356911 | |
| | | DENSITY 3 = 813849 | |
| | | DENSITY 4 = 7830820 | |
| AA2 | 59876 | TOTAL = | 10108785 |
| BA3 | 65913 | NEW POINT COMFORT, VA. | |
| CA3 | 28365 | VIMS MAP # 132 | |
| DA4 | 47941 | AA2 | 413907 |
| EA4 | 1176394 | BA2 | 316925 |
| FA2 | 134459 | CA2 | 160192 |
| GA1 | 19359 | DA4 | 4976767 |
| HA4 | 19588 | EA2 | 154059 |
| IA4 | 32946 | FA4 | 540688 |
| JA4 | 1286151 | GA2 | 296762 |
| KA2 | 268840 | HA3 | 167654 |
| LA2 | 48494 | IA3 | 1363050 |
| MA2 | 6815 | JA4 | 764889 |
| NA2 | 11827 | KA1 | 60239 |
| OA4 | 62196 | LA1 | 134080 |
| PA4 | 958872 | MA1 | 75356 |
| QA3 | 297179 | NA4 | 1078273 |
| RA2 | 10283 | OA2 | 113550 |
| SA4 | 1254171 | PA1 | 283908 |
| TA2 | 230192 | QA3 | 553175 |
| UA1 | 87846 | RA4 | 1086998 |
| VA3 | 152168 | SA2 | 181078 |
| WA3 | 2632 | TA3 | 85898 |
| XA3 | 2820 | UA3 | 24170 |
| YA4 | 230959 | VA4 | 923419 |
| ZA2 | 17219 | WA2 | 515893 |
| AB4 | 17732 | XA3 | 113416 |
| BB4 | 264361 | YA4 | 102601 |
| CB2 | 15472 | TOTAL AREA | |
| DB4 | 1406738 | DENSITY 1 = | 553583 |
| EB2 | 38617 | DENSITY 2 = | 2152366 |
| FB4 | 584129 | DENSITY 3 = | 2307363 |
| GB2 | 94540 | | |
| HB2 | 55317 | | |
| IB2 | 8348 | | |
| JB3 | 45707 | | |
| KB2 | 29895 | | |
| LB3 | 219066 | | |
| MB4 | 488643 | | |
| NB2 | 314122 | | |

| | |
|-------------|---------|
| DENSITY 4 = | 9473635 |
|-------------|---------|

| | |
|---------|----------|
| TOTAL = | 14486948 |
|---------|----------|

CAPE CHARLES, VA.
VIMS MAP # 133

| | |
|-----|--------|
| AA2 | 150852 |
| BA1 | 113334 |
| CA4 | 20222 |
| DA3 | 288240 |
| EA2 | 7416 |
| FA4 | 786013 |
| GA2 | 102565 |
| HA2 | 15467 |
| IA2 | 12841 |
| JA2 | 41489 |
| KA3 | 69389 |
| LA3 | 158079 |
| MA1 | 831559 |
| NA4 | 831390 |
| OA2 | 53660 |

TOTAL AREA

| | |
|-------------|---------|
| DENSITY 1 = | 944893 |
| DENSITY 2 = | 523500 |
| DENSITY 3 = | 515708 |
| DENSITY 4 = | 1637626 |

| | |
|---------|---------|
| TOTAL = | 3621727 |
|---------|---------|

CHERITON, VA.
VIMS MAP # 134

| | |
|-----|--------|
| AA2 | 94725 |
| BA4 | 165860 |
| CA2 | 186115 |
| DA4 | 380570 |

TOTAL AREA

| | |
|-------------|--------|
| DENSITY 1 = | 0 |
| DENSITY 2 = | 280840 |
| DENSITY 3 = | 0 |
| DENSITY 4 = | 546430 |

| | |
|---------|--------|
| TOTAL = | 827270 |
|---------|--------|

YORKTOWN, VA.
VIMS MAP # 139

| | |
|-----|------|
| AA1 | 1483 |
| BA2 | 5595 |

TOTAL AREA

| | |
|-------------|------|
| DENSITY 1 = | 1483 |
| DENSITY 2 = | 5595 |
| DENSITY 3 = | 0 |
| DENSITY 4 = | 0 |

| | |
|---------|------|
| TOTAL = | 7078 |
|---------|------|

POQUOSON WEST, VA.
VIMS MAP # 140

| | |
|-----|--------|
| AA4 | 38373 |
| BA4 | 29385 |
| CA3 | 88437 |
| DA2 | 579459 |
| EA3 | 398276 |
| FA2 | 94520 |
| GA4 | 65475 |
| HA3 | 25208 |
| IA2 | 34396 |
| JA4 | 159820 |
| KA2 | 104416 |
| LA1 | 697616 |
| MA3 | 716220 |
| NA3 | 94359 |
| OA4 | 32228 |
| PA2 | 809479 |
| QA4 | 462895 |
| RA2 | 233662 |
| SA4 | 635382 |
| TA4 | 16900 |
| UA2 | 73308 |
| VA2 | 22744 |
| WA3 | 24524 |
| XA3 | 53615 |
| YA4 | 55763 |

TOTAL AREA

| | |
|-------------|---------|
| DENSITY 1 = | 697616 |
| DENSITY 2 = | 1951985 |

DENSITY 3 = 1400639
 DENSITY 4 = 1496221
 TOTAL = 5546460

POQUOSON EAST, VA.
 VIMS MAP # 141

AA2 750841
 BA4 5521553
 CA4 419709
 DA1 1692467
 EA2 118392
 FA3 1584619
 GA3 1335586
 HA3 61558
 IA4 11204
 JA4 6188
 KA2 2522
 LA4 8421
 MA2 1049

TOTAL AREA

DENSITY 1 = 1692467
 DENSITY 2 = 872804
 DENSITY 3 = 2981763
 DENSITY 4 = 5967074
 TOTAL = 11514108

ELLIOTTS CREEK, VA.
 VIMS MAP # 142

AA2 12778
 BA2 60092
 CA3 17349
 DA2 16705
 EA1 262609
 FA3 284865
 GA2 27261

TOTAL AREA

DENSITY 1 = 262609
 DENSITY 2 = 116835
 DENSITY 3 = 302213

DENSITY 4 = 0
 TOTAL = 681657

TOWNSEND, VA.
 VIMS MAP # 143

AA2 2088
 BA2 5130

TOTAL AREA

DENSITY 1 = 0
 DENSITY 2 = 7218
 DENSITY 3 = 0
 DENSITY 4 = 0
 TOTAL = 7218

HAMPTON, VA.
 VIMS MAP # 147

AA3 27356
 BA1 66281
 CA3 329045
 DA4 89073
 EA3 570470
 FA1 291815
 GA2 3537
 HA3 107896
 IA3 122341
 JA4 464393
 KA4 49381
 LA2 657499
 MA4 564219
 NA3 24397
 OA4 367581
 PA1 77096

TOTAL AREA

DENSITY 1 = 435192
 DENSITY 2 = 661036
 DENSITY 3 = 1181504
 DENSITY 4 = 1534646
 TOTAL = 3812378

CAPE HENRY, VA.
VIMS MAP # 152

| | |
|-----|-------|
| AA3 | 41815 |
| BA2 | 57983 |
| CA2 | 16501 |
| DA3 | 22831 |
| EA2 | 5534 |
| FA3 | 10665 |
| GA1 | 62029 |
| HA2 | 19265 |

TOTAL AREA

| | |
|-------------|-------|
| DENSITY 1 = | 62029 |
| DENSITY 2 = | 99283 |
| DENSITY 3 = | 75311 |
| DENSITY 4 = | 0 |

TOTAL = 236624

PORT TOBACCO, MD.
VIMS MAP # 161

| | |
|-----|--------|
| AA2 | 1936 |
| BA4 | 124586 |

TOTAL AREA

| | |
|-------------|--------|
| DENSITY 1 = | 0 |
| DENSITY 2 = | 1936 |
| DENSITY 3 = | 0 |
| DENSITY 4 = | 124586 |

TOTAL = 126522

CHARLOTTE HALL, MD.
VIMS MAP # 162

| | |
|-----|-------|
| AA4 | 62312 |
| BA3 | 27435 |

TOTAL AREA

| | |
|-------------|-------|
| DENSITY 1 = | 0 |
| DENSITY 2 = | 0 |
| DENSITY 3 = | 27435 |

DENSITY 4 = 62312

TOTAL = 89747

ASSAWOMAN BAY, MD.
VIMS MAP # 166

| | |
|-----|-------|
| AA3 | 12337 |
|-----|-------|

TOTAL AREA

| | |
|-------------|-------|
| DENSITY 1 = | 0 |
| DENSITY 2 = | 0 |
| DENSITY 3 = | 12337 |
| DENSITY 4 = | 0 |

TOTAL = 12337

BERLIN, MD.
VIMS MAP # 167

| | |
|-----|-------|
| AA1 | 23666 |
| BA3 | 14080 |
| CA4 | 30095 |
| DA2 | 27993 |
| EA4 | 10240 |
| FA3 | 5224 |

TOTAL AREA

| | |
|-------------|-------|
| DENSITY 1 = | 23666 |
| DENSITY 2 = | 27993 |
| DENSITY 3 = | 19304 |
| DENSITY 4 = | 40335 |

TOTAL = 111298

OCEAN CITY, MD.
VIMS MAP # 168

| | |
|-----|--------|
| AA2 | 6228 |
| BA3 | 10422 |
| CA2 | 134630 |
| DA3 | 7098 |
| EA2 | 8253 |
| FA3 | 7967 |
| GA2 | 2150 |

TOTAL AREA

DENSITY 1 = 0
 DENSITY 2 = 151261
 DENSITY 3 = 25486
 DENSITY 4 = 0

TOTAL = 176747

TINGLES ISLAND, MD.
 VIMS MAP # 170

AA3 12628
 BA2 9029
 CA2 12639
 DA3 1032231
 EA4 5638755
 FA2 15576
 GA2 11637
 HA1 181657
 IA4 421797
 JA3 1725045
 KA2 13333
 LA2 1762
 MA3 3060
 NA3 14731
 OA4 551437
 PA4 533540
 QA4 203027
 RA3 2593
 SA3 211753
 TA4 42205
 UA2 14414
 VA2 970
 WA3 8864
 XA2 1711

TOTAL AREA

DENSITY 1 = 181657
 DENSITY 2 = 81071
 DENSITY 3 = 3010905
 DENSITY 4 = 7390760
 TOTAL = 10664392

BOXIRON, MD.-VA.
 VIMS MAP # 172

AA4 2247909
 BA3 111231
 CA2 2759
 DA3 26738
 EA1 115705
 FA3 1761897
 GA3 1184457
 HA4 25953
 IA4 87632
 JA2 30505
 KA1 93206
 LA4 870128
 MA4 167116

TOTAL AREA

DENSITY 1 = 208911
 DENSITY 2 = 33264
 DENSITY 3 = 3084322
 DENSITY 4 = 3398739
 TOTAL = 6725237

WHITTINGTON POINT, MD.-
 VA.
 VIMS MAP # 173

AA1 13652
 BA3 40924
 CA1 234779
 DA4 289082
 EA2 220612
 FA4 29994
 GA1 251043
 HA2 84242
 IA4 1633576
 JA3 136577
 KA1 150645
 LA3 163557
 MA1 208052
 NA4 56532
 OA4 44037
 PA3 31287

| | |
|-----|-------|
| QA2 | 11925 |
| RA1 | 36296 |

TOTAL AREA

| | |
|-------------|---------|
| DENSITY 1 = | 894467 |
| DENSITY 2 = | 316779 |
| DENSITY 3 = | 372345 |
| DENSITY 4 = | 2053222 |

| | |
|---------|---------|
| TOTAL = | 3636813 |
|---------|---------|

CHINCOTEAGUE WEST, VA.
VIMS MAP # 174

| | |
|-----|------|
| AA4 | 6316 |
|-----|------|

TOTAL AREA

| | |
|-------------|---|
| DENSITY 1 = | 0 |
| DENSITY 2 = | 0 |

| | |
|-------------|------|
| DENSITY 3 = | 0 |
| DENSITY 4 = | 6316 |

| | |
|---------|------|
| TOTAL = | 6316 |
|---------|------|

CHINCOTEAGUE EAST, VA.
VIMS MAP # 175

| | |
|-----|---------|
| AA3 | 68606 |
| BA4 | 6030491 |
| CA3 | 29508 |

TOTAL AREA

| | |
|-------------|---------|
| DENSITY 1 = | 0 |
| DENSITY 2 = | 0 |
| DENSITY 3 = | 98114 |
| DENSITY 4 = | 6030491 |

| | |
|---------|---------|
| TOTAL = | 6128605 |
|---------|---------|

APPENDIX E

1991 Submerged Aquatic Vegetation Ground Truth Surveys.

1991 SUBMERGED AQUATIC VEGETATION GROUND TRUTH SURVEYS

| QUAD | 1990 BED | 1991 BED | SPECIES** | SOURCE*** | 1991 SURVEY DATE |
|------|----------------|----------|-------------------------|--------------|------------------|
| 002 | FA3 | GA4 | Ms,Va/Ms,Hv,Hd | Cit./Harford | 9\30/8\15 |
| | BA3 | CA4 | Ms/Ms,Hv,Hd | Cit./Harford | 9\30/8\15 |
| | * | FA3 | Ms/Ms,Hd | Cit./Harford | 6\16/8\15 |
| | * | EA3 | Va | Cit. | 6\16 |
| 003 | PA1 | NB4 | Ms,Hv,Cd | Cit. | 7\17 |
| | OA2 | MB2 | Ms,Cd/Ms,Hv,Hd,Va | Cit./Harford | 7\17/8\15 |
| | MA4 | NB4 | Va,Ms/Ms,Ngu,Va | Cit./Harford | 7\17/8\15 |
| | LA4 | OB4 | Hv,Ms,Cd,Va/Ms | Cit./Harford | 7\17/8\15 |
| | DA2 | CA2 | Cd,Ms/Ms,Hv,Hd | Cit./Harford | 7\17/8\15 |
| | Poplar Point # | | Cd,Ms | Cit. | 7\17 |
| | AA2 | AA2 | Ms | Cit. | 9\01 |
| | IB4 | PA4 | Ms,Hv,Pcr,U | Cit. | 9\15 |
| | CB4 | * | Ms,Hv,U | Cit. | 9\15 |
| | EA1 | HA1 | Ms/Ms | Cit./Harford | 9\12/8\15 |
| | Northeast R. # | | Ms,Cd | Cit. | 9\21 |
| | AB2 | JA4 | Ms,Hv,U/Ms,Cd,Hd | Cit./Harford | 8\22/8\15 |
| | IB4 | PA4 | Ms,Hv,U/Ms,Cd,Hd,Hv | Cit./Harford | 8\22/8\15 |
| | KB4 | AB4 | Ms,U,Hv/Ms,Hv,Cd,Hd | Cit./Harford | 8\22/8\15 |
| | JB4 | AB4 | Ms,Hv | Cit. | 8\22 |
| | HB4 | * | Ms | Cit. | 8\22 |
| | GB4 | * | Ms | Cit. | 8\22 |
| | FB4 | BB4 | Ms,U,Hv/Ms,Hv,Cd,Hd,Ngu | Cit./Harford | 8\22/8\15 |
| | EB4 | CB4 | Ms,Hv,U/Hv,Ms,Cd,Hd,Nm | Cit./Harford | 8\22/8\15 |
| | ZA3 | DB4 | Ms,Hv,U | Cit. | 8\22 |
| | SA4 | IA4 | Ms | Cit. | 8\22 |
| | YA3 | EB4,FB4 | Ms | Cit. | 8\22 |
| | XA4 | GB4 | Ms | Cit. | 8\22 |
| | WA4 | HB4 | Ms/Hv,Ms,Va | Cit./Harford | 8\22/8\15 |
| | VA4 | IB4 | Ms/Hv,Ms,Hd | Cit./Harford | 8\22/8\15 |
| | UA4 | JB4 | Ms/Hv,Va,Ms,Hd | Cit./Harford | 8\22/8\15 |

1991 SUBMERGED AQUATIC VEGETATION GROUND TRUTH SURVEYS

| QUAD | 1990 BED | 1991 BED | SPECIES** | SOURCE*** | 1991 SURVEY DATE |
|------|-------------------------|----------|---------------------|--------------|------------------|
| 003 | RB3 | WA4 | Ms,U/Ms,U | Cit./Harford | 9\30/8\15 |
| | QB3 | ZA4 | Ms,Hv | Cit. | 9\30 |
| | MB3 | YA4 | Ms,Hv,U,Va/Ms,Hv,Cd | Cit./Harford | 9\30/8\15 |
| | LB4 | ZA4 | Ms,U/Ms,U | Cit./Harford | 9\30/8\15 |
| | DB4 | MA4,LA4 | Ms,U/Ms,Hd | Cit./Harford | 9\30/8\15 |
| | DB4 | MA4,LA4 | Ms,Hv,Hd,Cd,Va | Harford | 8\15 |
| | TB4 | SA4 | Ms,Hv,U/Cd,Hv,Mh,Hd | Cit./Harford | 9\30/8\15 |
| | BB3 | KA4 | Ms,Hv/Ms,Cd,Hv,Va | Cit./Harford | 9\30/8\15 |
| | NB4 | QA4 | U/Ms,Hd | Cit./Harford | 9\14/8\15 |
| | CA1 | DA2 | Ms,Cd | Harford | 8\15 |
| | EA1 | HA1 | Ms | Cit. | No Date |
| | EA1 | HA1 | Ms,U | Cit. | No Date |
| | BA2 | BA2 | Ms | Harford | 8\15 |
| | CA1 | EA2 | Ms,Cd | Harford | 8\15 |
| | DA2 | FA2 | Ms,Hv,Cd,Hd | Harford | 8\15 |
| | QA4 | GA4 | Va,Mh,Hv,Hd,N,Cd | Harford | 8\15 |
| | SA4 | IA4 | Hv,Mh,Hd,Cd | Harford | 8\15 |
| | SA4 | IA4 | Hv,Mh,Cd,Hd,Va,N | Harford | 8\15 |
| | DB4 | OA4 | Ms,Cd | Harford | 8\15 |
| | OB4 | RA4 | Ms,Cd,Hd | Harford | 8\15 |
| | * | TA4 | Ms,Hd | Harford | 8\15 |
| | Susquehanna State Pk. # | | Hd,Hv | Cit. | No Date |
| | PB3 | XA4 | Ms | Harford | 8\15 |
| | TA3 | KB4 | Hv,Mh,Va,Hd,Cd | Harford | 8\15 |
| | NA3 | LB4 | Ms,Hd,Va,Hv | Harford | 8\15 |
| | NA3 | LB4 | Ms,Hd,Va,Hv | Harford | 8\15 |
| | KA2 | PB4 | Hv,Mh,Ngr | Harford | 8\15 |
| | JA4 | QB3 | Ms,Hv,Hd,Cd,N | Harford | 8\15 |
| | HA2 | RB2 | Ms,Hd,Hv,Va | Harford | 8\15 |
| | HA2 | SB2 | Ms,Va,Hd | Harford | 8\15 |

1991 SUBMERGED AQUATIC VEGETATION GROUND TRUTH SURVEYS

| QUAD | 1990 BED | 1991 BED | SPECIES** | SOURCE*** | 1991 SURVEY DATE |
|------|---------------------|----------|------------|--------------|----------------------|
| 003 | GA2 | TB2 | Ms | Harford | 8\15 |
| | FA1 | UB1 | Ms | Harford | 8\15 |
| 004 | DA2 | DA2,EA1 | Ms/Ms | Cit./Harford | 5\20,8\10/8\15 |
| | FA2 | FA1 | Ms/Ms | Cit./Harford | 8\27/8\15 |
| | HA2 | HA1 | Ms,Va/Ms | Cit./Harford | 8\27/8\15 |
| | GA2 | GA1 | Ms/Ms | Cit./Harford | 5\26,7\16\,8\10/8\15 |
| | Seneca Point # | | Ms | Cit. | 8\31 |
| 005 | Elk River # | | Ms | Cit. | 8\27 |
| | Paddy Piddle Cv. # | | Ms | Cit. | 8\27 |
| | AA2 | AA1 | Ms/Ms | Cit./Harford | 8\27/8\15 |
| | BA2 | BA1 | Ms/Ms | Cit./Harford | 6\15-9\13/8\15 |
| | Elk River # | | Ms | Cit. | 6\15-9\13 |
| 006 | Gunpowder Falls # | | Pcr | Cit. | 9\8 |
| | Gunpowder Falls # | | Pcr | Cit. | 9\8 |
| | Gunpowder Falls # | | Cd | Cit. | 9\8 |
| | Gunpowder Falls # | | Pcr,Ngr | Cit. | 9\8 |
| | Gunpowder Falls # | | Pcr,Ngr | Cit. | 9\8 |
| | Gunpowder Falls # | | Cd | Cit. | 9\8 |
| | Gunpowder Falls # | | Pcr,Ngr | Cit. | 9\8 |
| | Gunpowder Falls # | | Ngr | Cit. | 9\8 |
| 007 | Otter Point Creek # | | Ec,Pcr,Ms | Cit. | 7\24 |
| | Bird River # | | Ms | Cit. | 9\8 |
| | Otter Point Creek # | | Cd,Ms,Va | Cit. | 9\14 |
| 009 | FA2 | BB2 | Ms,U/Ms | Cit./Harford | 7\5/8\15 |
| | DA1 | DA1 | Ms,U/Ms | Cit./Harford | 7\5/8\15 |
| | BA2 | AA1 | Ms,Va,U/Ms | Cit./Harford | 8\26/8\15 |
| | AA2 | AA1 | Ms,Hv | Cit. | 6\23 |

1991 SUBMERGED AQUATIC VEGETATION GROUND TRUTH SURVEYS

| QUAD | 1990 BED | 1991 BED | SPECIES** | SOURCE*** | 1991 SURVEY DATE |
|------|-----------------|----------|---------------------------|--------------|------------------|
| 009 | EA2 | YA2 | Ms,Va,Hv,U/Ms,Va,Hd,Hv,Cd | Cit./Harford | No Date/8\15 |
| | GA2 | TB2 | Ms | Harford | 8\15 |
| | CA2 | BA2 | Ms | Harford | 8\15 |
| | * | AB2 | Ms | Harford | 8\15 |
| | * | ZA2 | Ms | Harford | 8\15 |
| 010 | AA2 | AA1 | Ms/Ms | Cit./Harford | 6\23/08/15 |
| | BA2 | CA1 | Ms,Va | Cit. | 8\26 |
| | CA2 | * | Ms,Va | Cit. | 8\26 |
| | EA2 | EA1 | Ms,U/Ms | Cit./Harford | 9\09/8\15 |
| | JA1 | FA1 | Ms/Ms | Cit./Harford | 9\09/8\15 |
| | IA2 | GA1 | Ms/Ms | Cit. | 5\26 |
| | Veazy Cove # | | Ms,Zp,U | Cit. | 5\26 |
| | FA2 | * | Ms,N | Cit. | No Date |
| | IA2 | HA2 | Ms,Va | Harford | 8\15 |
| | IA2 | GA1 | Va | Harford | 8\15 |
| | IA2 | GA1 | Ms,Va | Harford | 8\15 |
| | DA1 | DA1 | Ms | Harford | 8\15 |
| | GA1 | LA1 | Ms | Harford | 8\15 |
| | HA2 | KA2 | Ms,Va | Harford | 8\15 |
| | IA2 | JA2 | Ms | Harford | 8\15 |
| | IA2 | JA2 | Ms,Va | Harford | 8\15 |
| | IA2 | JA2 | Ms | Harford | 8\15 |
| | IA2 | IA2 | Ms,Va,Ppc | Harford | 8\15 |
| 013 | N. of Log Pt. # | | U | Cit. | 5\22 |
| | Seneca Creek # | | Cd,Zp | Essex | 6\09 |
| 014 | PA4 | OA3 | Ms,Va,Ec/Ec,Ms | Cit./Harford | 5\09/8\15 |
| | DA2 | DA2,CA2 | Ms/Cd | Cit./Essex | 6\09/6\09, 9\12 |

1991 SUBMERGED AQUATIC VEGETATION GROUND TRUTH SURVEYS

| QUAD | 1990 BED | 1991 BED | SPECIES** | SOURCE*** | 1991 SURVEY DATE |
|------|-----------------------|----------|--------------------------|---------------|---------------------------|
| 014 | CA2 | * | Cd,Ms/Cd | Cit./Essex | 6\09,8\13/6\09,9\15 |
| | White Oak Pt. # | | Cd,Ms | Cit. | No Date |
| | FA3 | IA2,HA3 | Cd,Ms,Va,Ec | Cit. | 6\09, 7\23 |
| | HA3 | KA3,LA2 | Ms,U | Cit. | 6\09 |
| | * | BA2 | Cd | Cit. | 6\09 |
| | White Oak Pt. # | | Cd,Ec,Ms/Cd,Ms | Cit./Essex | 6\09/6\15, 8\27 |
| | Saltpeter Cr. # | | Ms | Cit. | 6\09 |
| | N. of White Oak Pt. # | | Ec | Cit. | 6\09 |
| | Saltpeter Creek # | | Cd/Ms,Cd,Va | Cit./Essex | 6\09/6\15,8\27 |
| | EA2 | EA3 | Ms,Pcr/Ms,Pcr | Cit./Essex | 04-08/6\09,9\12 |
| | MA3 | QA3 | Ms/Ms,Cd,Va,Ec | Harford/Essex | 08\15 /6\14,7\30 |
| | HA3 | KA3 | Ms | Harford | 08\15 |
| | PA4 | OA3 | Va,Cd,Ngu/Ms,Cd,Zp,Ec,Va | Harford/Essex | 08\15/6\14 |
| | PA4 | OA3 | Ms,Va,Ec | Essex | 5\16,7\30,9\26 |
| | HA3 | KA3 | Ms | Essex | 4\16 |
| | KA3 | * | Ms,Ec | Essex | 5\16,7\17,9\12 |
| | KA3,JA3 | NA3 | Ms,Ec | Essex | 5\16,7\17,8\27 |
| | * | JA2 | Ms | Essex | 5\16,7\17,8\27 |
| | Saltpeter Creek # | | Ms,Va,Ec | Essex | 6\14,7\30 |
| | OA3 | PA3 | Ms | Essex | 1\17-4\21 |
| | OA3 | PA3 | Ec,Ms,Va | Essex | 6\13-7\27 |
| | OA3 | PA3 | Ms,Ec,Va,Zp | Essex | 5\09 |
| | OA3 | PA3 | Ms,Va,Ec | Essex | 8\4,9\22,9\26,10\23,11\14 |
| 015 | AA2 | AA2 | Ms | Cit. | 5\18 |
| | CA2 | CA2 | Ms | Cit. | 5\18 |
| | Stillpond Neck # | | Ms | Cit. | 5\18 |
| | * | BA2 | Ms,U | Cit. | 5\18 |
| | Plum Point # | | Ms | Cit. | 5\18 |
| 016 | BA2 | * | Ms | Cit. | 9\05 |

1991 SUBMERGED AQUATIC VEGETATION GROUND TRUTH SURVEYS

| QUAD | 1990 BED | 1991 BED | SPECIES** | SOURCE*** | 1991 SURVEY DATE |
|------|---------------------|----------|-----------|------------|------------------|
| 016 | AA2 | AA2 | Ms | Harford | 8\15 |
| | * | BA1 | Ms | Harford | 8\15 |
| 018 | Stony Creek # | | Rm | Cit. | June-July |
| 019 | Main Creek # | | Zp | Cit. | 5\15-7\15 |
| | Wall Cove # | | Zp | Cit. | 7\06 |
| | N. of Wall Cove # | | Zp,U | Cit. | 7\06 |
| 021 | CA3 | CA4 | Ppf | HPeL | 7\30 |
| 023 | Old Man Creek # | | Zp | Cit. & DNR | 5\17 |
| | Severn Run # | | Zp | Cit. | 6\21 |
| | Lakeland # | | Zp | Cit. | 6\21 |
| | Valentine Creek # | | Zp | Cit. | 6\21 |
| | Mayneider Creek # | | Zp | Cit. | 6\21 |
| | Brewer Creek # | | Zp | Cit. | 6\21 |
| | Henderson Point # | | Zp | Cit. | June |
| | Forked Creek # | | Zp | Cit. | 5\11 |
| | Yantz Creek # | | Zp | Cit. | 5\11 |
| | Benfield # | | Zp | Cit. | June-July |
| | N. Herald Harbor # | | Zp | Cit. | June-July |
| | S. Herald Harbor # | | Zp | Cit. | June-July |
| | Sullivan Cove # | | Zp | Cit. | Feb.-Sept. |
| | Asquith Creek # (3) | | Zp | Cit. | Feb.-Sept. |
| | Chase Creek # (2) | | Zp | Cit. | Feb.-Sept. |
| | Severn Run # | | Zp,U | Cit. | Feb.-Sept. |
| | Sunrise Beach # | | U | Cit. | Feb.-Sept. |
| | Ringhold Cove # | | Zp | Cit. | Feb.-Sept. |
| | Hopkins Creek # (2) | | Zp | Cit. | Feb.-Sept. |
| | Clement Creek # (2) | | Zp | Cit. | Feb.-Sept. |

1991 SUBMERGED AQUATIC VEGETATION GROUND TRUTH SURVEYS

| QUAD | 1990 BED | 1991 BED | SPECIES** | SOURCE*** | 1991 SURVEY DATE |
|------|------------------------|----------|---------------------|-----------|------------------|
| 023 | Saltworks Creek # (2) | | Zp | Cit. | Feb.-Sept. |
| | Forked Creek # | | U | Cit. | Feb.-Sept. |
| | Brewer Pond # | | Zp | Cit. | Feb.-Sept. |
| | Luce Creek # | | Zp,U | Cit. | Feb.-Sept. |
| 024 | Forked Creek # | | Zp | Cit. | 5\30 |
| | Meredith Creek # (5) | | Zp,U | Cit. | 5\15,7\05 |
| | Sandy Point # | | Zp | Cit. | 5\15,7\05 |
| 026 | LA3 | JA3 | Ms,Ec,Rm,Ppf,Ppc,Zp | Cit. | 7\24 |
| | CA1 | * | Rm | Cit. | 7\27 |
| | Calfpasture Cv. # | | Rm,Ppf | Cit. | 7\27 |
| | Reed Creek # | | Rm | Cit. | Feb.-Sept. |
| | East Fork # | | Ms | Cit. | 9\14 |
| | DA3 | DA3 | Ec | HPEL | 7\30 |
| | DA3 | DA3 | Ppf,Rm,Ec | HPEL | 7\30 |
| | Church Creek # | | Ec,Ppf | HPEL | 7\30 |
| 028 | * | CA3 | Hd | COG | No Date |
| | * | BA2 | Hd | COG | No Date |
| | Roosevelt Island # | | Hd | COG | No Date |
| | Key Bridge # | | Hd | COG | No Date |
| | * | AA2 | Hd | COG | No Date |
| | Roosevelt Island # | | Hd,Hv | COG | No Date |
| | Memorial Bridge # | | Hv,Hd,Va | COG | No Date |
| 029 | Colmar Manor Pk. # (3) | | N | Cit | 8\2 |
| | Kenilworth Grdns # | | Hv | Cit. | 8\2 |
| | Anacostia River # | | Hv | COG | No Date |

1991 SUBMERGED AQUATIC VEGETATION GROUND TRUTH SURVEYS

| QUAD | 1990 BED | 1991 BED | SPECIES** | SOURCE*** | 1991 SURVEY DATE |
|------|-------------------------|----------|-----------|-----------|------------------|
| 030 | Beards Creek # | | Zp,U | Cit. | 5\13 |
| | Muddy Creek # | | Zp,Cd | Cit. | 5\13 |
| | Larkington Cove # | | Zp | Cit. | Feb.-Sept. |
| | Glebes Bay # (8) | | Zp | Cit. | Feb.-Sept. |
| | Cedar Point # | | Zp | Cit. | Feb.-Sept. |
| | South River # | | Zp | Cit. | Feb.-Sept. |
| | Glebe Creek # | | Zp | Cit. | Feb.-Sept. |
| | Glebe Creek # | | Zp | Cit. | Feb.-Sept. |
| | Pocahontas Creek # | | Zp | Cit. | Feb.-Sept. |
| | Harness Creek # | | Zp | Cit. | Feb.-Sept. |
| | Broad Creek # | | Zp | Cit. | Feb.-Sept. |
| | Flat Creek # | | Zp | Cit. | Feb.-Sept. |
| | Granville Creek # | | Zp | Cit. | Feb.-Sept. |
| | Beards Creek # (2) | | Zp | Cit. | Feb.-Sept. |
| | Warehouse Creek # (2) | | Zp | Cit. | Feb.-Sept. |
| | Edgewater Beach # | | Zp | Cit. | Feb.-Sept. |
| | Almhouse Creek # (4) | | Zp | Cit. | Feb.-Sept. |
| | Aberdeen # (6) | | Zp | Cit. | Feb.-Sept. |
| | Wild Rose Sh. # | | Zp | Cit. | Feb.-Sept. |
| | Crab Creek # (5) | | Zp | Cit. | Feb.-Sept. |
| | Church Creek # (2) | | Zp | Cit. | Feb.-Sept. |
| | Gingerville # (2) | | Zp | Cit. | Feb.-Sept. |
| | Cape St. John # | | Zp | Cit. | Feb.-Sept. |
| | Broad Creek # (2) | | Zp | Cit. | Feb.-Sept. |
| | Harness Creek # (4) | | Zp | Cit. | Feb.-Sept. |
| | Ramsey Lake # (4) | | Zp | Cit. | Feb.-Sept. |
| | Selby Bay # (2) | | Zp | Cit. | Feb.-Sept. |
| | Limehouse Cove # (2) | | Zp | Cit. | Feb.-Sept. |
| 031 | Lake Ogletton # (6) | | Zp | Cit. | 6\6 |
| | Black Walnut Crk. # (6) | | Zp,Ms | Cit. | 6\6 |

1991 SUBMERGED AQUATIC VEGETATION GROUND TRUTH SURVEYS

| QUAD | 1990 BED | 1991 BED | SPECIES** | SOURCE*** | 1991 SURVEY DATE |
|------|---------------------|----------|-------------|-----------|------------------|
| 031 | Kitty Duvall # (2) | | Zp | Cit. | May-June |
| | Big Pond # | | Zp | Cit. | March-Sept. |
| | Ramsey Lake # | | Zp | Cit. | March-Sept. |
| | Fishing Creek # | | Rm | Cit. | March-Sept. |
| | Carr Creek # | | Zp | Cit. | March-Sept. |
| | Oakwood # | | Zp | Cit. | March-Sept. |
| | Lake Ogletton # (2) | | Zp | Cit. | March-Sept. |
| | Spa Creek # (4) | | Zp | Cit. | March-Sept. |
| 032 | Kirwan Creek # | | U | Cit. | 5\23 |
| | IA2 | * | Rm | HPEL | 7\30 |
| | QA1 | BA2 | Rm | HPEL | 7\30 |
| 033 | Hood Point # | | Rm | Cit. | 7\23 |
| | GA2 | * | Zp,U | Cit. | 5\25-7\15 |
| | HA2 | * | Zp | Cit. | 5\25-7\15 |
| | * | EA2 | Zp | Cit. | 5\25-7\15 |
| | Narrows # | | U | Cit. | 5\25-7\15 |
| | Winchester Cove # | | Zp | Cit. | 5\25-7\15 |
| | Drum Point # | | U | Cit. | July |
| | Drum Point # | | U | Cit. | July |
| | Granary Creek # | | U | Cit. | 6\16 |
| 034 | Broad Creek # | | Ms,Hv | COG | No Date |
| | Broad Creek # | | Ms | COG | No Date |
| | * | AA2 | Ms | COG | No Date |
| | LB3 | AA2 | Ms,Cd | COG | No Date |
| | LB3 | BA4 | Ms,Va | COG | No Date |
| | KB4 | BA4 | Ms,Va | COG | No Date |
| | KB4 | BA4 | Hv,Ms,Hd,Cd | COG | No Date |
| | JB2 | CA4 | Ms,Cd,Hd,Hv | COG | No Date |
| | JB2 | CA4 | Hd,Hv,Ms | COG | No Date |

1991 SUBMERGED AQUATIC VEGETATION GROUND TRUTH SURVEYS

| QUAD | 1990 BED | 1991 BED | SPECIES** | SOURCE*** | 1991 SURVEY DATE |
|------|-------------------|----------|----------------|-----------|------------------|
| 034 | JB2 | CA4 | Hv,Ms,Hd,Cd | COG | No Date |
| | IB4 | * | Va | COG | No Date |
| | IB4 | DA4 | Hv,Cd | COG | No Date |
| | FB2 | GA4 | Hv,Hd,Ms | COG | No Date |
| | Spoil area # | | Hv,Cd,Ms,Hd,Va | COG | No Date |
| | EB4 | HA4 | Hv,Ms,Hd | COG | No Date |
| | CB4 | IA4 | Hv | COG | No Date |
| | CB4 | IA4 | Hv,Ms,Hd,Cd | COG | No Date |
| | CB4 | IA4 | Hv,Ms,Cd | COG | No Date |
| | DB4 | JA4 | Hv,Cd,Hd | COG | No Date |
| | Oxon Creek # | | Hv,Ms,Cd | COG | No Date |
| | AB4 | KA4 | Hv,Hd | COG | No Date |
| | ZA4 | LA4 | Ms,Hv,Hd,Cd | COG | No Date |
| | NA4 | NA4 | Ms,Hv | COG | No Date |
| | BB4 | MA4 | Hd,Hv,Ms,Va,Cd | COG | No Date |
| | * | NA4 | Ms,Hv,Va,Cd,Hd | COG | No Date |
| | * | OA2 | Hd | COG | No Date |
| | * | s.of PA2 | Va | COG | No Date |
| | * | PA2 | Va | COG | No Date |
| | XA3 | QA3 | Va,Ms | COG | No Date |
| | Anacostia River # | | Hv,Ms,Va | COG | No Date |
| | UA4 | TA4 | Hv,Hd,Ms,Va,Cd | COG | No Date |
| | UA4 | TA4 | Hv,Va | COG | No Date |
| | * | UA2 | Hd | COG | No Date |
| | * | VA2 | Hd | COG | No Date |
| | * | VA2 | Hd,Ms,Hv | COG | No Date |
| | SA1 | VA2 | Hd,Ms,Va | COG | No Date |
| | SA1 | * | Hd | COG | No Date |
| | SA1,TA3 | WA1,XA4 | Hv,Hd | COG | No Date |
| | PA2 | * | Hd,Hv,Ms,Cd | COG | No Date |
| | QA2 | ZA2 | Va,Hd,Hv | COG | No Date |

1991 SUBMERGED AQUATIC VEGETATION GROUND TRUTH SURVEYS

| QUAD | 1990 BED | 1991 BED | SPECIES** | SOURCE*** | 1991 SURVEY DATE |
|------|--------------------|-----------|----------------|-----------|------------------|
| 034 | Daingerfield Is. # | | Hv,Hd,Ms,Cd,Va | COG | No Date |
| | OA2 | AB2 | Va,Hd,Ms | COG | No Date |
| | NA3 | BB2 | Ms,Hd | COG | No Date |
| | KA4 | DB2 | Hv,Hd,Va,Ms,Cd | COG | No Date |
| | IA2 | EB4 | Hv,Va,Hd | COG | No Date |
| | HA2 | FB4 | Ms,Hv,Hd | COG | No Date |
| | * | GB4,HB4 | Hv,Cd | COG | No Date |
| | FA2 | JB1 | Hv,Ms | COG | No Date |
| | FA2 | JB1 | Hv | COG | No Date |
| | FA2 | IB4 | Hv,Ms,Cd,Hd | COG | No Date |
| | GA4 | IB4 | Hv | COG | No Date |
| | * | KB4 | Hv,Ms,Cd,Va | COG | No Date |
| | EA2 | NB3 | Hv,Ms,Va,Cd | COG | No Date |
| | EA2 | NB3 | Hv,Ms | COG | No Date |
| | DA3 | LB3 | Hv,Ms,Va | COG | No Date |
| | CA3,EA2 | MB3,NB3 | Hv,Ms | COG | No Date |
| | BA3 | OB3 | Hv,Va,Cd | COG | No Date |
| | * | s. of NB3 | Hv,Ms,Cd | COG | No Date |
| | * | s. of OB3 | Hv,Ms,Hd | COG | No Date |
| | AA3 | PB3 | Hv,Hd,Ms,Va | COG | No Date |
| | AA3 | PB3 | Hv,Hd,Ms,Va | COG | No Date |
| | Hog Island # | | Va,Hv,Ms,Cd,Hd | COG | No Date |
| | Hog Island # | | Hv,Va,Hd | COG | No Date |
| 035 | Lerch Creek # | | Zp | Cit. | 03-07/91 |
| | Deep Cove # | | Zp | Cit. | 03-07/91 |
| | Rockhold Creek # | | Zp,U | Cit. | 03-07/91 |
| | Tracys Creek # | | Zp | Cit. | 03-07/91 |
| | South Creek # (3) | | Zp | Cit. | 03-07/91 |
| 036 | CA3 | DA2 | Zp,U | Cit. | 6\29 |
| | s. of Wades Pt. # | | Zp | Cit. | 6\29 |

1991 SUBMERGED AQUATIC VEGETATION GROUND TRUTH SURVEYS

| QUAD | 1990 BED | 1991 BED | SPECIES** | SOURCE*** | 1991 SURVEY DATE |
|------|-----------------------|-------------|----------------|-----------|------------------|
| 036 | AA3 | CA3 | Zp,U | Cit. | 6\29 |
| | IA3 | EA1,FA4,GA1 | Zp,U | Cit. | 6\29 |
| | Edgar Cove # (2) | | U | Cit. | 9\01 |
| | AA3 | AA1,BA4 | Zp | Cit. | No Date |
| | AA3 | AA1 | Rm | HPEL | 10\22 |
| | AA3 | CA3 | Rm | HPEL | 10\22 |
| | BA1,CA3 | DA2 | Rm | HPEL | 10\22 |
| 037 | s. of Woodland Cr. # | | Zp | Cit. | 5\18-6\07 |
| | EA1 | AA1 | U | Cit. | 5\18-6\07 |
| | FA2 | * | Rm,U | Cit. | 7\30 |
| | Leeds Creek # | | Rm | Cit. | 7\30 |
| | DA2 | * | Rm,U | Cit. | 7\30 |
| 038 | Pickering Creek # (2) | | Zp | Cit. | Spring\Summer 91 |
| 039 | AA4 | AA4 | Hv,Ms,Nm,Cd,Va | COG | 9\18 |
| | BA4 | AA4 | Hv,Ms,Nm | COG | 9\18 |
| | BA4 | AA4 | Hv | COG | 9\18 |
| | CA1 | AA4 | Hv,Va,Nm,Ms | COG | 9\18 |
| | CA1 | AA4 | Hv,Va,Ms,Nm | COG | 9\18 |
| | CA1 | AA4 | Va,Hv,Ms | COG | 9\18 |
| | CA1 | BA2 | Va,Ms,Hv | COG | 9\18 |
| | DA3 | CA4 | Hv,Va,Nm,Ms | COG | 9\18 |
| | DA3 | CA4 | Hv,Va,Nm,Cd,Ms | COG | 9\18 |
| | DA3 | CA4 | Hv,Va,Ms,Nm | COG | 9\18 |
| | EA2 | CA4 | Va,Hv,Ms | COG | 9\18 |
| | EA2 | CA4 | Ms,Hv,Hd,Va | COG | 9\18 |
| | EA2 | CA4 | Hv,Va,Ms | COG | 9\18 |
| | EA2 | CA4 | Ms,Va | COG | 9\17 |
| | EA2 | CA4 | Ms | COG | 9\17 |
| | EA2 | CA4 | Ms,Va,Hv,Cd | COG | 9\17 |

1991 SUBMERGED AQUATIC VEGETATION GROUND TRUTH SURVEYS

| QUAD | 1990 BED | 1991 BED | SPECIES** | SOURCE*** | 1991 SURVEY DATE |
|------|------------------|----------|----------------|-----------|------------------|
| 039 | Pohick Bay # | | Cd,Hv | COG | 9\17 |
| | GA3 | GA3 | Hv,Cd | COG | 9\17 |
| | Pohick Bay # | | Hv | COG | 9\17 |
| | Pohick Bay # | | Cd,Hv | COG | 9\17 |
| | Accotink Bay # | | Hv,Ms | COG | 9\17 |
| | Accotink Bay # | | Hv,Ms,Cd | COG | 9\17 |
| | Accotink Bay # | | Hv,Cd | COG | 9\17 |
| | Accotink Bay # | | Hv | COG | 9\17 |
| | Gunston Cove # | | Ms | COG | 9\17 |
| | HA4 | FA4 | Hv,Ms,Va | COG | 9\17 |
| | HA4 | FA4 | Ms,Hv | COG | 9\17 |
| | HA4 | FA4 | Ms | COG | 9\17 |
| | HA4 | FA4 | Ms | COG | 9\17 |
| | HA4 | FA4 | Ms,Hv,Cd,Nm | COG | 9\17 |
| | HA4 | FA4 | Hv,Ms,Nm,Cd | COG | 9\17 |
| | FA1 | DA2 | Ms,Va | COG | 9\17 |
| | FA1 | DA2 | Va,Ms,Cd | COG | 9\17 |
| | JA4 | EA4 | Hv,Va,Ms | COG | 9\17 |
| | JA4 | EA4 | Hv,Va,Ms,Cd,Hd | COG | 9\17 |
| | JA4 | EA4 | Va,Ms,Hd,Hv | COG | 9\17 |
| | JA4 | EA4 | Va,Ms,Hv | COG | 9\17 |
| | KA4 | HA4 | Hv,Nm | COG | 9\17 |
| | Dogue Creek # | | Hv | COG | 9\17 |
| | Dogue Creek # | | Hv | COG | 9\17 |
| | Dogue Creek # | | Hv | COG | 9\17 |
| | Occoquan River # | | Ms | COG | No Date |
| | Occoquan River # | | Ms | COG | No Date |
| | Occoquan River # | | Ms | COG | No Date |
| | Massey Creek # | | Ms | COG | No Date |
| | Massey Creek # | | Ms | COG | No Date |
| | Massey Creek # | | Ms | COG | No Date |

1991 SUBMERGED AQUATIC VEGETATION GROUND TRUTH SURVEYS

| QUAD | 1990 BED | 1991 BED | SPECIES** | SOURCE*** | 1991 SURVEY DATE |
|------|---------------|----------|-----------------|-----------|------------------|
| 039 | Belmont Bay # | | Ms | COG | No Date |
| | Belmont Bay # | | Hv | COG | No Date |
| | Belmont Bay # | | Ms | COG | No Date |
| 040 | IA2 | HA4 | Ms,Hd | Cit. | June-Sept. |
| | HA4 | HA4 | Ms,Hd | Cit. | June-Sept. |
| | BA4 | GA4 | Hd,Hv,Va | Cit. | June-Sept. |
| | CA1 | GA4 | Hd,Hv | Cit. | June-Sept. |
| | EA3 | * | Hd,Pcr | Cit. | June-Sept. |
| | AA4 | AA3 | Hv,Nm,Cd | COG | No Date |
| | AA4 | AA3 | Hv,Hd,Ms,Ngr,Cd | COG | No Date |
| | AA4 | AA3 | Hv | COG | No Date |
| | AA4 | AA3 | Hv,Va,Hd,Cd,Ms | COG | No Date |
| | BA4 | BA4 | Hv,Cd,Ms,Va | COG | No Date |
| | BA4 | BA4 | Hv,Va | COG | No Date |
| | BA4 | BA4 | Hv,Cd,Va,Ms,Nm | COG | No Date |
| | BA4 | CA4 | Hv,Cd,Va,Ms,Nm | COG | No Date |
| | BA4 | CA4 | Hv,Va,Cd,Hd | COG | No Date |
| | BA4 | CA4 | Hv,Va,Cd,Hd | COG | No Date |
| | BA4 | CA4 | Hv,Va,Cd | COG | No Date |
| | BA4 | EA4 | Hv,Va,Cd,Hd | COG | No Date |
| | BA4 | EA4 | Hv,Va,Cd,Hd | COG | No Date |
| | BA4 | FA4 | Hv,Ms,Va,Cd,Hd | COG | No Date |
| | BA4 | FA4 | Hv,Ms,Cd,Va | COG | No Date |
| | BA4 | FA4 | Hv,Cd,Ms,Hd | COG | No Date |
| | BA4 | FA4 | Hv | COG | No Date |
| | BA4 | FA4 | Hv,Cd,Ms,Hd | COG | No Date |
| | BA4 | FA4 | Hv,Cd,Hd | COG | No Date |
| | BA4 | FA4 | Hv,Ms,Cd,Hd | COG | No Date |
| | BA4 | FA4 | Hv,Ms,Cd,Hd | COG | No Date |
| | BA4,CA1 | GA4 | Hv,Ms,Cd,Hd | COG | No Date |

1991 SUBMERGED AQUATIC VEGETATION GROUND TRUTH SURVEYS

| QUAD | 1990 BED | 1991 BED | SPECIES** | SOURCE*** | 1991 SURVEY DATE |
|------|--------------------|----------|-------------|-----------|------------------|
| 040 | BA4,CA1 | GA4 | Hv,Ms,Cd,Hd | COG | No Date |
| | BA4,CA1 | GA4 | Hv,Ms | COG | No Date |
| | BA4,CA1 | GA4 | Hv,Ms,Cd,Hd | COG | No Date |
| | DA4,IA2,HA4 | HA4 | Hv,Va,Ms,Hd | COG | No Date |
| | DA4,IA2,HA4 | HA4 | Hv,Ms | COG | No Date |
| | * | IA4 | Hv | COG | No Date |
| | Piscataway Creek # | | Hv,Ms | COG | No Date |
| | Piscataway Creek # | | Hv,Ms | COG | No Date |
| | Piscataway Creek # | | Hv,Ms | COG | No Date |
| | Piscataway Creek # | | Hv,Ms | COG | No Date |
| | Piscataway Creek # | | Hv,Ms | COG | No Date |
| | Piscataway Creek # | | Hv,Ms | COG | No Date |
| | Piscataway Creek # | | Hv | COG | No Date |
| | Piscataway Creek # | | Ms | COG | No Date |
| | EA3 | * | Hv,Ms | COG | No Date |
| | EA3 | * | Hv | COG | No Date |
| | Piscataway Creek # | | Hv,Ms,Hd | COG | No Date |
| | GA3 | JA4 | Hv,Ms,Hd | COG | No Date |
| | JA4 | KA4 | Hv,Va | COG | No Date |
| | JA4 | KA4 | Ms | COG | No Date |
| | JA4 | KA4 | Va,Hd,Ms,Hv | COG | No Date |
| | JA4 | KA4 | Va,Hd,Ms,Hv | COG | No Date |
| | JA4 | LA1 | Va,Hd,Ms,Hv | COG | No Date |
| | KA2,LA4 | MA2 | Va,Hd | COG | No Date |
| | KA2,LA4 | MA2 | Va,Ms,Hd | COG | No Date |
| | LA4 | NA4 | Hv | COG | No Date |
| | Riverview # | | Hv | COG | No Date |
| | Riverview # | | Hv | COG | No Date |
| | Riverview # | | Hv | COG | No Date |
| | Marina # | | Hv | COG | No Date |
| | Marina # | | Hv | COG | No Date |

1991 SUBMERGED AQUATIC VEGETATION GROUND TRUTH SURVEYS

| QUAD | 1990 BED | 1991 BED | SPECIES** | SOURCE*** | 1991 SURVEY DATE |
|------|----------------------|----------|-----------|-----------|------------------|
| 040 | NA4 | OA4 | Hv | COG | No Date |
| | NA4 | OA4 | Hv,Hd | COG | No Date |
| | OA2 | PA2 | Ms,Va,Hv | COG | No Date |
| | OA2 | PA2 | Ms | COG | No Date |
| | Potomac River # | | Ms,Hv | COG | No Date |
| | PA2 | * | Ms | COG | No Date |
| | Potomac River # | | Hv,Ms,Ppc | COG | No Date |
| | QA3 | * | Ms,Hv | COG | No Date |
| | QA3 | * | Ms,Hv | COG | No Date |
| | Broad Creek # | | Hv,Ms | COG | No Date |
| | Broad Creek # | | Hv,Ms | COG | No Date |
| | Broad Creek # | | Hv,Ms | COG | No Date |
| | Broad Creek # | | Hv,Ms | COG | No Date |
| | SA2 | * | Hd,Hv,Ms | COG | No Date |
| | SA2 | * | Hv,Nm | COG | No Date |
| | SA2 | * | Hv,Ms | COG | No Date |
| | SA2 | * | Hv,Ms | COG | No Date |
| | Arcturus # | | Hv,Hd,Ms | COG | No Date |
| | Potomac River # | | Hv,Hd,Ms | COG | No Date |
| | Parkway # | | Hv | COG | No Date |
| | Parkway # | | Hv,Cd | COG | No Date |
| | Parkway # | | Hv | COG | No Date |
| | Sheridan Point # | | Hv | COG | No Date |
| | Potomac River # | | Hv,Ms | COG | No Date |
| | TA4 | * | Hv,Ms | COG | No Date |
| | TA4 | * | Hv,Ms | COG | No Date |
| | Little Hunting Cr. # | | Hv | COG | No Date |
| | Little Hunting Cr. # | | Hv | COG | No Date |
| | Little Hunting Cr. # | | Hv | COG | No Date |
| | Little Hunting Cr. # | | Hv | COG | No Date |
| | UA4 | QA4 | Ms,Hv,Va | COG | No Date |

1991 SUBMERGED AQUATIC VEGETATION GROUND TRUTH SURVEYS

| QUAD | 1990 BED | 1991 BED | SPECIES** | SOURCE*** | 1991 SURVEY DATE |
|------|---------------------|----------|----------------|------------|------------------|
| 040 | UA4 | QA4 | Hv,Cd,Ms,Hd,Va | COG | No Date |
| | Potomac River # | | Ms | COG | No Date |
| | * | TA1 | Ms,Hv | COG | No Date |
| | * | TA1 | Hv,Ms | COG | No Date |
| | Yacht Haven # | | Hv,Va,Ms | COG | No Date |
| | Dogue Creek # | | Hv,Cd | COG | No Date |
| | YA2,ZA4 | XA4 | Hv,Nm,Cd,Ms | COG | No Date |
| | YA2,ZA4 | XA4 | Hv,Cd,Ms,Nm | COG | No Date |
| | YA2,ZA4 | XA4 | Hv,Ms,Cd,Nm,Va | COG | No Date |
| | YA2,ZA4 | XA4 | Hv,Va,Ms,Cd,Hd | COG | No Date |
| | YA2,ZA4 | XA4 | Va,Ms,Hd | COG | No Date |
| 041 | Mattaponi Cr. # | | Cd,Nm | Cit. | 8\15 |
| | Hall Creek # | | Va,Ngv,Cd,Ec | Cit. | 8\13 |
| 043 | Balls Creek # | | Zp | Cit. | September |
| | AA3 | AA3 | Rm | HPEL | 10\22 |
| | * | BA2 | Rm | HPEL | 10\22 |
| 044 | Trippe Creek # | | Zp | Cit. & DNR | 5\17 |
| | Tred Avon River # | | Zp | Cit. | 5\5 |
| | Tar Creek # | | Zp | Cit. | 5\5 |
| | Tred Avon River # | | Zp | Cit. | 5\5 |
| | N. of Royston Is. # | | Rm,Zp | Cit. | 8\16 |
| | BA2 | AA3 | Rm | Cit. | 8\16 |
| | EA3 | * | Rm | Cit. | 8\16 |
| | DA2 | * | Rm | Cit. | 8\16 |
| | Boone Creek # | | U | Cit. | 6\1-8\28 |
| | Boone Creek # | | U | Cit. | 6\1-8\28 |
| | BA2 | AA3 | Rm | HPEL | 10\22 |
| | * | CA3 | Rm | HPEL | 10\22 |

1991 SUBMERGED AQUATIC VEGETATION GROUND TRUTH SURVEYS

| QUAD | 1990 BED | 1991 BED | SPECIES** | SOURCE*** | 1991 SURVEY DATE |
|------|----------|----------|----------------|-----------|------------------|
| 044 | * | DA2 | Rm | HPEL | 10\22 |
| 047 | EA4 | AA4 | Hv,Va,Cd,Ms | COG | No Date |
| | EA4 | AA4 | Hv | COG | No Date |
| | EA4 | AA4 | Hv,Ms,Cd,Va,Hd | COG | No Date |
| | EA4 | AA4 | Hv | COG | No Date |
| | EA4 | AA4 | Hv,Va,Ms,Cd | COG | No Date |
| | EA4 | AA4 | Hv,Va,Ms,Cd | COG | No Date |
| | EA4 | AA4 | Hv | COG | No Date |
| | CA4 | DA4 | Hv | COG | No Date |
| | CA4 | EA3 | Hv,Ms,Cd | COG | No Date |
| | FA4 | FA4 | Hv,Ms,Cd | COG | No Date |
| | FA4 | FA4 | Hv,Cd,Ms | COG | No Date |
| | FA4 | FA4 | Hv,Cd,Ms | COG | No Date |
| | FA4 | FA4 | Hv | COG | No Date |
| | FA4 | FA4 | Hv,Cd | COG | No Date |
| | FA4 | FA4 | Hv,Cd | COG | No Date |
| | FA4 | FA4 | Hv,Ms,Cd | COG | No Date |
| | FA4 | FA4 | Hv | COG | No Date |
| | FA4 | FA4 | Hv | COG | No Date |
| | FA4 | FA4 | Hv | COG | No Date |
| | FA4 | FA4 | Hv,Cd | COG | No Date |
| | FA4 | * | Ms | COG | No Date |
| | FA4 | GA3 | Hv,Cd | COG | No Date |
| | FA4 | GA3 | Hv,Ms | COG | No Date |
| | FA4 | HA4 | Hv | COG | No Date |
| | FA4 | IA2 | Hv,Va,Ms,Cd | COG | No Date |
| | DA4 | KA4 | Hv,Cd,Ms | COG | No Date |
| | DA4 | KA4 | Hv,Cd,Ms | COG | No Date |
| | GA4 | LA4 | Hv,Ms | COG | No Date |
| | GA4 | LA4 | Hv | COG | No Date |

1991 SUBMERGED AQUATIC VEGETATION GROUND TRUTH SURVEYS

| QUAD | 1990 BED | 1991 BED | SPECIES** | SOURCE*** | 1991 SURVEY DATE |
|------|---------------------|----------|--------------------|-----------|------------------|
| 047 | GA4,HA4 | MA4 | Hv,Ppc,Va,Ms,Cd | COG | No Date |
| | GA4,HA4 | MA4 | Hv,Ms,Cd | COG | No Date |
| | * | OA4 | Hv,Ms,Cd,Nm | COG | No Date |
| | * | OA4 | Ms | COG | No Date |
| | IA4 | PA4 | Hv,Cd,Ms | COG | No Date |
| | | | | | |
| 048 | AA3 | AA3 | Hv,Ms | COG | No Date |
| | BA4 | BA4 | Hv,Ms,Cd,Va,Nm,Ppc | COG | No Date |
| | CA1 | BA4 | Hv,Va,Cd,Ms,Hd | COG | No Date |
| | DA3 | BA4 | Hd,Ms,Hv | COG | No Date |
| | DA3 | BA4 | Hv,Va,Ms,Cd,N | COG | No Date |
| | EA3 | BA4 | Hv,Va,Cd,Ms,Nm | COG | No Date |
| | * | BA4 | Nm,Hv,Va,Ms | COG | No Date |
| | FA4 | CA4 | Nm,Hv | COG | No Date |
| | * | DA4 | Hv,Ms,Cd,Nm | COG | No Date |
| | Thoroughfare Isl. # | | Ms,Hv,N | COG | No Date |
| | Proctors Wharf # | | Hv | COG | No Date |
| | Mattawoman Creek # | | Va | COG | No Date |
| | Nelson Point # | | Hv,Ms,Va,Cd | COG | No Date |
| | Mattawoman Creek # | | Va,Cd | COG | No Date |
| | Mattawoman Creek # | | Va | COG | No Date |
| | HA4 | FA4 | Hv,Nm | COG | No Date |
| | IA4 | FA4 | Nm,Hv,Ms,Cd | COG | No Date |
| | GA4 | GA4 | Hv,Nm,Ms | COG | No Date |
| | GA4 | GA4 | Hv,Ms | COG | No Date |
| | JA2,KA4 | GA4 | Hv,Ms,Cd,Hd,Va | COG | No Date |
| | KA4 | HA4 | Hv,Ms,Hd,Cd | COG | No Date |
| | KA4 | HA4 | Ms,Hd,Va | COG | No Date |
| | * | IA4 | Cd,Hd | COG | No Date |
| | LA3 | IA4 | Hv,Va,Hd | COG | No Date |
| | LA3 | IA4 | Hd,Ms,Hv,Va,Cd | COG | No Date |

1991 SUBMERGED AQUATIC VEGETATION GROUND TRUTH SURVEYS

| QUAD | 1990 BED | 1991 BED | SPECIES** | SOURCE*** | 1991 SURVEY DATE |
|------|-------------------|----------|----------------|-----------|------------------|
| 048 | MA4 | JA4 | Hv,Va,Cd,Hd,Ms | COG | No Date |
| | MA4 | JA4 | Hv,Hd,Cd | COG | No Date |
| | MA4 | JA4 | Hv,Cd,Va | COG | No Date |
| | Mason Neck # | | Ms,Hv | COG | No Date |
| | * | KA2 | Ms,Hd | COG | No Date |
| | Mason Neck # | | Ms | COG | No Date |
| | Farm Creek # | | Ms,Cd | COG | No Date |
| | Freestone Point # | | Ms,Hv | COG | No Date |
| 049 | Holland Cliff # | | Zp,Ec,Pcr | Cit. | 6\1 |
| | Deep Landing # | | Zp | Cit. | 6\1 |
| | Cocktown Crk # | | Cd,Ec,Va,Nm | Cit. | 8\15 |
| | Black Swamp # | | Cd | Cit. | 8\15 |
| 051 | GA3 | CA3 | Rm | Cit. | 8\15 |
| | HA3 | * | Rm | Cit. | 8\15 |
| | IA3 | DA1 | Rm | Cit. | 8\15 |
| | JA3 | EA2 | Rm | Cit. | 9\18 |
| | Hills Point # | | Rm | Cit. | 9\18 |
| | Hills Pt. Cove # | | Rm | Cit. | 9\18 |
| | GA3 | CA3 | Rm | HPEL | 8\12 |
| | HA3 | * | Rm | HPEL | 8\12 |
| | FA2 | EA2 | Rm | HPEL | 8\12 |
| | NA2,DA3 | GA2 | Rm | HPEL | 8\12 |
| 052 | Back Cr. # (2) | | Zp | Cit. | 6\7 |
| | AA3 | AA2 | Rm | Cit. | 6\7 |
| | W. of AA3 | * | Rm | Cit. | 6\7 |
| 055 | * | PA2 | Cd,Va,Ms | COG | No Date |
| | FA4 | OA2 | Va,Ms,Hv,Cd | COG | No Date |
| | FA4 | OA2 | Va,Ms | COG | No Date |

1991 SUBMERGED AQUATIC VEGETATION GROUND TRUTH SURVEYS

| QUAD | 1990 BED | 1991 BED | SPECIES** | SOURCE*** | 1991 SURVEY DATE |
|------|----------|-------------|------------------|------------|------------------|
| 055 | FA4 | NA4 | Va,Ms,Cd | COG | No Date |
| | FA4 | NA4 | Va,Ms,Cd | COG | No Date |
| | FA4 | NA4 | Va,Ms | COG | No Date |
| | FA4 | NA4 | Va,Ms,Hv,Cd | COG | No Date |
| | FA4 | NA4 | Va,Ms | COG | No Date |
| | FA4 | NA4 | Va,Ms,Cd | COG | No Date |
| | FA4 | NA4 | Ms,Va,Cd | COG | No Date |
| | FA4 | NA4 | Ms,Va,Cd | COG | No Date |
| | IA4 | LA4 | Hv | COG | No Date |
| | IA4 | LA4 | Hv | COG | No Date |
| | * | KA2 | Hv,Cd | COG | No Date |
| | * | KA2 | Hv,Va,Cd,Ms,Hd | COG | No Date |
| | JA4 | JA4 | Va,Hv | COG | No Date |
| | JA4 | JA4 | Va,Ms,Cd,Hv | COG | No Date |
| | JA4 | JA4 | Hv,Va,Ms,Cd | COG | No Date |
| | JA4 | JA4 | Hv | COG | No Date |
| | JA4 | JA4 | Hv,Va,Ms,Cd | COG | No Date |
| 056 | NA2 | MA3 | Cd,Va | Cit. | 9\28 |
| | MA3 | MA3 | Cd,Va | Cit. | 9\28 |
| | LA4 | MA3 | Cd,Va | Cit. | 9\28 |
| | KA4 | LA4 | Cd,Va | Cit. | 9\28 |
| | IA4 | JA3,LA4 | Cd,Va | Cit. | 9\28 |
| | JA4 | JA3,KA4 | Cd,Va | Cit. | 9\28 |
| 057 | DA2 | GA2,FA4 | Va,Ppc,Ppf,Ec,Rm | Cit. & FWS | 8\1 |
| | EA3 | HA3 | Va,Ppf,Rm | Cit. & FWS | 8\1 |
| | FA4 | IA4,JA2 | Va,Ppf,Rm | Cit. & FWS | 8\1 |
| | GA2 | HA4,GA2 | Va | Cit. & FWS | 8\1 |
| | HA4 | NA4,MA4,LA4 | Va,Rm | Cit. & FWS | 8\1 |

1991 SUBMERGED AQUATIC VEGETATION GROUND TRUTH SURVEYS

| QUAD | 1990 BED | 1991 BED | SPECIES** | SOURCE*** | 1991 SURVEY DATE |
|------|-------------------|-------------|-----------|------------|------------------|
| 057 | IA2 | PA4,OA2,NA4 | Va | Cit. & FWS | 8\1 |
| | JA4 | PA4 | Va | Cit. & FWS | 8\1 |
| 060 | Island Creek # | | Zp | Cit. | June |
| | Island Creek # | | Zp | Cit. | June |
| 061 | Saw Pit Cove # | | Zp | Cit. | April-May |
| | N. Saw Pit Cove # | | Zp | Cit. | April-May |
| | Breedens Point # | | Zp | Cit. | April-May |
| | Breedens Point # | | Zp | Cit. | April-May |
| | Breedens Point # | | Zp | Cit. | April-May |
| | Pipeline # | | Zp | Cit. | April-May |
| | S. of Fort Hill # | | Zp | Cit. | April-May |
| | W. of Pipeline # | | Zp | Cit. | April-May |
| 064 | Accokeek Creek # | | Hv | COG | No Date |
| 067 | AA4 | AA4 | Ec,Rm | VIMS | No Date |
| | AA4 | AA4 | Ec,Ppf | VIMS | No Date |
| | BA3 | EA4 | Ec,Rm | VIMS | No Date |
| | CA3,DA3 | FA3 | Ec,Rm | VIMS | No Date |
| | DA3,CA3 | FA3 | Ppf,Ec | VIMS | No Date |
| | GA2 | GA3 | Rm | VIMS | No Date |
| | HA3 | HA1 | Va,Ppf | VIMS | No Date |
| 068 | Nealle Sound # | | Zp | Cit. | May |
| 070 | Back Creek # | | Zp | Cit. | 5\13 |
| | Back Creek # | | Zp | Cit. | 5\13 |
| | Forrest Landing # | | Zp | Cit. | 5\13 |
| | Cuckold Creek # | | Zp | Cit. | 5\13 |

1991 SUBMERGED AQUATIC VEGETATION GROUND TRUTH SURVEYS

| QUAD | 1990 BED | 1991 BED | SPECIES** | SOURCE*** | 1991 SURVEY DATE |
|------|--------------------|----------|-----------|-----------|------------------|
| 070 | Cuckold Creek # | | Zp | Cit. | 5\13 |
| | Cuckold Creek # | | Zp | Cit. | 5\13 |
| | Mill Creek # | | Zp | Cit. | 5\13 |
| | Mill Creek # | | Zp | Cit. | 5\13 |
| | Sam Abell Cove # | | Zp | Cit. | 5\13 |
| | W. of Sam Abell # | | Zp | Cit. | 5\13 |
| | | | | | |
| 071 | Hellen Creek # | | Zp | Cit. | Sept.-Oct. |
| | Hellen Creek # | | Zp | Cit. | Sept.-Oct. |
| | Cuckold Cr. Cove # | | Rm | Cit. | Sept.-Oct. |
| | Green Holly Pond # | | Zp | Cit. | 5\12 |
| | Harper Creek # | | Zp,Rm | Cit. | 5\30 |
| | Harper Creek # | | Zp | Cit. | 5\30 |
| | Pearson Creek # | | Zp | Cit. | 5\31 |
| | Pearson Creek # | | Zp | Cit. | 5\31 |
| | Harpers Creek # | | Zp | Cit. | 5\31 |
| | Pearson Creek # | | Zp | Cit. | 5\31 |
| | Pearson Creek # | | Zp | Cit. | 5\31 |
| | Pearson Creek # | | Rm | Cit. | 6\13 |
| | Pearson Creek # | | Rm | Cit. | 6\13 |
| | Goose Creek # | | Rm | Cit. | 6\13 |
| | Hog Point # | | Rm | Cit. | 6\13 |
| | Solomons # | | Zp | Cit. | No date |
| | | | | | |
| 073 | EA4 | LA4 | Rm | HP EL | 8\13 |
| | FB3,GB2 | RB3 | Rm | HP EL | 8\13 |
| | ZA3,AB2 | JB4 | Rm | HP EL | 8\13 |
| | VB2,UB4 | ZA2 | Rm | HP EL | 8\13 |
| | | | | | |
| 074 | Fishing Point # | | Rm,Zm | Cit. | 6\11 |
| 078 | Weatherall Creek # | | Zp,Rm | Cit. | 5\5 |

1991 SUBMERGED AQUATIC VEGETATION GROUND TRUTH SURVEYS

| QUAD | 1990 BED | 1991 BED | SPECIES** | SOURCE*** | 1991 SURVEY DATE |
|------|---------------------|----------|-----------|-----------|------------------|
| 078 | Cabin Point Creek # | | Zp | Cit. | 5\5 |
| | Cabin Point Creek # | | Zp | Cit. | 5\5 |
| 084 | LA1 | * | Rm | Cit. | 6\4,9\12 |
| | KA3 | * | Rm | Cit. | 6\4,9\12 |
| | HA3 | * | Rm | Cit. | 6\4,9\12 |
| | GA3 | * | Rm | Cit. | 6\4,9\12 |
| | EA3 | BA2 | Rm | Cit. | 6\4,9\12 |
| | FA2 | * | Rm | Cit. | 6\4,9\12 |
| | CA2 | AA3 | Rm | Cit. | 6\4,9\12 |
| | BA2 | AA3 | Rm | Cit. | 6\4,9\12 |
| | AA1 | AA3 | Rm | Cit. | 6\4,9\12 |
| 086 | Back Creek # | | Zp,Cd | Cit. | 6\8 |
| 093 | LB3,MB4 | ZA2 | Rm | HPEL | 9\11 |
| | LB3 | LA3 | Rm | HPEL | 9\11 |
| | NA4,OA2 | NA4 | Rm | HPEL | 9\11 |
| | IB3 | WA3 | Rm | HPEL | 9\11 |
| 099 | EA2 | LA3 | Rm | Cit. | 9\16 |
| | OA3 | PA4 | Rm | VIMS | 6\18 |
| | NA2 | QA1 | Rm | VIMS | 6\18 |
| | EA2,FA1,GA3 | LA3 | Rm | VIMS | 6\18 |
| | DA4 | KA4 | Rm | VIMS | 6\18 |
| | BA1,CA1 | JA4 | Rm | VIMS | 6\18 |
| | AA4,BA1 | IA1 | Rm | VIMS | 6\18 |
| | AA4,BA1 | HA4 | Rm | VIMS | 6\18 |
| | AA4 | GA2 | Rm,Zm | VIMS | 6\18 |
| 106 | KA1 | MA1 | Rm | Cit. | 6\1-22 |

1991 SUBMERGED AQUATIC VEGETATION GROUND TRUTH SURVEYS

| QUAD | 1990 BED | 1991 BED | SPECIES** | SOURCE*** | 1991 SURVEY DATE |
|------|---------------|----------|-----------|-----------|------------------|
| 106 | Tidal Flats # | | Rm | Cit. | 6\1-22 |
| | EA1 | EA4,FA2 | Rm | Cit. | 8\11 |
| | DA4 | DA1,EA4 | Rm | Cit. | 8\11 |
| | JA2 | * | Rm,Zm | Cit. | 7\4 |
| 107 | BA4,DA3 | CA4 | Rm,Zm | VIMS | 6\18 |
| | KA2 | KA4 | Rm,Zm | VIMS | 6\18 |
| 108 | BA2 | BA2 | Rm,Zm | VIMS | 8\5 |
| | JA2,KA2 | JA3 | Rm,Zm | VIMS | 8\5 |
| | TA2,UA4,VA2 | OA4 | Zm | VIMS | 8\5 |
| | XA2 | SA2 | Rm,Zm | VIMS | 8\5 |
| | TA4 | ZA4 | Rm,Zm | VIMS | 8\5 |
| | VA4 | BB4 | Rm,Zm | VIMS | 8\5 |
| | FB4,EB2 | XA4 | Rm,Zm | VIMS | 6\19 |
| | GB4 | YA4 | Rm | VIMS | 6\19 |
| | * | AB2 | Rm | VIMS | 6\19 |
| | HB2 | BB2 | Rm | VIMS | 6\19 |
| | IB4,JB3 | CB3 | Rm,Zm | VIMS | 6\19 |
| | LB4 | EB4 | Zm,Rm | VIMS | 6\19 |
| 109 | LA2,KA4 | CB4 | Rm,Zm | VIMS | 6\19 |
| | AA2,BA3 | BA2 | Rm | VIMS | 6\19 |
| | KA4,MA2 | CB4 | Rm,Zm | VIMS | 6\19 |
| | LA2,KA4 | CB4 | Zm | VIMS | 6\19 |
| 111 | IA3 | ZA4 | Rm | VIMS | 5\18,6\11 |
| | JA3 | IA4 | Rm | VIMS | 6\11 |
| | JA3 | GA4 | Rm | VIMS | 5\18,6\11 |
| | NA3 | WA3 | Rm | VIMS | 5\18 |
| | HA3 | FA3 | Rm,Zm | VIMS | 5\18 |

1991 SUBMERGED AQUATIC VEGETATION GROUND TRUTH SURVEYS

| QUAD | 1990 BED | 1991 BED | SPECIES** | SOURCE*** | 1991 SURVEY DATE |
|------|----------------|-------------|-----------|-----------|------------------|
| 111 | DA3 | CA2 | Rm,Zm | VIMS | 5\18 |
| 112 | Johnson Cove # | | Zp,Rm | Cit. | 6\4 |
| | Johnson Cove # | | Rm | Cit. | 9\10 |
| | BA2 | AA2 | Rm | Cit. | 9\10 |
| | CA4 | BA3 | Rm | Cit. | 9\10 |
| | DA1 | CA3 | Rm | Cit. | 9\10 |
| | EA4 | CA3 | Rm | Cit. | 9\10 |
| | * | LA3 | Rm | Cit. | 9\10 |
| | QA3 | QA3 | Rm | Cit. | 9\10 |
| | KA4 | NA2 | Rm | Cit. | 9\10 |
| | Maple Grove # | | Rm | Cit. | 9\10 |
| | JA3 | KA3 | Rm | Cit. | 9\10 |
| | * | DA2 | Rm | VIMS | 11\20 |
| | FA3,GA1 | EA3 | Zm,Rm | VIMS | 11\20 |
| | IA2 | IA2 | Rm,Zm | VIMS | 11\20 |
| | IA2 | IA2 | Zm,Rm | VIMS | 11\20 |
| | * | HA4 | Zm,Rm | VIMS | 11\20 |
| | QA3 | QA3 | Rm,Zm | VIMS | 11\20 |
| | QA3 | QA3 | Rm,Zm | VIMS | 11\20 |
| | YA3 | VA3 | Rm,Zm | VIMS | 11\20 |
| 113 | DA2 | FA3 | Rm | Cit. | 9\25 |
| | EA3 | GA4 | Rm | Cit. | 9\25 |
| 114 | EB2 | XA2 | Rm | Cit. | 8\30 |
| | IB2 | BB2,CB3,AB4 | Rm,Zm | Cit. | 8\30 |
| | LA2,NA2 | KA4 | Rm,Zm | VIMS | 8\5 |
| | NA2,MA1 | LA2 | Rm | VIMS | 8\5 |
| | NA2,MA1 | LA2 | Zm | VIMS | 8\5 |

1991 SUBMERGED AQUATIC VEGETATION GROUND TRUTH SURVEYS

| QUAD | 1990 BED | 1991 BED | SPECIES** | SOURCE*** | 1991 SURVEY DATE |
|------|-----------------|----------|-------------|-----------|------------------|
| 117 | FA2 | BA3 | Rm | VIMS | 5\22 |
| | GA2 | DA2 | Zm,Rm | VIMS | 5\22 |
| 118 | GA2 | HA2 | Rm | Cit. | 6\26 |
| | HA2 | IA2 | Rm | Cit. | 6\26 |
| | FA4 | GA2 | Rm/Rm | Cit./VIMS | 6\26/5\22 |
| | AA2 | FA2 | Rm/Rm,Zm | Cit./VIMS | 6\26/5\22 |
| | BA2 | DA2 | Rm,Zm | Cit. | 6\26 |
| | CA3 | DA2,EA4 | Rm,Zm/Rm,Zm | Cit./VIMS | 6\26/6\14 |
| | CA3 | DA2,EA4 | Zm | VIMS | 5\22 |
| | JA2 | KA2 | Rm/Zm,Rm | Cit./VIMS | 6\26/5\22 |
| | IA3 | JA3 | Rm/Rm | Cit./VIMS | 6\26/5\22 |
| | NA2 | LA2 | Rm | Cit. | 6\26 |
| | * | AA1 | Rm | VIMS | 5\22 |
| | TA3 | OA3 | Rm,Zm | VIMS | 10\23 |
| | UA3,VA2 | RA3 | Rm,Zp | VIMS | 10\23 |
| | * | PA4 | Rm,Zm | VIMS | 10\23 |
| 119 | KB2 | HB2 | Rm | Cit. | 9\5 |
| | JB4 | GB4 | Rm | Cit. | 9\5 |
| | GA4,HA2,IA | DA4 | Rm,Zm | VIMS | 8\6 |
| | TA2,SA3 | QA3 | Rm | VIMS | 8\6 |
| 122 | IA3 | IA3 | Rm | Cit. | 9\9 |
| | FA3,GA2 | GA2 | Rm | VIMS | 7\12 |
| | HA3 | HA3 | Rm | VIMS | 7\12 |
| | IA3 | IA3 | Rm | VIMS | 7\12 |
| | PA1,MA4,NA2,OA4 | MA3 | Rm | VIMS | 7\12 |
| 123 | GA2 | GA2 | Zm | VIMS | 5\22 |
| | NA4 | NA4 | Zm | VIMS | 5\22 |

1991 SUBMERGED AQUATIC VEGETATION GROUND TRUTH SURVEYS

| QUAD | 1990 BED | 1991 BED | SPECIES** | SOURCE*** | 1991 SURVEY DATE |
|------|-----------------|----------|-----------|-----------|------------------|
| 123 | KA4 | MA2 | Zm | VIMS | 5\22 |
| | JA2,IA4 | KA4 | Zm | VIMS | 5\22 |
| | OA3,MA2 | QA2 | Rm,Zm | VIMS | 6\14 |
| | VA2 | ZA2 | Rm,Zm | VIMS | 5\22 |
| | UA3 | YA3 | Rm,Zm | VIMS | 5\22 |
| | TA4 | WA4 | Rm,Zm | VIMS | 5\22 |
| | VA4 | VA4 | Rm,Zm | VIMS | 5\22 |
| | * | UA3 | Rm,Zm | VIMS | 5\22 |
| | * | XA1 | Rm,Zm | VIMS | 5\22 |
| | PA2 | RA2 | Rm,Zm | VIMS | 5\22 |
| | DA4 | BA4 | Rm | VIMS | 7\21 |
| | FA4,EA1 | AA4 | Rm | VIMS | 7\21 |
| | | | | | |
| | | | | | |
| | | | | | |
| 124 | ZA3 | WA4 | Zm,Rm | Cit. | 8\6 |
| | BB4 | LB4 | Zm,U | Cit. | 8\6 |
| | AB3 | DB3 | U | Cit. | 8\6 |
| | HB2 | KB2 | Zm,U | Cit. | 8\6 |
| | GB2 | FB2 | Zm,U | Cit. | 8\6 |
| | FB3 | EB3 | Zm,U | Cit. | 8\6 |
| | IB2 | HB2 | Zm,Rm,U | Cit. | 8\6 |
| | KB2 | IB2 | U | Cit. | 8\6 |
| | DB4 | AB3 | Zm,Rm,U | Cit. | 8\6 |
| | FA4 | CA1 | Rm | VIMS | 8\6 |
| | VA4,TA2,QB2 | PA4 | Rm,Zm | VIMS | 8\6 |
| | VA4,TA2,QB2 | PA4 | Rm,Zm | VIMS | 8\6 |
| | VA4,TA2,QB2 | PA4 | Rm,Zm | VIMS | 8\6 |
| | * | XA2 | Zm | VIMS | 8\6 |
| | * | XA2 | Zm | VIMS | 8\6 |
| | ZA3 | WA4 | Rm,Zm | VIMS | 8\6 |
| 125 | Herring Creek # | | Cd,Zp | Cit. | 9\21 |
| | | | | | |

1991 SUBMERGED AQUATIC VEGETATION GROUND TRUTH SURVEYS

| QUAD | 1990 BED | 1991 BED | SPECIES** | SOURCE*** | 1991 SURVEY DATE |
|------|-----------------|----------|-----------|-----------|------------------|
| 125 | Herring Creek # | | Cd | Cit. | 9\21 |
| 127 | Morris Creek # | | Cd | Cit. | 10\6 |
| | Morris Creek # | | Zp | Cit. | 10\6 |
| 131 | RA1 | RA2 | Rm,Zm | VIMS | 7\9 |
| | SA3,TA2,UA4 | SA4 | Rm,Zm | VIMS | 7\9 |
| | SA3,TA2,UA4 | SA4 | Zm | VIMS | 7\12 |
| | SA3,TA2,UA4 | SA4 | Rm | VIMS | 7\12 |
| | DB2,EB2,FB2 | BB4 | Rm | VIMS | 7\12 |
| | DB2,EB2,FB2 | BB4 | Rm | VIMS | 7\12 |
| | GB4,HB2 | DB4 | Zm | VIMS | 7\12 |
| | GB4,HB2 | DB4 | Rm | VIMS | 7\12 |
| | JB2 | GB2 | Rm | VIMS | 7\12 |
| | QB4,RB1 | MB4 | Rm,Zm | VIMS | 7\9 |
| | QB4 | OB2 | Rm,Zm | VIMS | 7\9 |
| 132 | MA4 | HA3 | Rm | Cit. | 7\12 |
| | AB4 | QA3,RA4 | Zm | Cit. | 7\12 |
| | ZA2 | QA3,RA4 | Zm | Cit. | 7\12 |
| | UA4 | NA4 | Zm | Cit. | 7\12 |
| | YA2 | QA3,PA1 | Zm | Cit. | 7\12 |
| 133 | CA2,DA4 | DA3 | Zm | VIMS | 8\7 |
| | FA4,GA2,IA3 | FA4 | Rm,Zm | VIMS | 8\7 |
| | FA4,GA2,IA3 | FA4 | Rm | VIMS | 8\7 |
| | FA4,GA2,IA3 | FA4 | Rm,Zm | VIMS | 8\7 |
| | KA3 | LA4 | Zm | VIMS | No Date |
| | NA1 | MA1 | Rm,Zm | VIMS | 8\7 |
| 137 | Grays Creek # | | Cd | Cit. | 6\15 |

1991 SUBMERGED AQUATIC VEGETATION GROUND TRUTH SURVEYS

| QUAD | 1990 BED | 1991 BED | SPECIES** | SOURCE*** | 1991 SURVEY DATE |
|------|---------------------|-------------|---------------------|-----------|------------------|
| 137 | Grays Creek # | | Cd | Cit. | 6\15 |
| 139 | BA1 | AA1 | Zm | VIMS | No Date |
| 140 | RA1 | TA4 | Zm | Cit. | 9\9 |
| | SA3 | NA3,OA4 | Zm | Cit. | 9\9 |
| | TA2 | PA2,RA2 | Zm,Rm/Rm | Cit./VIMS | 9\9/7-12 |
| | VA4 | SA4,RA2,TA2 | Zm | Cit. | 9\9 |
| | UA4 | QA4 | Rm,Zm | VIMS | July |
| 142 | EA1 | AA1 | Zm | VIMS | 8\7 |
| 152 | AA3 | * | Zm | Cit. | 6\25 |
| 159 | Patuxent R. # | | Cd,Per,Ec,Va,Nm | Cit. | 8\19 |
| | Mill Creek # | | Nm | Cit. | 7\25 |
| | N. Hills Bridge # | | Ec,Cd,Per,Ngu | Cit. | 7\25 |
| | Back Channel # | | Cd,Va,Ec,Nm,Ngu,Per | Cit. | 7\25 |
| | S. Back Channel # | | Ec,Nm,Cd | Cit. | 7\25 |
| | Western Br. # | | Nm,Va,Cd | Cit. | 8\15 |
| | Mid Western Br. # | | Cd,Ec,Nm | Cit. | 8\15 |
| | Upper Western Br. # | | Nm,Cd,Ec | Cit. | 8\15 |
| | Patuxent Park # | | Nm | Cit. | 8\15 |
| | Railroad Creek # | | Nm,Cd | Cit. | 8\15 |
| | Lyons Creek # | | Cd | Cit. | 8\15 |
| 166 | * | AA3 | Rm | Cit. | 9\4 |
| 167 | * | AA1 | Zm | Cit. | 8\14 |
| | * | DA2 | Zm | DNR | No Date |
| | * | FA3 | Zm | DNR | No Date |

1991 SUBMERGED AQUATIC VEGETATION GROUND TRUTH SURVEYS

| QUAD | 1990 BED | 1991 BED | SPECIES** | SOURCE*** | 1991 SURVEY DATE |
|------|----------------------|----------|-----------|-----------|------------------|
| 167 | CA3 | EA4 | Zm | NPS | 6\25,9\25 |
| | BA3 | CA4 | Rm/Zm | NPS/NPS | 6\25/9\25 |
| | AA4 | BA3 | Zm | NPS | 6\25,9\25 |
| | * | AA1 | Zm | NPS | 6\25 |
| | Assateague Is. # | | Rm | NPS | 6\25 |
| | Sinepuxent Bay # | | Rm,Zm | NPS | 6\25 |
| | | | | | |
| 168 | S. of Mallard Is. # | | Zm | Cit. | 9\3-5 |
| | E. of Mallard Is. # | | Zm | Cit. | 9\3-5 |
| | Isle of Wight Bay # | | Zm | Cit. | 9\3-5 |
| | Isle of Wight Bay # | | Zm | Cit. | 9\3-5 |
| | * | DA3 | Zm | DNR | No Date |
| | CA2 | CA2 | Zm | NPS | 6\25,9\25 |
| | | | | | |
| 170 | BA3 | EA4 | Zm,Rm/Rm | Cit./NPS | 6\20/6\25 |
| | BA3 | EA4 | Rm,Zm | NPS | 6\25,9\25 |
| | CA3 | IA4 | Zm,Rm/Zm | Cit./NPS | 6\20/6\25 |
| | DA3 | IA4 | Zm/Rm,Zm | Cit./NPS | 6\20/6\25,9\25 |
| | HA4 | SA3 | Zm/Zm,Rm | Cit./NPS | 6\20/6\25,9\25 |
| | JA4 | SA3 | Zm/Zm | Cit./NPS | 6\20/6\25,9\25 |
| | BA3 | EA4 | Zm | Cit. | No Date |
| | KA1 | SA3 | Zm/Zm | Cit./NPS | 6\20/6\25,9\25 |
| | EA3 | OA4,PA4 | Zm,Rm/Zm | Cit./NPS | 6\20/6\25,9\25 |
| | GA4 | QA4 | Zm/Zm | Cit./NPS | 6\20/6\25,9\25 |
| | LA3 | SA3 | Zm | Cit. | 6\20 |
| | AA3 | DA3 | Zm,Rm | NPS | 6\26 |
| | FA1 | QA4 | Zm | NPS | 6\25,9\25 |
| | | | | | |
| | | | | | |
| 172 | AA2,BA3 | AA4 | Rm,Zm | NPS | 6\25 |
| | CA3 | BA3 | Zm | NPS | 6\25 |
| | S. of Toby Islands # | | Zm | NPS | 6\25 |

1991 SUBMERGED AQUATIC VEGETATION GROUND TRUTH SURVEYS

| QUAD | 1990 BED | 1991 BED | SPECIES** | SOURCE*** | 1991 SURVEY DATE |
|------|----------------|-------------|-----------|-----------|-------------------|
| 172 | DA3,EA1 | FA3,EA1 | Zm | NPS | 6\25,10\2 |
| | FA4 | EA1 | Rm | NPS | 6\25 |
| | DA3 | FA3 | Zm | NPS | 6\25,10\2 |
| | GA3 | GA3 | Zm | NPS | 10\2 |
| | HA4 | HA4 | Rm,Zm/Zm | NPS | 6\25/10\2 |
| | IA4 | GA3 | Zm | NPS | 6\25,10\2 |
| | KA3 | IA4 | Rm/Rm,Zm | NPS | 10\2/6\25 |
| | LA4 | LA4,KA1 | Zm | NPS | 6\25,10\2 |
| | LA4 | LA4,KA1 | Rm,Zm | NPS | 6\25 |
| | | | | | |
| 173 | AA4 | AA4,CA1,DA4 | Zm | NPS | 6\20,9\26 |
| | BA4 | FA4,GA1 | Rm | NPS | 6\20,10\2 |
| | DA4 | HA2 | Zm/Rm,Zm | NPS | 9\25/9\25 |
| | DA4 | HA2 | Rm | NPS | 6\20 |
| | HA2 | OA4 | Rm,Zm | NPS | 6\20,9\25 |
| | GA3 | LA3,KA1 | Rm,Zm | NPS | 6\20,9\25 |
| | FA3 | JA3 | Rm,Zm | NPS | 6\20,9\26 |
| | EA3 | IA4 | Rm | NPS | 10\2 |
| | EA3 | IA4 | Rm,Zm | NPS | 6\20,9\25-26 |
| | EA3 | IA4 | Zm | NPS | 6\20,9\25-26 |
| | EA3 | IA4 | Rm | NPS | 6\20 |
| | * | GA1 | Rm | NPS | 6\20,9\25 |
| | | | | | |
| | | | | | |
| 175 | Ragged Point # | | Zm/Zm | Cit./NPS | 7\31,9\29/6\21 |
| | * | CA3 | Zm,Rm/Zm | Cit./NPS | 7\31,9\29/6\21 |
| | BA2 | BA4 | Zm,Rm | Cit. | 7\31,9\29 |
| | AA3 | BA4 | Zm/Rm,Zm | Cit./VIMS | 7\31,9\29/No Date |
| | AA3 | BA4 | Zm | NPS | 6\21 |

** Abbreviations under column "Species" are as follows:

| | |
|-------|--|
| Zm - | <i>Zostera marina</i> (eelgrass) |
| Rm - | <i>Ruppia maritima</i> (widgeon grass) |
| Ms - | <i>Myriophyllum spicatum</i> (Eurasian watermilfoil) |
| Ppf - | <i>Potamogeton perfoliatus</i> (redhead-grass) |
| Ppc - | <i>Potamogeton pectinatus</i> (sago pondweed) |
| Zp - | <i>Zannichellia palustris</i> (horned pondweed) |
| N - | <i>Najas</i> spp. (naiad) |
| Ec - | <i>Elodea canadensis</i> (common elodea) |
| Va - | <i>Vallisneria americana</i> (wild celery) |
| Tn - | <i>Trapa natans</i> (water chestnut) |
| Pe - | <i>Potamogeton epihydrus</i> (leafy pondweed) |
| Hv - | <i>Hydrilla verticillata</i> (hydrilla) |
| Hd - | <i>Heteranthera dubia</i> (water stargrass) |
| Pcr - | <i>Potamogeton crispus</i> (curly pondweed) |
| Cd - | <i>Ceratophyllum demersum</i> (coontail) |
| Ppu - | <i>Potamogeton pusillus</i> (slender pondweed) |
| Ngu - | <i>Najas guadalupensis</i> (southern naiad) |
| Ngr - | <i>Najas gracillima</i> (naiad) |
| C - | <i>Chara</i> sp. (muskgrass) |
| Nm - | <i>Najas minor</i> (slender naiad) |
| U - | Unknown species composition |

*** Abbreviations under column "Source" are as follows:

| | |
|-----------|---|
| Cit. - | Citizen's Survey |
| FWS - | U. S. Fish and Wildlife Service Surveys |
| DNR - | Maryland Department of Natural Resources |
| COG - | Metropolitan Washington Council of Governments |
| HPERL - | University of Maryland Horn Point Environmental Laboratory |
| Harford - | Harford Community College |
| VIMS - | Virginia Institute of Marine Science |
| NPS - | National Park Service, Assateague Island National Seashore River Park |
| Essex - | Essex Community College SAV Research Group |

- \ - Slash mark separates species data of independent survey sources and independent survey dates.
- # - No SAV bed mapped from 1990 or 1991 aerial photography but SAV bed presence was verified by 1991 groundtruth survey at this location.
- * - No SAV bed mapped from 1991 aerial photography but SAV bed presence was verified in 1991 at the 1990 bed location by groundtruth survey.