

**ENVIRONMENTAL PROTECTION  
AGENCY**
**40 CFR Part 268**
**[FRL-5129-2]**
**Land Disposal Restrictions Phase II—  
Universal Treatment Standards, and  
Treatment Standards for Organic  
Toxicity Characteristic Wastes and  
Newly Listed Wastes**
**AGENCY:** Environmental Protection Agency (EPA).

**ACTION:** Final rule; technical amendments.

**SUMMARY:** On September 19, 1994, EPA published regulations promulgating congressionally-mandated prohibitions on land disposal of certain hazardous wastes. This notice corrects errors and clarifies the language in the preamble and regulation of the September 19, 1994 final rule.

**EFFECTIVE DATE:** This rule is effective on December 19, 1994.

**ADDRESSES:** Copies of the rule can be obtained from the RCRA Docket (5305), U.S. Environmental Protection Agency, Room 2616, 401 M Street, S.W., Washington, D.C. 20460. The RCRA Docket is open from 9:00 am to 4:00 pm Monday through Friday, except for federal holidays. The public must make an appointment to review docket materials by calling (202) 260-9327. The public may copy a maximum of 100 pages from any regulatory document at no cost. Additional copies cost \$0.15 per page.

**FOR FURTHER INFORMATION CONTACT:** For general information contact the RCRA Hotline at (800) 424-9346 (toll free) or (703) 920-9810 in the Washington, DC metropolitan area. For technical information contact Doug Heimlich (5302W), Office of Solid Waste, 401 M Street, S.W., Washington, DC 20460, (703) 308-8489.

**SUPPLEMENTARY INFORMATION:**

- I. Reasons and Basis for Today's Amendment
- II. Amendments to the Phase II Final Rule
  - A. Section 268.2
  - B. Section 268.7
  - C. Section 268.9
  - D. Section 268.40
  - E. Section 268.42
  - F. Section 268.48
  - G. Appendix X to Part 268
- III. Clarification of Issues
  - A. State Authority Policy for Universal Treatment Standards
  - B. Flowchart Clarification
- IV. Rationale for Immediate Effective Date
- V. Regulatory Impact Analysis

**I. Reasons and Basis for Today's  
Amendment**

The Agency has received comments from the regulated community and State agencies requesting clarification on certain aspects of the September 19, 1994 Phase II final rule (59 FR 47982). Today's amendment responds to these comments.

**II. Amendments to the Phase II Final  
Rule**
**A. Section 268.2**

Like zinc, vanadium is not considered to be an "underlying hazardous constituent" in characteristic wastes. In the definition of underlying hazardous constituent at 268.2(i), vanadium was inadvertently left out as an exception to the definition. It is being placed as an exception in the definition at 268.2(i) in today's amendment.

**B. Section 268.7**

In the preamble of the Phase II final rule, EPA stated that, as a simplifying measure, it was amending the LDR notification requirements to minimize the amount of information that must be placed on the LDR notification in certain circumstances (see 59 FR 48004). Prior to promulgation of the Phase II rule, the hazardous constituents in F001-F005 spent solvents, F039, wastes subject to the California list provisions of § 268.32 or RCRA section 3004(d), and underlying hazardous constituents in certain characteristic wastes had to be listed on the LDR notification. In Phase II, this language was changed so that if the generator/treater monitors for all the hazardous constituents in F001-F005 spent solvents, F039, and underlying hazardous constituents in certain characteristic wastes, then there would be no need to list any of the constituents on the LDR notification. If, however, the generator/treater is monitoring for a subset of these constituents, the subset of constituents in the waste (or, in the case of underlying hazardous constituents in certain characteristic wastes, the ones reasonably expected to be present at point of generation) would be required to be listed on the LDR notification. In making this change, EPA inadvertently left out language in §§ 268.7(a)(1)(ii), 268.7(a)(2)(i)(B), and 268.7(b)(4)(ii) applying this provision to California list wastes prohibited pursuant to § 268.32 or RCRA section 3004(d). A reference to these California list wastes is therefore being added to the sections mentioned above in today's amendment.

An error was also found in § 268.7(a)(1). In this section, EPA explained that before the Phase II final

rule a generator managing a restricted waste that did not meet the applicable treatment standards set forth in Subpart D of Part 268, or exceeds the prohibition levels set forth in § 268.32 or RCRA section 3004(d), was required, with each shipment of waste, to notify the treatment or storage facility in writing of the appropriate treatment standards set forth in Subpart D of this part and any applicable prohibition levels set forth in § 268.32 or RCRA section 3004(d).

As explained on page 48004 of the Phase II preamble, EPA dropped the requirement to include the treatment standard or the reference to the treatment standard on the LDR notification. EPA overlooked the regulatory language above (in italics) when modifications were made in the Phase II rule. Thus it is being removed in this technical amendment. The statement is changed to read, "\* \* \* notify the treatment or storage facility in writing."

Another error was made in § 268.7(a)(1). Paragraph (v) should have been redesignated as paragraph (vi), and a new paragraph (v) added. Although paragraph (v) was revised with the new language, the existing language that should have been included in paragraph (vi) was inadvertently deleted. Paragraph (vi), with the language that appeared as paragraph (v) before the Phase II rule, is being added in today's amendments. Also, in order for the new paragraph to read properly, paragraph (iv) was changed to delete the final word "and," and paragraph (v) was changed to add the word "and" at the end.

The same error described in the previous paragraph was also made in § 268.7(a)(3): paragraph (vi) should have been redesignated as paragraph (vii), and a new paragraph (vi) added. Paragraph (vii), with the language that appeared as paragraph (vi) before the Phase II rule, is being reinserted today. Also, paragraph (a)(3)(vi) is being revised today because it had been merely reproduced (incorrectly) from paragraph (a)(1)(v).

In addition, in § 268.7(a)(8), EPA modified the alternative treatment standards for lab packs from identifying the wastes that can be included in lab packs to specifying those wastes that are prohibited from being placed in lab packs. EPA made this change in order to simplify and clarify this provision. The certification language required under this section is being changed in this technical amendment to say that the lab pack "contains only wastes which have not been excluded under appendix IV to 40 CFR part 268." The certification language that reads "or solid wastes not

subject to regulation under 40 CFR part 261" is being removed and is no longer considered necessary, because the regulated community has in appendix IV a list of wastes that are prohibited from placement in a lab pack. The Agency believes that deleting this statement is not a substantive change, but rather alleviates unnecessary language.

Finally, in the introductory paragraph of § 268.7(d) and in § 268.7(d)(1), generators or treaters who claim an exemption for hazardous debris from the definition of hazardous waste under § 261.3(e) are subject to notification and certification requirements that, previously, were to be submitted to the "Director or authorized State." EPA recognizes that this designation is vague, and is specifying in today's amendment that the notification and certification requirements of § 268.7(d) be submitted to the Regional Administrator (or his designated representative) or State authorized to implement Part 268 requirements, and in § 268.7(d)(1) to be submitted to the EPA Regional hazardous waste management division director (or his designated representative) or State authorized to implement part 268 requirements.

#### C. Section 268.9

A typesetting error was made in § 268.9(a), which repeated language that already was in the paragraph. The paragraph is located in the middle column of 59 FR 48045, starting with, If the generator determines that his waste displays the characteristic of ignitability \* \* \* and finishes with, as specified in paragraph (b) of this section. This redundant portion of the paragraph is deleted in today's amendment. Additionally, in section 268.9(d)(2)(i), it states that in treating wastes that exhibit a characteristic, the underlying hazardous constituents must also be treated, and if not, the certification in § 268.7(b)(5)(v) applies. There is no section 268.7(b)(5)(v), and instead the intent was to reference the certification under section 268.7(b)(5)(iv). The erroneous reference is changed in today's amendment.

#### D. Section 268.40

EPA established that for certain characteristic wastes managed in non-Clean Water Act (CWA) wastewater treatment systems, non-CWA-equivalent systems, or non-Class I injection wells, the underlying hazardous constituents reasonably expected to be present in the waste at point of generation should be treated as well as the hazardous characteristic. For D018–D043,

characteristic wastes, this applies to both wastewaters and nonwastewaters. While in the consolidated treatment table in § 268.40 it is noted that the D018–D043 nonwastewaters need to meet § 268.48 standards, this is not indicated for the wastewaters. The corrected table will include the requirements for wastewaters that are managed in non-CWA wastewater treatment systems, non-CWA-equivalent systems, or non-Class I deep injection wells.

An improvement in the Phase II final rule was the simplification of two equivalent technology-specific combustion standards in: Table 1—Technology Codes and Description of Technology-Based Standards in 40 CFR 268.42. The Agency consolidated the descriptions of INCIN (incineration) and FSUBS (fuel substitution), by combining them into one term, CMBST (combustion). In prior rulemakings, the treatment standard for both wastewaters and nonwastewaters of Acetaldehyde (U001) was listed as "FSUBS or INCIN;" In the Phase II final rule, a typographical error left out "FSUBS" and only listed the treatment standard, "INCIN." The treatment standard for U001 is thus changed from "FSUBS or INCIN" to "CMBST."

The following changes are also made:

- For Ethyl acetate, under F001, F002, F003, F004, and F005, the CAS number is corrected to read, "141–78–6;"
- For Tetrachloroethylene under K043, the CAS number is corrected to read, "127–18–4;"
- For Diphenylamine under K022 and K083, the CAS number is corrected to read, "122–39–4;"
- For bis(2–Chloroisopropyl)ether under U027, the CAS number is corrected to read, "39638–32–9."
- For Phthalic anhydride under K023, K024, K093, K094, and U190, it is clarified that Phthalic anhydride is measured as "Terephthalic acid," or "Phthalic acid," which are synonymous terms for the same substance.

These changes are all made in the consolidated treatment table in section 268.40 in today's amendment.

#### E. Section 268.42

The definition of combustion (CMBST), as stated in § 268.42 Table 1, is: "combustion in incinerators, boilers, or industrial furnaces operated in accordance with the applicable requirements of 40 CFR part 264 subpart O, and part 266, subpart H." The definition inadvertently deleted the management of hazardous waste during the period of interim status, covered in part 265, subpart O. At 59 FR 48003, EPA affirmed that combining INCIN

(incineration) and FSUBS (fuel substitution) into one term, CMBST (combustion) made no substantive change to the promulgated standards, and, therefore, did not require notice and comment. The Agency's leaving out part 265, subpart O in the definition of CMBST (combustion), therefore, was an oversight that is being corrected in today's amendment. Furthermore, the parenthetical statement on page 48002 about part 265 interim status standards was not intended to be in the preamble, and should be disregarded.

#### F. Section 268.48

In the table of Universal Treatment Standards, it was footnoted that zinc was not considered an "underlying hazardous constituent" in characteristic wastes, according to the definition at 268.2(i). Vanadium also is not considered an underlying hazardous constituent in characteristic wastes, and thus, is appropriately footnoted in this table in today's amendment.

#### G. Appendix X to Part 268

As was mentioned in the amendment for 268.7(a)(8), EPA modified the alternative treatment standards for lab packs from identifying the wastes that can be included in lab packs to specifying those wastes that are prohibited from being placed in lab packs. As explained earlier in this rule, the language of the § 268.7(a)(8) certification is being changed in today's rule. Appendix X is also being changed to include the revised certification language for the convenience of the reader.

### III. Clarifications

#### A. Clarification of State Authority Policy for UTS

The Universal Treatment Standards (UTS) were promulgated in the Phase II final rule pursuant to HSWA authority. In most cases UTS are the same levels as the previous LDR treatment standards, while about forty percent of the levels went up or down. In most of these cases, the change in the limits actually reflect adjustments in the limits of analytical detection, thus actual treatment will likely continue to destroy or remove organics to nondetectable levels. Even in those cases where the level has changed, the technology basis of the treatment standard has not. Therefore the changes to the treatment standards should not be viewed as more or less stringent.

Concern has been raised regarding how the UTS should apply in States authorized for the LDRs; specifically, what treatment standards must be met

by a facility located in a LDR-authorized State: the Phase II UTS levels, or the treatment standards in a State's authorized RCRA program? An additional concern is whether the authorized States would lose their ability to implement their LDR treatment standards if they were superseded by the UTS.

A memorandum from Michael Shapiro, Director of the Office of Solid Waste, to the EPA Regional Waste Management Division Directors, announced that the new UTS are neither more nor less stringent than the previous standards. Therefore, the new standards do not supersede existing standards in States authorized. States authorized for the LDRs for some or all waste streams would continue to implement the treatment standards for the streams for which they are authorized. The new UTS do not apply, for those waste streams, until the State has incorporated them into State law. EPA strongly urges States to implement the new UTS standards as soon as possible, both for simplicity of implementation and national consistency. In any case, State law (as interpreted by the State) would determine which standards applied. This approach would avoid the dual regulatory problem which would occur during the time before new HSWA requirements are adopted and authorized in the State.

EPA has a strong interest in uniformity and consistency of regulations and believes that the improvements in the UTS meet these objectives. Thus, States are encouraged to adopt and apply for authorization of the Phase II LDR rule. States that are currently authorized for portions of the LDRs may submit an abbreviated authorization revision application for the UTS. Details about what would be required for this abbreviated authorization are in the memorandum, which can be obtained by calling the RCRA docket.

It should be noted that the Agency, generally, is not relinquishing its statutory responsibility to implement significant new HSWA rules in States as soon as the rules become effective. The new approach set out in the memorandum is reserved only for areas of the hazardous waste program already authorized and regulated by the States, not new areas of the HSWA regulations. For example, the Phase II rule established treatment standards for several newly listed wastes; these new requirements are immediately effective in the States and will be enforced by EPA.

#### B. Flowchart Clarification

EPA is clarifying in today's amendment the Phase II flowchart entitled, "Implementation of Key Phase II LDRs," at 59 FR 48018. The second block from the bottom left poses the question, "Is the waste a mixture of a newly identified TC organic waste (D012-43) with a prohibited listed waste . . ." This language is not correct and should read in full: "Is the waste a prohibited listed waste, or one of the newly listed Phase II wastes, that also exhibits an organic toxicity characteristic?"

Another clarification is being made on page 48021, in the first diamond. Questions have been raised as to whether the "constituents" mentioned there include underlying hazardous constituents. No, "constituents" does not include UHCs. The wording inside the diamond should say "Does the treatment standard for the listed waste include the treatment standard for the constituent that causes the waste to exhibit the characteristic?"

#### C. Telephone Number Correction

At 59 FR 47983, Richard Kinch's name appeared as an EPA contact for "other information" about the Phase II final rule. The phone number provided in the Phase II rule, (703) 308-8414, is incorrect; Mr. Kinch's telephone number is (703) 308-8434.

#### IV. Rationale for Immediate Effective Date

Today's notice does not create any new regulatory requirements; rather, it restates and clarifies requirements already in effect by correcting a number of errors in the September 19, 1994 final rule (59 FR 47982). For these reasons, EPA finds that good cause exists under section 3010(b)(3) of RCRA, 42 U.S.C. 9903(b)(3), to provide for an immediate effective date. In addition, there already was full opportunity to comment on all of these issues during the rulemaking so that further comment is unnecessary. For the same reasons, EPA finds that there is good cause under 5 U.S.C. 553(b)(3) to promulgate today's corrections in final form and that there is good cause under 5 U.S.C. 553(b)(3) to waive the requirement that regulations be published at least 30 days before they become effective. Finally, EPA notes that although it is not withdrawing any existing regulatory language, all of today's revisions operate prospectively.

#### V. Executive Order 12866

Under Executive Order 12866, EPA must judge whether a regulation is "significant" and, therefore, subject to

review under the Executive Order. Due to the nature of this regulation (technical correction), it is not "significant"; therefore, no Executive Order 12866 review is required.

#### List of Subjects in 40 CFR Part 268

Environmental protection, Hazardous waste, Reporting and recordkeeping requirements.

Dated: December 16, 1994.

**Peter Roberts,**

*Acting Assistant Administrator for Solid Waste and Emergency Response.*

For the reasons set out in the preamble, title 40 chapter I of the Code of Federal Regulations is amended to read as follows:

#### PART 268—LAND DISPOSAL RESTRICTIONS

1. The authority citation for part 268 continues to read as follows:

**Authority:** 42 U.S.C. 6905, 6912(a), 6921, and 6924.

#### Subpart A—General

2. In § 268.2, paragraph (i) is revised to read as follows:

#### § 268.2 Definitions applicable in this part.

\* \* \* \* \*

(i) *Underlying hazardous constituent* means any constituent listed in § 268.48, Table UTS—Universal Treatment Standards, except vanadium and zinc, which can reasonably be expected to be present at the point of generation of the hazardous waste, at a concentration above the constituent-specific UTS treatment standards.

3. Section 268.7 is amended by revising the introductory text of paragraphs (a)(1) and (d); revising paragraphs (a)(1)(ii); (a)(1)(iv), (a)(1)(v), (a)(2)(i)(B); (a)(3)(vi); (a)(8); (b)(4)(ii); and (d)(1); and by adding paragraphs (a)(1)(vi) and (a)(3)(vii) to read as follows:

#### § 268.7 Waste analysis and recordkeeping.

(a) \* \* \*

(1) If a generator determines that he is managing a restricted waste under this part and the waste does not meet the applicable treatment standards set forth in subpart D of this part or it exceeds the applicable prohibition levels set forth in § 268.32 or RCRA section 3004(d), with each shipment of waste the generator must notify the treatment or storage facility in writing. The notice must include the following information:

\* \* \* \* \*

(ii) The waste constituents that the treater will monitor, if monitoring will not include all regulated constituents,

for wastes F001–F005, F039, D001, D002, D012–D043 and in § 268.32 or RCRA section 3004(d). Generators must also include whether the waste is a nonwastewater or wastewater (as defined in § 268.2 (d) and (f)), and indicate the subcategory of the waste (such as “D003 reactive cyanide”), if applicable;

\* \* \* \* \*

(iv) For hazardous debris, the contaminants subject to treatment as provided by § 268.45(b) and the following statement: “This hazardous debris is subject to the alternative treatment standards of 40 CFR 268.45;”

(v) The waste analysis data, where available; and,

(vi) The date the waste is subject to the prohibitions.

(2) \* \* \*

(i) \* \* \*

(B) The waste constituents that the treater will monitor, if monitoring will not include all regulated constituents, for wastes F001–F005, F039, D001, D002, D012–D043 and § 268.32 or RCRA section 3004(d). Generators must also include whether the waste is a nonwastewater or wastewater (as defined in § 268.2 (d) and (f)), and indicate the subcategory of the waste (such as “D003 reactive cyanide”), if applicable;

\* \* \* \* \*

(3) \* \* \*

(vi) For hazardous debris when using the treatment standards for the contaminating waste(s) in § 268.40: the requirements described in paragraphs (a)(3) (i), (ii), (iii), (iv), and (vii) of this section; and,

(vii) The date the waste is subject to the prohibitions.

\* \* \* \* \*

(8) If a generator is managing a lab pack that contains none of the wastes specified in appendix IV of part 268, and wishes to use the alternative treatment standard under § 268.42(c), with each shipment of waste the generator must submit a notice to the treatment facility in accordance with paragraph (a)(1) of this section, except that underlying hazardous constituents need not be determined. The generator

must also comply with the requirements in paragraphs (a)(5) and (a)(6) of this section and must submit the following certification, which must be signed by an authorized representative:

I certify under penalty of law that I personally have examined and am familiar with the waste and that the lab pack does not contain any wastes identified at Appendix IV to part 268. I am aware that there are significant penalties for submitting a false certification including possibility of fine or imprisonment.

\* \* \* \* \*

(b) \* \* \*

(4) \* \* \*

(ii) The waste constituents to be monitored, if monitoring will not include all regulated constituents, for wastes F001–F005, F039, D001, D002, D012–D043 and in § 268.32 or RCRA section 3004(d). Generators must also include whether the waste is a nonwastewater or wastewater (as defined in § 268.2 (d) and (f)), and indicate the subcategory of the waste (such as D003 reactive cyanide), if applicable.

\* \* \* \* \*

(d) Generators or treaters who first claim that hazardous debris is excluded from the definition of hazardous waste under § 261.3(e) of this chapter (i.e., debris treated by an extraction or destruction technology provided by Table 1, § 268.45, and debris that the EPA Regional Administrator (or his designated representative) or State authorized to implement part 268 requirements has determined does not contain hazardous waste) are subject to the following notification and certification requirements:

(1) A one-time notification, including the following information, must be submitted to the EPA Regional hazardous waste management division director (or his designated representative) or State authorized to implement part 268 requirements, or State authorized to implement part 268 requirements:

\* \* \* \* \*

4. Section 268.9 is amended by revising paragraph (a) and paragraph (d)(2)(i) to read as follows:

**§ 268.9 Special rules regarding wastes that exhibit a characteristic.**

(a) The initial generator of a solid waste must determine each EPA Hazardous Waste Number (waste code) applicable to the waste in order to determine the applicable treatment standards under subpart D of this part. For purposes of part 268, the waste will carry the waste code for any applicable listing under 40 CFR 261, subpart D. In addition, the waste will carry one or more of the waste codes under 40 CFR 261, subpart C, where the waste exhibits a characteristic, except in the case when the treatment standard for the waste listed in part 261, subpart D operates in lieu of the treatment standard for the waste under part 261, subpart C, as specified in paragraph (b) of this section. If the generator determines that his waste displays the characteristic of ignitability (D001) (and is not in the High TOC Ignitable Liquids Subcategory or is not treated by CMBST, or RORGS), or the characteristic of corrosivity (D002), and is prohibited under § 268.37; or that his waste displays the characteristic of toxicity (D012–D043), and is prohibited under § 268.38, the generator must determine the underlying hazardous constituents (as defined in § 268.2), in the D001, D002, or D012–D043 wastes.

\* \* \* \* \*

(d) \* \* \*

(2) \* \* \*

(i) If treatment removes the characteristic but does not treat underlying hazardous constituents, then the certification found in § 268.7(b)(5)(iv) applies.

\* \* \* \* \*

**Subpart D—Treatment Standards**

5. Section 268.40 is amended by revising the table “Treatment Standards for Hazardous Wastes” to read as follows:

**§ 268.40 Applicability of Treatment Standards.**

\* \* \* \* \*

BILLING CODE 6560–50–P

Treatment Standards for Hazardous Wastes

Waste Code	Waste Description and Treatment/Regulatory Subcategory <sup>1</sup>	REGULATED HAZARDOUS CONSTITUENT		WASTEWATERS Concentration in mg/l <sup>2</sup> ; unless noted as "mg/l TCLP" <sup>3</sup> ; or Technology Code	NONWASTEWATERS Concentration in mg/kg <sup>4</sup> unless noted as "mg/l TCLP" <sup>3</sup> ; or Technology Code	
		Common Name	CAS <sup>5</sup> Number			
D001	Ignitable Characteristic Wastes, except for the §261.21(a)(1) High TOC Subcategory, that are managed in non-CWA/ non-CWA-equivalent/non-Class I SDWA systems.  Ignitable Characteristic Wastes, except for the §261.21(a)(1) High TOC Subcategory, that are managed in CWA/CWA-equivalent/Class I SDWA systems.  High TOC Ignitable Characteristic Liquids Subcategory based on 40 CFR 261.21(a)(1) - Greater than or equal to 10% total organic carbon. (Note: This subcategory consists of nonwastewaters only.)  Corrosive Characteristic Wastes that are managed in non-CWA/non-CWA equivalent/non-Class I SDWA systems.  Corrosive Characteristic Wastes that are managed in CWA, CWA-equivalent, or Class I SDWA systems.	NA	NA	DEACT and meet §268.48 standards; or RORGS; or CMBST	DEACT and meet §268.48 standards; or RORGS; or CMBST	
		NA	NA	DEACT	DEACT	
		NA	NA	NA	RORGS; or CMBST	
		NA	NA	DEACT and meet §268.48 standards	DEACT and meet §268.48 standards	
		NA	NA	DEACT	DEACT	
		Corrosivity (pH)	NA	NA	HLVIT	
		Arsenic	7440-39-2	NA	HLVIT	
		Barium	7440-39-3	NA	HLVIT	
		Cadmium	7440-43-9	NA	HLVIT	
		Chromium (Total)	7440-47-3	NA	HLVIT	
D002, D004, D005, D006, D007, D008, D009, D010, D011	Radioactive high level wastes generated during the reprocessing of fuel rods. (Note: This subcategory consists of nonwastewaters only.)	Lead	7439-92-1	NA	HLVIT	
		Mercury	7439-97-6	NA	HLVIT	
		Selenium	7782-49-2	NA	HLVIT	
		Silver	7440-22-4	NA	HLVIT	
		NA	NA	DEACT	DEACT	
		NA	NA	DEACT	DEACT	
		NA	NA	DEACT	DEACT	
		Reactive Sulfides Subcategory based on 261.23(a)(5).	NA	NA	DEACT	DEACT
		Explosives Subcategory based on 261.23(a)(6), (7), and (8).	NA	NA	DEACT	DEACT
		Other Reactives Subcategory based on 261.23(a)(1).	NA	NA	DEACT	DEACT

TREATMENT STANDARDS FOR HAZARDOUS WASTES

Waste Code	Waste Description and Treatment/Regulatory Subcategory <sup>1</sup>	REGULATED HAZARDOUS CONSTITUENT		WASTEWATERS Concentration in mg/l <sup>2</sup> ; or Technology Code <sup>4</sup>	NONWASTEWATERS Concentration in mg/kg <sup>3</sup> unless noted as "mg/l TCLP"; or Technology Code
		Common Name	CAS <sup>5</sup> Number		
	Water Reactive Subcategory based on 261.23(a)(2), (3), and (4). (Note: This subcategory consists of nonwastewaters only.)	NA	NA	NA	DEACT
	Reactive Cyanides Subcategory based on 261.23(a)(5).	Cyanides (Total) <sup>7</sup>	57-12-5	Reserved	590
		Cyanides (Amenable) <sup>7</sup>	57-12-5	0.86	30
D004	Wastes that exhibit, or are expected to exhibit, the characteristic of toxicity for arsenic based on the extraction procedure (EP) in SW846 Method 1310.	Arsenic	7440-38-2	5.0	5.0 mg/l EP
		Arsenic; alternate <sup>8</sup> standard for nonwastewaters only.	7440-38-2	NA	5.0 mg/l TCLP
D005	Wastes that exhibit, or are expected to exhibit, the characteristic of toxicity for barium based on the extraction procedure (EP) in SW846 Method 1310.	Barium	7440-39-3	100	100 mg/l TCLP
D006	Wastes that exhibit, or are expected to exhibit, the characteristic of toxicity for cadmium based on the extraction procedure (EP) in SW846 Method 1310.	Cadmium	7440-43-9	1.0	1.0 mg/l TCLP
	Cadmium Containing Batteries Subcategory. (Note: This subcategory consists of nonwastewaters only.)	Cadmium	7440-43-9	NA	RTHRM
D007	Wastes that exhibit, or are expected to exhibit, the characteristic of toxicity for chromium based on the extraction procedure (EP) in SW846 Method 1310.	Chromium (Total)	7440-47-3	5.0	5.0 mg/l TCLP
D008	Wastes that exhibit, or are expected to exhibit, the characteristic of toxicity for lead based on the extraction procedure (EP) in SW846 Method 1310.	Lead	7439-92-1	5.0	5.0 mg/l EP
		Lead; alternate <sup>8</sup> standard for nonwastewaters only	7439-92-1	NA	5.0 mg/l TCLP
	Lead Acid Batteries Subcategory (Note: This standard only applies to lead acid batteries that are identified as RCRA hazardous wastes and that are not excluded elsewhere from regulation under the land disposal restrictions of 40 CFR 268 or exempted under other EPA regulations (see 40 CFR 266.80)). (Note: This subcategory consists of nonwastewaters only.)	Lead	7439-92-1	NA	READ
	Radioactive Lead Solids Subcategory (Note: these lead solids include, but are not limited to, all forms of lead shielding and other elemental forms of lead. These lead solids do not include treatment residuals such as hydroxide sludges, other wastewater treatment residuals, or incinerator ashes that can undergo conventional pozzolanic stabilization, nor do they include organo-lead materials that can be incinerated and stabilized as ash.). (Note: This subcategory consists of nonwastewaters only.)	Lead	7439-92-1	NA	MACRO
D009	Nonwastewaters that exhibit, or are expected to exhibit, the characteristic of toxicity for mercury based on the extraction procedure (EP) in SW846 Method 1310; and contain greater than or equal to 280 mg/kg total mercury that also contain organics and are not incinerator residues. (High Mercury-Organic Subcategory)	Mercury	7439-97-6	NA	IMERC; OR RMERC

TREATMENT STANDARDS FOR HAZARDOUS WASTES

Waste Code	Waste Description and Treatment/Regulatory Subcategory <sup>1</sup>	REGULATED HAZARDOUS CONSTITUENT		WASTEWATERS Concentration in mg/l <sup>2</sup> ; or Technology Code <sup>3</sup>	NONWASTEWATERS Concentration in mg/kg <sup>3</sup> unless noted as "mg/l TCLP"; or Technology Code
		Common Name	CAS <sup>4</sup> Number		
	Nonwastewaters that exhibit, or are expected to exhibit, the characteristic of toxicity for mercury based on the extraction procedure (EP) in SW846 Method 1310; and contain greater than or equal to 260 mg/kg total mercury that are inorganic, including incinerator residues and residues from RMERC. (High Mercury-Inorganic Subcategory)	Mercury	7439-97-6	NA	RMERC
	Nonwastewaters that exhibit, or are expected to exhibit, the characteristic of toxicity for mercury based on the extraction procedure (EP) in SW846 Method 1310; and contain less than 260 mg/kg total mercury. (Low Mercury Subcategory)	Mercury	7439-97-6	NA	0.20 mg/l TCLP
	All D009 wastewaters.	Mercury	7439-97-6	0.20	NA
	Elemental mercury contaminated with radioactive materials. (Note: This subcategory consists of nonwastewaters only.)	Mercury	7439-97-6	NA	AMLGM
	Hydraulic oil contaminated with Mercury Radioactive Materials Subcategory. (Note: This subcategory consists of nonwastewaters only.)	Mercury	7439-97-6	NA	IMERC
D010	Wastes that exhibit, or are expected to exhibit, the characteristic of toxicity for selenium based on the extraction procedure (EP) in SW846 Method 1310.	Selenium	7782-49-2	1.0	5.7 mg/l TCLP
D011	Wastes that exhibit, or are expected to exhibit, the characteristic of toxicity for silver based on the extraction procedure (EP) in SWB46 Method 1310.	Silver	7440-22-4	5.0	5.0 mg/l TCLP
D012	Wastes that are TC for Endrin based on the TCLP in SW846 Method 1311.	Endrin	72-20-8	BIDDG; or INCIN	0.13 and meet \$268.48 standards
		Endrin aldehyde	7421-93-4	BIDDG; or INCIN	0.13 and meet \$268.48 standards
D013	Wastes that are TC for Lindane based on the TCLP in SW846 Method 1311.	alpha-BHC	319-84-6	CARBN; or INCIN	0.066 and meet \$268.48 standards
		beta-BHC	319-86-7	CARBN; or INCIN	0.066 and meet \$268.48 standards
		delta-BHC	319-86-9	CARBN; or INCIN	0.066 and meet \$268.48 standards
		gamma-BHC (Lindane)	68-95-9	CARBN; or INCIN	0.066 and meet \$268.48 standards
D014	Wastes that are TC for Methoxychlor based on the TCLP in SW846 Method 1311.	Methoxychlor	72-43-5	WETOX or INCIN	0.18 and meet \$268.48 standards
D015	Wastes that are TC for Toxaphene based on the TCLP in SW846 Method 1311.	Toxaphene	8001-35-2	BIDDG or INCIN	2.6 and meet \$268.48 standards
D016	Wastes that are TC for 2,4-D (2,4-Dichlorophenoxyacetic acid) based on the TCLP in SW846 Method 1311.	2,4-D (2,4-Dichlorophenoxyacetic acid)	94-75-7	CHOXD, BIDDG, or INCIN	10 and meet \$268.48 standards
D017	Wastes that are TC for 2,4,5-TP (Silvex) based on the TCLP in SW846 Method 1311.	2,4,5-TP (Silvex)	93-72-1	CHOXD or INCIN	7.9 and meet \$268.48 standards

TREATMENT STANDARDS FOR HAZARDOUS WASTES

Waste Code	Waste Description and Treatment/Regulatory Subcategory <sup>1</sup>	REGULATED HAZARDOUS CONSTITUENT		WASTEWATERS Concentration in mg/l <sup>2</sup> ; or Technology Code <sup>3</sup>	NONWASTEWATERS Concentration in mg/kg <sup>4</sup> unless noted as "mg/l TCLP"; or Technology Code
		Common Name	CAS <sup>5</sup> Number		
D018	Wastes that are TC for Benzene based on the TCLP in SW846 Method 1311 and that are managed in non-CWA/non-CWA equivalent/non-Class I SDWA systems only.	Benzene	71-43-2	0.14 and meet §268.48 standards	10 and meet §268.48 standards
D019	Wastes that are TC for Carbon tetrachloride based on the TCLP in SW846 Method 1311 and that are managed in non-CWA/non-CWA equivalent/non-Class I SDWA systems only.	Carbon tetrachloride	56-23-5	0.057 and meet §268.48 standards	6.0 and meet §268.48 standards
D020	Wastes that are TC for Chloroform based on the TCLP in SW846 Method 1311 and that are managed in non-CWA/non-CWA equivalent/non-Class I SDWA systems only.	Chloroform (alpha and gamma isomers)	57-74-9	0.0033 and meet §268.48 standards	0.26 and meet §268.48 standards
D021	Wastes that are TC for Chlorobenzene based on the TCLP in SW846 Method 1311 and that are managed in non-CWA/non-CWA equivalent/non-Class I SDWA systems only.	Chlorobenzene	108-90-7	0.057 and meet §268.48 standards	6.0 and meet §268.48 standards
D022	Wastes that are TC for Chloroform based on the TCLP in SW846 Method 1311 and that are managed in non-CWA/non-CWA equivalent/non-Class I SDWA systems only.	Chloroform	67-66-3	0.046 and meet §268.48 standards	6.0 and meet §268.48 standards
D023	Wastes that are TC for o-Cresol based on the TCLP in SW846 Method 1311 and that are managed in non-CWA/non-CWA equivalent/non-Class I SDWA systems only.	o-Cresol	95-48-7	0.11 and meet §268.48 standards	5.6 and meet §268.48 standards
D024	Wastes that are TC for m-Cresol based on the TCLP in SW846 Method 1311 and that are managed in non-CWA/non-CWA equivalent/non-Class I SDWA systems only.	m-Cresol (difficult to distinguish from p-cresol)	108-39-4	0.77 and meet §268.48 standards	5.6 and meet §268.48 standards
D025	Wastes that are TC for p-Cresol based on the TCLP in SW846 Method 1311 and that are managed in non-CWA/non-CWA equivalent/non-Class I SDWA systems only.	p-Cresol (difficult to distinguish from m-cresol)	108-44-5	0.77 and meet §268.48 standards	5.6 and meet §268.48 standards
D026	Wastes that are TC for Cresols (Total) based on the TCLP in SW846 Method 1311 and that are managed in non-CWA/non-CWA equivalent/non-Class I SDWA systems only.	Cresol-mixed isomers (Cresylic acid) (sum of o-, m-, and p-cresol concentrations)	1319-77-3	0.88 and meet §268.48 standards	11.2 and meet §268.48 standards
D027	Wastes that are TC for p-Dichlorobenzene based on the TCLP in SW846 Method 1311 and that are managed in non-CWA/non-CWA equivalent/non-Class I SDWA systems only.	p-Dichlorobenzene (1,4-Dichlorobenzene)	106-46-7	0.090 and meet §268.48 standards	6.0 and meet §268.48 standards
D028	Wastes that are TC for 1,2-Dichloroethane based on the TCLP in SW846 Method 1311 and that are managed in non-CWA/non-CWA equivalent/non-Class I SDWA systems only.	1,2-Dichloroethane	107-06-2	0.21 and meet §268.48 standards	6.0 and meet §268.48 standards
D029	Wastes that are TC for 1,1-Dichloroethylene based on the TCLP in SW846 Method 1311 and that are managed in non-CWA/non-CWA equivalent/non-Class I SDWA systems only.	1,1-Dichloroethylene	75-35-4	0.025 and meet §268.48 standards	6.0 and meet §268.48 standards
D030	Wastes that are TC for 2,4-Dinitrotoluene based on the TCLP in SW846 Method 1311 and that are managed in non-CWA/non-CWA equivalent/non-Class I SDWA systems only.	2,4-Dinitrotoluene	121-14-2	0.32 and meet §268.48 standards	140 and meet §268.48 standards
D031	Wastes that are TC for Heptachlor based on the TCLP in SW846 Method 1311 and that are managed in non-CWA/non-CWA equivalent/non-Class I SDWA systems only.	Heptachlor	76-44-8	0.0012 and meet §268.48 standards	0.066 and meet §268.48 standards



TREATMENT STANDARDS FOR HAZARDOUS WASTES

Waste Code	Waste Description and Treatment/Regulatory Subcategory <sup>1</sup>	REGULATED HAZARDOUS CONSTITUENT		WASTEWATERS Concentration in mg/l; or Technology Code <sup>4</sup>	NONWASTEWATERS Concentration in mg/kg <sup>4</sup> unless noted as "mg/l TCLP"; or Technology Code
		Common Name	CAS <sup>3</sup> Number		
		Heptachlor epoxide	1024-57-3	0.016 and meet §268.48 standards	0.066 and meet §268.48 standards
D032	Wastes that are TC for Hexachlorobenzene based on the TCLP in SW846 Method 1311 and that are managed in non-CWA/non-CWA equivalent/non-Class I SDWA systems only.	Hexachlorobenzene	119-74-1	0.055 and meet §268.48 standards	10 and meet §268.48 standards
D033	Wastes that are TC for Hexachlorobutadiene based on the TCLP in SW846 Method 1311 and that are managed in non-CWA/non-CWA equivalent/non-Class I SDWA systems only.	Hexachlorobutadiene	87-68-3	0.055 and meet §268.48 standards	5.6 and meet §268.48 standards
D034	Wastes that are TC for Hexachloroethane based on the TCLP in SW846 Method 1311 and that are managed in non-CWA/non-CWA equivalent/non-Class I SDWA systems only.	Hexachloroethane	67-72-1	0.055 and meet §268.48 standards	30 and meet §268.48 standards
D035	Wastes that are TC for Methyl ethyl ketone based on the TCLP in SW846 Method 1311 and that are managed in non-CWA/non-CWA equivalent/non-Class I SDWA systems only.	Methyl ethyl ketone	78-93-3	0.26 and meet §268.48 standards	36 and meet §268.48 standards
D036	Wastes that are TC for Nitrobenzene based on the TCLP in SW846 Method 1311 and that are managed in non-CWA/non-CWA equivalent/non-Class I SDWA systems only.	Nitrobenzene	98-96-3	0.068 and meet §268.48 standards	14 and meet §268.48 standards
D037	Wastes that are TC for Pentachlorophenol based on the TCLP in SW846 Method 1311 and that are managed in non-CWA/non-CWA equivalent/non-Class I SDWA systems only.	Pentachlorophenol	87-86-5	0.089 and meet §268.48 standards	7.4 and meet §268.48 standards
D038	Wastes that are TC for Pyridine based on the TCLP in SW846 Method 1311 and that are managed in non-CWA/non-CWA equivalent/non-Class I SDWA systems only.	Pyridine	110-96-1	0.014 and meet §268.48 standards	16 and meet §268.48 standards
D039	Wastes that are TC for Tetrachloroethylene based on the TCLP in SW846 Method 1311 and that are managed in non-CWA/non-CWA equivalent/non-Class I SDWA systems only.	Tetrachloroethylene	127-18-4	0.056 and meet §268.48 standards	6.0 and meet §268.48 standards
D040	Wastes that are TC for Trichloroethylene based on the TCLP in SW846 Method 1311 and that are managed in non-CWA/non-CWA equivalent/non-Class I SDWA systems only.	Trichloroethylene	79-01-6	0.054 and meet §268.48 standards	6.0 and meet §268.48 standards
D041	Wastes that are TC for 2,4,6-Trichlorophenol based on the TCLP in SW846 Method 1311 and that are managed in non-CWA/non-CWA equivalent/non-Class I SDWA systems only.	2,4,6-Trichlorophenol	95-95-4	0.18 and meet §268.48 standards	7.4 and meet §268.48 standards
D042	Wastes that are TC for 2,4,6-Trichlorophenol based on the TCLP in SW846 Method 1311 and that are managed in non-CWA/non-CWA equivalent/non-Class I SDWA systems only.	2,4,6-Trichlorophenol	88-06-2	0.035 and meet §268.48 standards	7.4 and meet §268.48 standards
D043	Wastes that are TC for Vinyl chloride based on the TCLP in SW846 Method 1311 and that are managed in non-CWA/non-CWA equivalent/non-Class I SDWA systems only.	Vinyl chloride	75-01-4	0.27 and meet §268.48 standards	6.0 and meet §268.48 standards

TREATMENT STANDARDS FOR HAZARDOUS WASTES

Waste Code	Waste Description and Treatment/Regulatory Subcategory <sup>1</sup>	REGULATED HAZARDOUS CONSTITUENT		WASTEWATERS		NONWASTEWATERS	
		Common Name	CAS <sup>2</sup> Number	Concentration in mg/l <sup>3</sup> or Technology Code <sup>4</sup>	Concentration in mg/kg <sup>3</sup> unless noted as "mg/l TCLP"; or Technology Code		
F001, F002, F003, F004, & F005	F001, F002, F003, F004 and/or F005 solvent wastes that contain any combination of one or more of the following spent solvents: acetone, benzene, n-butyl alcohol, carbon disulfide, carbon tetrachloride, chlorinated fluorocarbons, chlorobenzene, o-cresol, m-cresol, p-cresol, cyclohexanone, o-dichlorobenzene, 2-ethoxyethanol, ethyl acetate, ethyl benzene, ethyl ether, isobutyl alcohol, methanol, methylene chloride, methyl ethyl ketone, methyl isobutyl ketone, nitrobenzene, 2-nitropropane, pyridine, tetrahydrofuran, toluene, 1,1,1-trichloroethane, 1,1,2-trichloroethane, 1,1,2-trichloro-1,2,2-tetrafluoroethane, trichloroethene, trichloroethylene, trichloroethane, 1,1,2-trichloroethane, and/or xylenes (except as specifically noted in other subcategories). See further details of these listings in § 261.31	Acetone	67-64-3	6.38	160		
		n-Butyl alcohol	71-36-3	5.6	2.6		
		Carbon disulfide	75-15-0	3.8	NA		
		Carbon tetrachloride	56-23-5	0.057	6.0		
		Chlorobenzene	108-90-7	0.057	6.0		
		o-Cresol	96-48-7	0.11	5.6		
		m-Cresol (difficult to distinguish from p-cresol)	108-39-4	0.77	5.6		
		p-Cresol (difficult to distinguish from m-cresol)	106-44-5	0.77	5.6		
		Cresol-mixed isomers (Cresylic acid) (sum of o-, m-, and p-cresol concentrations)	1319-77-3	0.88	11.2		
		Cyclohexanone	108-94-1	0.36	NA		
		o-Dichlorobenzene	96-50-1	0.088	6.0		
		Ethyl acetate	141-78-6	0.34	33		
		Ethyl benzene	100-41-4	0.057	10		
		Ethyl ether	60-29-7	0.12	160		
		Isobutyl alcohol	78-83-1	5.6	170		
		Methanol	67-56-1	5.6	NA		
Methylene chloride	75-9-2	0.089	30				
Methyl ethyl ketone	78-93-3	0.28	36				
Methyl isobutyl ketone	108-10-1	0.14	33				
Nitrobenzene	98-95-3	0.088	14				
Pyridine	110-86-1	0.014	16				
Tetrahydrofuran	127-18-4	0.056	6.0				
Toluene	108-88-3	0.080	10				
1,1,1-Trichloroethane	71-55-6	0.054	6.0				
1,1,2-Trichloroethane	79-00-5	0.054	6.0				
1,1,2-Trichloro-1,2,2-tetrafluoroethane	76-13-1	0.057	30				

TREATMENT STANDARDS FOR HAZARDOUS WASTES

Waste Code	Waste Description and Treatment/Regulatory Subcategory <sup>1</sup>	REGULATED HAZARDOUS CONSTITUENT		WASTEWATERS Concentration in mg/l <sup>2</sup> or Technology Code <sup>3</sup>	NONWASTEWATERS Concentration in mg/kg <sup>4</sup> unless noted as "mg/l TCLP"; or Technology Code
		Common Name	CAS <sup>5</sup> Number		
F006	F003 and/or F005 solvent wastes that contain any combination of one or more of the following three solvents as the only listed F001-5 solvents: carbon disulfide, cyclohexanone, and/or methanol. [formerly 268.41(c)]  F005 solvent waste containing 2-Nitropropane as the only listed F001-5 solvent.  F005 solvent waste containing 2-Ethoxyethanol as the only listed F001-5 solvent.  Wastewater treatment sludges from electroplating operations except from the following processes: (1) Sulfuric acid anodizing of aluminum; (2) tin plating on carbon steel; (3) zinc plating (segregated basis) on carbon steel; (4) aluminum or zinc-aluminum plating on carbon steel; (5) cleaning/stripping associated with tin, zinc and aluminum plating on carbon steel; and (6) chemical etching and milling of aluminum.	Trichloroethylene	79-01-6	0.054	6.0
		Trichloromonofluoromethane	75-69-4	0.020	30
		Xylenes-mixed isomers (sum of o-, m-, and p-xylene concentrations)	1330-20-7	0.32	30
		Carbon disulfide	75-15-0	3.8	4.8 mg/l TCLP
		Cyclohexanone	108-94-1	0.36	0.75 mg/l TCLP
		Methanol	67-56-1	5.6	0.75 mg/l TCLP
		2-Nitropropane	79-46-9	(WETOX or CHOXD) (b) CARBN; or INCIN	INCIN
		2-Ethoxyethanol	110-90-5	BIDDG; or INCIN	INCIN
		Cadmium	7440-43-9	0.69	0.19 mg/l TCLP
		Chromium (Total)	7440-47-3	2.77	0.86 mg/l TCLP
F007	Spent cyanide plating bath solutions from electroplating operations.	Cyanides (Total) <sup>7</sup>	57-12-5	1.2	590
		Cyanides (Amenable) <sup>7</sup>	57-12-5	0.86	30
		Lead	7439-92-1	0.69	0.37 mg/l TCLP
		Nickel	7440-02-0	3.98	5.0 mg/l TCLP
		Silver	7440-22-4	NA	0.30 mg/l TCLP
		Cadmium	7440-43-9	NA	0.19 mg/l TCLP
		Chromium (Total)	7440-47-3	2.77	0.86 mg/l TCLP
		Cyanides (Total) <sup>7</sup>	57-12-5	1.2	590
		Cyanides (Amenable) <sup>7</sup>	57-12-5	0.86	30
		Lead	7439-92-1	0.69	0.37 mg/l TCLP
F008	Plating bath residues from the bottom of plating baths from electroplating operations where cyanides are used in the process.	Nickel	7440-02-0	3.98	5.0 mg/l TCLP
		Silver	7440-22-4	NA	0.30 mg/l TCLP
		Cadmium	7440-43-9	NA	0.19 mg/l TCLP
		Chromium (Total)	7440-47-3	2.77	0.86 mg/l TCLP
		Cyanides (Total) <sup>7</sup>	57-12-5	1.2	590
		Cyanides (Amenable) <sup>7</sup>	57-12-5	0.86	30
		Lead	7439-92-1	0.69	0.37 mg/l TCLP

TREATMENT STANDARDS FOR HAZARDOUS WASTES

Waste Code	Waste Description and Treatment/Regulatory Subcategory <sup>1</sup>	REGULATED HAZARDOUS CONSTITUENT		WASTEWATERS Concentration in mg/l <sup>2</sup> , or Technology Code <sup>3</sup>	NONWASTEWATERS Concentration in mg/kg <sup>4</sup> unless noted as "mg/l TCLP"; or Technology Code
		Common Name	CAS <sup>5</sup> Number		
F009	Spent stripping and cleaning bath solutions from electroplating operations where cyanides are used in the process.	Nickel	7440-02-0	3.98	5.0 mg/l TCLP
		Silver	7440-22-4	NA	0.30 mg/l TCLP
		Cadmium	7440-43-9	NA	0.19 mg/l TCLP
		Chromium (Total)	7440-47-3	2.77	0.86 mg/l TCLP
		Cyanides (Total) <sup>7</sup>	57-12-5	1.2	590
		Cyanides (Amenable) <sup>7</sup>	57-12-5	0.86	30
		Lead	7439-92-1	0.69	0.37 mg/l TCLP
		Nickel	7440-02-0	3.98	5.0 mg/l TCLP
		Silver	7440-22-4	NA	0.30 mg/l TCLP
		Cyanides (Total) <sup>7</sup>	57-12-5	1.2	590
		Cyanides (Amenable) <sup>7</sup>	57-12-5	0.86	NA
		F010	Quenching bath residues from oil baths from metal heat treating operations where cyanides are used in the process.	Cadmium	7440-43-9
Chromium (Total)	7440-47-3			2.77	0.86 mg/l TCLP
Cyanides (Total) <sup>7</sup>	57-12-5			1.2	590
Cyanides (Amenable) <sup>7</sup>	57-12-5			0.86	30
Lead	7439-92-1			0.69	0.37 mg/l TCLP
Nickel	7440-02-0			3.98	5.0 mg/l TCLP
Silver	7440-22-4			NA	0.30 mg/l TCLP
Cadmium	7440-43-9			NA	0.19 mg/l TCLP
Chromium (Total)	7440-47-3			2.77	0.86 mg/l TCLP
Cyanides (Total) <sup>7</sup>	57-12-5			1.2	590
Cyanides (Amenable) <sup>7</sup>	57-12-5			0.86	30
F011	Spent cyanide solutions from salt bath pot cleaning from metal heat treating operations.			Lead	7439-92-1
		Nickel	7440-02-0	3.98	5.0 mg/l TCLP
		Silver	7440-22-4	NA	0.30 mg/l TCLP
		Cadmium	7440-43-9	NA	0.19 mg/l TCLP
		Chromium (Total)	7440-47-3	2.77	0.86 mg/l TCLP
		Cyanides (Total) <sup>7</sup>	57-12-5	1.2	590
		Cyanides (Amenable) <sup>7</sup>	57-12-5	0.86	30
		Lead	7439-92-1	0.69	0.37 mg/l TCLP
		Nickel	7440-02-0	3.98	5.0 mg/l TCLP
		Silver	7440-22-4	NA	0.30 mg/l TCLP
		Cadmium	7440-43-9	NA	0.19 mg/l TCLP
		F012	Quenching wastewater treatment sludges from metal heat treating operations where cyanides are used in the process.	Chromium (Total)	7440-47-3
Cyanides (Total) <sup>7</sup>	57-12-5			1.2	590
Cyanides (Amenable) <sup>7</sup>	57-12-5			0.86	30
Lead	7439-92-1			0.69	0.37 mg/l TCLP
Nickel	7440-02-0			3.98	5.0 mg/l TCLP
Silver	7440-22-4			NA	0.30 mg/l TCLP
Chromium (Total)	7440-47-3			2.77	0.86 mg/l TCLP
Cyanides (Total) <sup>7</sup>	57-12-5			1.2	590
Cyanides (Amenable) <sup>7</sup>	57-12-5			0.86	30
Lead	7439-92-1			0.69	0.37 mg/l TCLP
Nickel	7440-02-0			3.98	5.0 mg/l TCLP
Silver	7440-22-4			NA	0.30 mg/l TCLP
F019	Wastewater treatment sludges from the chemical conversion coating of aluminum except from zirconium phosphating in aluminum can washing when such phosphating is an exclusive conversion coating process.	Chromium (Total)	7440-47-3	2.77	0.86 mg/l TCLP
		Cyanides (Total) <sup>7</sup>	57-12-5	1.2	590
		Cyanides (Amenable) <sup>7</sup>	57-12-5	0.86	30

TREATMENT STANDARDS FOR HAZARDOUS WASTES

Waste Code	Waste Description and Treatment/Regulatory Subcategory <sup>1</sup>	REGULATED HAZARDOUS CONSTITUENT		WASTEWATERS Concentration in mg/l <sup>2</sup> or Technology Code <sup>3</sup>	NONWASTEWATERS Concentration in mg/kg <sup>4</sup> unless noted as "mg/l TCLP" <sup>5</sup> or Technology Code
		Common Name	CAS <sup>6</sup> Number		
F020, F021, F022, F023, F026	Wastes (except wastewater and spent carbon from hydrogen chloride purification) from the production or manufacturing use (as a reactant, chemical intermediate, or component in a formulating process) of: (1) tri- or tetrachlorophenol, or of intermediates used to produce their pesticide derivatives, excluding wastes from the production of hexachlorophene from highly purified 2,4,5-trichlorophenol (F020); (2) pentachlorophenol, or of intermediates used to produce its derivatives (i.e., F021); (3) tetra-, penta-, or hexachlorobenzenes under alkaline conditions (i.e., F022). Wastes (except wastewater and spent carbon from hydrogen chloride purification) from the production of materials on equipment previously used for the production or manufacturing use (as a reactant, chemical intermediate, or component in a formulating process) of: (1) tri- or tetrachlorophenols, excluding wastes from equipment used only for the production of hexachlorophene from highly purified 2,4,5-trichlorophenol (F023); (2) tetra-, penta-, or hexachlorobenzenes under alkaline conditions (i.e., F026).	HxCDDs (All Hexachlorodibenzo-p-dioxins)	NA	0.000063	0.001
		HxCDFs (All Hexachlorodibenzofurans)	NA	0.000063	0.001
		PeCDDs (All Pentachlorodibenzo-p-dioxins)	NA	0.000063	0.001
		PeCDFs (All Pentachlorodibenzofurans)	NA	0.000035	0.001
		TCDDs (All Tetrachlorodibenzo-p-dioxins)	NA	0.000063	0.001
		TCDFs (All Tetrachlorodibenzofurans)	NA	0.000063	0.001
		2,4,5-Trichlorophenol	95-95-4	0.18	7.4
		2,4,6-Trichlorophenol	85-06-2	0.035	7.4
		2,3,4,6-Tetrachlorophenol	86-90-2	0.030	7.4
		Pentachlorophenol	87-86-5	0.089	7.4
		HxCDDs (All Hexachlorodibenzo-p-dioxins)	NA	0.000063	0.001
		HxCDFs (All Hexachlorodibenzofurans)	NA	0.000063	0.001
		PeCDDs (All Pentachlorodibenzo-p-dioxins)	NA	0.000063	0.001
		PeCDFs (All Pentachlorodibenzofurans)	NA	0.000035	0.001
		TCDDs (All Tetrachlorodibenzo-p-dioxins)	NA	0.000063	0.001
TCDFs (All Tetrachlorodibenzofurans)	NA	0.000063	0.001		
2,4,5-Trichlorophenol	95-95-4	0.18	7.4		
2,4,6-Trichlorophenol	85-06-2	0.035	7.4		
2,3,4,6-Tetrachlorophenol	86-90-2	0.030	7.4		
Pentachlorophenol	87-86-5	0.089	7.4		
HxCDDs (All Hexachlorodibenzo-p-dioxins)	NA	0.000063	0.001		
HxCDFs (All Hexachlorodibenzofurans)	NA	0.000063	0.001		
PeCDDs (All Pentachlorodibenzo-p-dioxins)	NA	0.000063	0.001		
PeCDFs (All Pentachlorodibenzofurans)	NA	0.000035	0.001		
TCDDs (All Tetrachlorodibenzo-p-dioxins)	NA	0.000063	0.001		
TCDFs (All Tetrachlorodibenzofurans)	NA	0.000063	0.001		
2,4,5-Trichlorophenol	95-95-4	0.18	7.4		
2,4,6-Trichlorophenol	85-06-2	0.035	7.4		
2,3,4,6-Tetrachlorophenol	86-90-2	0.030	7.4		
Pentachlorophenol	87-86-5	0.089	7.4		
F027	Discarded unused formulations containing tri-, tetra-, or pentachlorophenol or discarded unused formulations containing compounds derived from these chlorophenols. (This listing does not include formulations containing hexachlorophene synthesized from prepurified 2,4,5-trichlorophenol as the sole component.)				
F028	Residues resulting from the incineration or thermal treatment of soil contaminated with EPA Hazardous Wastes Nos. F020, F021, F023, F026, and F027.				

TREATMENT STANDARDS FOR HAZARDOUS WASTES

Waste Code	Waste Description and Treatment/Regulatory Subcategory <sup>1</sup>	REGULATED HAZARDOUS CONSTITUENT		WASTEWATERS Concentration in mg/l; or Technology Code <sup>2</sup>	NONWASTEWATERS Concentration in mg/kg <sup>3</sup> unless noted as "mg/l TCLP"; or Technology Code	
		Common Name	CAS <sup>4</sup> Number			
F024	Process wastes, including but not limited to, distillation residues, heavy ends, tars, and reactor clean-out wastes, from the production of certain chlorinated aliphatic hydrocarbons by free radical catalyzed processes. These chlorinated aliphatic hydrocarbons are those having carbon chain lengths ranging from one to and including five, with varying amounts and positions of chlorine substitution. (This listing does not include wastewaters, wastewater treatment sludges, spent catalysts, and wastes listed in §261.31 or §261.32).	2,3,4,6-Tetrachlorophenol	58-90-2	0.030	7.4	
		Pentachlorophenol	87-86-5	0.089	7.4	
		All F024 wastes	NA	INCIN	INCIN	
		2-Chloro-1,3-butadiene	128-98-8	0.057	0.28	
		3-Chloropropylene	107-08-1	0.036	30	
		1,1-Dichloroethane	75-34-3	0.059	6.0	
		1,2-Dichloroethane	107-06-2	0.21	6.0	
		1,2-Dichloropropane	78-87-5	0.85	18	
		cis-1,3-Dichloropropylene	10061-01-5	0.036	18	
		trans-1,3-Dichloropropylene	10061-02-6	0.036	18	
		bis(2-Ethylhexyl) phthalate	117-81-7	0.28	28	
		Hexachloroethane	67-72-1	0.055	30	
		Chromium (Total)	7440-47-3	2.77	0.86 mg/l TCLP	
		Nickel	7440-02-0	3.98	6.0 mg/l TCLP	
		Carbon tetrachloride	56-23-5	0.057	6.0	
		Chloroform	67-68-3	0.046	6.0	
		1,2-Dichloroethane	107-08-2	0.21	6.0	
		1,1-Dichloroethylene	75-35-4	0.025	6.0	
		Methylene chloride	75-9-2	0.089	30	
1,1,2-Trichloroethane	79-00-5	0.054	6.0			
Trichloroethylene	79-01-6	0.054	6.0			
Vinyl chloride	75-01-4	0.27	6.0			
Carbon tetrachloride	56-23-5	0.057	6.0			
Chloroform	67-68-3	0.046	6.0			
Hexachlorobenzene	118-74-1	0.055	10			
Hexachlorobutadiene	87-88-3	0.055	5.6			
Hexachloroethane	67-72-1	0.055	30			
Methylene chloride	75-9-2	0.089	30			
F025	Condensed light ends from the production of certain chlorinated aliphatic hydrocarbons, by free radical catalyzed processes. These chlorinated aliphatic hydrocarbons are those having carbon chain lengths ranging from one to and including five, with varying amounts and positions of chlorine substitution. F025 - Light Ends Subcategory					
	Spent filters and filter aids, and spent desiccant wastes from the production of certain chlorinated aliphatic hydrocarbons, by free radical catalyzed processes. These chlorinated aliphatic hydrocarbons are those having carbon chain lengths ranging from one to and including five, with varying amounts and positions of chlorine substitution. F025 - Spent Filters/Aids and Desiccants Subcategory					

TREATMENT STANDARDS FOR HAZARDOUS WASTES

Waste Code	Waste Description and Treatment/Regulatory Subcategory <sup>1</sup>	REGULATED HAZARDOUS CONSTITUENT		WASTEWATERS Concentration in mg/l <sup>2</sup> or Technology Code <sup>3</sup>	NONWASTEWATERS Concentration in mg/kg <sup>4</sup> unless noted as "mg/l TCLP"; or Technology Code
		Common Name	CAS <sup>5</sup> Number		
F037	Petroleum refinery primary oil/water/solids separation sludge-Any sludge generated from the gravitational separation of oil/water/solids during the storage or treatment of process wastewaters and oily cooling wastewaters from petroleum refineries. Such sludges include, but are not limited to, those generated in: oil/water/solids separators; tanks and impoundments; ditches and other conveyances; sumps; and stormwater units receiving dry weather flow. Sludge generated in stormwater units that do not receive dry weather flow, sludges generated from non-contact once-through cooling waters segregated for treatment from other process or oily cooling waters, sludges generated in aggressive biological treatment units as defined in §261.31(b)(2) (including sludges generated in one or more additional units after wastewaters have been treated in aggressive biological treatment units) and K051 wastes are not included in this listing.	1,1,2-Trichloroethane	79-00-5	0.054	6.0
		Trichloroethylene	79-01-6	0.054	6.0
		Vinyl chloride	75-01-4	0.27	6.0
		Acenaphthene	83-32-9	0.059	NA
		Anthracene	120-12-7	0.059	3.4
		Benzene	71-43-2	0.14	10
		Benz(a)anthracene	56-55-3	0.059	3.4
		Benz(b)pyrene	50-32-8	0.051	3.4
		bis(2-Ethylhexyl) phthalate	117-81-7	0.28	28
		Chrysene	218-01-9	0.059	3.4
		Di-n-butyl phthalate	84-74-2	0.057	28
		Ethylbenzene	100-41-4	0.057	10
		Fluorene	86-73-7	0.059	NA
		Naphthalene	91-20-3	0.059	5.6
		Phenanthrene	85-01-8	0.059	5.6
		Phenol	108-95-2	0.039	6.2
		Pyrene	129-00-0	0.067	8.2
		Toluene	108-88-3	0.050	10
		Xylenes-mixed isomers (sum of o-, m-, and p-xylene concentrations)	1330-20-7	0.32	30
		Chromium (Total)	7440-47-3	2.77	0.86 mg/l TCLP
Cyanides (Total) <sup>7</sup>	57-12-5	1.2	590		
Lead	7439-92-1	0.69	NA		
Nickel	7440-02-0	NA	5.0 mg/l TCLP		

TREATMENT STANDARDS FOR HAZARDOUS WASTES

Waste Code	Waste Description and Treatment/Regulatory Subcategory <sup>1</sup>	REGULATED HAZARDOUS CONSTITUENT		WASTEWATERS Concentration in mg/l; or Technology Code <sup>4</sup>	NONWASTEWATERS Concentration in mg/kg <sup>4</sup> unless noted as "mg/l TCLP"; or Technology Code
		Common Name	CAS <sup>5</sup> Number		
F038	Petroleum refinery secondary (emulsified) oil/water/solids separation sludge and/or float generated from the physical and/or chemical separation of oil/water/solids in process wastewaters and oily cooling wastewaters from petroleum refineries. Such wastes include, but are not limited to, all sludges and floats generated in: induced air floatation (IAF) units, tanks and impoundments, and all sludges generated in DAF units. Sludges generated in stormwater units that do not receive dry weather flow; sludges generated from non-contact once-through cooling waters segregated for treatment from other process or oily cooling waters, sludges and floats generated in aggressive biological treatment units as defined in §261.31(b)(2) (including sludges and floats generated in one or more additional units after wastewaters have been treated in aggressive biological units) and F037, KO48, and KO51 are not included in this listing.	Benzene	71-43-2	0.14	10
		Benzotolopyrene	50-32-8	0.061	3.4
		bis(2-Ethylhexyl) phthalate	117-81-7	0.28	28
		Chrysene	218-01-9	0.059	3.4
		Di-n-butyl phthalate	84-74-2	0.057	28
		Ethylbenzene	100-41-4	0.057	10
		Fluorene	86-73-7	0.059	NA
		Naphthalene	91-20-3	0.059	5.6
		Phenanthrene	85-01-8	0.059	5.6
		Phenol	108-95-2	0.039	6.2
		Pyrene	129-00-0	0.067	8.2
		Toluene	108-88-3	0.080	10
		Xylenes-mixed isomers (sum of o-, m-, and p-xylylene concentrations)	1330-20-7	0.32	30
		Chromium (Total)	7440-47-3	2.77	0.86 mg/l TCLP
		Cyanides (Total) <sup>7</sup>	57-12-5	1.2	890
		Lead	7439-92-1	0.69	NA
		Nickel	7440-02-0	NA	5.0 mg/l TCLP
		Acenaphthylene	208-96-8	0.059	3.4
		Acenaphthene	83-32-9	0.059	3.4
		Acetone	67-64-1	0.28	160
Acetonitrile	75-05-8	5.6	NA		
Acetophenone	96-86-2	0.010	9.7		
2-Acetylaminofluorene	53-96-3	0.059	1.40		
Acrolein	107-02-8	0.29	NA		
Acrylonitrile	107-13-1	0.24	84		
Aldrin	309-00-2	0.021	0.066		
4-Aminobiphenyl	92-67-1	0.13	NA		
Aniline	62-53-3	0.81	14		
F039	Leachate (liquids that have percolated through land disposed wastes) resulting from the disposal of more than one restricted waste classified as hazardous under subpart D of this part. (Leachate resulting from the disposal of one or more of the following EPA Hazardous Wastes and no other Hazardous Wastes retains its EPA Hazardous Waste Number(s): F020, F021, F022, F026, F027, and/or F028.)				



TREATMENT STANDARDS FOR HAZARDOUS WASTES

Waste Code	Waste Description and Treatment/Regulatory Subcategory <sup>1</sup>	REGULATED HAZARDOUS CONSTITUENT		WASTEWATERS Concentration in mg/l <sup>2</sup> or Technology Code <sup>3</sup>	NONWASTEWATERS Concentration in mg/kg <sup>4</sup> unless noted as "mg/l TCLP" <sup>5</sup> or Technology Code
		Common Name	CAS <sup>6</sup> Number		
		Anthracene	120-12-7	0.059	3.4
		Aramite	140-57-8	0.36	NA
		alpha-BHC	319-84-6	0.00014	0.066
		beta-BHC	319-86-7	0.00014	0.066
		delta-BHC	319-86-8	0.023	0.066
		gamma-BHC	56-89-9	0.0017	0.066
		Benzene	71-43-2	0.14	10
		Benz(a)anthracene	56-55-3	0.059	3.4
		Benzo(b)fluoranthene (difficult to distinguish from benzo(k)fluoranthene)	205-99-2	0.11	6.8
		Benzo(k)fluoranthene (difficult to distinguish from benzo(b)fluoranthene)	207-08-9	0.11	6.8
		Benzo(g,h,i)perylene	191-24-2	0.0055	1.8
		Benzo(a)pyrene	50-32-8	0.061	3.4
		Bromodichloromethane	75-27-4	0.35	15
		Methyl bromide (Bromomethane)	74-83-9	0.11	15
		4-Bromophenyl phenyl ether	101-55-3	0.055	15
		n-Butyl alcohol	71-36-3	5.6	2.6
		Butyl benzyl phthalate	85-68-7	0.017	28
		2-sec-Butyl-4,6-dinitrophenol (Dinoseb)	85-86-7	0.066	2.5
		Carbon disulfide	75-15-0	3.8	NA
		Carbon tetrachloride	56-23-5	0.057	6.0
		Chlordane (alpha and gamma isomers)	57-74-9	0.0033	0.25
		p-Chloroaniline	106-47-8	0.46	16
		Chlorobenzene	108-90-7	0.057	6.0
		Chlorobenzilate	610-15-6	0.10	NA
		2-Chloro-1,3-butadiene	126-99-8	0.057	NA
		Chlorodibromomethane	124-48-1	0.057	15
		Chloroethane	75-00-3	0.27	6.0

TREATMENT STANDARDS FOR HAZARDOUS WASTES

Waste Code	Waste Description and Treatment/Regulatory Subcategory <sup>1</sup>	REGULATED HAZARDOUS CONSTITUENT		WASTEWATERS Concentration in mg/l; or Technology Code <sup>4</sup>	NONWASTEWATERS Concentration in mg/kg <sup>5</sup> unless noted as "mg/l TCLP"; or Technology Code
		Common Name	CAS <sup>3</sup> Number		
		bis(2-Chloroethoxy)methane	111-91-1	0.036	7.2
		bis(2-Chloroethyl)ether	111-44-4	0.033	6.0
		Chloroform	67-66-3	0.046	6.0
		bis(2-Chloropropyl)ether	39638-32-9	0.055	7.2
		p-Chloro-m-cresol	59-50-7	0.018	14
		Chloromethane (Methyl chloride)	74-87-3	0.19	30
		2-Chloronaphthalene	91-58-7	0.055	5.6
		2-Chlorophenol	95-67-8	0.044	5.7
		3-Chloropropylene	107-06-1	0.036	30
		Chrysene	218-01-9	0.059	3.4
		o-Cresol	95-48-7	0.11	5.6
		m-Cresol (difficult to distinguish from p-cresol)	108-39-4	0.77	5.6
		p-Cresol (difficult to distinguish from m-cresol)	106-44-5	0.77	5.6
		Cyclohexanone	108-94-1	0.36	NA
		1,2-Dibromo-3-chloropropane	96-12-8	0.11	15
		Ethylene dibromide (1,2-Dibromoethane)	106-93-4	0.028	15
		Dibromomethane	74-95-3	0.11	15
		2,4-D (2,4-Dichlorophenoxyacetic acid)	94-76-7	0.72	10
		o,p'-DDD	53-19-0	0.023	0.087
		p,p'-DDD	72-64-8	0.023	0.087
		o,p'-DDE	3424-82-6	0.031	0.087
		p,p'-DDE	72-55-9	0.031	0.087
		o,p'-DDT	789-02-6	0.0039	0.087
		p,p'-DDT	50-29-3	0.0039	0.087
		Dibenz(a,h)anthracene	53-70-3	0.055	8.2
		Dibenz(a,e)pyrene	192-55-4	0.061	NA
		m-Dichlorobenzene	541-73-1	0.036	6.0

TREATMENT STANDARDS FOR HAZARDOUS WASTES

Waste Code	Waste Description and Treatment/Regulatory Subcategory <sup>1</sup>	REGULATED HAZARDOUS CONSTITUENT		CAS <sup>3</sup> Number	WASTEWATERS Concentration in mg/l <sup>2</sup> , or Technology Code <sup>4</sup>	NONWASTEWATERS Concentration in mg/kg <sup>4</sup> unless noted as "mg/l TCLP"; or Technology Code
		Common Name				
		o-Dichlorobenzene		95-50-1	0.088	6.0
		p-Dichlorobenzene		106-46-7	0.090	6.0
		Dichlorodifluoromethane		75-71-8	0.23	7.2
		1,1-Dichloroethane		75-34-3	0.059	6.0
		1,2-Dichloroethane		107-06-2	0.21	6.0
		1,1-Dichloroethylene		75-35-4	0.025	6.0
		trans-1,2-Dichloroethylene		156-60-5	0.054	30
		2,4-Dichlorophenol		120-83-2	0.044	14
		2,6-Dichlorophenol		87-85-0	0.044	14
		1,2-Dichloropropane		78-87-5	0.85	18
		cis-1,3-Dichloropropylene		10061-01-5	0.036	18
		trans-1,3-Dichloropropylene		10061-02-6	0.036	18
		Dieldrin		60-57-1	0.017	0.13
		Diethyl phthalate		84-66-2	0.20	28
		2,4-Dimethyl phenol		105-67-9	0.036	14
		Dimethyl phthalate		131-11-3	0.047	28
		Di-n-butyl phthalate		84-74-2	0.057	28
		1,4-Dinitrobenzene		100-25-4	0.32	2.3
		4,6-Dinitro-o-cresol		534-52-1	0.28	160
		2,4-Dinitrophenol		51-25-5	0.12	160
		2,4-Dinitrotoluene		121-14-2	0.32	140
		2,6-Dinitrotoluene		606-20-2	0.55	28
		Di-n-octyl phthalate		117-84-0	0.017	28
		Di-n-propylnitrosamine		621-64-7	0.40	14
		1,4-Dioxane		123-91-1	NA	170
		Diphenylamine (difficult to distinguish from diphenylnitrosamine)		122-39-4	0.92	13
		Diphenylnitrosamine (difficult to distinguish from diphenylamine)		86-30-6	0.92	NA

TREATMENT STANDARDS FOR HAZARDOUS WASTES

Waste Code	Waste Description and Treatment/Regulatory Subcategory <sup>1</sup>	REGULATED HAZARDOUS CONSTITUENT		WASTEWATERS Concentration in mg/l <sup>2</sup> or Technology Code <sup>3</sup>	NONWASTEWATERS Concentration in mg/kg <sup>4</sup> unless noted as "mg/l TCLP" or Technology Code
		Common Name	CAS <sup>5</sup> Number		
		1,2-Diphenylhydrazine	122-86-7	0.087	NA
		Disulfoton	298-04-4	0.017	6.2
		Endosulfen I	939-98-8	0.023	0.066
		Endosulfen II	33213-6-5	0.029	0.13
		Endosulfen sulfate	1-31-07-8	0.029	0.13
		Endrin	72-20-8	0.0028	0.13
		Endrin aldehyde	7421-93-4	0.025	0.13
		Ethyl acetate	141-78-6	0.34	33
		Ethyl cyanide (Propanenitrile)	107-12-0	0.24	360
		Ethyl benzene	100-41-4	0.067	10
		Ethyl ether	60-29-7	0.12	160
		bis(2-Ethylhexyl) phthalate	117-81-7	0.28	28
		Ethyl methacrylate	97-63-2	0.14	160
		Ethylene oxide	75-21-8	0.12	NA
		Famphur	52-85-7	0.017	16
		Fluoranthene	206-44-0	0.068	3.4
		Fluorene	86-73-7	0.059	3.4
		Heptachlor	76-44-8	0.0012	0.066
		Heptachlor epoxide	1024-57-3	0.016	0.066
		Hexachlorobenzene	118-74-1	0.055	10
		Hexachlorobutadiene	87-88-3	0.055	5.6
		Hexachlorocyclopentadiene	77-47-4	0.057	2.4
		HxCDDs (All Hexachlorodibenzo-p-dioxins)	NA	0.000063	0.001
		HxCDFs (All Hexachlorodibenzofurans)	NA	0.000063	0.001
		Hexachloroethane	67-72-1	0.055	30
		Hexachloropropylene	1888-71-7	0.035	30
		Indeno (1,2,3-c,d) pyrene	193-39-5	0.0055	3.4
		Iodomethane	74-88-4	0.19	65

TREATMENT STANDARDS FOR HAZARDOUS WASTES

Waste Code	Waste Description and Treatment/Regulatory Subcategory <sup>1</sup>	REGULATED HAZARDOUS CONSTITUENT		WASTEWATERS Concentration in mg/l <sup>2</sup> or Technology Code <sup>4</sup>	NONWASTEWATERS Concentration in mg/kg <sup>3</sup> unless noted as "mg/l TCLP" <sup>2</sup> or Technology Code
		Common Name	CAS <sup>5</sup> Number		
		Isobutyl alcohol	78-83-1	5.6	170
		Iodolin	465-73-5	0.021	0.068
		Isoeafrole	120-58-1	0.081	2.6
		Kapone	143-60-8	0.0011	0.13
		Methacrylonitrile	126-98-7	0.24	84
		Methanol	67-56-1	5.6	NA
		Methacrylene	91-80-5	0.081	1.5
		Methoxychlor	72-43-5	0.25	0.18
		3-Methylcholanthrene	56-49-5	0.0055	15
		4,4-Methylene bis(2-chloroaniline)	101-14-4	0.50	30
		Methylene chloride	75-09-2	0.089	30
		Methyl ethyl ketone	78-93-3	0.28	36
		Methyl isobutyl ketone	108-10-1	0.14	33
		Methyl methacrylate	80-62-6	0.14	160
		Methyl methanesulfonate	66-27-3	0.018	NA
		Methyl parathion	298-00-0	0.014	4.6
		Naphthalene	91-20-3	0.059	5.8
		2-Naphthylamine	91-59-8	0.52	NA
		p-Nitroaniline	100-01-6	0.028	28
		Nitrobenzene	98-95-3	0.068	14
		5-Nitro-o-toluidine	98-55-8	0.32	28
		p-Nitrophenol	100-02-7	0.12	29
		N-Nitrosodiethylamine	55-18-5	0.40	28
		N-Nitrosodimethylamine	62-75-9	0.40	NA
		N-Nitroso-di-n-butylamine	924-16-3	0.40	17
		N-Nitrosomethylethylamine	10595-95-6	0.40	2.3
		N-Nitrosomorpholine	59-99-2	0.40	2.3
		N-Nitrosopiperidine	100-75-4	0.013	35

TREATMENT STANDARDS FOR HAZARDOUS WASTES

Waste Code	Waste Description and Treatment/Regulatory Subcategory <sup>1</sup>	REGULATED HAZARDOUS CONSTITUENT		CAS <sup>2</sup> Number	WASTEWATERS Concentration in mg/l <sup>3</sup> or Technology Code <sup>4</sup>	NONWASTEWATERS Concentration in mg/kg <sup>5</sup> unless noted as "mg/l TCLP"; or Technology Code
		Common Name				
		N-Nitrosopyrrolidine		930-55-2	0.013	35
		Parathion		56-38-2	0.014	4.6
		Total PCBs (sum of all PCB isomers, or all Aroclors)		1336-36-3	0.10	10
		Pentachlorobenzene		608-93-5	0.055	10
		PeCDDs (All Pentachlorodibenzo-p-dioxins)		NA	0.000063	0.001
		PeCDFs (All Pentachlorodibenzofurans)		NA	0.000035	0.001
		Pentachlorotribenzene		82-68-8	0.055	4.8
		Pentachlorophenol		87-86-5	0.089	7.4
		Phenacetin		62-44-2	0.081	16
		Phenanthrene		85-01-8	0.059	5.6
		Phenol		108-95-2	0.039	6.2
		Phorate		298-02-2	0.021	4.6
		Phthalic anhydride		85-44-9	0.065	NA
		Pronamide		23950-66-5	0.093	1.5
		Pyrene		129-00-0	0.067	8.2
		Pyridine		110-86-1	0.014	16
		Safrole		94-59-7	0.081	22
		Silvex (2,4,5-TP)		93-72-1	0.72	7.9
		2,4,5-T		93-76-5	0.72	7.9
		1,2,4,5-Tetrachlorobenzene		95-94-3	0.055	14
		TCDDs (All Tetrachlorodibenzo-p-dioxins)		NA	0.000063	0.001
		TCDFs (All Tetrachlorodibenzofurans)		NA	0.000063	0.001
		1,1,1,2-Tetrachloroethane		630-20-6	0.057	6.0
		1,1,2,2-Tetrachloroethane		79-34-6	0.057	6.0
		Tetrachloroethylene		127-18-4	0.056	6.0
		2,3,4,6-Tetrachlorophenol		58-90-2	0.030	7.4
		o-xylene		108-88-3	0.080	10
		Toxaphene		8001-35-2	0.0095	2.6

TREATMENT STANDARDS FOR HAZARDOUS WASTES

Waste Code	Waste Description and Treatment/Regulatory Subcategory <sup>1</sup>	REGULATED HAZARDOUS CONSTITUENT		WASTEWATERS Concentration in mg/l <sup>2</sup> ; or Technology Code <sup>4</sup>	NONWASTEWATERS Concentration in mg/kg <sup>3</sup> unless noted as "mg/l TCLP"; or Technology Code
		Common Name	CAS <sup>5</sup> Number		
		Bromoform (Tribromomethane)	75-25-2	0.63	15
		1,2,4-Trichlorobenzene	120-82-1	0.055	19
		1,1,1-Trichloroethane	71-55-6	0.054	6.0
		1,1,2-Trichloroethane	79-00-5	0.054	6.0
		Trichloroethylene	79-01-6	0.054	6.0
		Trichloromonofluoromethane	75-69-4	0.020	30
		2,4,5-Trichlorophenol	95-95-4	0.18	7.4
		2,4,6-Trichlorophenol	88-06-2	0.035	7.4
		1,2,3-Trichloropropane	96-18-4	0.85	30
		1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	0.057	30
		tris(2,3-Dibromopropyl) phosphates	126-72-7	0.11	NA
		Vinyl chloride	75-01-4	0.27	6.0
		Xylenes-mixed isomers (sum of o-, m-, and p-xylene concentrations)	1330-20-7	0.32	30
		Antimony	7440-38-0	1.9	2.1 mg/l TCLP
		Arsenic	7440-38-2	1.4	5.0 mg/l TCLP
		Barium	7440-39-3	1.2	7.6 mg/l TCLP
		Beryllium	7440-41-7	0.82	NA
		Cadmium	7440-43-9	0.69	0.19 mg/l TCLP
		Chromium (Total)	7440-47-3	2.77	0.86 mg/l TCLP
		Cyanides (Total) <sup>7</sup>	57-12-5	1.2	590
		Cyanides (Amenable) <sup>7</sup>	57-12-5	0.86	NA
		Fluoride	16984-48-8	36	NA
		Lead	7439-92-1	0.69	0.37 mg/l TCLP
		Mercury	7439-97-6	0.15	0.025 mg/l TCLP
		Nickel	7440-02-0	3.98	5.0 mg/l TCLP
		Selenium	7782-49-2	0.82	0.16 mg/l TCLP
		Silver	7440-22-4	0.43	0.30 mg/l TCLP
		Sulfide	8496-25-8	14	NA

TREATMENT STANDARDS FOR HAZARDOUS WASTES

Waste Code	Waste Description and Treatment/Regulatory Subcategory <sup>1</sup>	REGULATED HAZARDOUS CONSTITUENT		WASTEWATERS Concentration in mg/l <sup>2</sup> or Technology Code <sup>3</sup>	NONWASTEWATERS Concentration in mg/kg <sup>4</sup> unless noted as "mg/l TCLP"; or Technology Code
		Common Name	CAS <sup>5</sup> Number		
K001	Bottom sediment sludge from the treatment of wastewaters from wood preserving processes that use creosote and/or pentachlorophenol.	Thallium	7440-28-0	1.4	NA
		Vanadium	7440-62-2	4.3	NA
		Naphthalene	81-20-3	0.059	5.6
		Pentachlorophenol	87-86-5	0.089	7.4
		Phenanthrene	85-01-8	0.059	5.6
		Pyrene	129-00-0	0.067	8.2
		Toluene	108-88-3	0.080	10
		Xylenes-mixed isomers (sum of o-, m-, and p-xylene concentrations)	1330-20-7	0.32	30
		Lead	7439-92-1	0.69	0.37 mg/l TCLP
		Chromium (Total)	7440-47-3	2.77	0.86 mg/l TCLP
K002	Wastewater treatment sludge from the production of chrome yellow and orange pigments.	Lead	7439-92-1	0.69	0.37 mg/l TCLP
		Chromium (Total)	7440-47-3	2.77	0.86 mg/l TCLP
K003	Wastewater treatment sludge from the production of molybdate orange pigments.	Lead	7439-92-1	0.69	0.37 mg/l TCLP
		Chromium (Total)	7440-47-3	2.77	0.86 mg/l TCLP
K004	Wastewater treatment sludge from the production of zinc yellow pigments.	Lead	7440-47-3	2.77	0.86 mg/l TCLP
		Chromium (Total)	7439-92-1	0.69	0.37 mg/l TCLP
K005	Wastewater treatment sludge from the production of chrome green pigments.	Lead	7439-92-1	0.69	0.37 mg/l TCLP
		Chromium (Total)	7440-47-3	2.77	0.86 mg/l TCLP
K006	Wastewater treatment sludge from the production of chrome oxide green pigments (anhydrous).	Lead	7439-92-1	0.69	0.37 mg/l TCLP
		Chromium (Total)	7440-47-3	2.77	0.86 mg/l TCLP
K007	Wastewater treatment sludge from the production of chrome oxide green pigments (hydrated).	Lead	7439-92-1	0.69	0.37 mg/l TCLP
		Chromium (Total)	7440-47-3	2.77	0.86 mg/l TCLP
K008	Oven residue from the production of chrome oxide green pigments.	Lead	7439-92-1	0.69	0.37 mg/l TCLP
		Cyanides (Total) <sup>7</sup>	67-12-5	1.2	590
K009	Distillation bottoms from the production of acetaldehyde from ethylene.	Lead	7439-92-1	0.69	0.37 mg/l TCLP
		Chloroform	67-66-3	0.046	6.0



TREATMENT STANDARDS FOR HAZARDOUS WASTES

Waste Code	Waste Description and Treatment/Regulatory Subcategory <sup>1</sup>	REGULATED HAZARDOUS CONSTITUENT		WASTEWATERS Concentration in mg/l <sup>2</sup> ; or Technology Code <sup>3</sup>	NONWASTEWATERS Concentration in mg/kg <sup>3</sup> unless noted as "mg/l TCLP" <sup>3</sup> ; or Technology Code
		Common Name	CAS <sup>2</sup> Number		
K010	Distillation side cuts from the production of acetaldehyde from ethylene.	Chloroform	67-66-3	0.046	6.0
		Acetonitrile	75-05-8	5.6	1.8
K011	Bottom stream from the wastewater stripper in the production of acrylonitrile.	Acrylonitrile	107-13-1	0.24	84
		Acrylamide	79-06-1	19	23
		Benzene	71-43-2	0.14	10
		Cyanide (Total)	57-12-5	1.2	590
		Acetonitrile	75-05-8	5.6	1.8
		Acrylonitrile	107-13-1	0.24	84
K013	Bottom stream from the acetonitrile column in the production of acrylonitrile.	Acrylamide	79-06-1	19	23
		Benzene	71-43-2	0.14	10
		Cyanide (Total)	57-12-5	1.2	590
		Acetonitrile	75-05-8	5.6	1.8
		Acrylonitrile	107-13-1	0.24	84
		Acrylamide	79-06-1	19	23
K014	Bottoms from the acetonitrile purification column in the production of acrylonitrile.	Benzene	71-43-2	0.14	10
		Cyanide (Total)	57-12-5	1.2	590
		Anthracene	120-12-7	0.059	3.4
		Benzal chloride	98-97-3	0.055	6.0
		Benzobifluoranthene (difficult to distinguish from benzokifluoranthene)	206-99-2	0.11	6.8
		Benzokifluoranthene (difficult to distinguish from benzobifluoranthene)	207-08-9	0.11	6.8
K015	Still bottoms from the distillation of benzyl chloride.	Phenanthrene	85-01-8	0.059	5.6
		Toluene	108-88-3	0.080	10
		Chromium (Total)	7440-47-3	2.77	0.86 mg/l TCLP
		Nickel	7440-02-0	3.98	5.0 mg/l TCLP
		Hexachlorobenzene	118-74-1	0.055	10
		Hexachlorobutadiene	87-88-3	0.055	5.6
K016	Heavy ends or distillation residues from the production of carbon tetrachloride.	Hexachlorocyclopentadiene	77-47-4	0.057	2.4

TREATMENT STANDARDS FOR HAZARDOUS WASTES

Waste Code	Waste Description and Treatment/Regulatory Subcategory <sup>1</sup>	REGULATED HAZARDOUS CONSTITUENT		WASTEWATERS Concentration in mg/l <sup>2</sup> or Technology Code <sup>4</sup>	NONWASTEWATERS Concentration in mg/kg <sup>3</sup> unless noted as "mg/l TCLP"; or Technology Code		
		Common Name	CAS <sup>5</sup> Number				
K017	Heavy ends (still bottoms) from the purification column in the production of epichlorohydrin.	Hexachloroethane	67-72-1	0.055	30		
		Tetrachloroethylene	127-18-4	0.056	6.0		
		bis(2-Chloroethyl)ether	111-44-4	0.033	6.0		
		1,2-Dichloropropane	78-87-6	0.85	18		
		1,1,2-Trichloropropane	98-18-4	0.85	30		
		Chloroethane	75-00-3	0.27	6.0		
		Chloromethane	74-87-3	0.19	NA		
		1,1-Dichloroethane	75-34-3	0.059	6.0		
		1,2-Dichloroethane	107-06-2	0.21	6.0		
		Hexachlorobenzene	118-74-1	0.055	10		
K018	Heavy ends from the fractionation column in ethyl chloride production.	Hexachlorobutadiene	87-68-3	0.055	5.6		
		Hexachloroethane	67-72-1	0.055	30		
		Pentachloroethane	78-01-7	NA	6.0		
		1,1,1-Trichloroethane	71-55-6	0.054	6.0		
		bis(2-Chloroethyl)ether	111-44-4	0.033	6.0		
		Chlorobenzene	108-90-7	0.057	6.0		
		Chloroform	67-66-3	0.046	6.0		
		p-Dichlorobenzene	106-46-7	0.090	NA		
		1,2-Dichloroethane	107-06-2	0.21	6.0		
		Fluorene	86-73-7	0.059	NA		
K019	Heavy ends from the distillation of ethylene dichloride in ethylene dichloride production.	Hexachloroethane	67-72-1	0.065	30		
		Naphthalene	91-20-3	0.059	5.6		
		Phenanthrene	85-01-8	0.059	5.6		
		1,2,4,5-Tetrachlorobenzene	96-94-3	0.065	NA		
		Tetrachloroethylene	127-18-4	0.056	6.0		
		1,2,4-Trichlorobenzene	120-82-1	0.055	19		
		1,1,1-Trichloroethane	71-55-6	0.054	6.0		
		1,2-Dichloroethane	107-06-2	0.21	6.0		
		K020	Heavy ends from the distillation of vinyl chloride in vinyl chloride monomer production.	Hexachloroethane	67-72-1	0.055	30
				Tetrachloroethylene	127-18-4	0.056	6.0
1,2,4-Trichlorobenzene	120-82-1			0.055	19		
1,1,1-Trichloroethane	71-55-6			0.054	6.0		
1,2-Dichloroethane	107-06-2			0.21	6.0		

TREATMENT STANDARDS FOR HAZARDOUS WASTES

Waste Code	Waste Description and Treatment/Regulatory Subcategory <sup>3</sup>	REGULATED HAZARDOUS CONSTITUENT		WASTEWATERS Concentration in mg/l <sup>4</sup> , or Technology Code <sup>4</sup>	NONWASTEWATERS Concentration in mg/kg <sup>4</sup> unless noted as "mg/l TCLP"; or Technology Code
		Common Name	CAS <sup>5</sup> Number		
K021	Aqueous spent antimony catalyst waste from fluoromethanes production.	1,1,2,2-Tetrachloroethane	79-34-6	0.057	6.0
		Tetrachloroethylene	127-18-4	0.056	6.0
K022	Distillation bottom tars from the production of pheno/acetone from cumene.	Carbon tetrachloride	56-23-5	0.057	6.0
		Chloroform	67-68-3	0.046	6.0
		Antimony	7440-36-0	1.9	2.1 mg/l TCLP
		Toluene	108-88-3	0.080	10
		Acetophenone	98-86-2	0.010	9.7
		Diphenylamine (difficult to distinguish from diphenylnitrosamine)	122-39-4	0.92	13
		Diphenylnitrosamine (difficult to distinguish from diphenylamine)	88-30-6	0.92	13
		Phenol	108-95-2	0.039	6.2
		Chromium (Total)	7440-47-3	2.77	0.86 mg/l TCLP
		Nickel	7440-02-0	3.98	5.0 mg/l TCLP
K023	Distillation light ends from the production of phthalic anhydride from naphthalene.	Phthalic anhydride (measured as Phthalic acid or Terephthalic acid)	100-21-0	0.055	28
		Phthalic anhydride (measured as Phthalic acid or Terephthalic acid)	85-44-9	0.055	28
K024	Distillation bottoms from the production of phthalic anhydride from naphthalene.	Phthalic anhydride (measured as Phthalic acid or Terephthalic acid)	100-21-0	0.055	28
		Phthalic anhydride (measured as Phthalic acid or Terephthalic acid)	85-44-9	0.055	28
K025	Distillation bottoms from the production of nitrobenzene by the nitration of benzene.	NA	NA	LLEXT to SSTRP to CARBN; or INCIN	INCIN
K026	Stripping still tails from the production of methyl ethyl pyridines.	NA	NA	INCIN	INCIN
K027	Centrifuge and distillation residues from toluene diisocyanate production.	NA	NA	CARBIN; or INCIN	CMBST
K028	Spent catalyst from the hydrochlorinator reactor in the production of 1,1,1-trichloroethane.	1,1-Dichloroethane	75-34-3	0.058	6.0
		trans-1,2-Dichloroethylene	156-60-5	0.054	30
		Hexachlorobutadiene	87-68-3	0.055	5.8
		Hexachloroethane	67-72-1	0.055	30
		Pentachloroethane	76-01-7	NA	6.0
	1,1,1,2-Tetrachloroethane	630-20-6	0.057	6.0	

TREATMENT STANDARDS FOR HAZARDOUS WASTES

Waste Code	Waste Description and Treatment/Regulatory Subcategory <sup>1</sup>	REGULATED HAZARDOUS CONSTITUENT		WASTEWATERS Concentration in mg/l <sup>2</sup> , or Technology Code <sup>4</sup>	NONWASTEWATERS Concentration in mg/kg <sup>4</sup> unless noted as "mg/l TCLP" <sup>3</sup> , or Technology Code
		Common Name	CAS <sup>3</sup> Number		
K029	Waste from the product steam stripper in the production of 1,1,1-trichloroethane.	1,1,2,2-Tetrachloroethane	79-34-6	0.057	6.0
		Tetrachloroethylene	127-18-4	0.056	6.0
		1,1,1-Trichloroethane	71-55-6	0.054	6.0
		1,1,2-Trichloroethane	79-00-5	0.054	6.0
		Cadmium	7440-43-9	0.69	NA
		Chromium (Total)	7440-47-3	2.77	0.86 mg/l TCLP
		Lead	7439-92-1	0.69	0.37 mg/l TCLP
		Nickel	7440-02-0	3.98	5.0 mg/l TCLP
		Chloroform	67-66-3	0.046	6.0
		1,2-Dichloroethane	107-06-2	0.21	6.0
		1,1-Dichloroethylene	75-35-4	0.025	6.0
		1,1,1-Trichloroethane	71-55-6	0.054	6.0
		Vinyl chloride	75-01-4	0.27	6.0
K030	Column bodies or heavy ends from the combined production of trichloroethylene and perchloroethylene.	c-Dichlorobenzene	95-50-1	0.088	NA
		p-Dichlorobenzene	106-46-7	0.090	NA
		Hexachlorobutadiene	87-68-3	0.055	5.6
		Hexachloroethane	67-72-1	0.055	30
		Hexachloropropylene	1888-71-7	NA	30
		Pentachlorobenzene	608-93-5	NA	10
		Pentachloroethane	76-01-7	NA	6.0
		1,2,4,5-Tetrachlorobenzene	96-94-3	0.055	14
		Tetrachloroethylene	127-18-4	0.056	6.0
		1,2,4-Trichlorobenzene	120-82-1	0.055	19
		Arsenic	7440-38-2	1.4	5.0 mg/l TCLP
		Hexachlorocyclopentadiene	77-47-4	0.057	2.4
		K031	By-product salts generated in the production of MSMA and cacodylic acid.	Chloridene (alpha and gamma isomers)	57-74-9
Naphtchlor	76-44-8			0.0012	0.066
Naphtchlor epoxide	1024-57-3			0.016	0.066
Wastewater treatment sludge from the production of chloridene.					

TREATMENT STANDARDS FOR HAZARDOUS WASTES

Waste Code	Waste Description and Treatment/Regulatory Subcategory <sup>1</sup>	REGULATED HAZARDOUS CONSTITUENT		WASTEWATERS Concentration in mg/l; or Technology Code <sup>2</sup>	NONWASTEWATERS Concentration in mg/kg <sup>3</sup> unless noted as "mg/l TCLP"; or Technology Code		
		Common Name	CAS <sup>4</sup> Number				
K033	Wastewater and scrub water from the chlorination of cyclopentadiene in the production of chloridane.	Hexachlorocyclopentadiene	77-47-4	0.057	2.4		
K034	Filter solids from the filtration of hexachlorocyclopentadiene in the production of chloridane.	Hexachlorocyclopentadiene	77-47-4	0.057	2.4		
K035	Wastewater treatment sludges generated in the production of cresote.	Acenaphthene	83-32-9	NA	3.4		
		Anthracene	120-12-7	NA	3.4		
		Benz(a)anthracene	56-55-3	0.059	3.4		
		Benzo(a)pyrene	50-32-8	0.061	3.4		
		Chrysene	218-01-9	0.059	3.4		
		o-Cresol	95-48-7	0.11	5.6		
		m-Cresol (difficult to distinguish from p-cresol)	108-39-4	0.77	5.6		
		p-Cresol (difficult to distinguish from m-cresol)	106-44-5	0.77	5.6		
		Dibenz(a,h)anthracene	53-70-3	NA	8.2		
		Fluoranthene	206-44-0	0.068	3.4		
		Fluorene	86-73-7	NA	3.4		
		Indeno(1,2,3-cd)pyrene	193-39-5	NA	3.4		
		Naphthalene	91-20-3	0.059	5.6		
		Phenanthrene	85-01-8	0.059	5.6		
K036	Still bottoms from toluene reclamation distillation in the production of disulfoton.	Phenol	108-95-2	0.039	6.2		
		Pyrene	129-00-0	0.067	8.2		
		Disulfoton	298-04-4	0.017	6.2		
		K037	Wastewater treatment sludges from the production of disulfoton.	Disulfoton	298-04-4	0.017	6.2
				Toluene	108-88-3	0.080	10
				Phorate	298-02-2	0.021	4.6
		K038	Wastewater from the washing and stripping of phorate production.	Phorate	NA	CARBN; or INCIN	CMBST
				NA	NA		
		K039	Filter cake from the filtration of diethylphosphorodithioic acid in the production of phorate.	Phorate	298-02-2	0.021	4.6
		K040	Wastewater treatment sludge from the production of phorate.	Phorate	298-02-2	0.021	4.6
K041	Wastewater treatment sludge from the production of toxaphene.	Toxaphene	8001-35-2	0.0095	2.6		

TREATMENT STANDARDS FOR HAZARDOUS WASTES

Waste Code	Waste Description and Treatment/Regulatory Subcategory <sup>1</sup>	REGULATED HAZARDOUS CONSTITUENT		WASTEWATERS Concentration in mg/l <sup>2</sup> ; or Technology Code <sup>3</sup>	NONWASTEWATERS Concentration in mg/kg <sup>4</sup> unless noted as "mg/l TCLP"; or Technology Code
		Common Name	CAS <sup>5</sup> Number		
K042	Heavy ends or distillation residues from the distillation of tetrachlorobenzene in the production of 2,4,5-T.	o-Dichlorobenzene	95-50-1	0.088	6.0
		p-Dichlorobenzene	106-46-7	0.090	6.0
		Pentachlorobenzene	608-93-5	0.055	10
		1,2,4,5-Tetrachlorobenzene	95-94-3	0.055	14
		1,2,4-Trichlorobenzene	120-82-1	0.055	19
		2,4-Dichlorophenol	120-83-2	0.044	14
		2,6-Dichlorophenol	187-65-0	0.044	14
		2,4,5-Trichlorophenol	95-95-4	0.18	7.4
		2,4,6-Trichlorophenol	88-06-2	0.035	7.4
		2,3,4,6-Tetrachlorophenol	58-90-2	0.030	7.4
K043	2,6-Dichlorophenol waste from the production of 2,4-D.	Pentachlorophenol	87-86-5	0.089	7.4
		Tetrachloroethylene	127-18-4	0.056	6.0
		HxCDDs (All Hexachlorodibenzo-p-dioxins)	NA	0.000063	0.001
		HxCDFs (All Hexachlorodibenzofurans)	NA	0.000063	0.001
		PeCDDs (All Pentachlorodibenzo-p-dioxins)	NA	0.000063	0.001
		PeCDFs (All Pentachlorodibenzofurans)	NA	0.000035	0.001
		TCDDs (All Tetrachlorodibenzo-p-dioxins)	NA	0.000063	0.001
		TCDFs (All Tetrachlorodibenzofurans)	NA	0.000063	0.001
		NA	NA	DEACT	DEACT
		NA	NA	DEACT	DEACT
K044	Wastewater treatment sludges from the manufacturing and processing of explosives.	Lead	7439-92-1	0.69	0.37 mg/l TCLP
		NA	NA	DEACT	DEACT
K045	Spent carbon from the treatment of wastewater containing explosives.	NA	NA	DEACT	DEACT
K046	Wastewater treatment sludges from the manufacturing, formulation and loading of lead-based initiating compounds.	Lead	7439-92-1	0.69	0.37 mg/l TCLP
		NA	NA	DEACT	DEACT
K047	Pink/red water from TNT operations	NA	NA	DEACT	DEACT
K048	Dissolved air flotation (DAF) float from the petroleum refining industry.	Benzene	71-43-2	0.14	10
		Benzofluorene	50-32-6	0.081	3.4
		bis(2-Ethylhexyl) phthalate	117-81-7	0.28	28
		Chrysene	218-01-9	0.059	3.4
		Di-n-butyl phthalate	84-74-2	0.057	28
		NA	NA	DEACT	DEACT

TREATMENT STANDARDS FOR HAZARDOUS WASTES

Waste Code	Waste Description and Treatment/Regulatory Subcategory <sup>1</sup>	REGULATED HAZARDOUS CONSTITUENT		WASTEWATERS Concentration in mg/l <sup>2</sup> or Technology Code <sup>3</sup>	NONWASTEWATERS Concentration in mg/kg <sup>4</sup> unless noted as "mg/l TCLP" <sup>5</sup> or Technology Code
		Common Name	CAS <sup>6</sup> Number		
K049	Slip oil emulsion solids from the petroleum refining industry.	Ethylbenzene	100-41-4	0.067	10
		Fluorene	86-73-7	0.069	NA
		Naphthalene	91-20-3	0.059	5.6
		Phenanthrene	85-01-8	0.069	5.6
		Phenol	108-95-2	0.039	6.2
		Pyrene	129-00-0	0.067	8.2
		Toluene	108-88-33	0.080	10
		Xylenes-mixed isomers (sum of o-, m-, and p-xylene concentrations)	1330-20-7	0.32	30
		Chromium (Total)	7440-47-3	2.77	0.86 mg/l TCLP
		Cyanides (Total) <sup>7</sup>	57-12-5	1.2	590
		Lead	7439-92-1	0.69	NA
		Nickel	7440-02-0	NA	5.0 mg/l TCLP
		Anthracene	120-12-7	0.059	3.4
		Benzene	71-43-2	0.14	10
		Benzofluoranthene	50-32-8	0.061	3.4
		bis(2-Ethylhexyl) phthalate	117-81-7	0.28	28
		Carbon disulfide	75-15-0	3.8	NA
		Chrysene	2218-01-9	0.059	3.4
		2,4-Dimethylphenol	105-67-9	0.036	NA
		Ethylbenzene	100-41-4	0.067	10
		Naphthalene	91-20-3	0.059	5.6
		Phenanthrene	85-01-8	0.059	5.6
		Phenol	108-95-2	0.039	6.2
Pyrene	129-00-0	0.067	8.2		
Toluene	108-88-3	0.080	10		
Xylenes-mixed isomers (sum of o-, m-, and p-xylene concentrations)	1330-20-7	0.32	30		
Cyanides (Total) <sup>7</sup>	57-12-5	1.2	590		

TREATMENT STANDARDS FOR HAZARDOUS WASTES

Waste Code	Waste Description and Treatment/Regulatory Subcategory <sup>1</sup>	REGULATED HAZARDOUS CONSTITUENT		WASTEWATERS Concentration in mg/l <sup>2</sup> , or Technology Code <sup>4</sup>	NONWASTEWATERS Concentration in mg/kg <sup>4</sup> unless noted as "mg/l TCLP"; or Technology Code
		Common Name	CAS <sup>3</sup> Number		
K050	Heat exchanger bundle cleaning sludge from the petroleum refining industry.	Chromium (Total)	7440-47-3	2.77	0.86 mg/l TCLP
		Lead	7439-92-1	0.89	NA
		Nickel	7440-02-0	NA	5.0 mg/l TCLP
		Benzo(a)pyrene	50-32-8	0.081	3.4
		Phenol	108-95-2	0.039	6.2
		Cyanides (Total) <sup>7</sup>	57-12-8	1.2	590
		Chromium (Total)	7440-47-3	2.77	0.86 mg/l TCLP
		Lead	7439-92-1	0.89	NA
		Nickel	7440-02-0	NA	5.0 mg/l TCLP
		Acenaphthene	83-32-9	0.059	NA
		Anthracene	120-12-7	0.059	3.4
		Benz(a)anthracene	56-85-3	0.059	3.4
		K051	API separator sludge from the petroleum refining industry.	Benzene	71-43-2
Benzo(a)pyrene	50-32-8			0.081	3.4
bis(2-Ethylhexyl) phthalate	117-81-7			0.28	28
Chrysene	2218-01-9			0.069	3.4
Di-n-butyl phthalate	105-67-9			0.057	28
Ethylbenzene	100-41-4			0.057	10
Fluorene	86-73-7			0.069	NA
Naphthalene	81-20-3			0.059	5.6
Phenanthrene	85-01-8			0.059	5.6
Phenol	108-95-2			0.039	6.2
Pyrene	129-00-0			0.067	8.2
Toluene	108-88-3			0.08	10
Xylenes-mixed isomers (sum of o-, m-, and p-xylene concentrations)	1330-20-7			0.32	30
Cyanides (Total) <sup>7</sup>	57-12-8	1.2	590		
Chromium (Total)	7440-47-3	2.77	0.86 mg/l TCLP		
Lead	7439-92-1	0.89	NA		



TREATMENT STANDARDS FOR HAZARDOUS WASTES

Waste Code	Waste Description and Treatment/Regulatory Subcategory <sup>1</sup>	REGULATED HAZARDOUS CONSTITUENT		WASTEWATERS Concentration in mg/l <sup>2</sup> , or Technology Code <sup>4</sup>	NONWASTEWATERS Concentration in mg/kg <sup>3</sup> unless noted as "mg/l TCLP"; or Technology Code
		Common Name	CAS <sup>5</sup> Number		
K052	Tank bottoms (leaded) from the petroleum refining industry.	Nickel	7440-02-0	NA	5.0 mg/l TCLP
		Benzene	71-43-2	0.14	10
		Benzofluoranthene	50-32-8	0.061	3.4
		o-Cresol	95-48-7	0.11	5.6
		m-Cresol (difficult to distinguish from p-cresol)	108-39-4	0.77	5.6
		p-Cresol (difficult to distinguish from m-cresol)	106-44-5	0.77	5.6
		2,4-Dimethylphenol	105-87-9	0.036	NA
		Ethylbenzene	100-41-4	0.057	10
		Naphthalene	91-20-3	0.059	5.6
		Phenanthrene	85-01-8	0.059	5.6
		Phenol	108-96-2	0.039	6.2
		Toluene	106-98-3	0.08	10
		Xylenes-mixed isomers (sum of o-, m-, and p-xylene concentrations)	1330-20-7	0.32	30
		Chromium (Total)	7440-47-3	2.77	0.86 mg/l TCLP
		Cyanides (Total) <sup>7</sup>	57-12-5	1.2	590
		Lead	7439-92-1	0.69	NA
		Nickel	7440-02-0	NA	5.0 mg/l TCLP
		Benzene	71-43-2	0.14	10
		Benzofluoranthene	50-32-8	0.061	3.4
		Naphthalene	91-20-3	0.059	5.6
Phenol	108-96-2	0.039	6.2		
Cyanides (Total) <sup>7</sup>	57-12-5	1.2	590		
K060	Ammonia still lime sludge from coking operations.	Antimony	7440-36-0	NA	2.1 mg/l TCLP
		Arsenic	7440-38-2	NA	6.0 mg/l TCLP
		Barium	7440-39-3	NA	7.6 mg/l TCLP
		Beryllium	7440-41-7	NA	0.014 mg/l TCLP
		Cadmium	7440-43-9	0.69	0.19 mg/l TCLP
		Benzene	71-43-2	0.14	10
		Benzofluoranthene	50-32-8	0.061	3.4
		Naphthalene	91-20-3	0.059	5.6
		Phenol	108-96-2	0.039	6.2
		Cyanides (Total) <sup>7</sup>	57-12-5	1.2	590
K061	Emission control dust/sludge from the primary production of steel in electric furnaces.	Antimony	7440-36-0	NA	2.1 mg/l TCLP
		Arsenic	7440-38-2	NA	6.0 mg/l TCLP
		Barium	7440-39-3	NA	7.6 mg/l TCLP
		Beryllium	7440-41-7	NA	0.014 mg/l TCLP
		Cadmium	7440-43-9	0.69	0.19 mg/l TCLP
		Benzene	71-43-2	0.14	10

TREATMENT STANDARDS FOR HAZARDOUS WASTES

Waste Code	Waste Description and Treatment/Regulatory Subcategory <sup>1</sup>	REGULATED HAZARDOUS CONSTITUENT		WASTEWATERS Concentration in mg/l <sup>2</sup> ; or Technology Code <sup>3</sup>	NONWASTEWATERS Concentration in mg/kg <sup>4</sup> ; unless noted as "mg/l TCLP" <sup>5</sup> ; or Technology Code
		Common Name	CAS <sup>6</sup> Number		
K062	Spent pickle liquor generated by steel finishing operations of facilities within the iron and steel industry (SIC Codes 331 and 332).	Chromium (Total)	7440-47-3	2.77	0.86 mg/l TCLP
		Lead	7439-92-1	0.69	0.37 mg/l TCLP
		Mercury	7439-97-6	NA	0.025 mg/l TCLP
		Nickel	7440-02-0	3.98	5.0 mg/l TCLP
		Selenium	7782-49-2	NA	0.16 mg/l TCLP
		Silver	7440-22-4	NA	0.30 mg/l TCLP
		Thallium	NA	NA	0.078 mg/l TCLP
		Zinc	7440-66-6	NA	5.3 mg/l TCLP
		Chromium (Total)	7440-47-3	2.77	0.86 mg/l TCLP
		Lead	7439-92-1	0.69	0.37 mg/l TCLP
K069	Emission control dust/sludge from secondary lead smelting. - Calcium Sulfate (Low Lead) Subcategory	Nickel	7440-02-0	3.98	NA
		Cadmium	7440-43-9	0.69	0.19 mg/l TCLP
		Lead	7439-92-1	0.69	0.37 mg/l TCLP
		NA	NA	NA	READ
		Mercury	7439-97-6	NA	0.20 mg/l TCLP
K071	K071 (Brine purification muds from the mercury cell process in chlorine production, where separately prepurified brine is not used) nonwastewaters that are residues from RMERC.  K071 (Brine purification muds from the mercury cell process in chlorine production, where separately prepurified brine is not used.) nonwastewaters that are not residues from RMERC.  All K071 wastewaters.	Mercury	7439-97-6	NA	0.025 mg/l TCLP
		Mercury	7439-97-6	NA	0.025 mg/l TCLP
		Mercury	7439-97-6	0.15	NA
		Carbon tetrachloride	56-23-5	0.057	8.0
		Chloroform	67-66-3	0.046	8.0
		Hexachloroethane	67-72-1	0.055	30
		Tetrachloroethane	127-18-4	0.056	6.0
		1,1,1-Trichloroethane	71-55-6	0.054	6.0
		Aniline	62-53-3	0.81	14
		Benzene	71-43-2	0.14	10
K083	Distillation bottoms from aniline production.	Cyclohexanone	108-94-1	0.36	NA

TREATMENT STANDARDS FOR HAZARDOUS WASTES

Waste Code	Waste Description and Treatment/Regulatory Subcategory <sup>1</sup>	REGULATED HAZARDOUS CONSTITUENT		WASTEWATERS Concentration in mg/l <sup>2</sup> or Technology Code <sup>3</sup>	NONWASTEWATERS Concentration in mg/kg <sup>4</sup> unless noted as "mg/l TCLP" <sup>5</sup> or Technology Code
		Common Name	CAS <sup>6</sup> Number		
K084		Diphenylamine (difficult to distinguish from diphenylnitrosamine)	122-39-4	0.92	13
		Diphenylnitrosamine (difficult to distinguish from diphenylamine)	86-30-6	0.92	13
		Nitrobenzene	98-96-3	0.068	14
		Phenol	108-95-2	0.039	6.2
		Nickel	7440-02-0	3.98	5.0 mg/l TCLP
		Arsenic	7440-38-2	1.4	5.0 mg/l TCLP
		Benzene	71-43-2	0.14	10
		Chlorobenzene	108-90-7	0.057	6.0
		m-Dichlorobenzene	641-73-1	0.036	6.0
		o-Dichlorobenzene	95-50-1	0.088	6.0
K085	Wastewater treatment sludges generated during the production of veterinary pharmaceuticals from arsenic or organo-arsenic compounds.  Distillation or fractionation column bottoms from the production of chlorobenzenes.	p-Dichlorobenzene	106-46-7	0.090	6.0
		Hexachlorobenzene	118-74-1	0.055	10
		Total PCBs (sum of all PCB isomers, or all Aroclors)	1336-36-3	0.10	10
		Pentachlorobenzene	608-93-5	0.065	10
		1,2,4,5-Tetrachlorobenzene	95-94-3	0.065	14
		1,2,4-Trichlorobenzene	120-82-1	0.065	19
		Acetone	67-64-1	0.28	180
		Acetophenone	98-96-2	0.010	9.7
		bis(2-Ethylhexyl) phthalate	117-81-7	0.28	28
		n-Butyl alcohol	71-36-3	5.6	2.6
K086	Solvent wastes and sludges, caustic washes and sludges, or water washes and sludges from cleaning tubs and equipment used in the formulation of ink from pigments, driers, soaps, and stabilizers containing chromium and lead.	Butylbenzyl phthalate	85-68-7	0.017	28
		Cyclohexanone	108-94-1	0.36	NA
		o-Dichlorobenzene	95-50-1	0.088	6.0
		Diethyl phthalate	84-66-2	0.20	28
		Dimethyl phthalate	131-11-3	0.047	28
		Di-n-butyl phthalate	84-74-2	0.057	28

TREATMENT STANDARDS FOR HAZARDOUS WASTES

Waste Code	Waste Description and Treatment/Regulatory Subcategory <sup>1</sup>	REGULATED HAZARDOUS CONSTITUENT		WASTEWATERS Concentration in mg/l <sup>2</sup> , or Technology Code <sup>3</sup>	NONWASTEWATERS Concentration in mg/kg <sup>4</sup> , unless noted as "mg/l TCLP"; or Technology Code
		Common Name	CAS <sup>5</sup> Number		
K087	Decanter tank tar sludge from coking operations.	Di-n-octyl phthalate	117-84-0	0.017	28
		Ethyl acetate	141-78-6	0.34	33
		Ethylbenzene	100-41-4	0.057	10
		Methanol	67-56-1	5.6	NA
		Methyl ethyl ketone	78-93-3	0.28	36
		Methyl isobutyl ketone	108-10-1	0.14	33
		Methylene chloride	75-09-2	0.089	30
		Naphthalene	91-20-3	0.059	5.6
		Nitrobenzene	98-95-3	0.088	14
		Toluene	108-88-3	0.080	10
		1,1,1-Trichloroethane	71-55-6	0.054	6.0
		Trichloroethylene	79-01-6	0.054	6.0
		Xylenes-mixed isomers (sum of o-, m-, and p-xylene concentrations)	1330-20-7	0.32	30
		Chromium (Total)	7440-47-3	2.77	0.86 mg/l TCLP
		Cyanides (Total) <sup>7</sup>	57-12-5	1.2	590
		Lead	7439-92-1	0.69	0.37 mg/l TCLP
		Acenaphthylene	208-96-8	0.059	3.4
		Benzene	71-43-2	0.14	10
		Chrysene	218-01-9	0.089	3.4
		Fluoranthene	208-44-0	0.088	3.4
Indeno(1,2,3-cd)pyrene	193-39-5	0.0055	3.4		
Naphthalene	91-20-3	0.059	5.6		
Phenanthrene	85-01-8	0.059	5.6		
Toluene	108-88-3	0.080	10		
Xylenes-mixed isomers (sum of o-, m-, and p-xylene concentrations)	1330-20-7	0.32	30		
Lead	7439-92-1	0.69	0.37 mg/l TCLP		
K093	Distillation light ends from the production of phthalic anhydride from ortho-xylene.	Phthalic anhydride (measured as Phthalic acid or Terephthalic acid)	100-21-0	0.055	28

TREATMENT STANDARDS FOR HAZARDOUS WASTES

Waste Code	Waste Description and Treatment/Regulatory Subcategory <sup>1</sup>	REGULATED HAZARDOUS CONSTITUENT		WASTEWATERS Concentration in mg/l; or Technology Code <sup>2</sup>	NONWASTEWATERS Concentration in mg/kg <sup>3</sup> unless noted as "mg/l TCLP"; or Technology Code		
		Common Name	CAS <sup>4</sup> Number				
K094	Distillation bottoms from the production of phthalic anhydride from ortho-xylene.	Phthalic anhydride (measured as Phthalic acid or Terephthalic acid)	85-44-9	0.055	28		
		Phthalic anhydride (measured as Phthalic acid or Terephthalic acid)	100-21-0	0.055	28		
		Phthalic anhydride (measured as Phthalic acid or Terephthalic acid)	85-44-9	0.055	28		
		Hexachloroethane	67-72-1	0.055	30		
		Pentachloroethane	76-01-7	0.065	6.0		
		1,1,1,2-Tetrachloroethane	630-20-6	0.057	6.0		
		1,1,2,2-Tetrachloroethane	79-34-6	0.057	6.0		
		Tetrachloroethylene	127-18-4	0.056	6.0		
		1,1,2-Trichloroethane	79-00-5	0.054	6.0		
		Trichloroethylene	79-01-6	0.054	6.0		
K095	Distillation bottoms from the production of 1,1,1-trichloroethane.	m-Dichlorobenzene	641-73-1	0.036	6.0		
		Pentachloroethane	76-01-7	0.065	6.0		
		1,1,1,2-Tetrachloroethane	630-20-6	0.057	6.0		
		1,1,2,2-Tetrachloroethane	79-34-6	0.057	6.0		
		Tetrachloroethylene	127-18-4	0.056	6.0		
		1,2,4-Trichlorobenzene	120-82-1	0.055	19		
		1,1,2-Trichloroethane	79-00-5	0.054	6.0		
		Trichloroethylene	79-01-6	0.054	6.0		
		Chlordane (alpha and gamma isomers)	57-74-9	0.0033	0.26		
		Heptachlor	76-44-8	0.0012	0.066		
K096	Heavy ends from the heavy ends column from the production of 1,1,1-trichloroethane.	Heptachlor epoxide	1024-57-3	0.016	0.066		
		Hexachlorocyclopentadiene	77-47-4	0.057	2.4		
		Toxaphene	8001-35-2	0.0095	2.6		
		2,4-Dichlorophenoxyacetic acid	94-75-7	0.72	10		
		HxCDDs (All Hexachlorodibenzo-p-dioxins)	NA	0.000063	0.001		
		HxCDFs (All Hexachlorodibenzofurans)	NA	0.000063	0.001		
		PeCDDs (All Pentachlorodibenzo-p-dioxins)	NA	0.000063	0.001		
		Vacuum stripper discharge from the chlordane chlorinator in the production of chlordane.					
		K097	Vacuum stripper discharge from the chlordane chlorinator in the production of chlordane.				
K098	Untreated process wastewater from the production of toxaphene.						
K099	Untreated wastewater from the production of 2,4-D.						

TREATMENT STANDARDS FOR HAZARDOUS WASTES

Waste Code	Waste Description and Treatment/Regulatory Subcategory <sup>1</sup>	REGULATED HAZARDOUS CONSTITUENT		WASTEWATERS Concentration in mg/l <sup>2</sup> or Technology Code <sup>3</sup>	NONWASTEWATERS Concentration in mg/kg <sup>3</sup> unless noted as "mg/l TCLP" or Technology Code
		Common Name	CAS <sup>4</sup> Number		
K100	Waste leaching solution from acid leaching of emission control dust/sluudge from secondary lead smelting.	PcCDFs (All Pentachlorodibenzofurans)	NA	0.000035	0.001
		TCDDs (All Tetrachlorodibenzo-p-dioxins)	NA	0.000063	0.001
		TCDFs (All Tetrachlorodibenzofurans)	NA	0.000063	0.001
K101	Distillation tar residues from the distillation of aniline-based compounds in the production of veterinary pharmaceuticals from arsenic or organo-arsenic compounds.	Cadmium	7440-43-9	0.69	0.19 mg/l TCLP
		Chromium (Total)	7440-47-3	2.77	0.86 mg/l TCLP
		Lead	7439-92-1	0.69	0.37 mg/l TCLP
		o-Nitroaniline	85-74-4	0.27	14
		Arsenic	7440-38-2	1.4	5.0 mg/l TCLP
		Cadmium	7440-43-9	0.69	NA
		Lead	7439-92-1	0.69	NA
		Mercury	7439-97-6	0.15	NA
		o-Nitrophenol	85-75-5	0.028	13
		Arsenic	7440-38-2	1.4	5.0 mg/l TCLP
K102	Residue from the use of activated carbon for decolorization in the production of veterinary pharmaceuticals from arsenic or organo-arsenic compounds.	Cadmium	7440-43-9	0.69	NA
		Lead	7439-92-1	0.69	NA
		Mercury	7439-97-6	0.15	NA
		Aniline	62-53-3	0.81	14
		Benzene	71-43-2	0.14	10
		2,4-Dinitrophenol	51-28-5	0.12	160
		Nitrobenzene	98-95-3	0.068	14
		Phenol	108-95-2	0.039	6.2
		Aniline	62-53-3	0.81	14
		Benzene	71-43-2	0.14	10
K103	Process residues from aniline extraction from the production of aniline.	2,4-Dinitrophenol	51-28-5	0.12	160
		Nitrobenzene	98-95-3	0.068	14
		Phenol	108-95-2	0.039	6.2
		Aniline	62-53-3	0.81	14
K104	Combined wastewater streams generated from nitrobenzene/ aniline production.	Benzene	71-43-2	0.14	10
		2,4-Dinitrophenol	51-28-5	0.12	160
		Nitrobenzene	98-95-3	0.068	14
		Phenol	108-95-2	0.039	6.2
K105	Separated aqueous stream from the reactor product washing step in the production of chlorobenzenes.	Cyanides (Total) <sup>5</sup>	57-12-5	1.2	590
		Benzene	71-43-2	0.14	10

TREATMENT STANDARDS FOR HAZARDOUS WASTES

Waste Code	Waste Description and Treatment/Regulatory Subcategory <sup>1</sup>	REGULATED HAZARDOUS CONSTITUENT		WASTEWATERS Concentration in mg/l <sup>2</sup> ; or Technology Code <sup>3</sup>	NONWASTEWATERS Concentration in mg/kg <sup>4</sup> unless noted as "mg/l TCLP"; or Technology Code
		Common Name	CAS <sup>5</sup> Number		
		Chlorobenzene	108-90-7	0.057	6.0
		2-Chlorophenol	95-57-8	0.044	5.7
		o-Dichlorobenzene	95-50-1	0.088	6.0
		p-Dichlorobenzene	106-46-7	0.090	6.0
		Phenol	108-95-2	0.039	6.2
		2,4,5-Trichlorophenol	95-95-4	0.18	7.4
		2,4,6-Trichlorophenol	88-06-2	0.035	7.4
		Mercury	7439-97-6	NA	RMERC
K106	K106 (wastewater treatment sludge from the mercury cell process in chlorine production) nonwastewaters that contain greater than or equal to 260 mg/kg total mercury.	Mercury	7439-97-6	NA	0.20 mg/l TCLP
	K106 (wastewater treatment sludge from the mercury cell process in chlorine production) nonwastewaters that contain less than 260 mg/kg total mercury that are residues from RMERC.	Mercury	7439-97-6	NA	0.025 mg/l TCLP
	Other K106 nonwastewaters that contain less than 260 mg/kg total mercury and are not residues from RMERC.	Mercury	7439-97-6	0.15	NA
	All K106 wastewaters.	NA	NA	INCIN; or CHOXD fb CARBN; or BIODG fb CARBN	INCIN
K107	Column bottoms from product separation from the production of 1,1-dimethylhydrazine (UDMH) from carboxylic acid hydrazides.	NA	NA	INCIN; or CHOXD fb CARBN; or BIODG fb CARBN	INCIN
K108	Condensed column overheads from product separation and condensed reactor vent gases from the production of 1,1-dimethylhydrazine (UDMH) from carboxylic acid hydrazides.	NA	NA	INCIN; or CHOXD fb CARBN; or BIODG fb CARBN	INCIN
K109	Spent filter cartridges from product purification from the production of 1,1-dimethylhydrazine (UDMH) from carboxylic acid hydrazides.	NA	NA	INCIN; or CHOXD fb CARBN; or BIODG fb CARBN	INCIN
K110	Condensed column overheads from intermediate separation from the production of 1,1-dimethylhydrazine (UDMH) from carboxylic acid hydrazides.	NA	NA	INCIN; or CHOXD fb CARBN; or BIODG fb CARBN	INCIN
K111	Product washwaters from the production of dinitrotoluene via nitration of toluene	2,4-Dinitrotoluene	121-1-2	0.32	140
K112	Reaction by-product water from the drying column in the production of toluenediamine via hydrogenation of dinitrotoluene.	2,6-Dinitrotoluene	606-20-2	0.55	28
K113	Condensed liquid light ends from the purification of toluenediamine in the production of toluenediamine via hydrogenation of dinitrotoluene.	NA	NA	INCIN; or CHOXD fb CARBN; or BIODG fb CARBN	INCIN
K114	Vicinals from the purification of toluenediamine in the production of toluenediamine via hydrogenation of dinitrotoluene.	NA	NA	CARBIN; OR INCIN	CMBST
K115	Heavy ends from the purification of toluenediamine in the production of toluenediamine via hydrogenation of dinitrotoluene.	NA	NA	CARBIN; or INCIN	CMBST
		Nickel	7440-05-0	3.98	5.0 mg/l TCLP

TREATMENT STANDARDS FOR HAZARDOUS WASTES

Waste Code	Waste Description and Treatment/Regulatory Subcategory <sup>1</sup>	REGULATED HAZARDOUS CONSTITUENT		WASTEWATERS Concentration in mg/l <sup>2</sup> or Technology Code <sup>4</sup>	NONWASTEWATERS Concentration in mg/kg <sup>3</sup> unless noted as "mg/l TCLP"; or Technology Code
		Common Name	CAS <sup>5</sup> Number		
		NA	NA	CARBIN; or INCIN	CMBST
K116	Organic condensate from the solvent recovery column in the production of toluene diisocyanate via phosgenation of toluenediamine.	NA	NA	CARBIN; or INCIN	CMBST
K117	Wastewater from the reactor vent gas scrubber in the production of ethylene dibromide via bromination of ethene.	Methyl bromide (Bromomethane)	74-83-9	0.11	15
		Chloroform	67-66-3	0.046	6.0
		Ethylene dibromide (1,2-Dibromoethane)	106-93-4	0.028	15
K118	Spent absorbent solids from purification of ethylene dibromide in the production of ethylene dibromide via bromination of ethene.	Methyl bromide (Bromomethane)	74-83-9	0.11	15
		Chloroform	67-66-3	0.046	6.0
		Ethylene dibromide (1,2-Dibromoethane)	106-93-4	0.028	15
K123	Process wastewater (including supernates, filtrates, and washwaters) from the production of ethylenedisulfocarbamic acid and its salts.	NA	NA	INCIN; or CHOXD fb (BIODG or CARBN)	INCIN
K124	Reactor vent scrubber water from the production of ethylenedisulfocarbamic acid and its salts.	NA	NA	INCIN; or CHOXD fb (BIODG or CARBN)	INCIN
K125	Filtration, evaporation, and centrifugation solids from the production of ethylenedisulfocarbamic acid and its salts.	NA	NA	INCIN; or CHOXD fb (BIODG or CARBN)	INCIN
K126	Baghouse dust and floor sweepings in milling and packaging operations from the production or formulation of ethylenedisulfocarbamic acid and its salts.	NA	NA	INCIN; or CHOXD fb (BIODG or CARBN)	INCIN
K131	Wastewater from the reactor and spent sulfuric acid from the acid dryer from the production of methyl bromide.	Methyl bromide (Bromomethane)	74-83-9	0.11	15
K132	Spent absorbent and wastewater separator solids from the production of methyl bromide.	Methyl bromide (Bromomethane)	74-83-9	0.11	15
K136	Still bottoms from the purification of ethylene dibromide in the production of ethylene dibromide via bromination of ethene.	Methyl bromide (Bromomethane)	74-83-9	0.11	15
		Chloroform	67-66-3	0.046	6.0
		Ethylene dibromide (1,2-Dibromoethane)	106-93-4	0.028	15
K141	Process residues from the recovery of coal tar, including, but not limited to, collecting sump residues from the production of coke or the recovery of coke by-products produced from coal. This listing does not include K087 (decanter tank tar sludge from coking operations).	Benzene	71-43-2	0.14	10
		Benz(a)anthracene	56-56-3	0.059	3.4
		Benz(a)pyrene	50-2-8	0.061	3.4
		Benzol(b)fluoranthene (difficult to distinguish from benzol(k)fluoranthene)	206-99-2	0.11	6.8
		Benzol(i)fluoranthene (difficult to distinguish from benzol(b)fluoranthene)	207-08-9	0.11	6.8
		Chrysene	218-01-9	0.059	3.4
		Dibenz(a,h)anthracene	53-70-3	0.055	8.2



TREATMENT STANDARDS FOR HAZARDOUS WASTES

Waste Code	Waste Description and Treatment/Regulatory Subcategory <sup>1</sup>	REGULATED HAZARDOUS CONSTITUENT		WASTEWATERS Concentration in mg/l; or Technology Code <sup>4</sup>	NONWASTEWATERS Concentration in mg/kg <sup>4</sup> unless noted as "mg/l TCLP"; or Technology Code
		Common Name	CAS <sup>2</sup> Number		
K142	Tar storage tank residues from the production of coke from coal or from the recovery of coke by-products produced from coal.	Indeno(1,2,3-cd)pyrene	193-39-5	0.0055	3.4
		Benzene	71-43-2	0.14	10
		Benz(a)anthracene	56-55-3	0.059	3.4
		Benzofluoranthene	50-32-8	0.061	3.4
		Benzofluoranthene (difficult to distinguish from benzo(k)fluoranthene)	205-99-2	0.11	6.8
		Benzofluoranthene (difficult to distinguish from benzo(b)fluoranthene)	207-08-9	0.11	6.8
		Chrysene	218-01-9	0.059	3.4
		Dibenz(f,h)anthracene	83-70-3	0.055	8.2
		Indeno(1,2,3-cd)pyrene	193-39-5	0.0055	3.4
		Benzene	71-43-2	0.14	10
		Benz(a)anthracene	56-55-3	0.059	3.4
		Benzofluoranthene	50-32-8	0.061	3.4
		Benzofluoranthene (difficult to distinguish from benzo(b)fluoranthene)	205-99-2	0.11	6.8
Benzofluoranthene (difficult to distinguish from benzo(k)fluoranthene)	207-08-9	0.11	6.8		
Chrysene	218-01-9	0.059	3.4		
K143	Process residues from the recovery of light oil, including, but not limited to, those generated in stills, decanters, and wash oil recovery units from the recovery of coke by-products produced from coal.	Benzene	71-43-2	0.14	10
		Benz(a)anthracene	56-55-3	0.059	3.4
		Benzofluoranthene	50-32-8	0.061	3.4
		Benzofluoranthene (difficult to distinguish from benzo(b)fluoranthene)	205-99-2	0.11	6.8
		Benzofluoranthene (difficult to distinguish from benzo(k)fluoranthene)	207-08-9	0.11	6.8
		Chrysene	218-01-9	0.059	3.4
		Benzene	71-43-2	0.14	10
		Benz(a)anthracene	56-55-3	0.059	3.4
		Benzofluoranthene	50-32-8	0.061	3.4
		Benzofluoranthene (difficult to distinguish from benzo(k)fluoranthene)	205-99-2	0.11	6.8
		Benzofluoranthene (difficult to distinguish from benzo(b)fluoranthene)	207-08-9	0.11	6.8
		Chrysene	218-01-9	0.059	3.4
		Dibenz(f,h)anthracene	83-70-3	0.055	8.2
Benzene	71-43-2	0.14	10		
Benz(a)anthracene	56-55-3	0.059	3.4		
K144	Wastewater sump residues from light oil refining, including, but not limited to, intercepting or contamination sump sludges from the recovery of coke by-products produced from coal.	Benzene	71-43-2	0.14	10
		Benz(a)anthracene	56-55-3	0.059	3.4
		Benzofluoranthene	50-32-8	0.061	3.4
		Benzofluoranthene (difficult to distinguish from benzo(k)fluoranthene)	205-99-2	0.11	6.8
		Benzofluoranthene (difficult to distinguish from benzo(b)fluoranthene)	207-08-9	0.11	6.8
		Chrysene	218-01-9	0.059	3.4
		Dibenz(f,h)anthracene	83-70-3	0.055	8.2
		Benzene	71-43-2	0.14	10
		Benz(a)anthracene	56-55-3	0.059	3.4
		Benzofluoranthene	50-32-8	0.061	3.4
		Benzofluoranthene (difficult to distinguish from benzo(k)fluoranthene)	205-99-2	0.11	6.8
		Benzofluoranthene (difficult to distinguish from benzo(b)fluoranthene)	207-08-9	0.11	6.8
		Chrysene	218-01-9	0.059	3.4
K145	Residues from naphthalene collection and recovery operations from the recovery of coke by-products produced from coal.	Benzene	71-43-2	0.14	10
		Benz(a)anthracene	56-55-3	0.059	3.4
		Benzofluoranthene	50-32-8	0.061	3.4
		Benzofluoranthene (difficult to distinguish from benzo(k)fluoranthene)	205-99-2	0.11	6.8
		Benzofluoranthene (difficult to distinguish from benzo(b)fluoranthene)	207-08-9	0.11	6.8
		Chrysene	218-01-9	0.059	3.4
		Dibenz(f,h)anthracene	83-70-3	0.055	8.2
		Benzene	71-43-2	0.14	10
		Benz(a)anthracene	56-55-3	0.059	3.4
		Benzofluoranthene	50-32-8	0.061	3.4
		Benzofluoranthene (difficult to distinguish from benzo(k)fluoranthene)	205-99-2	0.11	6.8
		Benzofluoranthene (difficult to distinguish from benzo(b)fluoranthene)	207-08-9	0.11	6.8
		Chrysene	218-01-9	0.059	3.4

TREATMENT STANDARDS FOR HAZARDOUS WASTES

Waste Code	Waste Description and Treatment/Regulatory Subcategory <sup>1</sup>	REGULATED HAZARDOUS CONSTITUENT		WASTEWATERS Concentration in mg/l <sup>2</sup> ; or Technology Code <sup>4</sup>	NONWASTEWATERS Concentration in mg/kg <sup>4</sup> unless noted as "mg/l TCLP"; or Technology Code
		Common Name	CAS <sup>3</sup> Number		
K147	Tar storage tank residues from coal tar refining.	Chrysene	218-01-9	0.059	3.4
		Dibenz(a,h)anthracene	53-70-3	0.055	8.2
		Naphthalene	91-20-3	0.059	5.6
		Benzenes	71-43-2	0.14	10
		Benz(a)anthracene	56-56-3	0.059	3.4
		Benzo(a)pyrene	50-32-8	0.061	3.4
		Benzo(b)fluoranthene (difficult to distinguish from benzo(k)fluoranthene)	205-99-2	0.11	6.8
		Benzo(k)fluoranthene (difficult to distinguish from benzo(b)fluoranthene)	207-08-9	0.11	6.8
		Chrysene	218-01-9	0.059	3.4
		Dibenz(a,h)anthracene	53-70-3	0.065	8.2
		Indeno(1,2,3-cd)pyrene	193-39-5	0.0055	3.4
		Benzo(a)anthracene	56-56-3	0.059	3.4
		Benzo(a)pyrene	50-32-8	0.061	3.4
K148	Residues from coal tar distillation, including, but not limited to, still bottoms.	Benzo(b)fluoranthene (difficult to distinguish from benzo(k)fluoranthene)	205-99-2	0.11	6.8
		Benzo(k)fluoranthene (difficult to distinguish from benzo(b)fluoranthene)	207-08-9	0.11	6.8
		Chrysene	218-01-9	0.059	3.4
		Dibenz(a,h)anthracene	53-70-3	0.065	8.2
		Indeno(1,2,3-cd)pyrene	193-39-5	0.0055	3.4
		Benzo(a)anthracene	56-56-3	0.059	3.4
		Benzo(a)pyrene	50-32-8	0.061	3.4
		Benzo(b)fluoranthene (difficult to distinguish from benzo(k)fluoranthene)	205-99-2	0.11	6.8
		Benzo(k)fluoranthene (difficult to distinguish from benzo(b)fluoranthene)	207-08-9	0.11	6.8
		Chrysene	218-01-9	0.059	3.4
		Dibenz(a,h)anthracene	53-70-3	0.065	8.2
		Indeno(1,2,3-cd)pyrene	193-39-5	0.0055	3.4
		K149	Distillation bottoms from the production of alpha- (or methyl-) chlorinated toluenes, ring-chlorinated toluenes, benzoyl chlorides, and compounds with mixtures of these functional groups. (This waste does not include still bottoms from the distillations of benzyl chloride.)	Chlorobenzene	108-90-7
Chloroform	67-68-3			0.046	6.0
Chloromethane	74-87-3			0.19	30
p-Dichlorobenzene	106-46-7			0.090	6.0
Hexachlorobenzene	118-74-1			0.055	10
Pentachlorobenzene	608-93-6			0.055	10
1,2,4,5-Tetrachlorobenzene	95-94-3			0.055	14
Toluene	108-88-3			0.080	10

TREATMENT STANDARDS FOR HAZARDOUS WASTES

Waste Code	Waste Description and Treatment/Regulatory Subcategory <sup>1</sup>	REGULATED HAZARDOUS CONSTITUENT		WASTEWATERS Concentration in mg/l <sup>2</sup> ; or Technology Code <sup>3</sup>	NONWASTEWATERS Concentration in mg/kg <sup>3</sup> unless noted as "mg/l TCLP"; or Technology Code		
		Common Name	CAS <sup>4</sup> Number				
K150	Organic residuals, excluding spent carbon adsorbent, from the spent chlorine gas and hydrochloric acid recovery processes associated with the production of alpha- (or methyl-) chlorinated toluenes, ring-chlorinated toluenes, benzoyl chlorides, and compounds with mixtures of these functional groups.	Carbon tetrachloride	56-23-5	0.057	6.0		
		Chloroform	67-66-3	0.046	6.0		
		Chloromethane	74-87-3	0.19	30		
		p-Dichlorobenzene	106-46-7	0.090	6.0		
		Hexachlorobenzene	118-74-1	0.055	10		
		Pentachlorobenzene	608-93-5	0.055	10		
		1,2,4,5-Tetrachlorobenzene	95-94-3	0.055	14		
		1,1,2,2-Tetrachloroethane	79-34-5	0.057	6.0		
		Tetrachloroethylene	127-18-4	0.056	6.0		
		1,2,4-Trichlorobenzene	120-92-1	0.055	19		
		Benzene	71-43-2	0.14	10		
		Carbon tetrachloride	56-23-5	0.057	6.0		
		Chloroform	67-66-3	0.046	6.0		
		Hexachlorobenzene	118-74-1	0.055	10		
K151	Wastewater treatment sludges, excluding neutralization and biological sludges, generated during the treatment of wastewaters from the production of alpha- (or methyl-) chlorinated toluenes, ring-chlorinated toluenes, benzoyl chlorides, and compounds with mixtures of these functional groups.	Pentachlorobenzene	608-93-5	0.055	10		
		1,2,4,5-Tetrachlorobenzene	95-94-3	0.055	14		
		Tetrachloroethylene	127-18-4	0.056	6.0		
		Toluene	106-88-3	0.080	10		
		Warfarin	81-81-2	(WETOX or CHOXD) fb CARBN; or INCIN	CMBST		
		1-Acetyl-2-thiourea	591-08-2	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN		
		Acrolein	107-02-8	0.29	CMBST		
		Aldrin	309-00-2	0.021	0.066		
		Allyl alcohol	107-18-6	(WETOX or CHOXD) fb CARBN; or INCIN	CMBST		
		Aluminum phosphide	20869-73-8	CHOXD; CHRED; or INCIN	CHOXD; CHRED; or INCIN		
		5-Aminomethyl 3-isoxazolol	2763-98-4	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN		
		4-Aminopyridine	504-24-5	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN		
		P001	Warfarin, & salts, when present at concentrations greater than 0.3%	Warfarin	81-81-2	(WETOX or CHOXD) fb CARBN; or INCIN	CMBST
				1-Acetyl-2-thiourea	591-08-2	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN
Acrolein	107-02-8			0.29	CMBST		
Aldrin	309-00-2			0.021	0.066		
Allyl alcohol	107-18-6			(WETOX or CHOXD) fb CARBN; or INCIN	CMBST		
Aluminum phosphide	20869-73-8			CHOXD; CHRED; or INCIN	CHOXD; CHRED; or INCIN		
5-Aminomethyl 3-isoxazolol	2763-98-4			(WETOX or CHOXD) fb CARBN; or INCIN	INCIN		
4-Aminopyridine	504-24-5			(WETOX or CHOXD) fb CARBN; or INCIN	INCIN		
P002	1-Acetyl-2-thiourea	1-Acetyl-2-thiourea	591-08-2	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN		
		Warfarin	81-81-2	(WETOX or CHOXD) fb CARBN; or INCIN	CMBST		
P003	Acrolein	107-02-8	0.29	CMBST			
P004	Aldrin	309-00-2	0.021	0.066			
P005	Allyl alcohol	107-18-6	(WETOX or CHOXD) fb CARBN; or INCIN	CMBST			
P006	Aluminum phosphide	20869-73-8	CHOXD; CHRED; or INCIN	CHOXD; CHRED; or INCIN			
P007	5-Aminomethyl 3-isoxazolol	2763-98-4	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN			
P008	4-Aminopyridine	504-24-5	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN			

TREATMENT STANDARDS FOR HAZARDOUS WASTES

Waste Code	Waste Description and Treatment/Regulatory Subcategory <sup>1</sup>	REGULATED HAZARDOUS CONSTITUENT		WASTEWATERS Concentration in mg/l <sup>2</sup> or Technology Code <sup>3</sup>	NONWASTEWATERS Concentration in mg/kg <sup>4</sup> unless noted as "mg/l TCLP"; or Technology Code
		Common Name	CAS <sup>5</sup> Number		
P009	Ammonium picrate		131-74-8	CHOXD; CHRED; CARBN; BIODG; or INCIN	CHOXD; CHRED; or CMBST
P010	Arsenic acid		7440-38-2	1.4	5.0 mg/l TCLP
P011	Arsenic pentoxide		7440-38-2	1.4	5.0 mg/l TCLP
P012	Arsenic trioxide		7440-38-2	1.4	5.0 mg/l TCLP
P013	Barium cyanide		7440-39-3	NA	7.6 mg/l TCLP
		Cyanides (Total) <sup>7</sup>	57-12-5	1.2	590
		Cyanides (Amenable) <sup>7</sup>	57-12-5	0.86	30
P014	Thiophenol (Benzene thiol)		108-98-5	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN
P015	Beryllium dust		7440-41-7	RMETL; or RTHRM	RMETL; or RTHRM
P016	Dichloromethyl ether (Bis(chloromethyl)ether)		542-98-1	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN
P017	Bromoacetone		698-31-2	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN
P018	Brucine		357-57-3	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN
P020	2-sec-Butyl-4,6-dinitrophenol (Dinoseb)		88-85-7	0.066	2.5
P021	Calcium cyanide		57-12-5	1.2	590
		Cyanides (Total) <sup>7</sup>	57-12-5	0.86	30
P022	Carbon disulfide		75-18-0	3.8	INCIN
		Carbon disulfide; alternate <sup>8</sup> standard for nonwastewaters only	75-18-0	NA	4.8 mg/l TCLP
P023	Chloroacetaldehyde		107-20-0	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN
P024	p-Chloroaniline		106-47-8	0.46	16
P026	1-(o-Chlorophenyl)thiourea		5344-82-1	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN
P027	3-Chloropropionitrile		542-76-7	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN
P028	Benzyl chloride		100-44-7	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN
P029	Copper cyanide		57-12-5	1.2	590

TREATMENT STANDARDS FOR HAZARDOUS WASTES

Waste Code	Waste Description and Treatment/Regulatory Subcategory <sup>1</sup>	REGULATED HAZARDOUS CONSTITUENT		WASTEWATERS Concentration in mg/l <sup>2</sup> or Technology Code <sup>3</sup>	NONWASTEWATERS Concentration in mg/kg <sup>4</sup> unless noted as "mg/l TCLP"; or Technology Code
		Common Name	CAS <sup>5</sup> Number		
P030	Cyanides (soluble salts and complexes)	Cyanides (Amenable) <sup>7</sup>	57-12-5	0.86	30
		Cyanides (Total) <sup>7</sup>	57-12-5	1.2	590
		Cyanides (Amenable) <sup>7</sup>	57-12-5	0.86	30
P031	Cyanogen	Cyanogen	460-19-8	CHOXD; WETOX; or INCIN	CHOXD; WETOX; or INCIN
P033	Cyanogen chloride	Cyanogen chloride	506-77-4	CHOXD; WETOX; or INCIN	CHOXD; WETOX; or INCIN
P034	2-Cychohexyl-4,6-dinitrophenol	2-Cychohexyl-4,6-dinitrophenol	131-89-5	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN
P036	Dichlorophenylarsine	Arsenic	7440-38-2	1.4	5.0 mg/l TCLP
P037	Dieldrin	Dieldrin	60-57-1	0.017	0.13
P038	Diethylarsine	Arsenic	7440-38-2	1.4	5.0 mg/l TCLP
P039	Disulfoton	Disulfoton	298-04-4	0.017	6.2
P040	0,0-Diethyl O-pyrazinyl phosphorothioate	0,0-Diethyl O-pyrazinyl phosphorothioate	297-97-2	CARBN; or INCIN	CMBST
P041	Diethyl-p-nitrophenyl phosphate	Diethyl-p-nitrophenyl phosphate	311-45-5	CARBN; or INCIN	CMBST
P042	Epinephrine	Epinephrine	51-43-4	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN
P043	Diisopropylfluorophosphate (DIFP)	Diisopropylfluorophosphate (DIFP)	55-91-4	CARBN; or INCIN	CMBST
P044	Dimethoate	Dimethoate	60-51-5	CARBN; or INCIN	CMBST
P045	Thiofenox	Thiofenox	38196-18-4	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN
P046	alpha, alpha-Dimethylphenethylamine	alpha, alpha-Dimethylphenethylamine	122-09-8	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN
P047	4,6-Dinitro-o-cresol	4,6-Dinitro-o-cresol	543-52-1	0.28	180
	4,6-Dinitro-o-cresol salts	NA	NA	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN
P048	2,4-Dinitrophenol	2,4-Dinitrophenol	51-28-5	0.12	160
P049	Dithioburet	Dithioburet	541-53-7	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN
P060	Endosulfan	Endosulfan I	939-98-8	0.023	0.066
		Endosulfan II	33213-6-5	0.029	0.13
		Endosulfan sulfate	1031-07-8	0.029	0.13
P051	Endrin	Endrin	72-20-8	0.0028	0.13

TREATMENT STANDARDS FOR HAZARDOUS WASTES

Waste Code	Waste Description and Treatment/Regulatory Subcategory <sup>1</sup>	REGULATED HAZARDOUS CONSTITUENT		WASTEWATERS Concentration in mg/l <sup>2</sup> or Technology Code <sup>3</sup>	NONWASTEWATERS Concentration in mg/kg <sup>4</sup> unless noted as "mg/l TCLP"; or Technology Code
		Common Name	CAS <sup>5</sup> Number		
		Endrin aldehyde	7421-93-4	0.025	0.13
P054	Azirdine	Azirdine	151-56-4	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN
P056	Fluorine	Fluoride (measured in wastewaters only)	18964-48-8	35	ADGAS fb NEUTR
P057	Fluoroacetamide	Fluoroacetamide	640-19-7	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN
P058	Fluoroacetic acid, sodium salt	Fluoroacetic acid, sodium salt	62-74-8	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN
P059	Heptachlor	Heptachlor	76-44-8	0.0012	0.066
		Heptachlor epoxide	1024-87-3	0.016	0.066
P060	Isodrin	Isodrin	485-73-6	0.021	0.066
P062	Hexaethyl tetraphosphate	Hexaethyl tetraphosphate	757-58-4	CARBN; or INCIN	CMBST
P063	Hydrogen cyanide	Cyanides (Total) <sup>7</sup>	57-12-5	1.2	590
		Cyanides (Amenable) <sup>7</sup>	57-12-5	0.86	30
P064	Isocyanic acid, ethyl ester	Isocyanic acid, ethyl ester	624-83-9	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN
P065	P065 (mercury fulminate) nonwastewaters, regardless of their total mercury content, that are not incinerator residues or are not residues from RMERC. P065 (mercury fulminate) nonwastewaters that are either incinerator residues or are residues from RMERC, and contain greater than or equal to 260 mg/kg total mercury. P065 (mercury fulminate) nonwastewaters that are residues from RMERC and contain less than 260 mg/kg total mercury. P065 (mercury fulminate) nonwastewaters that are incinerator residues and contain less than 260 mg/kg total mercury.	Mercury	7439-97-6	NA	IMERC
		Mercury	7339-97-6	NA	RMERC
P066	Methomyl	Methomyl	7439-97-6	NA	0.20 mg/l TCLP
P067	2-Methyl-azirdine	2-Methyl-azirdine	7439-97-6	NA	0.025 mg/l TCLP
P068	Methyl hydrazine	Methyl hydrazine	60-34-4	CHOXD; CHRED; CARBN; BIODG; or INCIN	CHOXD; CHRED; or CMBST
P069	2-Methylacetonitrile	2-Methylacetonitrile	75-86-5	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN

TREATMENT STANDARDS FOR HAZARDOUS WASTES

Waste Code	Waste Description and Treatment/Regulatory Subcategory <sup>1</sup>	REGULATED HAZARDOUS CONSTITUENT		WASTEWATERS Concentration in mg/l <sup>2</sup> ; or Technology Code <sup>3</sup>	NONWASTEWATERS Concentration in mg/kg <sup>4</sup> unless noted as "mg/l TCLP"; or Technology Code
		Common Name	CAS <sup>5</sup> Number		
P070	Aldicarb	Aldicarb	116-06-3	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN
P071	Methyl parathion	Methyl parathion	298-00-0	0.014	4.6
P072	1-Naphthyl-2-thiourea	1-Naphthyl-2-thiourea	86-88-4	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN
P073	Nickel carbonyl	Nickel	7440-02-0	3.98	5.0 mg/l TCLP
P074	Nickel cyanide	Cyanides (Total) <sup>7</sup>	57-12-5	1.2	590
		Cyanides (Amenable) <sup>7</sup>	57-12-5	0.86	30
		Nickel	7440-02-0	3.98	5.0 mg/l TCLP
P075	Nicotine and salts	Nicotine and salts	54-11-5	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN
P076	Nitric oxide	Nitric oxide	10102-43-9	ADGAS	ADGAS
P077	p-Nitroaniline	p-Nitroaniline	100-01-6	0.028	28
P078	Nitrogen dioxide	Nitrogen dioxide	10102-44-0	ADGAS	ADGAS
P081	Nitroglycerin	Nitroglycerin	55-63-0	CHOXD; CHRED; CARBN; BIODG; or INCIN	CHOXD; CHRED; or CMBST
P082	N-Nitrosodimethylamine	N-Nitrosodimethylamine	62-76-9	0.40	2.3
P084	N-Nitrosomethylvinylamine	N-Nitrosomethylvinylamine	4549-40-0	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN
P085	Octamethylpyrophosphoramide	Octamethylpyrophosphoramide	152-16-9	CARBN; or INCIN	CMBST
P087	Osmium tetroxide	Osmium tetroxide	20816-12-0	RMETL; or RTHRM	RMETL; or RTHRM
P088	Endothall	Endothall	145-73-3	(WETOX or CHOXD) fb CARBN; or INCIN	CMBST
P089	Parathion	Parathion	56-38-2	0.014	4.6
P092	P092 (phenyl mercuric acetate) nonwastewaters, regardless of their total mercury content, that are not incinerator residues or are not residues from RMERC.	Mercury	7439-97-6	NA	IMERC; or RMERC
		Mercury	7439-97-6	NA	RMERC
		Mercury	7439-97-6	NA	0.20 mg/l TCLP
P092	P092 (phenyl mercuric acetate) nonwastewaters that are residues from RMERC and contain less than 260 mg/kg total mercury.	Mercury	7439-97-6	NA	0.025 mg/l TCLP
		Mercury	7439-97-6	NA	0.025 mg/l TCLP

TREATMENT STANDARDS FOR HAZARDOUS WASTES

Waste Code	Waste Description and Treatment/Regulatory Subcategory <sup>1</sup>	REGULATED HAZARDOUS CONSTITUENT		WASTEWATERS Concentration in mg/l <sup>2</sup> , or Technology Code <sup>3</sup>	NONWASTEWATERS Concentration in mg/kg <sup>4</sup> unless noted as "mg/l TCLP"; or Technology Code
		Common Name	CAS <sup>5</sup> Number		
	All P092 (phenyl mercuric acetate) wastewaters.			0.15	NA
P093	Phenylthiourea		7439-97-6	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN
P094	Phosphate		298-02-2	0.021	4.6
P095	Phosgene		75-44-5	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN
P096	Phosphine		7803-61-2	CHOXD; CHRED; or INCIN	CHOXD; CHRED; or INCIN
P097	Famphur		52-96-7	0.017	15
P098	Potassium cyanide.		57-12-5	1.2	590
			57-12-5	0.86	30
P099	Potassium silver cyanide		57-12-5	1.2	590
			57-12-5	0.86	30
P101	Ethyl cyanide (Propanenitrile)		7440-22-4	0.43	0.30 mg/l TCLP
P102	Propargyl alcohol		107-12-0	0.24	360
P103	Selenourea		7782-49-2	0.82	0.16 mg/l TCLP
P104	Silver cyanide		57-12-5	1.2	590
			57-12-5	0.86	30
			7440-22-4	0.43	0.30 mg/l TCLP
P105	Sodium azide		28628-22-8	CHOXD; CHRED; CARBN; BIODG; or INCIN	CHOXD; CHRED; or CMBST
P106	Sodium cyanide		57-12-5	1.2	590
			57-12-5	0.86	30
P108	Strychnine and salts		57-24-9	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN
P109	Tetraethyldithiopyrophosphate		3689-24-5	CARBN; or INCIN	CMBST
P110	Tetraethyl lead		7439-92-1	0.69	0.37 mg/l TCLP
P111	Tetraethylpyrophosphate		107-49-3	CARBN; or INCIN	CMBST
P112	Tetraethyromethane		509-14-8	CHOXD; CHRED; CARBN; BIODG; or INCIN	CHOXD; CHRED; or CMBST



TREATMENT STANDARDS FOR HAZARDOUS WASTES

Waste Code	Waste Description and Treatment/Regulatory Subcategory <sup>1</sup>	REGULATED HAZARDOUS CONSTITUENT		WASTEWATERS Concentration in mg/l <sup>2</sup> ; or Technology Code <sup>3</sup>	NONWASTEWATERS Concentration in mg/kg <sup>4</sup> unless noted as "mg/l TCLP"; or Technology Code
		Common Name	CAS <sup>5</sup> Number		
P113	Thallic oxide	Thallium (measured in wastewaters only)	7440-28-0	1.4	RTRM; or STABL
P114	Thallium selenite	Selenium	7782-49-2	0.82	0.16 mg/l TCLP
P115	Thallium (II) sulfate	Thallium (measured in wastewaters only)	7440-28-0	1.4	RTRM; or STABL
P116	Thiosemicarbazide	Thiosemicarbazide	79-19-6	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN
P118	Trichloromethaneethiol	Trichloromethaneethiol	75-70-7	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN
P119	Ammonium vanadate	Vanadium (measured in wastewaters only)	7440-62-2	4.3	STABL
P120	Vanadium pentoxide	Vanadium (measured in wastewaters only)	7440-62-2	4.3	STABL
P121	Zinc cyanide	Cyanides (Total) <sup>6</sup>	57-12-5	1.2	590
P122	Zinc phosphide Zn <sub>3</sub> P <sub>2</sub> , when present at concentrations greater than 10%	Cyanides (Amenable) <sup>7</sup>	57-12-5	0.86	30
P123	Toxaphene	Zinc Phosphide	1314-84-7	CHOXD; CHRED; or INCIN	CHOXD; CHRED; or INCIN
U001	Acetaldehyde	Toxaphene	8001-35-2	0.0095	2.6
U002	Acetone	Acetaldehyde	75-07-0	(WETOX or CHOXD) fb CARBN; or INCIN	CMBST
U003	Acetonitrile	Acetone	67-64-1	0.28	160
U004	Acetophenone	Acetonitrile	75-05-8	5.6	INCIN
U005	2-Acetylaminofluorene	Acetonitrile; alternate <sup>8</sup> standard for nonwastewaters only	75-05-8	NA	1.8
U006	Acetyl chloride	Acetophenone	98-96-2	0.010	9.7
U007	Acrylamide	2-Acetylaminofluorene	83-96-3	0.059	140
U008	Acrylic acid	Acetyl Chloride	75-36-5	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN
U009	Acrylonitrile	Acrylamide	79-06-1	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN
U010	Mitomycin C	Acrylic acid	79-10-7	(WETOX or CHOXD) fb CARBN; or INCIN	CMBST
U011	Amitrole	Acrylonitrile	107-13-1	0.24	84
U012	Aniline	Mitomycin C	50-07-7	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN
		Amitrole	61-82-5	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN
		Aniline	62-53-3	0.81	14

TREATMENT STANDARDS FOR HAZARDOUS WASTES

Waste Code	Waste Description and Treatment/Regulatory Subcategory <sup>1</sup>	REGULATED HAZARDOUS CONSTITUENT		WASTEWATERS Concentration in mg/l <sup>2</sup> or Technology Code <sup>3</sup>	NONWASTEWATERS Concentration in mg/kg <sup>4</sup> unless noted as "mg/l TCLP" <sup>5</sup> or Technology Code
		Common Name	CAS <sup>6</sup> Number		
U014	Auramine	Auramine	492-80-8	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN
U015	Azaserine	Azaserine	115-02-6	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN
U016	Benz(c)acridine	Benz(c)acridine	225-51-4	(WETOX or CHOXD) fb CARBN; or INCIN	CMBST
U017	Benzal chloride	Benzal chloride	98-87-3	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN
U018	Benz(a)anthracene	Benz(a)anthracene	56-55-3	0.059	3.4
U019	Benzene	Benzene	71-43-2	0.14	10
U020	Benzenesulfonyl chloride	Benzenesulfonyl chloride	98-09-9	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN
U021	Benzidine	Benzidine	92-87-5	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN
U022	Benzofluoranthrene	Benzofluoranthrene	50-32-8	0.061	3.4
U023	Benzotrichloride	Benzotrichloride	98-07-7	CHOXD; CHRED; CAPBN; BIODG; or INCIN	CHOXD; CHRED; or CMBST
U024	bis(2-Chloroethoxy)methane	bis(2-Chloroethoxy)methane	111-91-1	0.036	7.2
U025	bis(2-Chloroethyl)ether	bis(2-Chloroethyl)ether	111-44-4	0.033	6.0
U026	Chlorophazine	Chlorophazine	494-03-1	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN
U027	bis(2-Chloroisopropyl)ether	bis(2-Chloroisopropyl)ether	39638-32-9	(WETOX or CHOXD) fb CARBN; or INCIN	7.2
U028	bis(2-Ethylhexyl) phthalate	bis(2-Ethylhexyl) phthalate	117-81-7	0.28	28
U029	Methyl bromide (Bromomethane)	Methyl bromide (Bromomethane)	74-83-9	0.11	15
U030	4-Bromophenyl phenyl ether	4-Bromophenyl phenyl ether	101-55-3	0.055	15
U031	n-Butyl alcohol	n-Butyl alcohol	71-36-3	5.6	2.6
U032	Calcium chromate	Calcium chromate	7440-47-3	2.77	0.86 mg/l TCLP
U033	Carbon oxyfluoride	Carbon oxyfluoride	363-50-4	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN
U034	Trichloroacetaldehyde (Chloral)	Trichloroacetaldehyde (Chloral)	75-87-6	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN
U035	Chlorambucil	Chlorambucil	305-03-3	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN

TREATMENT STANDARDS FOR HAZARDOUS WASTES

Waste Code	Waste Description and Treatment/Regulatory Subcategory <sup>1</sup>	REGULATED HAZARDOUS CONSTITUENT		WASTEWATERS Concentration in mg/l <sup>2</sup> ; or Technology Code <sup>3</sup>	NONWASTEWATERS Concentration in mg/kg <sup>4</sup> unless noted as "mg/l TCLP"; or Technology Code
		Common Name	CAS <sup>5</sup> Number		
U036	Chlordane	Chlordane (alpha and gamma isomers)	57-74-9	0.0033	0.26
U037	Chlorobenzene	Chlorobenzene	108-90-7	0.057	6.0
U038	Chlorobenzilate	Chlorobenzilate	510-15-6	0.10	INCIN
U039	p-Chloro-m-cresol	p-Chloro-m-cresol	99-50-7	0.018	14
U041	Epichlorohydrin (1-Chloro-2,3-epoxypropene)	Epichlorohydrin (1-Chloro-2,3-epoxypropene)	106-89-8	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN
U042	2-Chloroethyl vinyl ether	2-Chloroethyl vinyl ether	110-75-8	0.062	INCIN
U043	Vinyl chloride	Vinyl chloride	75-01-4	0.27	6.0
U044	Chloroform	Chloroform	67-66-3	0.046	6.0
U045	Chloromethane (Methyl chloride)	Chloromethane (Methyl chloride)	74-87-3	0.19	30
U046	Chloromethyl methyl ether	Chloromethyl methyl ether	107-30-2	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN
U047	2-Chloronaphthalene	2-Chloronaphthalene	81-58-7	0.055	5.6
U048	2-Chlorophenol	2-Chlorophenol	95-57-8	0.044	5.7
U049	4-Chloro-o-toluidine hydrochloride	4-Chloro-o-toluidine hydrochloride	3165-93-3	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN
U050	Chrysene	Chrysene	218-01-9	0.059	3.4
U051	Creosote	Naphthalene	91-20-3	0.059	5.6
		Pentachlorophenol	87-86-5	0.089	7.4
		Phenanthrene	85-01-8	0.059	5.6
		Pyrene	129-00-0	0.067	8.2
		Toluene	108-88-3	0.080	10
		Xylenes-mixed isomers (sum of o-, m-, and p-xylene concentrations)	1330-20-7	0.32	30
		Lead	7439-92-1	0.69	0.37 mg/l TCLP
U052	Creosols (Creosylic acid)	o-Cresol	95-48-7	0.11	5.6
		m-Cresol (difficult to distinguish from p-cresol)	108-39-4	0.77	5.6
		p-Cresol (difficult to distinguish from m-cresol)	106-44-5	0.77	5.6
		Cresol-mixed isomers (Creosylic acid) (sum of o-, m-, and p-cresol concentrations)	1319-77-3	0.88	11.2

TREATMENT STANDARDS FOR HAZARDOUS WASTES

Waste Code	Waste Description and Treatment/Regulatory Subcategory <sup>1</sup>	REGULATED HAZARDOUS CONSTITUENT		WASTEWATERS Concentration in mg/l <sup>2</sup> ; unless noted as "mg/l TCLP"; or Technology Code	NONWASTEWATERS Concentration in mg/kg <sup>3</sup> unless noted as "mg/l TCLP"; or Technology Code
		Common Name	CAS <sup>4</sup> Number		
U053	Crotonaldehyde	Crotonaldehyde	4170-30-3	(WETOX or CHOXD) fb CARBN; or INCIN	CMBST
U055	Cumene	Cumene	98-82-8	(WETOX or CHOXD) fb CARBN; or INCIN	CMBST
U056	Cyclohexane	Cyclohexane	110-82-7	(WETOX or CHOXD) fb CARBN; or INCIN	CMBST
U057	Cyclohexanone	Cyclohexanone	108-94-1	0.36	CMBST
U058	Cyclophosphamide	Cyclohexanone; alternate <sup>5</sup> standard for nonwastewaters only	108-94-1	NA	0.75 mg/l TCLP
U059	Daunomycin	Cyclophosphamide	50-18-0	CARBN; or INCIN	CMBST
U060	DDD	Daunomycin	20830-81-3	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN
U061	DDT	o,p'-DDD	63-19-0	0.023	0.087
		p,p'-DDD	72-84-8	0.023	0.087
		o,p'-DDT	789-02-6	0.0039	0.087
		p,p'-DDT	50-29-3	0.0039	0.087
		o,p'-DDD	63-19-0	0.023	0.087
		p,p'-DDD	72-84-8	0.023	0.087
		o,p'-DDE	3424-82-6	0.031	0.087
		p,p'-DDE	72-55-9	0.031	0.087
		Diallate	2303-16-4	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN
		U062	Dibenz(a,h)anthracene	Dibenz(a,h)anthracene	53-70-3
U064	Dibenz(e,l)pyrene	Dibenz(e,l)pyrene	189-55-9	(WETOX or CHOXD) fb CARBN; or INCIN	CMBST
U066	1,2-Dibromo-3-chloropropane	1,2-Dibromo-3-chloropropane	98-12-8	0.11	15
U067	Ethylene dibromide (1,2-Dibromoethane)	Ethylene dibromide (1,2-Dibromoethane)	106-93-4	0.028	15
U068	Dibromomethane	Dibromomethane	74-95-3	0.11	15
U069	Di-n-butyl phthalate	Di-n-butyl phthalate	84-74-2	0.057	28
U070	o-Dichlorobenzene	o-Dichlorobenzene	95-50-1	0.088	6.0
U071	m-Dichlorobenzene	m-Dichlorobenzene	541-73-1	0.036	6.0
U072	p-Dichlorobenzene	p-Dichlorobenzene	106-46-7	0.090	6.0

TREATMENT STANDARDS FOR HAZARDOUS WASTES

Waste Code	Waste Description and Treatment/Regulatory Subcategory <sup>1</sup>	REGULATED HAZARDOUS CONSTITUENT		WASTEWATERS Concentration in mg/l <sup>2</sup> or Technology Code <sup>3</sup>	NONWASTEWATERS Concentration in mg/kg <sup>4</sup> unless noted as "mg/l TCLP"; or Technology Code
		Common Name	CAS <sup>5</sup> Number		
U073	3,3'-Dichlorobenzidine	3,3'-Dichlorobenzidine	91-94-1	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN
U074	1,4-Dichloro-2-butene	cis-1,4-Dichloro-2-butene	1476-11-5	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN
		trans-1,4-Dichloro-2-butene	764-41-0	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN
U075	Dichlorodifluoromethane	Dichlorodifluoromethane	75-71-8	0.23	7.2
U076	1,1-Dichloroethane	1,1-Dichloroethane	75-34-3	0.069	6.0
U077	1,2-Dichloroethane	1,2-Dichloroethane	107-06-2	0.21	6.0
U078	1,1-Dichloroethylene	1,1-Dichloroethylene	75-35-4	0.025	6.0
U079	1,2-Dichloroethylene	trans-1,2-Dichloroethylene	156-50-5	0.054	30
U080	Methylene chloride	Methylene chloride	75-09-2	0.089	30
U081	2,4-Dichlorophenol	2,4-Dichlorophenol	120-83-2	0.044	14
U082	2,6-Dichlorophenol	2,6-Dichlorophenol	87-85-0	0.044	14
U083	1,2-Dichloropropane	1,2-Dichloropropane	78-87-5	0.85	18
U084	1,3-Dichloropropylene	cis-1,3-Dichloropropylene	10061-01-5	0.036	18
		trans-1,3-Dichloropropylene	10081-02-5	0.036	18
U085	1,2,3,4-Diepoxybutane	1,2,3,4-Diepoxybutane	1464-53-5	(WETOX or CHOXD) fb CARBN; or INCIN	CMBST
U086	N,N'-Diethylhydrazine	N,N'-Diethylhydrazine	1615-80-1	CHOXD; CHRED; CARBN; BIOXG; or INCIN	CHOXD; CHRED; or CMBST
U087	O,O-Diethyl S-methyldithiophosphate	O,O-Diethyl S-methyldithiophosphate	3288-58-2	CARBN; or INCIN	CMBST
U088	Diethyl phthalate	Diethyl phthalate	84-66-2	0.20	28
U089	Diethyl stilbestrol	Diethyl stilbestrol	56-53-1	(WETOX or CHOXD) fb CARBN; or INCIN	CMBST
U090	Dihydrostrolole	Dihydrostrolole	94-58-6	(WETOX or CHOXD) fb CARBN; or INCIN	CMBST
U091	3,3'-Dimethoxybenzidine	3,3'-Dimethoxybenzidine	119-90-4	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN
U092	Dimethylamine	Dimethylamine	124-40-3	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN
U093	p-Dimethylaminoazobenzene	p-Dimethylaminoazobenzene	60-11-7	0.13	INCIN

TREATMENT STANDARDS FOR HAZARDOUS WASTES

Waste Code	Waste Description and Treatment/Regulatory Subcategory <sup>1</sup>	REGULATED HAZARDOUS CONSTITUENT		WASTEWATERS Concentration in mg/l <sup>2</sup> or Technology Code <sup>3</sup>	NONWASTEWATERS Concentration in mg/kg <sup>4</sup> unless noted as "mg/l TCLP" <sup>5</sup> or Technology Code
		Common Name	CAS <sup>6</sup> Number		
U094	7,12-Dimethylbenz(a)anthracene	7,12-Dimethylbenz(a)anthracene	57-97-6	(WETOX or CHOXD) fb CARBN; or INCIN	CMBST
U095	3,3'-Dimethylbenzidine	3,3'-Dimethylbenzidine	119-93-7	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN
U096	alpha, alpha-Dimethyl benzyl hydroperoxide	alpha, alpha-Dimethyl benzyl hydroperoxide	80-15-9	CHOXD; CHRED; CARBN; BIODG; or INCIN	CHOXD; CHRED; or CMBST
U097	Dimethylcarbamoyl chloride	Dimethylcarbamoyl chloride	79-44-7	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN
U098	1,1-Dimethylhydrazine	1,1-Dimethylhydrazine	57-14-7	CHOXD; CHRED; CARBN; BIODG; or INCIN	CHOXD; CHRED; or CMBST
U099	1,2-Dimethylhydrazine	1,2-Dimethylhydrazine	540-73-8	CHOXD; CHRED; CARBN; BIODG; or INCIN	CHOXD; CHRED; or CMBST
U101	2,4-Dimethylphenol	2,4-Dimethylphenol	106-67-9	0.036	14
U102	Dimethyl phthalate	Dimethyl phthalate	131-11-3	0.047	28
U103	Dimethyl sulfate	Dimethyl sulfate	77-78-1	CHOXD; CHRED; CARBN; BIODG; or INCIN	CHOXD; CHRED; or CMBST
U105	2,4-Dinitrotoluene	2,4-Dinitrotoluene	121-14-2	0.32	140
U106	2,6-Dinitrotoluene	2,6-Dinitrotoluene	608-20-2	0.55	28
U107	Di-n-octyl phthalate	Di-n-octyl phthalate	117-84-0	0.017	28
U108	1,4-Dioxane	1,4-Dioxane	123-91-1	(WETOX or CHOXD) fb CARBN; or INCIN	CMBST
		1,4-Dioxane; alternate <sup>7</sup> standard for nonwastewaters only	123-91-1	NA	170
U109	1,2-Diphenylhydrazine	1,2-Diphenylhydrazine	122-86-7	CHOXD; CHRED; CARBN; BIODG; or INCIN	CHOXD; CHRED; or CMBST
		1,2-Diphenylhydrazine; alternate <sup>7</sup> standard for wastewaters only	122-86-7	0.087	NA
U110	Dipropylamine	Dipropylamine	142-84-7	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN
U111	Di-n-propylnitrosamine	Di-n-propylnitrosamine	621-64-7	0.40	14
U112	Ethyl acetate	Ethyl acetate	141-78-6	0.34	33
U113	Ethyl acrylate	Ethyl acrylate	140-88-5	(WETOX or CHOXD) fb CARBN; or INCIN	CMBST
U114	Ethylenebisdiethiocarbamic acid salts and esters	Ethylenebisdiethiocarbamic acid	111-54-6	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN

TREATMENT STANDARDS FOR HAZARDOUS WASTES

Waste Code	Waste Description and Treatment/Regulatory Subcategory <sup>1</sup>	REGULATED HAZARDOUS CONSTITUENT		WASTEWATERS Concentration in mg/l <sup>2</sup> ; or Technology Code <sup>3</sup>	NONWASTEWATERS Concentration in mg/kg <sup>4</sup> unless noted as "mg/L TCLP"; or Technology Code
		Common Name	CAS <sup>5</sup> Number		
U115	Ethylene oxide	Ethylene oxide	75-21-8	(WETOX or CHOXD) fb CARBN; or INCIN	CHOXD; or INCIN
	Ethylene oxide; alternate <sup>6</sup> standard for wastewaters only		75-21-8	0.12	NA
U116	Ethylene thiourea	Ethylene thiourea	96-46-7	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN
U117	Ethyl ether	Ethyl ether	60-29-7	0.12	160
U118	Ethyl methacrylate	Ethyl methacrylate	97-63-2	0.14	160
U119	Ethyl methane sulfonate	Ethyl methane sulfonate	82-50-0	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN
U120	Fluoranthene	Fluoranthene	206-44-0	0.068	3.4
U121	Trichloromonofluoromethane	Trichloromonofluoromethane	75-69-4	0.020	30
U122	Formaldehyde	Formaldehyde	50-00-0	(WETOX or CHOXD) fb CARBN; or INCIN	CMBST
U123	Formic acid	Formic acid	64-18-6	(WETOX or CHOXD) fb CARBN; or INCIN	CMBST
U124	Furan	Furan	110-00-9	(WETOX or CHOXD) fb CARBN; or INCIN	CMBST
U125	Furfural	Furfural	98-01-1	(WETOX or CHOXD) fb CARBN; or INCIN	CMBST
U128	Glycidylaldehyde	Glycidylaldehyde	766-34-4	(WETOX or CHOXD) fb CARBN; or INCIN	CMBST
U127	Hexachlorobenzene	Hexachlorobenzene	118-74-1	0.065	10
U128	Hexachlorobutadiene	Hexachlorobutadiene	87-68-3	0.065	5.6
U129	Lindane	alpha-BHC	319-84-6	0.00014	0.066
		beta-BHC	319-85-7	0.00014	0.066
		delta-BHC	319-86-8	0.023	0.068
		gamma-BHC (Lindane)	56-99-9	0.0017	0.066
U130	Hexachlorocyclopentadiene	Hexachlorocyclopentadiene	77-47-4	0.067	2.4
U131	Hexachloroethane	Hexachloroethane	67-72-1	0.065	30
U132	Hexachlorophene	Hexachlorophene	70-30-4	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN
U133	Hydrazine	Hydrazine	302-01-2	CHOXD; CHRED; CARBN; DDDG; or INCIN	CHOXD; CHRED; or CMBST

TREATMENT STANDARDS FOR HAZARDOUS WASTES

Waste Code	Waste Description and Treatment/Regulatory Subcategory <sup>1</sup>	REGULATED HAZARDOUS CONSTITUENT		WASTEWATERS Concentration in mg/l <sup>2</sup> or Technology Code <sup>3</sup>	NONWASTEWATERS Concentration in mg/kg <sup>4</sup> unless noted as "mg/l TCLP"; or Technology Code
		Common Name	CAS <sup>5</sup> Number		
U134	Hydrogen fluoride	Fluoride (measured in wastewaters only)	16964-48-8	35	ADGAS fb NEUTR; or NEUTR
U135	Hydrogen Sulfide	Hydrogen Sulfide	7783-06-4	CHOXD; CHRED; or INCIN	CHOXD; CHRED; or INCIN
U136	Carboxylic acid	Arsenic	7440-38-2	1.4	5.0 mg/l TCLP
U137	Indeno(1,2,3-c,d)pyrene	Indeno(1,2,3-c,d)pyrene	193-39-6	0.0055	3.4
U138	Iodomethane	Iodomethane	74-88-4	0.19	65
U140	Isobutyl alcohol	Isobutyl alcohol	75-83-1	5.6	170
U141	Isoafrrole	Isoafrrole	120-88-1	0.081	2.6
U142	Kepon	Kepon	143-50-8	0.0011	0.13
U143	Lasiocarpine	Lasiocarpine	303-34-4	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN
U144	Lead acetate	Lead	7439-92-1	0.69	0.37 mg/l TCLP
U145	Lead phosphate	Lead	7439-92-1	0.69	0.37 mg/l TCLP
U146	Lead subacetate	Lead	7439-92-1	0.69	0.37 mg/l TCLP
U147	Maleic anhydride	Maleic anhydride	108-31-6	(WETOX or CHOXD) fb CARBN; or INCIN	CMBST
U148	Maleic hydrazide	Maleic hydrazide	123-33-1	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN
U149	Malononitrile	Malononitrile	109-77-3	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN
U150	Melphalan	Melphalan	148-82-3	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN
U151	U151 (mercury) nonwastewaters that contain greater than or equal to 260 mg/kg total mercury.	Mercury	7439-97-6	NA	RMERC
	U151 (mercury) nonwastewaters that contain less than 260 mg/kg total mercury and that are residues from RMERC only.	Mercury	7439-97-6	NA	0.20 mg/l TCLP
	U151 (mercury) nonwastewaters that contain less than 260 mg/kg total mercury and that are not residues from RMERC.	Mercury	7439-97-6	NA	0.025 mg/l TCLP
	All U151 (mercury) wastewaters.	Mercury	7439-97-6	0.15	NA
	Elemental Mercury Contaminated with Radioactive Materials	Mercury	7439-97-6	NA	AMLGM
U152	Methacrylonitrile	Methacrylonitrile	126-98-7	0.24	84
U153	Methanethiol	Methanethiol	74-93-1	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN



TREATMENT STANDARDS FOR HAZARDOUS WASTES

Waste Code	Waste Description and Treatment/Regulatory Subcategory <sup>1</sup>	REGULATED HAZARDOUS CONSTITUENT		WASTEWATERS Concentration in mg/l <sup>2</sup> , or Technology Code <sup>3</sup>	NONWASTEWATERS Concentration in mg/kg <sup>4</sup> unless noted as "mg/l TCLP"; or Technology Code
		Common Name	CAS <sup>5</sup> Number		
U154	Methanol		67-56-1	(WETOX or CHOXD) fb CARBN; or INCIN	CMBST
	Methanol; alternate <sup>6</sup> set of standards for both wastewaters and nonwastewaters		67-56-1	5.6	0.75 mg/l TCLP
U155	Methacrylene		91-80-5	0.081	1.5
U156	Methyl chlorocarbonate		79-22-1	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN
U157	3-Methylcholanthrene		56-49-5	0.0055	15
U158	4,4'-Methylene bis(2-chloroaniline)		101-14-4	0.50	30
U159	Methyl ethyl ketone		78-93-3	0.28	36
U160	Methyl ethyl ketone peroxide		1338-23-4	CHOXD; CHRED; CARBN; BIODG; or INCIN	CHOXD; CHRED; or CMBST
U161	Methyl isobutyl ketone		108-10-1	0.14	33
U162	Methyl methacrylate		80-62-6	0.14	160
U163	N-Methyl N'-nitro N-nitrosoguanidine		70-25-7	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN
U164	Methylthioureasil		56-04-2	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN
U165	Naphthalene		91-20-3	0.059	5.6
U166	1,4-Naphthoquinone		130-15-4	(WETOX or CHOXD) fb CARBN; or INCIN	CMBST
U167	1-Naphthylamine		134-32-7	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN
U168	2-Naphthylamine		91-59-8	0.52	INCIN
U169	Nitrobenzene		98-95-3	0.068	14
U170	p-Nitrophenol		100-02-7	0.12	29
U171	2-Nitropropane		79-46-9	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN
U172	N-Nitrosodi-n-butylamine		924-16-3	0.40	17
U173	N-Nitrosodiethanilamine		1116-54-7	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN
U174	N-Nitrosodiethylamine		55-18-5	0.40	28
U176	N-Nitroso-N-ethylurea		759-73-9	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN

TREATMENT STANDARDS FOR HAZARDOUS WASTES

Waste Code	Waste Description and Treatment/Regulatory Subcategory <sup>1</sup>	REGULATED HAZARDOUS CONSTITUENT		WASTEWATERS Concentration in mg/l <sup>2</sup> , unless noted as "mg/L TCLP" <sup>3</sup> , or Technology Code	NONWASTEWATERS Concentration in mg/kg <sup>3</sup> unless noted as "mg/L TCLP" <sup>3</sup> , or Technology Code
		Common Name	CAS <sup>4</sup> Number		
U177	N-Nitroso-N-methylurea	N-Nitroso-N-methylurea	684-93-5	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN
U178	N-Nitroso-N-methylurethane	N-Nitroso-N-methylurethane	616-55-2	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN
U179	N-Nitrosopiperidine	N-Nitrosopiperidine	100-75-4	0.013	35
U180	N-Nitrosopyrrolidine	N-Nitrosopyrrolidine	930-55-2	0.013	35
U181	5-Nitro-o-toluidine	5-Nitro-o-toluidine	95-55-8	0.32	28
U182	Paraldehyde	Paraldehyde	123-63-7	(WETOX or CHOXD) fb CARBN; or INCIN	CMBST
U183	Pentachlorobenzene	Pentachlorobenzene	608-93-5	0.055	10
U184	Pentachloroethane	Pentachloroethane	76-01-7	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN
U185	Pentachloronitrobenzene	Pentachloroethane; alternate <sup>5</sup> standards for both wastewaters and nonwastewaters	76-01-7	0.055	6.0
U186	1,3-Pentadiene	Pentachloronitrobenzene	82-68-8	0.055	4.8
U187	Phenacetin	1,3-Pentadiene	504-80-9	(WETOX or CHOXD) fb CARBN; or INCIN	CMBST
U188	Phenol	Phenacetin	62-44-2	0.081	16
U189	Phosphorus sulfide	Phenol	108-95-2	0.039	6.2
U190	Phthalic anhydride (measured as Phthalic acid or Terephthalic acid)	Phosphorus sulfide	1314-60-3	CHOXD; CHRED; or INCIN	CHOXD; CHRED; or INCIN
U191	2-Picoline	Phthalic anhydride (measured as Phthalic acid or Terephthalic acid)	100-21-0	0.055	28
U192	Propamide	Phthalic anhydride	85-44-9	0.055	28
U193	1,3-Propane sultone	2-Picoline	108-06-8	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN
U194	n-Propylamine	Propamide	23950-58-5	0.093	1.5
U196	Pyridine	1,3-Propane sultone	1120-71-4	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN
U197	p-Benzoquinone	n-Propylamine	107-10-8	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN
		Pyridine	110-86-1	0.014	16
		p-Benzoquinone	108-51-4	(WETOX or CHOXD) fb CARBN; or INCIN	CMBST

TREATMENT STANDARDS FOR HAZARDOUS WASTES

Waste Code	Waste Description and Treatment/Regulatory Subcategory <sup>1</sup>	REGULATED HAZARDOUS CONSTITUENT		WASTEWATERS Concentration in mg/l; or Technology Code <sup>2</sup>	NONWASTEWATERS Concentration in mg/kg <sup>3</sup> unless noted as "mg/l TCLP"; or Technology Code
		Common Name	CAS <sup>4</sup> Number		
U200	Reserpine	Reserpine	50-55-5	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN
U201	Resorcinol	Resorcinol	108-46-3	(WETOX or CHOXD) fb CARBN; or INCIN	CMBST
U202	Saccharin and salts	Saccharin	81-07-2	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN
U203	Safrole	Safrole	94-59-7	0.081	22
U204	Selenium dioxide	Selenium	7782-48-2	0.82	0.16 mg/l TCLP
U205	Selenium sulfide	Selenium	7782-49-2	0.82	0.16 mg/l TCLP
U206	Streptozocin	Streptozocin	18883-66-4	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN
U207	1,2,4,5-Tetrachlorobenzene	1,2,4,5-Tetrachlorobenzene	95-94-3	0.055	14
U208	1,1,1,2-Tetrachloroethane	1,1,1,2-Tetrachloroethane	630-20-6	0.057	6.0
U209	1,1,2,2-Tetrachloroethane	1,1,2,2-Tetrachloroethane	79-34-5	0.057	6.0
U210	Tetrachloroethylene	Tetrachloroethylene	127-18-4	0.056	6.0
U211	Carbon tetrachloride	Carbon tetrachloride	56-23-5	0.057	6.0
U213	Tetrahydrofuran	Tetrahydrofuran	109-99-9	(WETOX or CHOXD) fb CARBN; or INCIN	CMBST
U214	Thallium (I) acetate	Thallium (measured in wastewaters only)	7440-28-0	1.4	RTHRM; or STABL
U215	Thallium (I) carbonate	Thallium (measured in wastewaters only)	7440-28-0	1.4	RTHRM; or STABL
U216	Thallium (I) chloride	Thallium (measured in wastewaters only)	7440-28-0	1.4	RTHRM; or STABL
U217	Thallium (I) nitrate	Thallium (measured in wastewaters only)	7440-28-0	1.4	RTHRM; or STABL
U218	Thioacetamide	Thioacetamide	62-55-5	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN
U219	Thiourea	Thiourea	62-56-6	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN
U220	Toluene	Toluene	108-88-3	0.080	10
U221	Toluenediamine	Toluenediamine	25376-45-8	CARBNI; or INCIN	CMBST
U222	o-Toluidine hydrochloride	o-Toluidine hydrochloride	636-21-5	(WETOX or CHOXD) fb CARBN; or INCIN	INCIN
U223	Toluene dithiocyanate	Toluene dithiocyanate	26471-62-5	CARBNI; or INCIN	CMBST
U225	Bromoform (Tribromomethane)	Bromoform (Tribromomethane)	75-25-2	0.63	15

TREATMENT STANDARDS FOR HAZARDOUS WASTES

Waste Code	Waste Description and Treatment/Regulatory Subcategory <sup>1</sup>	REGULATED HAZARDOUS CONSTITUENT		NONWASTEWATERS Concentration in mg/kg <sup>2</sup> unless noted as "mg/l TCLP"; or Technology Code
		Common Name	CAS <sup>3</sup> Number	
U226	1,1,1-Trichloroethane	1,1,1-Trichloroethane	71-55-6	6.0
U227	1,1,2-Trichloroethane	1,1,2-Trichloroethane	79-00-5	6.0
U228	Trichloroethylene	Trichloroethylene	79-01-6	6.0
U234	1,3,5-Trinitrobenzene	1,3,5-Trinitrobenzene	95-35-4	INCIN
U235	tris-(2,3-Dibromopropyl)-phosphate	tris-(2,3-Dibromopropyl)-phosphate	126-72-7	0.10
U236	Trypan Blue	Trypan Blue	72-57-1	INCIN
U237	Urechl mustard	Urechl mustard	66-75-1	INCIN
U238	Urethane (Ethyl carbamate)	Urethane (Ethyl carbamate)	51-79-6	INCIN
U239	Xylenes	Xylenes-mixed isomers (sum of o-, m-, and p-xylene concentrations)	1330-20-7	30
U240	2,4-D (2,4-Dichlorophenoxyacetic acid) salts and esters	2,4-D (2,4-Dichlorophenoxyacetic acid)	94-75-7	10
U243	Hexachloropropylene	Hexachloropropylene	1888-71-7	INCIN
U244	Thiram	Thiram	137-26-8	30
U246	Cyanogen bromide	Cyanogen bromide	506-88-3	INCIN
U247	Methoxychlor	Methoxychlor	72-43-6	CHOXD; WETOX; or INCIN
U248	Warfarin, & salts, when present at concentrations of 0.3% or less	Warfarin	81-81-2	0.18
U249	Zinc phosphide, Zn <sub>3</sub> P <sub>2</sub> , when present at concentrations of 10% or less	Zinc Phosphide	1314-84-7	CMBST
U328	o-Toluidine	o-Toluidine	95-53-4	CHOXD; CHRED; or INCIN
U353	p-Toluidine	p-Toluidine	106-49-0	INCIN; or CHOXD fb (BIODG or CARBN); or BIODG fb CARBN
U359	2-Ethoxyethanol	2-Ethoxyethanol	110-80-5	INCIN; or CHOXD fb (BIODG or CARBN); or BIODG fb CARBN

**Notes to Table**

<sup>1</sup> The waste descriptions provided in this table do not replace waste descriptions in 40 CFR part 261. Descriptions of Treatment/Regulatory Subcategories are provided, as needed, to distinguish between applicability of different standards.

<sup>2</sup> CAS means Chemical Abstract Services. When the waste code and/or regulated constituents are described as a combination of a chemical with its salts and/or esters, the CAS number is given for the parent compound only.

<sup>3</sup> Concentration standards for wastewaters are expressed in mg/l are based on analysis of composite samples.

<sup>4</sup> All treatment standards expressed as a Technology Code or combination of Technology Codes are explained in detail in 40 CFR part 268.42, Table 1—Technology Codes and Descriptions of Technology-Based Standards.

<sup>5</sup> Except for Metals (EP or TCLP) and Cyanides (Total and Amenable) the nonwastewater treatment standards expressed as a concentration were established, in part, based upon incineration in units operated in accordance with the technical requirements of 40 CFR part 264, subpart O, or part 265, subpart O, or based upon combustion in fuel substitution units operating in accordance with applicable technical requirements. A facility may comply with these treatment standards according to provisions in 40 CFR 268.40(d). All concentration standards for nonwastewaters are based on analysis of grab samples.

<sup>6</sup> Where an alternate treatment standard or set of alternate standards has been indicated, a facility may comply with this alternate standard, but only for the Treatment/Regulatory Subcategory or physical form (i.e., wastewater and/or nonwastewater) specified for that alternate standard.

<sup>7</sup> Both Cyanides (Total) and Cyanides (Amenable) for nonwastewaters are to be analyzed using Method 9010 or 9012, found in "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods", EPA Publication SW-846, as incorporated by reference in 40 CFR 260.11, with a sample size of 10 grams and a distillation time of one hour and 15 minutes.

Note: NA means not applicable.

6. Section 268.42 is amended by revising the entry, "CMBST" in Table 1 to read as follows:

**§ 268.42 Treatment standards expressed as specified technologies.**

TABLE 1.—TECHNOLOGY CODES AND DESCRIPTION OF TECHNOLOGY-BASED STANDARDS

Technology code	Description of technology-based standards
* * * * *	
CMBST	Combustion in incinerators, boilers, or industrial furnaces operated in accordance with the applicable requirements of 40 CFR part 264, subpart O; 40 CFR part 265, subpart O; or 40 CFR part 266, subpart H.
* * * * *	

7. Section 268.48 is amended by adding footnote 5 to the entry for Vanadium and revising the footnote to read as follows:

**§ 268.48 Universal Treatment Standards.**

**§ 268.48 TABLE UTS—UNIVERSAL TREATMENT STANDARDS**

\* \* \* \* \*

<sup>5</sup> Vanadium and zinc are not "underlying hazardous constituents" in characteristic wastes, according to the definition at 268.2(i).

Note: NA means not applicable.

8. Appendix X to part 268 is amended by revising Certification Statement B to read as follows:

**Appendix X to Part 268—Recordkeeping, Notification, and/or Certification Requirements.**

\* \* \* \* \*

**Certification Statements**

\* \* \* \* \*

B. I certify under penalty of law that I personally have examined and am familiar with the waste and that the lab pack does not contain any wastes identified at Appendix IV to part 268. I am aware that there are significant penalties for submitting a false certification including possibility of fine or imprisonment.

\* \* \* \* \*

[FR Doc. 94-32118 Filed 12-30-94; 8:45 am]

BILLING CODE 6560-50-P