

**List of Subjects in 14 CFR Part 39 –**

Air transportation, Aircraft, Aviation safety, Incorporation by reference, Safety. Adoption of the Amendment.

Accordingly, pursuant to the authority delegated to me by the Administrator, the Federal Aviation Administration amends part 39 of the Federal Aviation Regulations (14 CFR part 39) as follows:

**PART 39—AIRWORTHINESS DIRECTIVES –**

1. The authority citation for part 39 continues to read as follows:

**Authority:** 49 U.S.C. App. 1354(a), 1421 and 1423; 49 U.S.C. 106(g); and 14 CFR 11.89.

**§ 39.13 [Amended] –**

2. Section 39.13 is amended by adding the following new airworthiness directive:

**95-08-02 Jetstream Aircraft Limited:**

Amendment 39-9191. Docket 94-NM-170-AD.

**Applicability:** Model 4101 airplanes; constructors numbers 41005 through 41015

inclusive, 41019 through 41024 inclusive, 41028, and 41029; certificated in any category.

**Note 1:** This AD applies to each airplane identified in the preceding applicability provision, regardless of whether it has been modified, altered, or repaired in the area subject to the requirements of this AD. For airplanes that have been modified, altered, or repaired so that the performance of the requirements of this AD is affected, the owner/operator must use the authority provided in paragraph (b) to request approval from the FAA. This approval may address either no action, if the current configuration eliminates the unsafe condition; or different actions necessary to address the unsafe condition described in this AD. Such a request should include an assessment of the effect of the changed configuration on the unsafe condition addressed by this AD. In no case does the presence of any modification, alteration, or repair remove any airplane from the applicability of this AD.

**Compliance:** Required as indicated, unless accomplished previously.

To prevent the loss of the main system hydraulics, accomplish the following:

(a) Within 4 months after the effective date of this AD, install new case drain pipes and an additional fairlead support for the hydraulics case drain line in the rear spar

area of the engine/nacelle in accordance with Jetstream Service Bulletin J41-29-005, Revision 1, dated August 12, 1994; or Revision 2, dated August 30, 1994.

(b) An alternative method of compliance or adjustment of the compliance time that provides an acceptable level of safety may be used if approved by the Manager, Standardization Branch, FAA, Transport Airplane Directorate, ANM-113. Operators shall submit their requests through an appropriate FAA Principal Maintenance Inspector, who may add comments and then send it to the Manager, Standardization Branch, ANM-113.

**Note 2:** Information concerning the existence of approved alternative methods of compliance with this AD, if any, may be obtained from the Standardization Branch, ANM-113.

(c) Special flight permits may be issued in accordance with sections 21.197 and 21.199 of the Federal Aviation Regulations (14 CFR 21.197 and 21.199) to operate the airplane to a location where the requirements of this AD can be accomplished.

(d) The installation shall be done in accordance with the following Jetstream service bulletins, as applicable, which contain the specified effective pages:

Service bulletin referenced and date—	Page No.	Revision level shown on page	Date shown on page
J41-29-005— .....	1, 4—	2 .....	Aug. 30, 1994.
Revision 2			
August 30, 1994 .....	2, 3, 5-12—	1 .....	Aug. 12, 1994.
J41-29-005— .....	1-12—	1— .....	Aug. 12, 1994.
Revision 1			
August 12, 1994			

This incorporation by reference was approved by the Director of the Federal Register in accordance with 5 U.S.C. 552(a) and 1 CFR part 51. Copies may be obtained from Jetstream Aircraft, Inc., P.O. Box 16029, Dulles International Airport, Washington, DC 20041-6029. Copies may be inspected at the FAA, Transport Airplane Directorate, 1601 Lind Avenue, SW., Renton, Washington; or at the Office of the Federal Register, 800 North Capitol Street, NW., suite 700, Washington, DC.

(e) This amendment becomes effective on May 10, 1995.

Issued in Renton, Washington, on March 31, 1995.

**Darrell M. Pederson,**

*Acting Manager, Transport Airplane Directorate, Aircraft Certification Service.*

[FR Doc. 95-8445 Filed 4-7-95; 8:45 am]

**BILLING CODE 4910-13-U**

**14 CFR Part 39**

**[Docket No. 94-NM-169-AD; Amendment 39-9190; AD 95-08-01]**

**Airworthiness Directives; Jetstream Model 4101 Airplanes**

**AGENCY:** Federal Aviation Administration, DOT.

**ACTION:** Final rule.

**SUMMARY:** This amendment adopts a new airworthiness directive (AD), applicable to certain Jetstream Model 4101 airplanes, that requires modification of the spoiler system. This amendment is prompted by reports of fatigue failures of the tee fittings of the spoiler bleed nipples. The actions specified by this AD are intended to ensure that the tee fittings do not fail, and subsequently lead to loss of the main system hydraulics.

**DATES:** Effective May 10, 1995.

The incorporation by reference of certain publications listed in the regulations is approved by the Director of the Federal Register as of May 10, 1995.

**ADDRESSES:** The service information referenced in this AD may be obtained from Jetstream Aircraft, Inc., P.O. Box 16029, Dulles International Airport, Washington, DC 20041-6029. This information may be examined at the Federal Aviation Administration (FAA), Transport Airplane Directorate, Rules Docket, 1601 Lind Avenue, SW., Renton, Washington; or at the Office of the Federal Register, 800 North Capitol Street, NW., suite 700, Washington, DC.

**FOR FURTHER INFORMATION CONTACT:** Sam Grober, Aerospace Engineer, Standardization Branch, ANM-113, FAA, Transport Airplane Directorate, 1601 Lind Avenue, SW., Renton, Washington 98055-4056; telephone (206) 227-1187; fax (206) 227-1320.

**SUPPLEMENTARY INFORMATION:** A proposal to amend part 39 of the Federal Aviation Regulations (14 CFR part 39) to include an airworthiness directive (AD) that is applicable to certain Jetstream Model 4101 airplanes was published in the **Federal Register** on December 16, 1994 (59 FR 64873). That action proposed to require modification of the spoiler system.

Interested persons have been afforded an opportunity to participate in the making of this amendment. No comments were submitted in response to the proposal or the FAA's determination of the cost to the public.

After careful review of the available data, the FAA has determined that air safety and the public interest require the adoption of the rule as proposed.

The FAA estimates that 14 airplanes of U.S. registry will be affected by this AD, that it will take approximately 7 work hours per airplane to accomplish the required actions, and that the average labor rate is \$60 per work hour. Required parts will be supplied by the manufacturer at no cost to the operators. Based on these figures, the total cost impact of the AD on U.S. operators is estimated to be \$5,880, or \$420 per airplane.

The total cost impact figure discussed above is based on assumptions that no operator has yet accomplished any of the requirements of this AD action, and that no operator would accomplish those actions in the future if this AD were not adopted.

The regulations adopted herein will not have substantial direct effects on the States, on the relationship between the national government and the States, or on the distribution of power and responsibilities among the various levels of government. Therefore, in accordance with Executive Order 12612, it is determined that this final rule does not have sufficient federalism implications to warrant the preparation of a Federalism Assessment.

For the reasons discussed above, I certify that this action (1) is not a "significant regulatory action" under Executive Order 12866; (2) is not a "significant rule" under DOT Regulatory Policies and Procedures (44 FR 11034, February 26, 1979); and (3) will not have a significant economic impact, positive or negative, on a substantial number of small entities under the criteria of the Regulatory Flexibility Act. A final evaluation has been prepared for this action and it is contained in the Rules Docket. A copy of it may be obtained from the Rules Docket at the location provided under the caption **ADDRESSES**.

#### List of Subjects in 14 CFR Part 39

Air transportation, Aircraft, Aviation safety, Incorporation by reference, Safety.

#### Adoption of the Amendment

Accordingly, pursuant to the authority delegated to me by the Administrator, the Federal Aviation Administration amends part 39 of the Federal Aviation Regulations (14 CFR part 39) as follows:

#### PART 39—AIRWORTHINESS DIRECTIVES

1. The authority citation for part 39 continues to read as follows:

**Authority:** 49 U.S.C. App. 1354(a), 1421 and 1423; 49 U.S.C. 106(g); and 14 CFR 11.89.

#### § 39.13 [Amended]

2. Section 39.13 is amended by adding the following new airworthiness directive:

##### 95-08-01 Jetstream Aircraft Limited:

Amendment 39-9190. Docket 94-NM-169-AD.

**Applicability:** Model 4101 airplanes on which Jetstream Modification JM41290B (reference Jetstream Service Bulletin J41-29-001) has not been installed, certificated in any category.

**Note 1:** This AD applies to each airplane identified in the preceding applicability provision, regardless of whether it has been modified, altered, or repaired in the area subject to the requirements of this AD. For airplanes that have been modified, altered, or repaired so that the performance of the requirements of this AD is affected, the owner/operator must use the authority provided in paragraph (b) to request approval from the FAA. This approval may address either no action, if the current configuration eliminates the unsafe condition; or different actions necessary to address the unsafe condition described in this AD. Such a request should include an assessment of the effect of the changed configuration on the unsafe condition addressed by this AD. In no case does the presence of any modification, alteration, or repair remove any airplane from the applicability of this AD.

**Compliance:** Required as indicated, unless accomplished previously.

To prevent failure of the tee fittings and subsequent loss of the main system hydraulics, accomplish the following:

(a) Within 4 months after the effective date of this AD, modify the spoiler system in accordance with Jetstream Service Bulletin J41-29-001, dated August 12, 1994, or Revision 1, dated August 30, 1994.

(b) An alternative method of compliance or adjustment of the compliance time that provides an acceptable level of safety may be used if approved by the Manager, Standardization Branch, FAA, Transport Airplane Directorate, ANM-113. Operators shall submit their requests through an appropriate FAA Principal Maintenance Inspector, who may add comments and then send it to the Manager, Standardization Branch, ANM-113.

**Note 2:** Information concerning the existence of approved alternative methods of compliance with this AD, if any, may be obtained from the Standardization Branch, ANM-113.

(c) Special flight permits may be issued in accordance with sections 21.197 and 21.199 of the Federal Aviation Regulations (14 CFR 21.197 and 21.199) to operate the airplane to a location where the requirements of this AD can be accomplished.

(d) The modification shall be done in accordance with the following Jetstream service bulletins, as applicable, which contain the specified effective pages:

Service bulletin referenced and date	Page No.	Revision level shown on page	Date shown on page
J41-29-001 Original Issue, August 12, 1994 .....	1-12	Original .....	Aug. 12, 1994.
J41-29-001 Revision 1, August 30, 1994 .....	1, 3	1 .....	Aug. 30, 1994.
	2, 4-12	Original .....	Aug. 12, 1994.

This incorporation by reference was approved by the Director of the Federal Register in accordance with 5 U.S.C. 552(a) and 1 CFR part 51. Copies may be obtained from Jetstream Aircraft, Inc., P.O. Box 16029, Dulles International Airport, Washington, DC 20041-6029. Copies may be inspected at the FAA, Transport Airplane Directorate, 1601 Lind Avenue, SW., Renton, Washington; or at the Office of the Federal Register, 800 North Capitol Street, NW., suite 700, Washington, DC.

(e) This amendment becomes effective on May 10, 1995.

Issued in Renton, Washington, on March 31, 1995.

**Darrell M. Pederson,**

*Acting Manager, Transport Airplane Directorate, Aircraft Certification Service.*  
[FR Doc. 95-8446 Filed 4-7-95; 8:45 am]

BILLING CODE 4910-13-U

#### 14 CFR Part 39

[Docket No. 94-NM-192-AD; Amendment 39-1817; AD 95-07-05]

#### Airworthiness Directives; Airbus Model A300-600 Series Airplanes

**AGENCY:** Federal Aviation Administration, DOT.

**ACTION:** Final rule.

**SUMMARY:** This amendment adopts a new airworthiness directive (AD), applicable to certain Airbus Model A300-600 series airplanes, that requires repetitive ultrasonic inspections to detect cracks in the bolt holes inboard and outboard of rib 9 on the bottom booms of the front and rear wing spars, and repair, if necessary. This amendment is prompted by the discovery of fatigue cracks that emanated from the bolt holes inboard and outboard of rib 9 in the bottom booms of the front and rear wing spars. The actions specified by this AD are intended to prevent reduced structural integrity of a wing spar as a result of fatigue cracks in the bolt holes.

**DATES:** Effective May 10, 1995.

The incorporation by reference of certain publications listed in the regulations is approved by the Director of the Federal Register as of May 10, 1995.

**ADDRESSES:** The service information referenced in this AD may be obtained from Airbus Industrie, 1 Rond Point Maurice Bellonte, 31707 Blagnac Cedex, France. This information may be examined at the Federal Aviation Administration (FAA), Transport Airplane Directorate, Rules Docket, 1601 Lind Avenue, SW., Renton, Washington; or at the Office of the Federal Register, 800 North Capitol Street, NW., suite 700, Washington, DC.

**FOR FURTHER INFORMATION CONTACT:** Stephen Slotte, Aerospace Engineer, Standardization Branch, ANM-113, FAA, Transport Airplane Directorate, 1601 Lind Avenue, SW., Renton, Washington 98055-4056; telephone (206) 227-2797; fax (206) 227-1320.

**SUPPLEMENTARY INFORMATION:** A proposal to amend part 39 of the Federal Aviation Regulations (14 CFR part 39) to include an airworthiness directive (AD) that is applicable to certain Airbus Model A300-600 series airplanes was published in the **Federal Register** on December 15, 1994 (59 FR 64626). That action proposed to require repetitive ultrasonic inspections to detect cracks in the bolt holes inboard and outboard of rib 9 on the bottom booms of the front and rear wing spars, and repair, if necessary.

Interested persons have been afforded an opportunity to participate in the making of this amendment. Due consideration has been given to the single comment received.

The commenter supports the proposed rule.

As a result of recent communications with the Air Transport Association (ATA) of America, the FAA has learned that, in general, some operators may misunderstand the legal effect of AD's on airplanes that are identified in the applicability provision of the AD, but that have been altered or repaired in the area addressed by the AD. The FAA points out that all airplanes identified in the applicability provision of an AD are legally subject to the AD. If an airplane has been altered or repaired in the affected area in such a way as to affect compliance with the AD, the owner or operator is required to obtain FAA approval for an alternative method of compliance with the AD, in accordance with the paragraph of each AD that provides for such approvals. A note has been added to this final rule to clarify this long-standing requirement.

After careful review of the available data, including the comment noted above, the FAA has determined that air safety and the public interest require the adoption of the rule with the change previously described. The FAA has determined that this change will neither increase the economic burden on any operator nor increase the scope of the AD.

The FAA estimates that 35 airplanes of U.S. registry will be affected by this AD, that it will take approximately 11 work hours per airplane to accomplish the required actions, and that the average labor rate is \$60 per work hour. Based on these figures, the total cost impact of the AD on U.S. operators is

estimated to be \$23,100, or \$660 per airplane.

The total cost impact figure discussed above is based on assumptions that no operator has yet accomplished any of the requirements of this AD action, and that no operator would accomplish those actions in the future if this AD were not adopted.

The regulations adopted herein will not have substantial direct effects on the States, on the relationship between the national government and the States, or on the distribution of power and responsibilities among the various levels of government. Therefore, in accordance with Executive Order 12612, it is determined that this final rule does not have sufficient federalism implications to warrant the preparation of a Federalism Assessment.

For the reasons discussed above, I certify that this action (1) is not a "significant regulatory action" under Executive Order 12866; (2) is not a "significant rule" under DOT Regulatory Policies and Procedures (44 FR 11034, February 26, 1979); and (3) will not have a significant economic impact, positive or negative, on a substantial number of small entities under the criteria of the Regulatory Flexibility Act. A final evaluation has been prepared for this action and it is contained in the Rules Docket. A copy of it may be obtained from the Rules Docket at the location provided under the caption **ADDRESSES**.

#### List of Subjects in 14 CFR Part 39

Air transportation, Aircraft, Aviation safety, Incorporation by reference, Safety.

#### Adoption of the Amendment

Accordingly, pursuant to the authority delegated to me by the Administrator, the Federal Aviation Administration amends part 39 of the Federal Aviation Regulations (14 CFR part 39) as follows:

#### PART 39—AIRWORTHINESS DIRECTIVES

1. The authority citation for part 39 continues to read as follows:

**Authority:** 49 U.S.C. App. 1354(a), 1421 and 1423; 49 U.S.C. 106(g); and 14 CFR 11.89.

#### 39.13 [Amended]

2. Section 39.13 is amended by adding the following new airworthiness directive:

**95-07-05 Airbus Industrie:** Amendment 39-9187. Docket 94-NM-192-AD.

**Applicability:** Model A300-600 series airplanes on which Airbus Modification