

day period, extend the time for action or institute a proceeding to afford parties an opportunity for written comments and for the oral presentation of views, data, and arguments.

Any person desiring to participate in this rate proceeding must file a motion to intervene in accordance with Sections 385.211 and 385.214 of the Commission's Rules of Practice and Procedures. All motions must be filed with the Secretary of the Commission on or before July 7, 1995. The petition for rate approval is on file with the Commission and is available for public inspection.

Linwood A. Watson, Jr.,

Acting Secretary.

[FR Doc. 95-15802 Filed 6-27-95; 8:45 am]

BILLING CODE 6717-01-M

ENVIRONMENTAL PROTECTION AGENCY

[FRL-5227-8]

Agency Information Collection Activities Under OMB Review

AGENCY: Environmental Protection Agency (EPA).

ACTION: Notice.

SUMMARY: In compliance with the Paperwork Reduction Act (44 U.S.C. 3501 *et seq.*), this notice announces that the Information Collection Request (ICR) abstracted below has been forwarded to the Office of Management and Budget (OMB) for review and comment. The ICR describes the nature of the information collection and its expected cost and burden.

DATES: Comments must be submitted on or before July 28, 1995.

FOR FURTHER INFORMATION CONTACT: Sandy Farmer at EPA, (202) 260-2740, please refer to EPA ICR #1051.06.

SUPPLEMENTARY INFORMATION:

Office of Air and Radiation

Title: Reporting and Recordkeeping Requirements for the New Source Performance Standard (NSPS) for Portland Cement Industry (Subpart F)—(EPA No. 1051.06, OMB No. 2060-0025).

Abstract: This ICR is for an extension of an existing information collection in support of the Clean Air Act, as described under the general NSPS at 40 CFR 60.7-60.8 and the specific NSPS, for particulate and visible emissions from portland cement plants, at 40 CFR 60.60. The information will be used by the EPA to direct monitoring, inspection, and enforcement efforts,

thereby ensuring facility compliance with the NSPS.

Owners or operators of all new facilities subject to this NSPS must provide EPA, or a delegated State or local authority, with: (1) Notification of the date of construction or reconstruction, (2) notification of the anticipated and actual dates of the start-up, (3) notification of the date of initial performance test, and (4) a copy of the initial performance test results. Owners and operators of new facilities that must conduct continuous opacity monitoring (COM) will be required to submit: (1) Notification of the COM system demonstration, and (2) notification that COM system data will be used during the initial performance test. Facilities that, as an alternative, are permitted to conduct opacity observations using EPA method 9 must notify EPA of the anticipated date for conducting these observations.

Owners and operators of all facilities must provide EPA, or a delegated State or local authority, with: (1) semiannual reports of malfunctions and excess emissions; and (2) notification of any physical or operational change to their facility which may result in an increase in the regulated pollutant emission rate. All facilities must also maintain records on the facility operation that document: (1) the occurrence and duration of any start-ups, shutdowns, and malfunctions; (2) initial performance test results; (3) all visible emissions from continuous opacity monitoring (COM) or, where applicable, from daily observations taken in accordance with EPA Method 9.

Presently there are an estimated 88 subject facilities with an average annual growth of 4 new facilities over the next three years. All subject facilities must maintain records related to compliance for 2 years.

Burden Statement: Public reporting burden for facilities subject to this collection of information is estimated to average 3 hours per year for each respondent, including time for reviewing instructions, searching existing data sources, gathering and maintaining data, and completing and reviewing the collection of information. Public recordkeeping burden for each respondent is estimated to average 69 hours annually. The total annual public reporting burden is estimated to be 6750 hours.

Respondents: Businesses or other for-profit organizations.

Estimated Number of Respondents: 94.

Estimated Number of Responses Per Respondent: 1.

Frequency of Collection: Semiannual reporting for existing facilities in non-compliance, with additional one-time reporting requirements for new facilities. Daily recordkeeping for all facilities.

Send comments regarding the burden estimate, or any other aspect of this collection of information, including suggestions for reducing the burden, (please refer to EPA ICR #1051.06 and OMB #2060-0025) to:

Sandy Farmer, EPA ICR #1051.06, U.S. Environmental Protection Agency, Regulatory Information Division (2136), 401 M. Street, S.W., Washington, D.C. 20460.

and
Chris Wolz, OMB #2060-0025, Office of Management and Budget, Office of Information and Regulatory Affairs, 725 17th Street, N.W., Washington, D.C. 20503.

Dated: June 21, 1995.

Joseph Retzer,

Director, Regulatory Information Division.

[FR Doc. 95-15878 Filed 6-27-95; 8:45 am]

BILLING CODE 6560-50-M

[FRL-5227-6]

Public Water Supervision Program: Program Revisions for the State of Maine

AGENCY: U.S. Environmental Protection Agency.

ACTION: Notice.

SUMMARY: Notice is hereby given that the state of Maine is revising its approved State Public Water Supervision Primacy Program. Maine has adopted four drinking water regulations for: (1) Volatile organic chemicals, (2) public notification, (3) for controlling lead and copper and (4) volatile organic chemicals, synthetic organic chemicals, and inorganic chemicals (known as Phase II, IIB, and V); that correspond to the National Primary Drinking Water Regulations promulgated by EPA on (1) July 8, 1987 (52 FR 25690), (2) October 18, 1987 (52 FR 41534), (3) June 7, 1991 (56 FR 26460) and (4) January 30, 1991 (56 FR 3526), July 1, 1991 (56 FR 30266) and July 17, 1992 (57 FR 31776). EPA has determined that the state program revisions are no less stringent than the corresponding Federal regulations. Therefore, EPA has tentatively decided to approve these state program revisions.

All interested parties are invited to request a public hearing. A request for a public hearing must be submitted by July 28, 1995 to the Regional

Administrator at the address shown below. Frivolous or insubstantial requests for a hearing may be denied by the Regional Administrator. However, if a substantial request for a public hearing is made by July 28, 1995, a public hearing will be held. If no timely and appropriate request for a hearing is received and the Regional Administrator does not elect to hold a hearing on his own motion, this determination shall become effective July 28, 1995.

Any request for a public hearing shall include the following: (1) The name, address, and telephone number of the individual, organization or other entity requesting a hearing. (2) A brief statement of the requesting person's interest in the Regional Administrator's determination and of information that the requesting person intended to submit at such hearing. (3) The signature of the individual making the request; or, if the request is made on behalf of an organization or other entity, the signature of a responsible official of the organization or other entity.

ADDRESSES: All documents relating to this determination are available for inspection between the hours of 8:00 a.m. and 5:00 p.m. Monday through Friday, at the following offices:

Maine Department of Human Services,
Drinking Water Program, 157 Capitol
Street, Augusta, ME 04333

and

U.S. Environmental Protection
Agency—New England, Water
Management Division, Ground Water
Management and Water Supply
Branch, One Congress Street—11th
Floor, Boston, MA 02203

FOR FURTHER INFORMATION CONTACT:
Chris Ryan, U.S. Environmental
Protection Agency—Region I, Ground
Water Management and Water Supply
Branch, JFK Federal Building, Boston,
MA 02203, Telephone: (617) 565-3609.

Authority: Section 1413 of the Safe
Drinking Water Act as amended, 42 U.S.C.
300f *et seq.*, and 40 CFR 142.10 of the
National Primary Drinking Water
Regulations.

Dated: June 13, 1995.

John P. DeVillars,

Regional Administrator.

[FR Doc. 95-15879 Filed 6-27-95; 8:45 am]

BILLING CODE 6560-50-P

[FRL-5227-9]

**Underground Injection Control
Program; Hazardous Waste Injection
Restrictions; Petition for Exemption—
Class I Hazardous Waste Injection;
Disposal Systems, Inc.**

AGENCY: Environmental Protection
Agency.

ACTION: Notice of Final Decision on
Petition Reissuance.

SUMMARY: Notice is hereby given that
reissuance of an exemption to the land
disposal restrictions under the 1984
Hazardous and Solid Waste
Amendments to the Resource
Conservation and Recovery Act has
been granted to Disposal Systems, Inc.,
for the Class I injection wells located at
Deer Park, Texas. As required by 40 CFR
part 148, the company has adequately
demonstrated to the satisfaction of the
Environmental Protection Agency by
petition and supporting documentation
that, to a reasonable degree of certainty,
there will be no migration of hazardous
constituents from the injection zone for
as long as the waste remains hazardous.
This final decision allows the
underground injection by Disposal
Systems, Inc., of the specific restricted
hazardous waste identified in the
exemption reissuance, into the Class I
hazardous waste injection wells at the
Deer Park, Texas facility specifically
identified in the reissued exemption, for
as long as the basis for granting an
approval of this exemption remains
valid, under provisions of 40 CFR
148.24. As required by 40 CFR 124.10,
a public notice was issued April 26,
1995. The public comment period
ended on June 12, 1995. All comments
have been addressed and have been
considered in the final decision. This
decision constitutes final Agency action
and there is no Administrative appeal.

DATES: This action is effective as of June
21, 1995.

ADDRESSES: Copies of the reissued
petition and all pertinent information
relating thereto are on file at the
following location: Environmental
Protection Agency, Region 6, Water
Management Division, Water Supply
Branch (6W-SU), 1445 Ross Avenue,
Dallas, Texas 75202-2733.

FOR FURTHER INFORMATION CONTACT:
Phil Dellinger, Unit Leader, UIC State
Programs/Land Ban, EPA—Region 6,
telephone (214) 665-7142.

Robert Manneschlager,

*Acting Director, Water Management Division
(6W).*

[FR Doc. 95-15877 Filed 6-27-95; 8:45 am]

BILLING CODE 6565-50-M

[AD-FRL-5249-4; Docket No. AQM-95-01]

Conference on Air Quality Modeling

AGENCY: U.S. Environmental Protection
Agency (EPA).

ACTION: Notice of Conference.

SUMMARY: EPA announces the Sixth
Conference on Air Quality Modeling.
Such a conference is required by
Section 320 of the Clean Air Act (CAA)
to be held every 3 years. The purpose
of the Sixth Conference is to provide a
forum for public review of modeling
techniques that may be candidates for
use in regulatory applications.

DATES: The sixth conference will be
held on August 9-10, 1995 from 9:00
a.m. to 5:00 p.m. As needed to allow for
presentation of all verbal comments, the
conference may extend to noon of the
next day. Requests to speak at the
conference should be submitted to the
individuals listed below by July 26,
1995. All written comments must be
submitted by COB October 10, 1995.

ADDRESSES: Conference: The conference
will be held in the GSA Auditorium,
GSA National Capitol Region Building,
7th and D Streets, SW., Washington, DC.

Comments: Written statements or
comments not presented at the
conference should be submitted (in
duplicate if possible) to: OAR
Regulatory Docket (6102), Room M-
1500, Waterside Mall, Attention: OAR
Regulatory Docket AQM-95-01, U.S.
Environmental Protection Agency, 401
M Street, SW., Washington, DC 20460.

Copies of technical review materials
may be obtained from several sources.
Copies of all materials may be obtained
from the docket. Many materials will
also be available from the National
Technical Information Service (NTIS),
U.S. Dept. of Commerce, Springfield,
VA 22161; (703) 487-4650. In addition,
many materials may be obtained from
the Support Center for Regulatory Air
Models Bulletin Board System by
downloading the appropriate file. To
register or access this electronic bulletin
board, users with a personal computer
should dial (919) 541-5742.

Docket: Items referenced in this notice
as well as comments received are
maintained in Docket AQM-95-01. The
docket is available for public inspection
and copying between 8:00 a.m. and 5:30
p.m., Monday through Friday, at the
address above. A reasonable fee may be
charged for copying.

FOR FURTHER INFORMATION CONTACT:
Joseph A. Tikvart, Chief, Air Quality
Modeling Group (MD-14), Office of Air
Quality Planning and Standards, U.S.
Environmental Protection Agency,
Research Triangle Park, NC 27711;