

§ 86.1105–87 [Amended]

196. In § 86.1105–87, paragraphs (b) and (c)(1) are removed and reserved.

[FR Doc. 95–15029 Filed 6–28–95; 8:45 am]

BILLING CODE 6560–50–P

40 CFR Parts 35, 122, 123, 124, 125, 140, 141, 144, 146, 148, 403, 405, 406, 407, 408, 409, 411, 412, 417, 418, 424, 426, 427, 428, 432, 435, 436, 443, 446, 447, 454, 455, 457, 458, 460

[FRL–5223–9]

National Pollutant Discharge Elimination System and Pretreatment Programs; State and Local Assistance Programs; Effluent Limitations Guidelines and Standards; Public Water Supply and Underground Injection Control Programs: Removal of Legally Obsolete or Redundant Rules

AGENCY: Environmental Protection Agency.

ACTION: Final rule.

SUMMARY: The Environmental Protection Agency (EPA) is today removing from the Code of Federal Regulations (CFR) a number of regulations pertaining to its water programs that are obsolete or redundant. Deleting the obsolete regulations from the CFR will clarify the legal status of these regulations for both the regulated community and the public. EPA is also deleting from the CFR the maximum contaminant level goal (“MCLG”) and maximum contaminant level (“MCL”) for nickel, which have been vacated by a court. In addition, EPA is making one correction due to a typographical error.

EFFECTIVE DATE: This final rule takes effect on June 29, 1995.

FOR FURTHER INFORMATION CONTACT: Cynthia Puskar, Policy and Resources Management Office (4102), U.S. Environmental Protection Agency, 401 M St. SW, Washington, D.C. 20460, (202) 260–8532.

SUPPLEMENTARY INFORMATION:

I. Introduction

On March 4, 1995 the President directed all Federal agencies and departments to conduct a comprehensive review of the regulations they administer and, by June 1, 1995 to identify those rules that are obsolete or unduly burdensome. EPA has conducted a review of all of its rules, including rules issued under the Federal Water Pollution Control Act, as amended (“FWPCA”) (33 U.S.C. 1158 and 1251 et seq.) (also cited below as the Clean Water Act or “CWA”), the

Safe Drinking Water Act (“SDWA”) (42 U.S.C. 300f et seq.), and the Marine Protection, Research, and Sanctuaries Act (also known as the Ocean Dumping Act or “ODA”) (33 U.S.C. 1401 et seq.). Based on this review, EPA is today deleting a number of FWPCA and SDWA rules from the Code of Federal Regulations, as set forth below. These rules are being deleted either because they are obsolete or because they are redundant with other statutory or regulatory provisions. The rules deemed to be obsolete have expired by their own terms or by the terms of the statute or have been made obsolete by the completion of the grant projects to which they applied. In the case of the maximum contaminant level goal (“MCLG”) and maximum contaminant level (“MCL”) for nickel, EPA is removing those regulations from the CFR because they have been vacated (i.e., declared void and of no effect) by a court. Today’s action does not make any legally substantive changes to the regulatory programs at issue.

Today’s removal of rules from the CFR is not intended to affect the status of any civil or criminal actions that were initiated prior to June 29, 1995 or which may be initiated in the future to redress violations of the rules that occurred prior to today’s action.

In addition to the regulations addressed in today’s action, EPA’s Office of Water has identified a number of other regulatory provisions that may provide opportunities for further streamlining beyond the deletion of obsolete and redundant regulations being accomplished today. The Agency intends to address those matters in future actions.

II. Obsolete Rules

A. Federal Water Pollution Control Act Rules

40 CFR Part 35, Subpart C—Grants for Construction of Wastewater Treatment Works. EPA is deleting Part 35, Subpart C, which comprises regulations promulgated under Section 8 of the Federal Water Pollution Control Act, as amended. Section 8 authorized EPA to award grants to municipalities for the construction of treatment works to prevent the discharge of untreated or inadequately treated sewage or other waste into any waters. Subpart C was made obsolete by passage of the CWA and its implementing regulations at 40 CFR Part 35, Subparts E, I and J, as well as completion of most of the projects funded by Subpart C grants, which date to the period prior to the passage of the CWA in 1972. Any remaining active grants will continue to be governed by

the Subpart C regulations applicable at the time the grant was awarded.

40 CFR Part 35, Subpart D—Reimbursement Grants. EPA is deleting Part 35, Subpart D, which comprises regulations promulgated under Section 206 of the CWA, as amended. Section 206 authorized EPA to award grants to municipalities for reimbursement of state or local funds used for public sewage treatment works projects on which construction was initiated after June 30, 1956, but before July 1, 1973, and for which a grant was awarded under Section 8 of Public Law 84–660. Subpart D was made obsolete by completion of reimbursements to the eligible projects. In the unlikely event of a question regarding a section 206 reimbursement project, the Subpart D regulations in effect when the grant was awarded should be consulted.

Section 122.1(g). This provision simply recites portions of the Clean Water Act that give EPA authority over NPDES-related matters. This language is superfluous and is therefore deleted by today’s rulemaking.

Sections 122.21(m)(3) and (n)(2) and 40 CFR Part 125 Subpart J—Extensions of Deadlines for Meeting Treatment Requirements. CWA sections 301(i)(1) and (2) allowed parties to seek extensions through permit issuance or modification of the statutory deadlines for meeting certain treatment requirements. EPA implemented these provisions in sections 122.21(n)(2) and (m)(3) of the regulations. Section 122.21(n)(2) allowed publicly owned treatment works (“POTWs”) that were experiencing delays in construction to seek extensions of the compliance deadlines. Section 122.21(n)(2) set a deadline of August 3, 1987 for POTWs to apply for an extension. Section 122.21(m)(3) allowed point source dischargers to seek their own extensions of treatment requirement deadlines in the event the POTW into which the source was to discharge was experiencing delays in construction. Section 122.21(m)(3) set a deadline of January 30, 1988 for point source dischargers to apply for these extensions. Because both of these dates have passed, these two regulatory provisions are obsolete and are deleted by today’s rule.

In addition, 40 CFR Part 125 Subpart J (consisting of sections 125.90 through 125.97) sets forth the criteria for issuing these CWA section 301(i) extensions of time to POTWs and point source dischargers. Because these extensions are no longer available, this provision too is obsolete and is deleted by today’s rule.

Section 122.21(m)(4) and Part 125, Subpart C—Variances For Innovative Technology. EPA is deleting Part 125, Subpart C, which comprises regulations promulgated under section 301(k) of the 1977 amendments to the Clean Water Act. Section 301(k) allowed EPA to grant compliance extensions to any industrial facility subject to a NPDES permit if the facility installed innovative technology. The last date to which compliance could be extended under section 301(k) was March 31, 1991. The regulations were challenged in court (*NRDC v. EPA*, No. 84-1500 (D.C. Cir.)). In light of the expiration of the statutory extension period, the court dismissed the case and ordered EPA to vacate the regulations. (See court order dated June 2, 1994.) Section 122.21(m)(4), which is also being removed, is a corresponding provision setting the time for applications to be submitted for section 301(k) variances.

Section 122.46(d)—Duration of Permits. The citation in section 122.46(d) to July 1, 1984 as a statutory compliance deadline is no longer accurate, having been revised by the 1987 Water Quality Act. This date is being deleted from section 122.46(d), since no reference to a specific date is necessary in that provision.

Sections 122.62(a)(14), 122.62(a)(17), and 122.63(f)—Causes for Permit Modification. Section 122.62(a)(14) lists as a cause for permit modification the need to conform to changes to sections 122.41(c) and (d) that EPA made pursuant to a judicial settlement agreement dated November 16, 1981 in connection with *NRDC v. EPA*, No. 80-1607. Section 122.62(a)(17) lists as a cause for permit modification the need to conform to certain other regulatory changes that EPA made in connection with that settlement agreement. Section 122.62(a)(17) also sets a deadline of January 24, 1985 for the permittee to apply for the modification. Also, section 122.63(f) allows minor permit modifications to be made without the formal Part 124 proceedings in order to conform the permit to certain regulatory changes that were issued on September 26, 1984.

In each of these three cases, over five years have passed since the relevant regulatory changes that would be the basis for a permit modification. Thus, all permits that would have needed a modification to incorporate these regulatory changes have expired, and all newer permits are already subject to these revised regulatory conditions and so need no modification. (Although some of those expired permits may not have been reissued but may currently be under administrative extension, EPA

does not modify such permits; see sections 122.6 and 122.46(b)). Moreover, the deadline in section 122.62(a)(17) in particular to apply for permit modifications under that provision expired in 1985. Accordingly, these three provisions are obsolete and are deleted today.

Sections 123.43(b) and 124.58—Copies of Draft Permits. Section 123.43(b) is a requirement for State agencies that administer NPDES permit programs to transmit a second copy of draft general or proposed permits to personnel at EPA Headquarters (under section 123.43(a)(2), the State must provide the first copy to the Regional Administrator). Similarly, in the case of certain EPA-issued general permits, section 124.58 directs the Regional Administrators to send copies of the draft general permits to the Deputy Assistant Administrator for Water Enforcement at EPA Headquarters and gives that official an opportunity to object to the draft permits. The EPA Regional Office has primary responsibility in both of these cases. EPA believes that both of these requirements to notify the relevant Headquarters office in every case of a draft or proposed permit are unnecessary. (In addition, because of reorganization, the two Headquarters positions referred to in these provisions no longer exist in any event.) Therefore, EPA is removing these regulatory requirements (although the Region should consult with Headquarters on draft permits on an as needed basis). These provisions relate only to EPA's internal operating procedures, and therefore they are removed today without notice and comment pursuant to section 553(b)(3)(A) of the Administrative Procedure Act.

Section 140.3(h)—Marine Sanitation Devices. This section is no longer necessary, since it was designed to clarify which of the dates described in the rule between 1975 and 1980 were the "effective dates" for purposes of CWA section 312(g)(1). Since all dates described in the rule have passed, there can be no ambiguity as to whether the rule is effective for purposes of section 312(g)(1).

40 CFR Part 403—Pretreatment Regulations.

Section 403.1(c) (deadlines for submission of category determination requests and reports). This provision extended certain deadlines for the submission of requests by industrial users (requests to determine whether they were covered under various pretreatment standards, variance requests, and applications for net/gross adjustments) and for certain baseline

reporting requirements on the part of industrial users. The deadlines and these extensions have long since lapsed, and so this provision is being deleted.

Section 403.5(f) (deadlines for compliance with national pretreatment standards). This provision is obsolete because the compliance deadlines it sets have long since lapsed.

Section 403.8(c), (d), & (f)(1)(vi)(A) (POTW pretreatment requirements). The last sentence of § 403.8(f)(1)(vi)(A) set deadlines for POTWs to submit requests for approvals of modified pretreatment programs. Because these deadlines have lapsed, this sentence is obsolete and is removed today. In addition, in § 403.8(c), EPA is removing an obsolete cross reference to pretreatment program requirements in § 403.10(d) (also being deleted today) for permits issued to POTWs in States not authorized to act as the approval authority. Finally, § 403.8(d), which authorizes compliance schedules in permits to allow time for POTWs to develop pretreatment programs once determined necessary, is obsolete by its terms, and so is removed and reserved. EPA intends to invite comment on appropriate compliance schedules in a future rulemaking.

Section 403.10(b), (c) and (d) (deadlines for modifications). Section 403.10(b) is obsolete because it allowed for an extension of time for States to modify their NPDES programs consistent with the 1977 amendments to the Clean Water Act. The 1977 amendments to the Clean Water Act required modification of any previously approved State NPDES program within one year (or two years if legal authority needed to be enacted) to include a State pretreatment program. The extension has lapsed. Section 403.10(d) provided for POTW permit modification after approval of State program modifications for pretreatment. Any permits that would be affected by section 403.10(d) have long since been issued and expired, thus, modification is unnecessary. Section 403.10(c) previously provided that failure of a State to seek approval of a State Pretreatment Program as provided in 403.10(b) and the failure of an approved State to administer its State Pretreatment Program in accordance with requirements of section 403.10 constituted grounds for withdrawal of NPDES program approval under Clean Water Act section 402(c)(3). Section 403.10(c) is also revised in today's rule simply by deleting the reference to obsolete § 403.10(b) and retaining the provision that failure to comply with the 1977 CWA NPDES program modification obligation is a ground for

withdrawal of the State's NPDES program.

Section 403.12(b) (baseline reporting requirements for industrial users). The second sentence of section 403.12(b) allowed an Industrial User of a POTW to forego resubmission of baseline monitoring reports where reports had been submitted previously according to a now-defunct reporting regulation. This regulatory provision had allowed for transition to new reporting requirements. The sentence is now obsolete because the time for any such reporting required under section 403.12 has lapsed and, in the event any new pretreatment standards are established in the future, Industrial Users would not be able to use this provision because they would not have been required to submit the earlier reports.

Section 403.13(g)(2)(i) (deadlines for variances from pretreatment standards). Section 403.13(g)(2)(i) is obsolete because it established a July 3, 1989, deadline for submission of requests for variances from categorical Pretreatment Standards issued by EPA prior to February 4, 1987. That deadline has now lapsed.

Part 403, Appendix B (list of priority pollutants). Appendix B lists the 65 priority pollutants developed pursuant to the Consent Decree in *Natural Resources Defense Council, Inc. v. Costle*. This list is now redundant with the list of priority pollutants published at 40 CFR § 401.15. Regulations in Part 403 do not otherwise refer to Appendix B.

Part 403 Appendix C (list of industrial categories). Appendix C lists the industrial categories subject to national categorical pretreatment standards pursuant to the Consent Decree in *Natural Resources Defense Council, Inc. v. Costle*. The list is incomplete and obsolete because EPA has now published national effluent guidelines and pretreatment standards for other industrial categories. Regulations in Part 403 do not otherwise refer to Appendix C.

Parts 405 To 460—Effluent Limitations Guidelines and Standards.

1. *FDV Variances.* An industrial discharger subject to effluent limitations guidelines and standards promulgated by EPA under the Clean Water Act may qualify for a "fundamentally different factors" ("FDV") variance that would allow alternative limitations to those imposed in the effluent guidelines. Subpart D of 40 CFR Part 125 contains the criteria and standards for FDF variances, including the procedures for applying to EPA for such variances. However, the BPT (best practicable technology) provisions of a large

number of effluent guidelines themselves (contained in 40 CFR Parts 405 to 460) also discuss the availability of FDF variances and the procedures for applying for them (see, e.g., the first paragraph of section 405.12). In these particular effluent guidelines, this lengthy discussion of FDF variances generally is repeated in the BPT provision for each separate subcategory. Thus, this virtually identical discussion of FDF variances occurs several times within a particular effluent guideline in many cases and a very large number of times over the entire set of effluent guidelines. All of this language in the effluent guidelines is superfluous and redundant with the criteria and standards for FDF variances contained in Part 125, Subpart D. Therefore, this language is deleted today from each place that it occurs in the effluent guidelines. In its place in each affected provision, EPA has added a cross reference to Part 125, Subpart D.

2. *Pretreatment Requirements.* EPA is similarly deleting today obsolete language concerning pretreatment requirements that currently exists in a large number of individual effluent guidelines provisions. In the 1970's, when many of the earlier effluent guidelines were promulgated, the general pretreatment requirements for dischargers to publicly owned treatment works ("POTWs") were contained in 40 CFR Part 128. In 1978, EPA promulgated a revised set of comprehensive pretreatment regulations in 40 CFR Part 403, which superseded the Part 128 regulations. Therefore, EPA deleted Part 128 from the Code of Federal Regulations. See 42 Fed. Reg. 6476 (Feb. 2, 1977) and 43 Fed. Reg. 27736 (June 26, 1978). However, many of the pretreatment standards for existing sources ("PSES") and pretreatment standards for new sources ("PSNS") in the earlier effluent guidelines contain cross-references to the Part 128 pretreatment regulations. To date, those cross-references have not been updated to reflect the replacement of Part 128 by Part 403. EPA is accomplishing this update today.

Typically, the PSES provisions in these effluent guidelines indicate first that the Part 128 pretreatment standards apply, which would include the specific pretreatment prohibitions in section 128.131 (prohibiting wastes that would interfere with POTW performance by causing fires, corrosion, etc.). See, e.g., 40 CFR § 405.14. These specific prohibitions are now contained in Part 403 (see section 403.5), so the reference to section 128.131 is obsolete. Next, these PSES provisions typically set out a table of pretreatment standards that

apply to the particular subcategory and provide that these standards take the place of the Part 128 pretreatment standards for "incompatible" pollutants. Accordingly, in the PSES provisions of these effluent guidelines, EPA is retaining the table of PSES standards, but is removing all references to the Part 128 regulations as obsolete. EPA is adding language that simply cross-references the requirements of Part 403.

The PSNS provisions in these guidelines also reference the specific prohibitions in section 128.131 and then replace the Part 128 pretreatment standards for "incompatible" pollutants with specific standards. See, e.g., 40 CFR § 405.16. Generally, however, the replacement standards consist of cross-references to provisions that do not contain any limitations for "incompatible" pollutants as defined in former Part 128. Therefore, to achieve parallel, updated language, the revisions today to these PSNS standards simply cross-reference the Part 403 requirements and contain no other limitations.

As with the other items in today's notice, these revisions simply concern obsolete or redundant language and effect no substantive changes to the FDF variance provisions or the PSES and PSNS provisions in Parts 405 through 460.

B. Safe Drinking Water Act Rules Public Water Systems

Section 141.11—MCLs For Inorganic Contaminants. Pursuant to section 1412 of the Safe Drinking Water Act, EPA set maximum contaminant levels ("MCLs") in section 141.11(b) of the regulations for a list of eight inorganic contaminants. Subsequently, in two 1991 rulemakings (56 FR 3526, January 30, 1991 and 56 FR 30266, July 1, 1991) EPA revised the MCLs for six of these contaminants—cadmium, chromium, mercury, nitrate, selenium, and barium. The 1991 rulemakings placed the revised MCLs in section 141.62(b) and made them effective 18 months after promulgation. The 1991 rulemakings also established these effective dates for the new regulations as the dates beyond which the original MCLs in section 141.11(b) for these six contaminants would no longer be effective (January 1, 1993 for barium and July 30, 1992 for the others). Because these dates have passed, the MCLs for these six contaminants in 141.11(b) are obsolete and are deleted today. The language of sections 141.11(a) and (b) is revised to reflect these changes.

Section 141.11(c), which contains the MCL for fluoride, is deleted today

because it is redundant with the MCL for fluoride that is now contained in section 141.62(b). Section 141.11(d), which addresses an increased MCL for nitrate that may be allowed at the discretion of the State, is unchanged by today's action and remains in effect.

Also, EPA revised its regulations for lead on June 7, 1991 (56 FR 26460) and in that rulemaking established December 7, 1992 as the date beyond which the existing MCL for lead in section 141.11(b) would no longer be effective. Because that date has passed, the MCL for lead in 141.11(b) is obsolete and is deleted today.

The MCL for arsenic in section 141.11(b) is unaffected by today's rulemaking and remains in full force and effect.

Sections 141.51(b), 141.62(b)(14), 141.23(a)(4)(i)(Table), and 141.32(e)(56)—Nickel Drinking Water Regulations. By today's notice, EPA is alerting the public that the Agency has requested and received a court order vacating and remanding the MCL and MCLG (maximum contaminant level goal) for nickel. The remand has already taken effect; today's action simply removes the nickel MCLG and MCL from the Code of Federal Regulations.

On July 17, 1992, EPA promulgated an MCLG of 0.1 mg/L for nickel under the Safe Drinking Water Act ("SDWA"). 57 FR 31776. The MCLG is a non-enforceable health goal that is set at a level at which "no known or anticipated adverse effects on the health of persons occur and which allows an adequate margin of safety" (SDWA section 1412(b)(4)). In the same rulemaking, EPA also promulgated a national primary drinking water regulation ("NPDWR") for nickel, consisting of an MCL of 0.1 mg/L, associated monitoring, analytical testing, and public notice requirements, and identification of best available treatment technologies for nickel. The MCL is an enforceable limit that is set as close to the MCLG as is feasible (SDWA section 1412(b)(4)).

In September, 1992, the Nickel Development Institute (a nickel trade association) and other industry parties filed a petition for review in the U.S. Court of Appeals for the D.C. Circuit challenging the MCLG and MCL for nickel. *Nickel Development Institute, et al. v. EPA* (No. 92-1407) and *Specialty Steel Industry of the United States v. Browner* (No. 92-1410). The petitioners raised objections over EPA's methodology for determining the MCLG for nickel. Specifically, they raised questions concerning the derivation of the relative source contribution ("RSC") factor and the need for a 3-fold uncertainty factor that EPA applied due

to the lack of adequate data on the effects of nickel ingestion on reproductive systems. Because the MCL for nickel was based directly on the MCLG, the petitioners also challenged the nickel MCL.

EPA and the petitioners entered into discussions in an attempt to settle this litigation but could not agree on the merits of the petitioners' challenges. Nevertheless, EPA has agreed that it did not fully address in the public record the petitioner's comments on the proposed methodology for deriving the MCLG for nickel. Therefore, it is in the public interest to conduct further rulemaking to obtain a full public airing of those issues. Accordingly, EPA has agreed to take a remand of the MCLG and MCL for nickel.

The Agency notes that as of the 1992 rulemaking, projections from available data estimated that only seven public drinking water systems nationwide were expected to have nickel levels exceeding the MCL of 0.1 mg/L. Therefore, this remand of the nickel MCL is not expected to have a significant effect nationwide on the levels of nickel in public water systems.

Terms of the remand order.

Accordingly, on February 9, 1995, EPA and the nickel industry petitioners filed a joint motion for a voluntary remand of the nickel MCL and MCLG. By orders of February 23, 1995 and March 6, 1995, the court granted this motion and vacated and remanded the following regulations (and dismissed the lawsuit):

1. The MCLG for nickel listed in 40 CFR 141.51(b);
2. The MCL for nickel listed in 40 CFR 141.62(b)(14) and 141.23(a)(4)(i)(Table); and
3. 40 CFR 141.32(e)(56).

All other portions of 40 CFR 141.51(b) and 141.23(a)(4)(i)(Table) are not affected by the court's order.

The MCLGs for contaminants other than nickel listed in § 141.51(b) remain, of course, in full force and effect. Similarly, as to the Table in § 141.23(a)(4)(i), the court vacated only the MCL for nickel, leaving the sampling methodologies and detection limits for nickel (as well as the MCLs, sampling methodologies and detection limits for the other contaminants) in full force and effect, since they were not at issue in the litigation. At EPA's request, the court also vacated the public notice language in § 141.32(e)(56) for nickel because it mentioned the nickel MCL and public notice language is not necessary until the Agency reestablishes an MCL for nickel. No other aspects of the national primary drinking water regulations for nickel were vacated, including monitoring requirements and

identification of best available technologies for nickel. EPA emphasizes that monitoring and analytical testing requirements for nickel remain in full force and effect.

The nickel MCLG and MCL should be considered vacated and not in effect as of February 23, 1995, the date of the court's original remand order. Today's action merely formally removes these regulations from the Code of Federal Regulations. Under the Administrative Procedure Act, EPA finds that public comment on today's action is unnecessary, since this remand has been ordered by the court. See 5 U.S.C. § 553(b). Therefore, EPA is issuing today's action as a final rule rather than as a proposed rule for comment.

Health Advisory on Nickel. EPA does not currently have a schedule for reestablishing an MCLG and MCL for nickel. EPA has initiated an effort to prioritize all its drinking water regulatory development activities in order to maximize risk reduction potential. The priority of the nickel reproposal is being considered as part of that effort. To provide guidance for the period prior to new regulations for nickel, the Office of Water has recently issued an updated Health Advisory for nickel. A copy of the Health Advisory can be obtained by contacting the Safe Drinking Water Hotline, whose toll free number is 1-800-426-4791. For further information on Health Advisories, contact Barbara Corcoran, Health Advisory Project Manager at (202) 260-1332.

One of the primary issues raised by the petitioners, as noted, concerned EPA's derivation of the RSC factor used in establishing the nickel MCLG. Since the litigation was filed, EPA's Office of Water has formed a cross-Agency workgroup to reexamine its RSC/human exposure apportionment policy, as noted at the front of the Health Advisory. The charge of the workgroup has since expanded to focus on the development of a consistent Agency-wide approach for assessing total human exposure to a contaminant and, where appropriate, allocating the Reference Dose (RfD) among the media of concern. This workgroup has or will be seeking input from EPA's Science Advisory Board, Science Policy Council and Risk Assessment Forum. EPA expects to publish proposed revisions to this policy in the **Federal Register** for public comment with the revision to the human health methodology for determining water quality criteria. Subsequent to this remand, further rulemaking on nickel will allow the Agency to encompass its ongoing efforts on the RSC issues and will allow a full

public airing of this and all other issues concerning the methodology for deriving the MCLG for nickel, including any new information or analysis that may exist as to the carcinogenic potential of ingested nickel compounds. In future rulemaking on nickel, EPA will consider any new information that has become available since EPA established the MCLG and MCL for nickel.

Section 141.23(k)—Technical Correction to Inorganic Chemical Sampling and Analytical Requirements. EPA is also making one technical correction of a typographical error today. In section 141.23(k)(3)(ii), the analytical acceptance limit for antimony is listed as “6#30 at ≥ 0.006 mg/l”. This was a typographical error—as indicated in the **Federal Register** issuance of this rule, the limit should have been listed as “ ± 30 at “ 0.006 mg/l” (see 57 FR 31801, July 17, 1992). Today’s rule makes this correction. Notice and comment on this minor technical correction are unnecessary (see section 553(b)(3) of the Administrative Procedure Act).

Section 141.34—Public Notice Requirements for Lead. 40 CFR section 141.34 required public water systems to provide, by June 19, 1988, a one-time notice to users that may be affected by lead in drinking water. Since the deadline for providing this notice passed about seven years ago, and the Agency subsequently promulgated comprehensive lead public education provisions in its national primary drinking water regulations for lead (see 40 CFR § 141.85), the Agency is deleting section 141.34 as obsolete.

Underground Injection Control

Section 144.15—Assessment of Class V wells. Section 144.15 required the Director to submit a report and recommendations to EPA regarding the inventory and assessment of Class V wells in the State within three years of the approval of the State UIC program. The assessment of Class V wells has now been completed. Accordingly, EPA is removing section 144.15.

Section 144.23(b)(2)—Closure of Class IV wells. Section 144.23(b)(2) required the owner or operator of a Class IV well to submit to the Regional Administrator for approval a plan for plugging or otherwise closing and abandoning the well. These plans were required to be submitted within 60 days after promulgation of the UIC program in the State. Because all State programs have now been established (in most cases this was accomplished by May or November of 1985), section 144.23(b)(2) is now obsolete and is being removed.

Section 146.52—Class V Inventory and Assessment. Section 146.52 required the Director to submit a report to EPA regarding the inventory and assessment of Class V wells in a State within three years of the approval of the State UIC program. The inventory and assessment of Class V wells has been completed. Accordingly, EPA is removing section 146.52.

Section 148.1(c)(4)—Scope and Applicability. Section 148.1 (promulgated pursuant to authority under section 3004 of the Resource Conservation and Recovery Act) identifies hazardous wastes that are restricted from disposal in Class I hazardous waste injection wells by the land disposal restrictions of the Hazardous and Solid Waste Amendments (HSWA) and defines those circumstances under which a waste, otherwise prohibited from injection, may be injected. Section 148.1(c)(4) provides that contaminated soil and debris from CERCLA and RCRA cleanup actions may continue to be injected until November 8, 1988. EPA is removing section 148.1(c)(4) because this date has passed and the rule is, therefore, obsolete.

III. Good Cause Exemption from Notice-and-Comment Rulemaking Procedures

The Administrative Procedure Act generally requires agencies to provide prior notice and opportunity for public comment before issuing a final rule. 5 U.S.C. § 553(b). Rules are exempt from this requirement if the issuing agency finds for good cause that notice and comment are unnecessary. 5 U.S.C. § 553(b)(3)(B).

EPA has determined that providing prior notice and opportunity for comment on the deletion of these rules from the CFR is unnecessary. For the reasons discussed above, these rules are obsolete or are redundant with other statutory or regulatory requirements, or simply codify court-ordered remands. Thus, withdrawing them from the CFR has no legal impact and merely codifies their current legal status in the case of the obsolete and remanded rules. (In a small number of cases above, EPA has provided independent reasons for a good cause finding that notice and comment are unnecessary.)

For the same reasons, EPA believes there is good cause for making the removal of these rules from the CFR immediately effective. See 5 U.S.C. § 553(d).

IV. Analyses under E.O. 12866, the Unfunded Mandates Reform Act of 1995, the Regulatory Flexibility Act and the Paperwork Reduction Act

Because today’s action simply withdraws rules from the CFR that are obsolete or that have already been vacated by a court, or removes regulatory language that is redundant with other statutory or regulatory provisions, this action has no regulatory impact and is not a “significant” regulatory action within the meaning of E.O. 12866. It also does not impose any Federal mandate on State, local or tribal governments or the private sector within the meaning of the Unfunded Mandates Reform Act of 1995. For the same reasons, pursuant to the Regulatory Flexibility Act, I certify that this action would not have a significant economic impact on a substantial number of small entities. Finally, deletion of these rules from the CFR does not affect requirements under the Paperwork Reduction Act.

List of Subjects

40 CFR Part 35

Grant programs—environmental protection, Waste Treatment and Disposal, Water Pollution Control.

40 CFR Parts 122, 123 and 124

Administrative practice and procedure, Water pollution control.

40 CFR Part 125

Water pollution control.

40 CFR Part 140

Sewage disposal, Vessels.

40 CFR Part 141

Chemicals, Water supply.

40 CFR Part 144 and 146

Hazardous waste, Reporting and recordkeeping requirements, Water supply.

40 CFR Part 148

Hazardous waste.

40 CFR Part 403

Reporting and recordkeeping requirements, Water pollution control.

40 CFR Part 405

Dairy products, Waste treatment and disposal, Water pollution control.

40 CFR Part 406

Grains, Waste treatment and disposal, Water pollution control.

40 CFR Part 407

Fruits, Vegetables, Waste treatment and disposal, Water pollution control.

40 CFR Part 408

Seafood, Waste treatment and disposal, Water pollution control.

40 CFR Part 409

Sugar, Waste treatment and disposal, Water pollution control.

40 CFR Part 411

Cement Industry, Waste treatment and disposal, Water pollution control.

40 CFR Part 412

Feedlots, Livestock, Waste treatment and disposal, Water pollution control.

40 CFR Part 417

Soap and detergent industry, Waste treatment and disposal, Water pollution control.

40 CFR Part 418

Fertilizers, Waste treatment and disposal, Water pollution control.

40 CFR Part 424

Iron, Metals, Waste treatment and disposal, Water pollution control.

40 CFR Part 426

Glass and glass products, Waste treatment and disposal, Water pollution control.

40 CFR Part 427

Asbestos, Waste treatment and disposal, Water pollution control.

40 CFR Part 428

Rubber and rubber products, Tires, Waste treatment and disposal, Water pollution control.

40 CFR Part 432

Meat and meat products, Waste treatment and disposal, Water pollution control.

40 CFR Part 435

Oil and gas exploration, Waste treatment and disposal, Water pollution control.

40 CFR Part 436

Mines, Waste treatment and disposal, Water pollution control.

40 CFR Part 443

Paving and roofing materials, Waste treatment and disposal, Water pollution control.

40 CFR Part 446

Paint industry, Waste treatment and disposal, Water pollution control.

40 CFR Part 447

Ink industry, Waste treatment and disposal, Water pollution control.

40 CFR Part 454

Chemicals, Waste treatment and disposal, Water pollution control.

40 CFR Part 455

Chemicals, Pesticides and pests, Waste treatment and disposal, Water pollution control.

40 CFR Part 457

Explosives, Waste treatment and disposal, Water pollution control.

40 CFR Part 458

Carbon industry, Waste treatment and disposal, Water pollution control.

40 CFR Part 460

Hospitals, Waste treatment and disposal, Water pollution control.

Dated: June 6, 1995.

Robert Perciasepe,

Assistant Administrator for Water.

For the reasons set out in the preamble, Chapter I of Title 40 of the Code of Federal Regulations is amended as follows:

PART 35—STATE AND LOCAL ASSISTANCE

1. The authority citation for part 35 continues to read as follows:

Authority: Secs. 105 and 301(a) of the Clean Air Act, as amended (42 U.S.C. 7405 and 7601(a)); Secs. 106, 205(g), 205(j), 208, 319, 501(a), and 518 of the Clean Water Act, as amended (33 U.S.C. 1256, 1285(g), 1285(j), 1288, 1361(a) and 1377); secs. 1443, 1450, and 1451 of the Safe Drinking Water Act (42 U.S.C. 300j-2, 300j-9 and 300j-11); secs. 2002(a) and 3011 of the Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act of 1976 (42 U.S.C. 6912(a), 6931, 6947, and 6949); and secs. 4, 23, and 25(a) of the Federal Insecticide, Fungicide and Rodenticide Act, as amended (7 U.S.C. 136(b), 136(u) and 136w(a)).

Subpart C to Part 35 [Removed and reserved]

2. Subpart C is removed and reserved.

Subpart D to Part 35 [Removed and reserved]

3. Subpart D is removed and reserved.

PART 122—EPA ADMINISTERED PERMIT PROGRAMS: THE NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM

1. The authority citation for Part 122 continues to read as follows:

Authority: The Clean Water Act, 33 U.S.C. 1251 *et seq.*

§ 122.1 [Amended]

2. Section 122.1(g) is removed.

§ 122.2 [Amended]

3. Sections 122.21(m)(3), (m)(4) and (n)(2) are removed and reserved.

§ 122.46 [Amended]

4. In § 122.46(d), the words “(July 1, 1984)” are removed.

§ 122.62 [Amended]

5. Sections 122.62(a)(14) and 122.62(a)(17) are removed and reserved.

§ 122.63 [Amended]

6. Section 122.63(f) is removed and reserved.

PART 123—STATE PROGRAM REQUIREMENTS

1. The authority citation for part 123 continues to read as follows:

Authority: Clean Water Act, 33 U.S.C. 1251 *et seq.*

§ 123.43 [Amended]

2. Section 123.43(b) is removed and reserved.

PART 124—PROCEDURES FOR DECISIONMAKING

1. The authority citation for part 124 continues to read as follows:

Authority: Resource Conservation and Recovery Act, 42 U.S.C. 6901 *et seq.*; Safe Drinking Water Act, 42 U.S.C. 300(f) *et seq.*; Clean Water Act, 33 U.S.C. 1251 *et seq.*; Clean Air Act, 42 U.S.C. 7401 *et seq.*

§ 124.58 [Removed and reserved]

2. Section 124.58 is removed and reserved.

PART 125—CRITERIA AND STANDARDS FOR THE NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM

1. The authority citation for Part 125 continues to read as follows:

Authority: Clean Water Act, as amended by the Clean Water Act of 1977, 33 U.S.C. 1251 *et seq.*, unless otherwise noted.

Subpart C to Part 125 [Removed and reserved]

2. Subpart C is removed and reserved.

Subpart J to Part 125 [Removed and reserved]

3. Subpart J is removed and reserved.

PART 140—MARINE SANITATION DEVICE STANDARD

1. The authority citation for part 140 continues to read as follows:

Authority: Sec. 312, as added Oct. 18, 1972, Pub. L. 92-500, sec. 2, 86 Stat. 871. Interpret or apply sec. 312(b)(1), 33 U.S.C. 1322(b)(1).

§ 140.3 [Amended]

2. Section 140.3(h) is removed.

PART 141—NATIONAL PRIMARY DRINKING WATER REGULATIONS

1. The authority citation for part 141 continues to read as follows:

Authority: 42 U.S.C. 300f, 300g-1, 300g-2, 300g-3, 300g-4, 300g-5, 300g-6, 300j-4, and 300j-9.

2. In § 141.11, paragraphs (a) and (b) are revised (the table in paragraph (b) is removed) to read as follows, and paragraph (c) is removed and reserved:

§ 141.11 Maximum contaminant levels for inorganic chemicals.

(a) The maximum contaminant level for arsenic applies only to community water systems. Compliance with the MCL for arsenic is calculated pursuant to § 141.23.

(b) The maximum contaminant level for arsenic is 0.05 milligrams per liter.

(c) [Reserved]

* * * * *

§ 141.23 [Amended]

3. In § 141.23(a)(4)(i), the entry for nickel in the Table is amended by removing and reserving the listed "MCL (mg/l)" for nickel; all other parts of the entry for nickel in the Table remain unchanged.

4. In § 141.23(k)(3)(ii), the Acceptance Limit for Antimony in the Table is revised to read as follows: "±30 at ≥0.006 mg/l".

§ 141.32 [Amended]

5. Section 141.32(e)(56) is removed and reserved.

§ 141.34 [Amended]

6. Section 141.34 is removed and reserved.

§ 144.51 [Amended]

7. In § 141.51(b), the line in the Table listing the contaminant "Nickel" and the MCLG for nickel is removed.

§ 141.62 [Amended]

8. In § 141.62(b), entry (14) in the Table is removed and reserved.

PART 144—UNDERGROUND INJECTION CONTROL PROGRAM

1. The authority citation for part 144 continues to read as follows:

Authority: Safe Drinking Water Act, 42 U.S.C. 300f et seq.; Resource Conservation and Recovery Act, 42 U.S.C. 6901 et seq.

§ 144.15 [Removed and reserved]

2. Section 144.15 is removed and reserved.

§ 144.23 [Amended]

3. Section 144.23(b)(2) is removed and reserved.

PART 146—UNDERGROUND INJECTION CONTROL PROGRAM: CRITERIA AND STANDARDS

1. The authority citation for part 146 continues to read as follows:

Authority: Safe Drinking Water Act, 42 U.S.C. 300f et seq.; Resource Conservation and Recovery Act, 42 U.S.C. 6901 et seq.

§ 146.52

[Removed]

2. Section 146.52 is removed.

PART 148—HAZARDOUS WASTE INJECTION RESTRICTIONS

1. The authority citation for part 148 continues to read as follows:

Authority: Secs. 3004, Resource Conservation and Recovery Act, 42 U.S.C. 6901 et seq.

§ 148.1 [Removed]

2. Section 148.1(c)(4) is removed.

PART 403—GENERAL PRETREATMENT REGULATIONS FOR EXISTING AND NEW SOURCES OF POLLUTION

1. The authority citation for part 403 continues to read as follows:

Authority: Sec. 54(c)(2) of the Clean Water Act of 1977, (Pub. L. 95-217) sections 204(b)(1)(C), 208(b)(2)(C)(iii), 301(b)(1)(A)(ii), 301(b)(2)(A)(ii), 301(b)(2)(C), 301(h)(5), 301(i)(2), 304(e), 304(g), 307, 308, 309, 402(b), 405 and 501(a) of the Federal Water Pollution Control Act (Pub. L. 92-500) as amended by the Clean Water Act of 1977 and the Water Quality Act of 1987 (Pub. L. 100-4).

§ 403.1 [Amended]

2. Section 403.1(c) is removed.

§ 403.5 [Amended]

3. Section 403.5(f) is removed.

4. Section 403.8(c) is revised and the text of paragraph (d) is removed and reserved to read as follows:

§ 403.8 Pretreatment Program Requirements: Development and Implementation by POTW.

* * * * * (c) Incorporation of approved programs in permits. A POTW may develop an appropriate POTW pretreatment program any time before the time limit set forth in paragraph (b) of this section. If the POTW is located in a State which has an approved State permit program under section 402 of the Act and an approved State pretreatment program in accordance with § 403.10, or

if the POTW is located in a State which does not have an approved permit program under section 402 of the Act, the POTW's NPDES Permit will be reissued or modified by the NPDES State or EPA, respectively, to incorporate the approved Program conditions as enforceable conditions of the Permit. The modification of a POTW's NPDES permit for the purposes of incorporating a POTW Pretreatment Program approved in accordance with the procedures in § 403.11 shall be deemed a minor Permit modification subject to the procedures in 40 CFR 122.63.

(d) Incorporation of compliance schedules in permits. [Reserved].

* * * * *

§ 403.8 [Amended]

4(a). The last sentence of § 403.8(f)(1)(vi)(A) is removed.

5. Section 403.10 is amended by removing and reserving paragraphs (b) and (d) and revising paragraph (c) to read as follows:

§ 403.10 Development and submission of NPDES State pretreatment programs.

* * * * *

(b) [Reserved]

(c) Failure to request approval.

Failure of an NPDES State with a permit program approved under section 402 of the Act prior to December 27, 1977, to seek approval of a State Pretreatment Program and failure of an approved State to administer its State Pretreatment Program in accordance with the requirements of this section constitutes grounds for withdrawal of NPDES program approval under section 402(c)(3) of the Act.

(d) [Reserved]

* * * * *

§ 403.12 [Amended]

6. The second sentence after the heading of § 403.12(b) introductory text is removed.

7. Section 403.13 is amended by revising paragraph (g)(2) to read as follows:

§ 403.13 Variances from categorical pretreatment standards for fundamentally different factors.

* * * * *

(g) Application deadline.

(1) * * *

(2) In order to be considered, a request for a variance must be submitted no later than 180 days after the date on which a categorical Pretreatment Standard is published in the Federal Register.

(3) * * *

* * * * *

Appendix B [Removed and reserved]

8. Appendix B is removed and reserved.

Appendix C [Removed and reserved]

9. Appendix C is removed and reserved.

PART 405—[AMENDED]

In Part 405:

1. The authority citation for part 405 continues to read as follows:

Authority: Secs. 301, 304 (b) and (c), 306 (b) and (c) and 307(c) of the Federal Water Pollution Control Act, as amended (the Act); 33 U.S.C. 1251, 1311, 1314 (b) and (c), 1316 (b) and (c), and 1317(c); 86 Stat. 816, et seq., Pub. L. 92-500; 91 Stat. 1567, Pub. L. 95-217.

2. Section 405.12 is amended by revising the introductory text to read as follows:

§ 405.12 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

3. Section 405.14 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 405.14 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

4. Section 405.16 is revised to read as follows:

§ 405.16 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

5. Section 405.22 is amended by revising the introductory text to read as follows:

§ 405.22 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

6. Section 405.24 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 405.24 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

7. Section 405.26 is revised to read as follows:

§ 405.26 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

8. Section 405.32 is amended by revising the introductory text to read as follows:

§ 405.32 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

9. Section 405.34 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 405.34 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

10. Section 405.36 is revised to read as follows:

§ 405.36 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

11. Section 405.42 is amended by revising the introductory text to read as follows:

§ 405.42 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

12. Section 405.44 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 405.44 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

13. Section 405.46 is revised to read as follows:

§ 405.46 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

14. Section 405.52 is amended by revising the introductory text to read as follows:

§ 405.52 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

15. Section 405.54 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 405.54 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

16. Section 405.56 is revised to read as follows:

§ 405.56 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

17. Section 405.62 is amended by revising the introductory text to read as follows:

§ 405.62 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of

effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

18. Section 405.64 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 405.64 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

19. Section 405.66 is revised to read as follows:

§ 405.66 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

20. Section 405.72 is amended by revising the introductory text to read as follows:

§ 405.72 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

21. Section 405.74 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 405.74 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be

discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

22. Section 405.76 is revised to read as follows:

§ 405.76 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

23. Section 405.82 is amended by revising the introductory text to read as follows:

§ 405.82 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

24. Section 405.84 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 405.84 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

25. Section 405.86 is revised to read as follows:

§ 405.86 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

26. Section 405.92 is amended by revising the introductory text to read as follows:

§ 405.92 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

27. Section 405.94 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 405.94 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

28. Section 405.96 is revised to read as follows:

§ 405.96 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

29. Section 405.102 is amended by revising the introductory text to read as follows:

§ 405.102 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

30. Section 405.104 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 405.104 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

31. Section 405.106 is revised to read as follows:

§ 405.106 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

32. Section 405.112 is amended by revising the introductory text to read as follows:

§ 405.112 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

33. Section 405.114 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 405.114 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

34. Section 405.116 is revised to read as follows:

§ 405.116 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

35. Section 405.122 is amended by revising the introductory text to read as follows:

§ 405.122 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

36. Section 405.124 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 405.124 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

37. Section 405.126 is revised to read as follows:

§ 405.126 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

PART 406—[AMENDED]

In Part 406:

1. The authority citation for part 406 continues to read as follows:

Authority: Secs. 301, 304 (b) and (c), 306 (b) and (c), 307(c) of the Federal Water Pollution Control Act, as amended; 33 U.S.C. 1251, 1311, 1314 (b) and (c), 1316 (b) and (c), 1317(c); 86 Stat. 816 et seq., Pub. L. 92-500; 91 Stat. 1567, Pub. L. 95-217.

2. Section 406.12 is amended by removing paragraph (a), redesignating

paragraph (b) as new paragraph (a), redesignating paragraph (c) as new paragraph (b), and revising the text above the table (the table remains unchanged) in the newly redesignated paragraph (a). The text in the newly redesignated paragraph (b) is amended by removing the words "paragraph (b)" and inserting in their place the words "paragraph (a)". The revised text reads as follows:

§ 406.12 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

(a) Except as provided in §§ 125.30 through 125.32, and subject to the provisions in paragraph (b) of this section, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

3. Section 406.14 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 406.14 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

4. Section 406.16 is amended by revising the introductory text (the table and paragraph (a) are unchanged) to read as follows:

§ 406.16 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the provisions set forth in paragraph (a) of this section apply, as well as the following pretreatment standard which establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to publicly owned treatment

works by a new source subject to the provisions of this subpart.

* * * * *

5. Section 406.22 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 406.22 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

6. Section 406.24 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 406.24 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

7. Section 406.26 is revised to read as follows:

§ 406.26 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

8. Section 406.32 is revised to read as follows:

§ 406.32 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT): There shall be no discharge of

process waste water pollutants to navigable waters.

9. Section 406.34 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 406.34 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

10. Section 406.36 is revised to read as follows:

§ 406.36 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

11. Section 406.42 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 406.42 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

12. Section 406.44 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 406.44 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned

treatment works by a point source subject to the provisions of this subpart.

* * * * *

13. Section 406.46 is revised to read as follows:

§ 406.46 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

14. Section 406.52 is revised to read as follows:

§ 406.52 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT): There shall be no discharge of process waste water pollutants to navigable waters.

15. Section 406.54 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 406.54 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

16. Section 406.56 is revised to read as follows:

§ 406.56 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

17. Section 406.62 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 406.62 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

18. Section 406.64 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 406.64 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

19. Section 406.66 is revised to read as follows:

§ 406.66 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

20. Section 406.72 is revised to read as follows:

§ 406.72 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT): There shall be no discharge of process waste water pollutants to navigable waters.

21. Section 406.76 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 406.76 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties, controlled by this section, which may be discharged to a publicly owned treatment works by a new point source subject to the provisions of this subpart.

* * * * *

22. Section 406.82 is revised to read as follows:

§ 406.82 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT): There shall be no discharge of process waste water pollutants to navigable waters.

23. Section 406.86 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 406.86 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties, controlled by this section, which may be discharged to a publicly owned treatment works by a new point source subject to the provisions of this subpart.

* * * * *

24. Section 406.92 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 406.92 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the

application of the best practicable control technology currently available (BPT):

* * * *

25. Section 406.96 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 406.96 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties, controlled by this section, which may be discharged to a publicly owned treatment works by a new point source subject to the provisions of this subpart.

* * * *

26. Section 406.102 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 406.102 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * *

27. Section 406.106 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 406.106 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties, controlled by this section, which may be discharged to a publicly owned treatment works by a new point source subject to the provisions of this subpart.

* * * *

PART 407—[AMENDED]

In Part 407:

1. The authority citation for part 407 continues to read as follows:

Authority: Secs. 301, 304 (b) and (c), 306 (b) and (c), 307(c) of the Federal Water Pollution Control Act, as amended; 33 U.S.C. 1251, 1311, 1314 (b) and (c), 1316 (b) and (c), 1317(c); 86 Stat. 816 et seq., Pub. L. 92-500; 91 Stat. 1567, Pub. L. 95-217.

2. Section 407.12 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 407.12 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * *

3. Section 407.14 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 407.14 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * *

4. Section 407.16 is revised to read as follows:

§ 407.16 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

5. Section 407.22 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 407.22 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent

limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * *

6. Section 407.24 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 407.24 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * *

7. Section 407.26 is revised to read as follows:

§ 407.26 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

8. Section 407.32 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 407.32 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * *

9. Section 407.34 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 407.34 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of

pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

10. Section 407.36 is revised to read as follows:

§ 407.36 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

11. Section 407.42 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 407.42 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

12. Section 407.44 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 407.44 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

13. Section 407.46 is revised to read as follows:

§ 407.46 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

14. Section 407.52 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 407.52 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

15. Section 407.54 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 407.54 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

16. Section 407.56 is revised to read as follows:

§ 407.56 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

17. Section 407.62 is amended by revising the introductory text to read as follows:

§ 407.62 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

18. Section 407.64 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 407.64 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by any existing point source subject to the provisions of this subpart.

* * * * *

19. Section 407.66 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 407.66 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a new point source subject to the provisions of this subpart.

* * * * *

20. Section 407.72 is amended by revising the introductory text to read as follows:

§ 407.72 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

21. Section 407.74 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 407.74 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of

pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by any existing point source subject to the provisions of this subpart.

* * * * *

22. Section 407.76 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 407.76 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a new point source subject to the provisions of this subpart.

* * * * *

23. Section 407.82 is amended by revising the introductory text to read as follows:

§ 407.82 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

24. Section 407.84 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 407.84 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by any existing point source subject to the provisions of this subpart.

* * * * *

25. Section 407.86 is amended by revising the text above the table (the

table remains unchanged) to read as follows:

§ 407.86 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a new point source subject to the provisions of this subpart.

* * * * *

PART 408—[AMENDED]

In Part 408:

1. The authority citation for part 408 continues to read as follows:

Authority: Secs. 301, 304 (b) and (c), 306 (b) and (c), 307(c), of the Federal Water Pollution Control Act, as amended; 33 U.S.C. 1251, 1311, 1314 (b) and (c), 1316 (b) and (c), 1317(c); 86 Stat. 816 et seq., Pub. L. 92-500; 91 Stat. 1567, Pub. L. 95-217.

2. Section 408.12 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 408.12 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

3. Section 408.14 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 408.14 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

4. Section 408.16 is revised to read as follows:

§ 408.16 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

5. Section 408.22 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 408.22 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

6. Section 408.24 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 408.24 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

7. Section 408.26 is revised to read as follows:

§ 408.26 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

8. Section 408.32 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 408.32 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

9. Section 408.34 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 408.34 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

10. Section 408.36 is revised to read as follows:

§ 408.36 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

11. Section 408.42 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 408.42 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

12. Section 408.44 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 408.44 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

13. Section 408.46 is revised to read as follows:

§ 408.46 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

14. Section 408.52 is revised to read as follows:

§ 408.52 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT): No pollutants may be discharged which exceed 1.27 cm (0.5 inch) in any dimension.

15. Section 408.54 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 408.54 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

16. Section 408.56 is revised to read as follows:

§ 408.56 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

17. Section 408.62 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 408.62 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

18. Section 408.64 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 408.64 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

19. Section 408.66 is revised to read as follows:

§ 408.66 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

20. Section 408.72 is revised to read as follows:

§ 408.72 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of

effluent reduction attainable by the application of the best practicable control technology currently available (BPT): No pollutants may be discharged which exceed 1.27 cm (0.5 inch) in any dimension.

21. Section 408.74 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 408.74 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

22. Section 408.76 is revised to read as follows:

§ 408.76 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

23. Section 408.82 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 408.82 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

24. Section 408.84 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 408.84 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of

pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

25. Section 408.86 is revised to read as follows:

§ 408.86 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

26. Section 408.92 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 408.92 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

27. Section 408.94 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 408.94 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

28. Section 408.96 is revised to read as follows:

§ 408.96 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

29. Section 408.102 is revised to read as follows:

§ 408.102 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT): No pollutants may be discharged which exceed 1.27 cm (0.5 inch) in any dimension.

30. Section 408.104 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 408.104 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

31. Section 408.106 is revised to read as follows:

§ 408.106 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

32. Section 408.112 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 408.112 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

33. Section 408.114 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 408.114 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

34. Section 408.116 is revised to read as follows:

§ 408.116 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

35. Section 408.122 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 408.122 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

36. Section 408.124 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 408.124 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

37. Section 408.126 is revised to read as follows:

§ 408.126 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

38. Section 408.132 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 408.132 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

39. Section 408.134 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 408.134 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

40. Section 408.136 is revised to read as follows:

§ 408.136 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

41. Section 408.142 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 408.142 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall

achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

42. Section 408.144 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 408.144 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

43. Section 408.146 is revised to read as follows:

§ 408.146 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

44. Section 408.152 is amended by removing paragraph (a); redesignating paragraphs (b) introductory text, (b)(1) and (b)(2) as introductory text to the section and paragraphs (a) and (b), respectively; revising the newly designated introductory text to the section to read as set forth below; and removing in redesignated paragraph (b) the words “§ 408.152(b)(1)” and adding in their place the words “§ 408.152(a)”:

§ 408.152 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

45. Section 408.154 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 408.154 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

46. Section 408.156 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 408.156 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a new source subject to the provisions of this subpart:

* * * * *

47. Section 408.162 is amended by removing paragraph (a); redesignating paragraphs (b) introductory text, (b)(1) and (b)(2) as introductory text to the section and paragraphs (a) and (b), respectively; revising the newly designated introductory text to the section to read as set forth below; and in newly redesignated paragraph (b), the words “§ 408.162(b)(1)” are removed and the words “§ 408.162(a)” are inserted in their place to read as follows:

§ 408.162 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

48. Section 408.164 is amended by revising the text above the table to read as follows:

§ 408.164 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

49. Section 408.166 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 408.166 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a new source subject to the provisions of this subpart:

* * * * *

50. Section 408.172 is amended by removing paragraph (a); redesignating paragraphs (b) introductory text, (b)(1) and (b)(2) as introductory text to the section and paragraphs (a) and (b), respectively; revising the newly designated introductory text to the section to read as set forth below; in newly redesignated paragraph (b) the words “§ 408.172(b)(1)” are removed and the words “§ 408.172(a)” are inserted in their place to read as follows:

§ 408.172 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

51. Section 408.174 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 408.174 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

52. Section 408.176 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 408.176 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a new source subject to the provisions of this subpart:

* * * * *

53. Section 408.182 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 408.182 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

54. Section 408.184 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 408.184 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of

pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

55. Section 408.186 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 408.186 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a new source subject to the provisions of this subpart:

* * * * *

56. Section 408.192 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 408.192 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

57. Section 408.194 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 408.194 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

58. Section 408.196 is amended by revising the text above the table (the

table remains unchanged) to read as follows:

§ 408.196 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a new source subject to the provisions of this subpart:

* * * * *

59. Section 408.202 is amended by removing paragraph (a); redesignating paragraphs (b) introductory text, (b)(1) and (b)(2) as introductory text to the section and paragraphs (a) and (b), respectively; revising the newly designated introductory text to the section to read as set forth below; in newly redesignated paragraph (b) the words “§ 408.202(b)(1)” are removed and the words “§ 408.202(a)” are inserted in their place to read as follows:

§ 408.202 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

60. Section 408.204 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 408.204 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

61. Section 408.206 is amended by revising the text above the table (the

table remains unchanged) to read as follows:

§ 408.206 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a new source subject to the provisions of this subpart:

* * * * *

62. Section 408.212 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 408.212 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

63. Section 408.214 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 408.214 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

64. Section 408.216 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 408.216 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the

following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a new source subject to the provisions of this subpart:
* * * * *

65. Section 408.222 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 408.222 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):
* * * * *

66. Section 408.224 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 408.224 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.
* * * * *

67. Section 408.226 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 408.226 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a new source subject to the provisions of this subpart:
* * * * *

68. Section 408.232 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 408.232 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):
* * * * *

69. Section 408.234 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 408.234 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.
* * * * *

70. Section 408.236 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 408.236 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a new source subject to the provisions of this subpart:
* * * * *

71. Section 408.242 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 408.242 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):
* * * * *

72. Section 408.244 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 408.244 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.
* * * * *

73. Section 408.246 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 408.246 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a new source subject to the provisions of this subpart:
* * * * *

74. Section 408.252 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 408.252 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of

effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

75. Section 408.254 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 408.254 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

76. Section 408.256 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 408.256 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a new source subject to the provisions of this subpart:

* * * * *

77. Section 408.262 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 408.262 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

78. Section 408.264 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 408.264 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

79. Section 408.266 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 408.266 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a new source subject to the provisions of this subpart:

* * * * *

80. Section 408.272 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 408.272 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

81. Section 408.274 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 408.274 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of

pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

82. Section 408.276 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 408.276 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a new source subject to the provisions of this subpart:

* * * * *

83. Section 408.282 is amended by removing paragraph (a); redesignating paragraphs (b) introductory text, (b)(1) and (b)(2) as introductory text to the section and paragraphs (a) and (b), respectively; revising the newly designated introductory text to the section to read as set forth below; in newly redesignated paragraph (b), the words “§ 408.282(b)(1)” are removed and the words “§ 408.282(a)” are inserted in their place to read as follows:

§ 408.282 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

84. Section 408.284 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 408.284 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of

pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

85. Section 408.286 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 408.286 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a new source subject to the provisions of this subpart:

* * * * *

86. Section 408.292 is amended by removing paragraph (a); redesignating paragraphs (b) introductory text, (b)(1) and (b)(2) as introductory text to the section and paragraphs (a) and (b), respectively; revising the newly designated introductory text to the section to read as set forth below; in newly redesignated paragraph (b) the words “§ 408.292(b)(1)” and adding in their place the words “§ 408.292(a)” are inserted in their place to read as follows:

§ 408.292 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

87. Section 408.294 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 408.294 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of

pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

88. Section 408.296 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 408.296 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a new source subject to the provisions of this subpart:

* * * * *

89. Section 408.302 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 408.302 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

90. Section 408.304 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 408.304 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

91. Section 408.306 is amended by revising the text above the table (the

table remains unchanged) to read as follows:

§ 408.306 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a new source subject to the provisions of this subpart:

* * * * *

92. Section 408.312 is amended by removing paragraph (a); redesignating paragraphs (b) introductory text, (b)(1) and (b)(2) as introductory text to the section and paragraphs (a) and (b), respectively; revising the newly designated introductory text to the section to read as set forth below; in newly redesignated paragraph (b) the words “§ 408.312(b)(1)” are removed and the words “§ 408.312(a)” are inserted in their place to read as follows.

§ 408.312 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

93. Section 408.314 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 408.314 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

94. Section 408.316 is amended by revising the text above the table (the

table remains unchanged) to read as follows:

§ 408.316 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a new source subject to the provisions of this subpart:

* * * * *

95. Section 408.322 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 408.322 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

96. Section 408.324 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 408.324 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

97. Section 408.326 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 408.326 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the

following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a new source subject to the provisions of this subpart:

* * * * *

98. Section 408.332 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 408.332 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

99. Section 408.334 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 408.334 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

100. Section 408.336 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 408.336 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a new source subject to the provisions of this subpart:

* * * * *

PART 409—[AMENDED]

In Part 409:

1. The authority citation for part 409 continues to read as follows:

Authority: Secs. 301, 304 (b) and (c), 306 (b) and (c), 307 (c) and (d), and 316(b) of the Federal Water Pollution Control Act, as amended; 33 U.S.C. 1251, 1311, 1314 (b) and (c), 1316 (b) and (c), 1317 (c), and 1326(c); 86 Stat. 816 et seq., Pub. L. 92-500; 91 Stat. 1567, Pub. L. 95-217.

2. Section 409.14 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 409.14 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

3. Section 409.16 is revised to read as follows:

§ 409.16 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

4. Section 409.22 is amended by removing paragraph (a); redesignating paragraphs (b) introductory text, (b)(1) and (b)(2) as introductory text to the section and paragraphs (a) and (b), respectively; and revising the newly designated introductory text to the section to read as follows:

§ 409.22 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

5. Section 409.24 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 409.24 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

6. Section 409.26 is revised to read as follows:

§ 409.26 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

7. Section 409.32 is amended by removing paragraph (a); redesignating paragraphs (b) introductory text, (b)(1) and (b)(2) as introductory text to the section and paragraphs (a) and (b), respectively; and revising the newly designated introductory text to the section to read as follows:

§ 409.32 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

8. Section 409.34 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 409.34 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

9. Section 409.36 is revised to read as follows:

§ 409.36 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

10. Section 409.42 is amended by revising the introductory text to read as follows:

§ 409.42 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

11. Section 409.52 is amended by revising the introductory text to read as follows:

§ 409.52 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, and subject to the provisions of paragraph (a) of this section, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT): There shall be no discharge of process wastewater pollutants to navigable waters.

* * * * *

12. Section 409.62 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 409.62 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable

control technology currently available (BPT):

* * * * *

13. Section 409.72 is amended by revising the introductory text to read as follows:

§ 409.72 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, and subject to the provisions of paragraph (a) of this section, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT): There shall be no discharge of process waste water pollutants to navigable waters.

* * * * *

14. Section 409.82 is amended by revising the introductory text to read as follows:

§ 409.82 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

PART 411—[AMENDED]

In Part 411:

1. The authority citation for part 411 continues to read as follows:

Authority: Secs. 301, 304 (b) and (c), 306 (b) and (c), and 307(c) of the Federal Water Pollution Control Act, as amended; 33 U.S.C. 1251, 1311, 1314 (b) and (c), 1316 (b) and (c), and 1317(c); 86 Stat. 816 et seq., Pub. L. 92-500; 91 Stat. 1567, Pub. L. 95-217.

2. Section 411.12 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 411.12 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall

achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

3. Section 411.14 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 411.14 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

4. Section 411.16 is revised to read as follows:

§ 411.16 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

5. Section 411.22 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 411.22 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

6. Section 411.24 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 411.24 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard

establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

7. Section 411.26 is revised to read as follows:

§ 411.26 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

8. Section 411.32 is amended by removing the introductory text and revising paragraph (a) (the table remains unchanged) to read as follows:

§ 411.32 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

(a) Except as provided in §§ 125.30 through 125.32, and subject to the provisions of paragraph (b) of this section, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

9. Section 411.34 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 411.34 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

10. Section 411.36 is revised to read as follows:

§ 411.36 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

PART 412—[AMENDED]

In Part 412:

1. The authority citation for part 412 continues to read as follows:

Authority: Secs. 301, 304 (b) and (c), 306 (b) and (c), and 307(c) of the Federal Water Pollution Control Act, as amended; 33 U.S.C. 1251, 1311, 1314 (b) and (c), 1316 (b) and (c), and 1317(c); 86 Stat. 816 et seq., Pub. L. 92-500; 91 Stat. 1567, Pub. L. 95-217.

2. Section 412.12 is amended by removing the introductory text and revising paragraph (a) to read as follows:

§ 412.12 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

(a) Except as provided in §§ 125.30 through 125.32, and subject to the provisions of paragraph (b) of this section, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT): There shall be no discharge of process waste water pollutants to navigable waters.

* * * * *

3. Section 412.14 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 412.14 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

4. Section 412.16 is revised to read as follows:

§ 412.16 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

5. Section 412.22 is amended by removing the introductory text and revising the text above the table (the table remains unchanged) to read as follows:

§ 412.22 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

(a) Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

PART 417—[AMENDED]

In Part 417:

1. The authority citation for part 417 continues to read as follows:

Authority: Secs. 301, 304 (b) and (c), 306 (b) and (c), and 307(c) of the Federal Water Pollution Control Act as amended, (the Act); 33 U.S.C. 1251, 1311, 1314 (b) and (c), 1316 (b) and (c) and 1317(c), 86 Stat. 816 et seq., Pub. L. 92-500.

2. Section 417.12 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 417.12 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

3. Section 417.14 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 417.14 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

4. Section 417.16 is revised to read as follows:

§ 417.16 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

5. Section 417.22 is amended by revising the introductory text to read as follows:

§ 417.22 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

6. Section 417.24 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 417.24 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

7. Section 417.26 is revised to read as follows:

§ 417.26 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

8. Section 417.32 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 417.32 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent

limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

9. Section 417.34 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 417.34 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

10. Section 417.36 is revised to read as follows:

§ 417.36 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

11. Section 417.42 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 417.42 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

12. Section 417.44 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 417.44 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of

pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

13. Section 417.46 is revised to read as follows:

§ 417.46 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

14. Section 417.52 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 417.52 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

15. Section 417.54 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 417.54 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

16. Section 417.56 is revised to read as follows:

§ 417.56 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

17. Section 417.62 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 417.62 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

18. Section 417.64 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 417.64 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

19. Section 417.66 is revised to read as follows:

§ 417.66 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

20. Section 417.72 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 417.72 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

21. Section 417.74 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 417.74 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

22. Section 417.76 is revised to read as follows:

§ 417.76 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

23. Section 417.82 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 417.82 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

24. Section 417.84 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 417.84 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

25. Section 417.86 is revised to read as follows:

§ 417.86 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

26. Section 417.92 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 417.92 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

27. Section 417.94 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 417.94 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

28. Section 417.96 is revised to read as follows:

§ 417.96 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

29. Section 417.102 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 417.102 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall

achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

30. Section 417.104 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 417.104 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

31. Section 417.106 is revised to read as follows:

§ 417.106 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

32. Section 417.112 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 417.112 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

33. Section 417.114 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 417.114 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard

establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

34. Section 417.116 is revised to read as follows:

§ 417.116 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

35. Section 417.122 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 417.122 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

36. Section 417.124 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 417.124 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

37. Section 417.126 is revised to read as follows:

§ 417.126 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

38. Section 417.132 is amended by revising the text above the table (the

table remains unchanged) to read as follows:

§ 417.132 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

39. Section 417.134 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 417.134 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

40. Section 417.136 is revised to read as follows:

§ 417.136 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

41. Section 417.142 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 417.142 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

42. Section 417.144 is amended by revising the text above the table (the

table remains unchanged) to read as follows:

§ 417.144 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

43. Section 417.146 is revised to read as follows:

§ 417.146 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

44. Section 417.152 is amended by revising the introductory text to read as follows:

§ 417.152 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

45. Section 417.156 is amended by revising the introductory text to read as follows:

§ 417.156 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standards establishes the quantity or quality of pollutants or pollutant properties, controlled by this section, which may be discharged to a publicly owned treatment works by a new source subject to the provisions of this subpart.

* * * * *

46. Section 417.162 is amended by revising the introductory text to read as follows:

§ 417.162 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

47. Section 417.166 is amended by revising the introductory text to read as follows:

§ 417.166 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties, controlled by this section, which may be discharged to a publicly owned treatment works by a new source subject to the provisions of this subpart.

* * * * *

48. Section 417.172 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 417.172 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

49. Section 417.176 is amended by revising the introductory text to read as follows:

§ 417.176 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standards establishes the quantity or quality of pollutants or pollutant properties, controlled by this section, which may be discharged to a publicly owned

treatment works by a new source subject to the provisions of this subpart.

* * * * *

50. Section 417.182 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 417.182 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

51. Section 417.186 is amended by revising the introductory text to read as follows:

§ 417.186 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standards establishes the quantity or quality of pollutants or pollutant properties, controlled by this section, which may be discharged to a publicly owned treatment works by a new source subject to the provisions of this subpart.

* * * * *

52. Section 417.192 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 417.192 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

53. Section 417.194 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 417.194 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

54. Section 417.196 is revised to read as follows:

§ 417.196 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

PART 418—[AMENDED]

In Part 418:

1. The authority citation for part 418 continues to read as follows:

Authority: 33 U.S.C. 1251 *et seq.*

2. Section 418.12 is amended by revising the introductory text to read as follows:

§ 418.12 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

3. Section 418.22 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 418.22 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable

control technology currently available (BPT):

* * * * *

4. Section 418.32 is amended by revising the introductory text to read as follows:

§ 418.32 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

5. Section 418.42 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 418.42 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

6. Section 418.52 is amended by revising the introductory text to read as follows:

§ 418.52 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

7. Section 418.62 is revised to read as follows:

§ 418.62 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point

source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT): There shall be no discharge of process waste water pollutants to navigable waters.

8. Section 418.72 is revised to read as follows:

§ 418.72 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT): There shall be no discharge of process waste water pollutants to navigable waters.

PART 424—[AMENDED]

In Part 424:

1. The authority citation for part 424 continues to read as follows:

Authority: Secs. 301, 304 (b) and (c), 306 (b) and (c), 307(c) of the Federal Water Pollution Control Act, as amended; 33 U.S.C. 1251, 1311, 1314 (b) and (c), 1316 (b) and (c), 1317(c); 86 Stat. 816 et seq., Pub. L. 92-500; 91 Stat. 1567, Pub. L. 95-217.

2. Section 424.12 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 424.12 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, and subject to the provisions of paragraph (a) of this section, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

3. Section 424.16 is revised to read as follows:

§ 424.16 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

4. Section 424.22 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 424.22 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

5. Section 424.26 is revised to read as follows:

§ 424.26 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

6. Section 424.32 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 424.32 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

7. Section 424.36 is revised to read as follows:

§ 424.36 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

8. Section 424.42 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 424.42 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, and subject to the provisions of paragraph (a) of this section, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

9. Section 424.52 is revised to read as follows:

§ 424.52 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, and subject to the provisions of paragraph (a) of this section, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT): There shall be no discharge of process waste water pollutants to navigable waters.

10. Section 424.62 is amended by revising the introductory text to read as follows:

§ 424.62 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

11. Section 424.72 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 424.72 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent

limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

PART 426 [AMENDED]

In part 426:

1. The authority citation for part 426 continues to read as follows:

Authority: Secs. 301, 304 (b) and (c), 306 (b) and (c), 307(c), and 316(b) of the Federal Water Pollution Control Act, as amended; 33 U.S.C. 1251, 1311, 1314, 1316 (b) and (c), 1317(b); 86 Stat. 816 *et seq.*, Pub. L. 92-500; 91 Stat. 1567, Pub. L. 95-217.

2. Section 426.16 is amended by removing and reserving paragraph (b) and adding introductory text to read as follows:

§ 426.16 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

* * * * *

3. Section 426.22 is revised to read as follows:

§ 426.22 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT): There shall be no discharge of process waste water pollutants to navigable waters.

4. Section 426.24 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 426.24 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

5. Section 426.26 is revised to read as follows:

§ 426.26 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

6. Section 426.32 is revised to read as follows:

§ 426.32 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT): There shall be no discharge of process waste water pollutants to navigable waters.

7. Section 426.34 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 426.34 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

8. Section 426.36 is revised to read as follows:

§ 426.36 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

9. Section 426.42 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 426.42 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point

source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

10. Section 426.44 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 426.44 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

11. Section 426.46 is revised to read as follows:

§ 426.46 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

12. Section 426.52 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 426.52 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

13. Section 426.56 is revised to read as follows:

§ 426.56 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

14. Section 426.62 is amended by revising the text above the table (the

table remains unchanged) to read as follows:

§ 426.62 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

15. Section 426.64 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 426.64 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

16. Section 426.66 is revised to read as follows:

§ 426.66 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

17. Section 426.72 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 426.72 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

18. Section 426.76 is revised to read as follows:

§ 426.76 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

19. Section 426.82 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 426.82 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

20. Section 426.86 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 426.86 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a new point source subject to the provisions of this subpart. Because of the recognition that animal and vegetable oils can be adequately removed in a publicly owned treatment works, whereas mineral oil may not be readily removed and may pass through untreated, two separate limitations are established.

* * * * *

21. Section 426.102 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 426.102 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the

application of the best practicable control technology currently available (BPT):

* * * * *

22. Section 426.106 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 426.106 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a new point source subject to the provisions of this subpart.

* * * * *

23. Section 426.112 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 426.112 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT). (The fluoride and lead limitations are applicable to the abrasive polishing and acid polishing waste water streams while the TSS, oil, and pH limitations are applicable to the entire process waste water stream):

* * * * *

24. Section 426.116 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 426.116 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a new point source subject to the provisions of this subpart. Because of the recognition that animal

and vegetable oils can be adequately removed in a publicly owned treatment works, whereas mineral oil may not be readily removed and may pass through untreated, two separate limitations are established.

* * * * *

25. Section 426.122 is amended by revising the introductory text to read as follows:

§ 426.122 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

26. Section 426.126 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 426.126 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a new point source subject to the provisions of this subpart. Because of the recognition that animal and vegetable oils can be adequately removed in a publicly owned treatment works, whereas mineral oil may not be readily removed and may pass through untreated, two separate limitations are established.

* * * * *

27. Section 426.132 is amended by revising the introductory text to read as follows:

§ 426.132 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable

control technology currently available (BPT):

* * * * *

28. Section 426.136 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 426.136 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a new point source subject to the provisions of this subpart.

* * * * *

PART 427—[AMENDED]

In Part 427:

1. The authority citation for part 427 continues to read as follows:

Authority: Secs. 301, 304 (b) and (c), 306 (b) and (c), 307(c), Federal Water Pollution Control Act, as amended; 33 U.S.C. 1251, 1311, 1314 (b) and (c), 1316 (b) and (c), 1317(c); 86 Stat. 816 et seq., Pub. L. 92-500.

2. Section 427.12 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 427.12 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

3. Section 427.14 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 427.14 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be

discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

4. Section 427.16 is revised to read as follows:

§ 427.16 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

5. Section 427.22 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 427.22 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

6. Section 427.24 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 427.24 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

7. Section 427.26 is revised to read as follows:

§ 427.26 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

8. Section 427.32 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 427.32 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

9. Section 427.34 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 427.34 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

10. Section 427.36 is revised to read as follows:

§ 427.36 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

11. Section 427.42 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 427.42 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

12. Section 427.44 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 427.44 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

13. Section 427.46 is revised to read as follows:

§ 427.46 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

14. Section 427.52 is revised to read as follows:

§ 427.52 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT): There shall be no discharge of process waste water pollutants to navigable waters.

15. Section 427.54 is amended by revising the text above the table the table remains unchanged to read as follows:

§ 427.54 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

16. Section 427.56 is revised to read as follows:

§ 427.56 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

17. Section 427.62 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 427.62 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

18. Section 427.64 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 427.64 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

19. Section 427.66 is revised to read as follows:

§ 427.66 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

20. Section 427.72 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 427.72 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall

achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

21. Section 427.74 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 427.74 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

22. Section 427.76 is revised to read as follows:

§ 427.76 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

23. Section 427.82 is revised to read as follows:

§ 427.82 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT): There shall be no discharge of process wastewater pollutants to navigable waters.

24. Section 427.86 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 427.86 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of

pollutants or pollutant properties, controlled by this section, which may be discharged to a publicly owned treatment works by a new point source subject to the provisions of this subpart.

* * * * *

25. Section 427.92 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 427.92 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

26. Section 427.96 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 427.96 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties, controlled by this section, which may be discharged to a publicly owned treatment works by a new point source subject to the provisions of this subpart.

* * * * *

27. Section 427.102 is revised to read as follows:

§ 427.102 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT): There shall be no discharge of process wastewater pollutants to navigable waters.

28. Section 427.106 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 427.106 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties, controlled by this section, which may be discharged to a publicly owned treatment works by a new point source subject to the provisions of this subpart.

* * * * *

29. Section 427.112 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 427.112 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

30. Section 427.116 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 427.116 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties, controlled by this section, which may be discharged to a publicly owned treatment works by a new point source subject to the provisions of this subpart.

* * * * *

PART 428—[AMENDED]

In Part 428:

1. The authority citation for part 428 continues to read as follows:

Authority: Secs. 301, 304 (b) and (c), 306 (b) and (c), 307(c), Federal Water Pollution Control Act, as amended; 33 U.S.C. 1251, 1311, 1314 (b) and (c), 1316 (b) and (c), 1317(c); 86 Stat. 816 *et seq.*, Pub. L. 92-500.

2. Section 428.12 is amended by removing the introductory text and revising the text above the table (the

table remains unchanged) in paragraph (a) to read as follows:

§ 428.12 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

3. Section 428.16 is revised to read as follows:

§ 428.16 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

4. Section 428.22 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 428.22 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

5. Section 428.32 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 428.32 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

6. Section 428.42 is amended by revising the text above the table (the

table remains unchanged) to read as follows:

§ 428.42 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

7. Section 428.46 is revised to read as follows:

§ 428.46 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

8. Section 428.52 is amended by revising the introductory text to read as follows:

§ 428.52 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

9. Section 428.56 is amended by revising the introductory text as follows:

§ 428.56 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403, in addition to the limitations set forth in paragraphs (a) and (b) of this section.

* * * * *

10. Section 428.62 is amended by revising the introductory text to read as follows:

§ 428.62 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point

source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

11. Section 428.66 is amended by revising the introductory text as follows:

§ 428.66 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403, in addition to the limitations set forth in paragraphs (a) and (b) of this section.

* * * * *

12. Section 428.72 is amended by revising the introductory text to read as follows:

§ 428.72 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

13. Section 428.76 is amended by revising the introductory text as follows:

§ 428.76 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403, in addition to the limitations set forth in paragraphs (a) and (b) of this section.

* * * * *

14. Section 428.82 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 428.82 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable

control technology currently available (BPT):

* * * * *

15. Section 428.86 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 428.86 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties, controlled by this section, which may be discharged to a publicly owned treatment works by a new point source subject to the provisions of this subpart:

* * * * *

16. Section 428.92 is amended by revising the introductory text to read as follows:

§ 428.92 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

17. Section 428.96 is amended by revising the introductory text as follows:

§ 428.96 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403, in addition to the limitations set forth in paragraphs (a) and (b) of this section.

* * * * *

18. Section 428.102 is amended by revising the introductory text to read as follows:

§ 428.102 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the

application of the best practicable control technology currently available (BPT):

* * * * *

19. Section 428.106 is amended by revising the introductory text as follows:

§ 428.106 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403, in addition to the limitations set forth in paragraphs (a) and (b) of this section.

* * * * *

20. Section 428.112 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 428.112 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

21. Section 428.116 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 428.116 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties, controlled by this section, which may be discharged to a publicly owned treatment works by a new point source subject to the provisions of this subpart:

* * * * *

PART 432—[AMENDED]

In Part 432:

1. The authority citation for part 432 continues to read as follows:

Authority: Secs. 301, 304 (b) and (c), 306 (b) and (c), and 307(c) of the Federal Water Pollution Control Act, as amended; 33 U.S.C. 1251, 1311, 1314 (b) and (c), 1316 (b) and (c), 1317(c); 86 Stat. 816 *et seq.*, Pub. L. 92-500; 91 Stat. 1567, Pub. L. 95-217.

2. Section 432.12 is amended by revising the introductory text to read as follows:

§ 432.12 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

3. Section 432.14 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 432.14 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

4. Section 432.16 is revised to read as follows:

§ 432.16 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

5. Section 432.22 is amended by revising the introductory text to read as follows:

§ 432.22 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

6. Section 432.24 is amended by revising the text above the table (the

table remains unchanged) to read as follows:

§ 432.24 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

7. Section 432.26 is revised to read as follows:

§ 432.26 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

8. Section 432.32 is amended by revising the introductory text to read as follows:

§ 432.32 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

9. Section 432.34 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 432.34 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

10. Section 432.36 is revised to read as follows:

§ 432.36 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

11. Section 432.42 is amended by revising the introductory text to read as follows:

§ 432.42 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

12. Section 432.44 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 432.44 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

* * * * *

13. Section 432.46 is revised to read as follows:

§ 432.46 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

14. Section 432.52 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 432.52 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent

limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

15. Section 432.56 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 432.56 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a new source subject to the provisions of this subpart:

* * * * *

16. Section 432.62 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 432.62 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

17. Section 432.66 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 432.66 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a new source subject to the provisions of this subpart:

* * * * *

18. Section 432.72 is amended by revising the text above the table (the

table remains unchanged) to read as follows:

§ 432.72 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

19. Section 432.76 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 432.76 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a new source subject to the provisions of this subpart:

* * * * *

20. Section 432.82 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 432.82 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

21. Section 432.86 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 432.86 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the

following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a new source subject to the provisions of this subpart:

* * * * *

22. Section 432.92 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 432.92 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

23. Section 432.96 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 432.96 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a new source subject to the provisions of this subpart:

* * * * *

24. Section 432.102 is amended by removing the introductory text and revising the text above the table (the table remains unchanged) in paragraph (a) to read as follows:

§ 432.102 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, and subject to the provisions of paragraph (b) of this section, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

25. Section 432.106 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 432.106 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a new source subject to the provisions of this subpart:

* * * * *

PART 435—[AMENDED]

In part 435:

1. The authority citation for part 435 continues to read as follows:

Authority: 33 U.S.C. 1311, 1314, 1316, 1317, 1318, and 1361.

2. Section 435.32 is revised to read as follows:

§ 435.32 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT): there shall be no discharge of waste water pollutants into navigable waters from any source associated with production, field exploration, drilling, well completion, or well treatment (i.e., produced water, drilling muds, drill cuttings, and produced sand).

3. Section 435.42 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 435.42 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable

control technology currently available (BPT):

* * * * *

4. Section 435.52 is amended by removing the introductory text; redesignating paragraphs (a) introductory text, (a)(1) and (a)(2) as introductory text to the section, (a) and (b), respectively; and revising the newly designated introductory text to the section to read as follows:

§ 435.52 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

PART 436—[AMENDED]

In part 436:

1. The authority citation for part 436 continues to read as follows:

Authority: Secs. 301, 304 (b) and (c), Federal Water Pollution Control Act, as amended (33 U.S.C. 1251, 1311, 1314 (b) and (c), 86 Stat. 816 *et seq.*, Pub. L. 92-500) (the Act).

2. Section 436.22 is amended by removing the introductory text and revising the introductory text in paragraph (a) to read as follows:

§ 436.22 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, and subject to the provisions of paragraphs (b) and (c) of this section, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

3. Section 436.32 is amended by removing the introductory text and revising the introductory text in paragraph (a) to read as follows:

§ 436.32 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, and subject to the

provisions of paragraphs (b) and (c) of this section, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

4. Section 436.42 is amended by removing the introductory text and revising the introductory text in paragraph (a) to read as follows:

§ 436.42 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, and subject to the provisions of paragraphs (b) and (c) of this section, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

5. Section 436.52 is amended by revising the introductory text to read as follows:

§ 436.52 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

6. Section 436.62 is amended by revising the introductory text to read as follows:

§ 436.62 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

7. Section 436.72 is amended by revising the introductory text to read as follows:

§ 436.72 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

8. Section 436.102 is revised to read as follows:

§ 436.102 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT): For operations not employing wet processes or flotation processes there shall be no discharge of process generated waste water pollutants into navigable waters.

9. Section 436.112 is revised to read as follows:

§ 436.112 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT): For operations not employing heavy media separation or flotation processes there shall be no discharge of process generated waste water pollutants into navigable waters.

10. Section 436.122 is amended by removing the introductory text and revising the text in paragraph (a) to read as follows:

§ 436.122 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, and subject to the provisions of paragraph (b) of this section, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT): there shall be no discharge of process waste water pollutants into navigable waters.

* * * * *

11. Section 436.132 is amended by removing the introductory text and revising paragraph (a) to read as follows:

§ 436.132 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, and subject to the provisions of paragraph (b) of this section, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT): there shall be no discharge of process waste water pollutants into navigable waters.

* * * * *

12. Section 436.142 is amended by removing the introductory text and revising paragraph (a) to read as follows:

§ 436.142 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, and subject to the provisions of paragraph (b) of this section, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT): there shall be no discharge of process waste water pollutants into navigable waters.

* * * * *

13. Section 436.152 is amended by removing the introductory text and revising paragraph (a) to read as follows:

§ 436.152 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, and subject to the provisions of paragraph (b) of this section, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT): there shall be no discharge of process waste water pollutants into navigable waters.

* * * * *

14. Section 436.182 is amended by removing the introductory text and revising the introductory text in paragraph (a) to read as follows:

§ 436.182 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, and subject to the provisions of paragraph (b) of this section, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

15. Section 436.192 is amended by removing the introductory text and revising paragraph (a) to read as follows:

§ 436.192 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, and subject to the provisions of paragraph (b) of this section for operations mining anhydrite deposits, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT): there shall be no discharge of process waste water pollutants into navigable waters.

* * * * *

16. Section 436.222 is revised to read as follows:

§ 436.222 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT): There shall be no discharge of process generated waste water pollutants into navigable waters.

17. Section 436.232 is amended by removing the introductory text and revising paragraph (a) to read as follows:

§ 436.232 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, and subject to the provisions of paragraph (b) of this section, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT): there shall be no discharge of process generated waste water pollutants into navigable waters.

* * * * *

18. Section 436.242 is amended by removing the introductory text and revising paragraph (a) to read as follows:

§ 436.242 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, and subject to the provisions of paragraph (b) of this section, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT): there shall be no discharge of process generated waste water pollutants into navigable waters.

* * * * *

19. Section 436.252 is amended by removing the introductory text and revising paragraph (a) to read as follows:

§ 436.252 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, and subject to the provisions of paragraph (b) of this section, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT): there shall be no discharge of process generated waste water pollutants into navigable waters.

* * * * *

20. Section 436.262 is amended by removing the introductory text and revising paragraph (a) to read as follows:

§ 436.262 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, and subject to the provisions of paragraph (b) of this section, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT): there shall be no discharge of process generated waste water pollutants into navigable waters.

* * * * *

21. Section 436.322 is revised to read as follows:

§ 436.322 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT): For operations not employing wet processes there shall be no discharge of process generated waste water pollutants into navigable waters.

22. Section 436.382 is amended by removing the introductory text and revising the text above the table (the table remains unchanged) in paragraph (a) to read as follows:

§ 436.382 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, and subject to the provisions of paragraph (b) of this section, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

PART 443—[AMENDED]

In part 443:

1. The authority citation for part 443 continues to read as follows:

Authority: Secs. 301, 304 (b) and (c), 306 (b) and (c) and 307(c), Federal Water Pollution Control Act, as amended (the Act); 33 U.S.C. 1251, 1311, 1314 (b) and (c), 1316 (b) and (c), 1317(c), 86 Stat. 816 *et seq.*; Pub. L. 92-500.

2. Section 443.12 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 443.12 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

3. Section 443.16 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 443.16 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a new source subject to the provisions of this subpart:

* * * * *

4. Section 443.22 is revised to read as follows:

§ 443.22 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT): There shall be no discharge of process waste water pollutants to navigable waters.

5. Section 443.26 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 443.26 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a new source subject to the provisions of this subpart:

* * * * *

6. Section 443.32 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 443.32 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

7. Section 443.36 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 443.36 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of

pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a new source subject to the provisions of this subpart:

* * * * *

8. Section 443.42 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 443.42 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

9. Section 443.46 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 443.46 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a new source subject to the provisions of this subpart:

* * * * *

PART 446—[AMENDED]

In part 446:

1. The authority citation for part 446 continues to read as follows:

Authority: Secs. 301, 304 (b) and (c), 306 (b) and (c) and 307(c), Federal Water Pollution Control Act, as amended (the Act); 33 U.S.C. 1251, 1311, 1314 (b) and (c), 1316 (b) and (c) and 1317(c); 86 Stat. 816 *et seq.*; Pub. L. 92-500.

2. Section 446.12 is revised to read as follows:

§ 446.12 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent

limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT): There shall be no discharge of process waste water pollutants to navigable waters.

3. Section 446.16 is revised to read as follows:

§ 446.16 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a new source subject to the provisions of this subpart: There shall be no discharge of process water pollutants to a publicly owned treatment works.

PART 447—[AMENDED]

In part 447:

1. The authority citation for part 447 continues to read as follows:

Authority: Secs. 301, 304 (b) and (c), 306 (b) and (c) and 307(c), Federal Water Pollution Control Act, as amended (the Act); 33 U.S.C. 1251, 1311, 1314 (b) and (c), 1316 (b) and (c) and 1317(c); 86 Stat. 816 *et seq.*; Pub. L. 92-500.

2. Section 447.12 is revised to read as follows:

§ 447.12 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT): There shall be no discharge of process waste water pollutants to navigable waters.

3. Section 447.16 is revised to read as follows:

§ 447.16 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of

pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a new source subject to the provisions of this subpart: There shall be no discharge of process water pollutants to a publicly owned treatment works.

PART 454—[AMENDED]

In part 454:

1. The authority citation for part 454 continues to read as follows:

Authority: Secs. 301, 304 (b) and (c), 306(b), 307 (b) and (c), Federal Water Pollution Control Act, as amended (33 U.S.C. 1251, 1311, 1314 (b) and (c), 1316(b) and 1317 (b) and (c); 86 Stat. 816 *et seq.*; Pub. L. 92-500) (the Act).

2. Section 454.12 is amended by revising the introductory text to read as follows:

§ 454.12 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

3. Section 454.22 is amended by revising the introductory text to read as follows:

§ 454.22 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

4. Section 454.32 is amended by revising the introductory text to read as follows:

§ 454.32 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall

achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

5. Section 454.42 is amended by revising the introductory text to read as follows:

§ 454.42 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

5. Section 454.52 is amended by revising the introductory text to read as follows:

§ 454.52 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

6. Section 454.62 is amended by revising the introductory text to read as follows:

§ 454.62 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

PART 455—[AMENDED]

In Part 455:

1. The authority citation for part 455 continues to read as follows:

Authority: Secs. 301, 304, 306, 307, and 501, Pub. L. 92-500, 86 Stat. 816, Pub. L. 95-217, 91 Stat. 156, and Pub. L. 100-4 (33 U.S.C. 1311, 1314, 1316, 1317, and 1361).

2. Section 455.22 is amended by revising the text above the table (the table remains unchanged) to read as follows:

§ 455.22 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT). The following limitations establish the quantity or quality of pollutants or pollutant properties controlled by this paragraph which may be discharged from the manufacture of organic active ingredient:

* * * * *

3. Section 455.32 is revised to read as follows:

§ 455.32 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart, shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT). The following limitations establish the quantity or quality of pollutants or pollutant properties controlled by this paragraph which may be discharged from the manufacture of metallo-organic active ingredient: There shall be no discharge of process waste water pollutants to navigable waters.

4. Section 455.42 is revised to read as follows:

§ 455.42 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart, shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT). The following limitations

establish the quantity or quality of pollutants or pollutant properties controlled by this paragraph which may be discharged from the formulation and packaging of pesticides: There shall be no discharge of process waste water pollutants to navigable waters.

PART 457—[AMENDED]

In Part 457:

1. The authority citation for part 457 continues to read as follows:

Authority: Secs. 301, 304 (b) and (c), 306(b), 307 (b) and (c), Federal Water Pollution Control Act, as amended (33 U.S.C. 1251, 1311, 1314 (b) and (c), 1316(b) and 1317 (b) and (c), 86 Stat. 816 et seq.; Pub. L. 92-500)(the Act).

2. Section 457.12 is amended by revising the introductory text to read as follows:

§ 457.12 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart, shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

3. Section 457.32 is amended by revising the introductory text to read as follows:

§ 457.32 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart, shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

PART 458—[AMENDED]

In Part 458:

1. The authority citation for part 458 continues to read as follows:

Authority: Secs. 301, 304(b) and (c), 306(b), 307 (b) and (c), Federal Water Pollution Control Act, as amended (33 U.S.C. 1251, 1311, 1314 (b) and (c), 1316(b) and 1317 (b) and (c), 86 Stat. 816 et seq.; Pub. L. 92-500)(the Act).

2. Section 458.16 is revised to read as follows:

§ 458.16 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a new source subject to the provisions of this subpart:

Pollutant or pollutant property—Oil and grease.

Pretreatment standard—100mg/liter.

3. Section 458.22 is revised to read as follows:

§ 458.22 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart, shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT): There shall be no discharge of process waste water pollutants into navigable waters.

4. Section 458.26 is revised to read as follows:

§ 458.26 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a new source subject to the provisions of this subpart:

Pollutant or pollutant property—Oil and grease.

Pretreatment standard—100mg/liter.

5. Section 458.32 is revised to read as follows:

§ 458.32 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart, shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT): There shall be no discharge of process waste water pollutants into navigable waters.

6. Section 458.36 is revised to read as follows:

§ 458.36 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a new source subject to the provisions of this subpart:

Pollutant or pollutant property—Oil and grease.

Pretreatment standard—100mg/liter.

7. Section 458.42 is revised to read as follows:

§ 458.42 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart, shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT): There shall be no discharge of

process waste water pollutants into navigable waters.

8. Section 458.46 is revised to read as follows:

§ 458.46 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a new source subject to the provisions of this subpart:

Pollutant or pollutant property—Oil and grease.

Pretreatment standard—100mg/liter.

PART 460—[AMENDED]

In Part 460:

1. The authority citation continues to read as follows:

Authority: Secs. 301, 304 (b) and (c), 306(b), 307 (b) and (c), Federal Water Pollution Control Act, as amended (33 U.S.C. 1251, 1311, 1314 (b) and (c), 1316(b), and 1317 (b) and (c), 86 Stat. 816 *et seq.*; Pub. L. 92-500) (the Act).

2. Section 460.12 is amended by revising the introductory text to read as follows:

§ 460.12 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart, shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

* * * * *

[FR Doc. 95-15027 Filed 6-28-95; 8:45 am]

BILLING CODE 6560-50-P