

ENVIRONMENTAL PROTECTION AGENCY

[OPPTS-51842; FRL-4942-7]

Certain Chemicals; Premanufacture Notices**AGENCY:** Environmental Protection Agency (EPA).**ACTION:** Notice.

SUMMARY: Section 5 of the Toxic Substances Control Act (TSCA) requires any person who intends to manufacture or import a new chemical to notify EPA and comply with the statutory provisions pertaining to the manufacture or import of substances not on the TSCA Inventory. Section 5 of TSCA also requires EPA to publish receipt and status information in the **Federal Register** each month reporting premanufacture notices (PMN), polymer exemption notices and test marketing exemption (TME) application requests received, both pending and expired. The information contained in this document clears a backlog of notices received from March 20, 1995 to May 1, 1995.

ADDRESSES: Written comments, identified by the document control number "[OPPTS-51842]" and the specific PMN number, if appropriate, should be sent to: Document Control Office (7407), Office of Pollution Prevention and Toxics, Environmental Protection Agency, 401 M St., SW., Rm. ETG-099 Washington, DC 20460.

Comments and data may also be submitted electronically by sending electronic mail (e-mail) to: ncic@epamail.epa.gov. Electronic comments must be submitted as an ASCII file avoiding the use of special characters and any form of encryption. Comments and data will also be accepted on disks in WordPerfect in 5.1 file format or ASCII file format. All comments and data in electronic form must be identified by the docket number [OPPTS-51842]. No CBI should be submitted through e-mail. Electronic comments on this notice may be filed online at many Federal Depository Libraries. Additional information on electronic submissions can be found under "SUPPLEMENTARY INFORMATION" of this document.

FOR FURTHER INFORMATION CONTACT: Susan B. Hazen, Director, Environmental Assistance Division (7408), Office of Pollution Prevention and Toxics, Environmental Protection Agency, Rm. E-545, 401 M St., SW., Washington, DC, 20460, (202) 554-1404, TDD (202) 554-0551.

SUPPLEMENTARY INFORMATION: Under the provisions of TSCA, EPA is required to

publish notice of receipt and status reports of chemicals subject to section 5 reporting requirements. The notice requirements are provided in TSCA sections 5(d)(2) and 5(d)(3). Specifically, EPA is required to provide notice of receipt of PMNs, polymer exemption notices and TME application requests received. EPA also is required to identify those chemical submissions for which data has been received, the uses or intended uses of such chemicals, and the nature of any test data which may have been developed. Lastly, EPA is required to provide periodic status reports of all chemical substances undergoing review and receipt of notices of commencement.

A record has been established for this notice under docket number "[OPPTS-51842]" (including comments and data submitted electronically as described below). A public version of this record, including printed, paper versions of electronic comments, which does not include any information claimed as confidential business information (CBI), is available for inspection from 12 noon to 4 p.m., Monday through Friday, excluding legal holidays. The public record is located in the TSCA Nonconfidential Information Center (NCIC), Rm. NEM-B607, 401 M St., SW., Washington, DC 20460.

Electronic comments can be sent directly to EPA at: ncic@epamail.epa.gov

Electronic comments must be submitted as an ASCII file avoiding the use of special characters and any form of encryption.

The official record for this notice, as well as the public version, as described above will be kept in paper form. Accordingly, EPA will transfer all comments received electronically into printed, paper form as they are received and will place the paper copies in the official record which will also include all comments submitted directly in writing. The official record is the paper record maintained at the address in "ADDRESSES" at the beginning of this document.

In the past, EPA has published individual notices reflecting the status of section 5 filings received, pending or expired, as well as notices reflecting receipt of notices of commencement. In an effort to become more responsive to the regulated community, the users of this information and the general public, to comply with the requirements of TSCA, to conserve EPA resources, and to streamline the process and make it more timely, EPA is consolidating these separate notices into one comprehensive

notice that will be issued at regular intervals.

EPA shall provide a consolidated report in the **Federal Register** reflecting the dates PMNs, polymer exemptions and TME application requests were received, the projected notice end date, the manufacturer or importer identity, to the extent that such information is not claimed as confidential and chemical identity, either specific or generic depending on whether chemical identity has been claimed confidential. Additionally, in this same report, EPA shall provide a listing of receipt of new notices of commencement. Generic use information on these substances will be provided.

EPA believes the new format of the notice will be easier to understand by the interested public, and provides the information that is of greatest interest to the public users. Certain information provided in the earlier notices will not be provided under the new format. The status reports of substances under review, potential production volume, and summaries of health and safety data will not be provided in the new notices.

EPA is not providing production volume information in the consolidated notice since such information is generally claimed as confidential. For this reason, there is no substantive loss to the public in not publishing the data. Health and safety data are not summarized in the notice since it is recognized as impossible, given the format of this notice, as well as the previous style of notices, to provide meaningful information on the subject. In those submissions where health and safety data were received by the Agency, a footnote is included by the Manufacturer/Importer identity to indicate its existence. As stated below, interested persons may contact EPA directly to secure information on such studies. As stated in the previous paragraph, while generic use information is not included in this notice all future notices shall carry this information.

For persons who are interested in data not included in this notice, access can be secured at EPA Headquarters in the NCIC at the address provided above. Additionally, interested parties may telephone the Document Control Office at (202) 260-1532, TDD (202) 554-0551, for generic use information, health and safety data not claimed as confidential or status reports on section 5 filings.

Send all comments to the address listed above. All comments received will be reviewed and appropriate amendments will be made as deemed necessary.

This notice will identify: (I) PMNs received; (II) Polymer exemptions received.

**I. 350 Premanufacture Notices Received
From: 03/01/94 to 04/30/95.**

| Case No. | Received Date | Projected Notice End Date | Manufacturer/Importer | Use | Chemical |
|-----------|---------------|---------------------------|-----------------------|---|--|
| P-95-0893 | 03/20/95 | 06/18/95 | 3M | (G) Adhesive intermediate | (G) Copolymer with 2-propenoic acid, isooctyl ester |
| P-95-0894 | 03/21/95 | 06/19/95 | CBI | (S) Used in aqueous dispersions which function as adhesive | (G) Fatty acids, C ₁₈ -unsaturated, dimers, polymers with a dibasic acid and diamines |
| P-95-0895 | 03/21/95 | 06/19/95 | CBI | (S) Used in aqueous dispersions which function as adhesive | (G) Fatty acids, C ₁₈ -unsaturated, dimers, polymers with ethylenediamine, a dibasic acid and diamines |
| P-95-0896 | 03/21/95 | 06/19/95 | CBI | (S) Used in aqueous dispersions which function as adhesive | (G) Fatty acids, C ₁₈ -unsaturated, dimers, polymers with a dibasic acid and diamines |
| P-95-0897 | 03/21/95 | 06/19/95 | CBI | (S) Used in aqueous dispersions which function as adhesive | (G) Fatty acids, C ₁₈ -unsaturated, dimers, polymers with a dibasic acid and a diamine |
| P-95-0898 | 03/21/95 | 06/19/95 | CBI | (S) Used in aqueous dispersions which function as adhesive | (G) Fatty acids, C ₁₈ -unsaturated, dimers, hydrogenated, polymers with a dibasic acid and diamines |
| P-95-0899 | 03/21/95 | 06/19/95 | CBI | (S) Used in aqueous dispersions which function as adhesive. | (G) Fatty acids, C ₁₈ -unsaturated, dimers, hydrogenated, polymers with sebacic acid and diamines |
| P-95-0900 | 03/21/95 | 06/19/95 | CBI | (S) Used in aqueous dispersions which function as adhesive | (G) Fatty acids, C ₁₈ -unsaturated, dimers, hydrogenated, polymers with ethylenediamine, sebacic acid and diamines |
| P-95-0901 | 03/21/95 | 06/19/95 | CBI | (S) Used in aqueous dispersions which function as adhesive | (G) Fatty acids, C ₁₈ -unsaturated, dimers, hydrogenated, polymers with ethylenediamine, a dibasic acid and diamines |
| P-95-0902 | 03/21/95 | 06/19/95 | CBI | (S) Used in aqueous dispersions which function as adhesive | (G) Fatty acids, C ₁₈ -unsaturated, dimers, hydrogenated, polymers with ethylenediamine, a dibasic acid and a diamine |
| P-95-0903 | 03/21/95 | 06/19/95 | CBI | (S) Used in aqueous dispersions which function as adhesive | (G) Fatty acids, C ₁₈ -unsaturated, dimers, hydrogenated, polymers with ethylenediamine, a dibasic acid and a diamine |
| P-95-0904 | 03/21/95 | 06/19/95 | CBI | (S) Used in aqueous dispersions which function as adhesive | (G) Fatty acids, C ₁₈ -unsaturated, dimers, polymers with a dibasic acid and diamines |
| P-95-0905 | 03/21/95 | 06/19/95 | CBI | (S) Used in aqueous dispersions which function as adhesive | (G) Fatty acids, C ₁₈ -unsaturated, dimers, polymers with ethylenediamine, sebacic acid and diamines |
| P-95-0906 | 03/21/95 | 06/19/95 | CBI | (S) Used in aqueous dispersions which function as adhesive | (G) Fatty acids, C ₁₈ -unsaturated, dimers, polymers with ethylenediamine, a dibasic acid and diamines |
| P-95-0907 | 03/21/95 | 06/19/95 | CBI | (S) Used in aqueous dispersions which function as adhesive | (G) Fatty acids, C ₁₈ -unsaturated, dimers, hydrogenated, polymers with a dibasic acid and diamines |
| P-95-0908 | 03/21/95 | 06/19/95 | CBI | (S) Used in aqueous dispersions which function as adhesive | (G) Fatty acids, C ₁₈ -unsaturated, dimers, hydrogenated, polymers with sebacic acid and diamines |
| P-95-0909 | 03/21/95 | 06/19/95 | CBI | (S) Used in aqueous dispersions which function as adhesive | (G) Fatty acids, C ₁₈ -unsaturated, dimers, hydrogenated, polymers with ethylenediamine sebacic acid and diamines |
| P-95-0910 | 03/21/95 | 06/19/95 | CBI | (S) Used in aqueous dispersions which function as adhesive | (G) Fatty acids, C ₁₈ -unsaturated, dimers, hydrogenated, polymers with ethylenediamine, a dibasic acid and diamines |
| P-95-0911 | 03/21/95 | 06/19/95 | CBI | (S) Used in aqueous dispersions which function as adhesive | (G) Fatty acids, C ₁₈ -unsaturated, dimers, hydrogenated, polymers with ethylenediamine, a dibasic acid and diamines |
| P-95-0912 | 03/21/95 | 06/19/95 | CBI | (S) Used in aqueous dispersions which function as adhesive | (G) Fatty acids, C ₁₈ -unsaturated, dimers, hydrogenated, polymers with ethylenediamine, sebacic acid and diamines |

| Case No. | Received Date | Projected Notice End Date | Manufacturer/Importer | Use | Chemical |
|-----------|---------------|---------------------------|---------------------------------|--|---|
| P-95-0913 | 03/21/95 | 06/19/95 | CBI | (S) Used in aqueous dispersions which function as adhesive | (G) Fatty acids, C ₁₈ -unsaturated., dimers, polymers with tall-oil fatty acids and a diamine |
| P-95-0914 | 03/21/95 | 06/19/95 | CBI | (S) Used in aqueous dispersions which function as adhesive | (G) Fatty acids, C ₁₈ -unsaturated, dimers, polymers with ethylenediamine, tall-oil fatty acids and a dibasic acid and diamine |
| P-95-0915 | 03/21/95 | 06/19/95 | CBI | (S) Used in aqueous dispersions which function as adhesive | (G) Fatty acids, C ₁₈ -unsaturated, dimers, hydrogenated, polymers with ethylenediamine, tall-oil fatty acids and a diamine |
| P-95-0916 | 03/21/95 | 06/19/95 | CBI | (S) Used in aqueous dispersions which function as adhesive | (G) Fatty acids, C ₁₈ -unsaturated, dimers, polymers with sebacic acid, a dibasic acid and diamines |
| P-95-0917 | 03/21/95 | 06/19/95 | CBI | (S) Used in aqueous dispersions which function as adhesive | (G) Fatty acids, C ₁₈ -unsaturated, dimers, polymers with ethylenediamine, sebacic acid, a dibasic acid and a diamine |
| P-95-0918 | 03/21/95 | 06/19/95 | CBI | (S) Used in aqueous dispersions which function as adhesive | (G) Fatty acids, C ₁₈ -unsaturated, dimers, polymers with a dibasic acid, stearic acid, ethylenediamine and diamines |
| P-95-0919 | 03/21/95 | 06/19/95 | CBI | (S) Used in aqueous dispersions which function as adhesive | (G) Fatty acids, C ₁₈ -unsaturated, dimers, polymers with a dibasic acid, ethylenediamine, tall-oil fatty acids and diamines |
| P-95-0920 | 03/21/95 | 06/19/95 | CBI | (S) Used in aqueous dispersions which function as adhesive | (G) Fatty acids, C ₁₈ -unsaturated, dimers, polymers with a dibasic acid ethylenediamine, tall-oil fatty acids and diamines |
| P-95-0921 | 03/21/95 | 06/19/95 | CBI | (S) Used in aqueous dispersions which function as adhesive | (G) Fatty acids, C ₁₈ -unsaturated, dimers, hydrogenated, polymers with a dibasic acid, ethylenediamine, stearic acid and diamines |
| P-95-0922 | 03/21/95 | 06/19/95 | CBI | (S) Used in aqueous dispersions which function as adhesive | (G) Fatty acids, C ₁₈ -unsaturated, dimers, hydrogenated, polymers with a dibasic acid isostearic acid, ethylenediamine and diamines |
| P-95-0923 | 03/21/95 | 06/19/95 | CBI | (S) Used in aqueous dispersions which function as adhesive | (G) Fatty acids, C ₁₈ -unsaturated, dimers, hydrogenated, polymers with a dibasic acid; ethylenediamine and a diamine |
| P-95-0924 | 03/21/95 | 06/19/95 | Dow Chemical U.S.A. | (S) Surfactant for polyurethane foam production | (G) Esterified polyglycol |
| P-95-0925 | 03/21/95 | 06/19/95 | Dow Chemical U.S.A. | (S) Surfactant for polyurethane foam production | (G) Esterified polyglycol |
| P-95-0926 | 03/21/95 | 06/19/95 | Olin Corporation | (S) Surfactant--/rinse aid household, industrial, insit | (G) Alcohol alkoxylate |
| P-95-0927 | 03/20/95 | 06/18/95 | CBI | (G) Open, non-dispersive | (G) Acrylic polymer |
| P-95-0928 | 03/21/95 | 06/19/95 | CBI | (S) Textile finish | (G) Perfluoroalkylethylacrylate copolymer |
| P-95-0929 | 03/21/95 | 06/19/95 | CBI | (G) Component of coating with open use | (G) Amine salt |
| P-95-0930 | 03/21/95 | 06/19/95 | CBI | (G) Component of coating with open use | (G) Cationic epoxy resin |
| P-95-0931 | 03/21/95 | 06/19/95 | Arizona Chemical Company | (S) Resin vehicle for the production of heat-seat, web | (G) Phenolic modified rosin ester, polymer with soybean oil |
| P-95-0932 | 03/21/95 | 06/19/95 | Huls America Inc | (S) Lubricant for use with cfc-free refrigerants | (G) Dialkyl malonate, alkyl alkenoate polymer |
| P-95-0933 | 03/21/95 | 06/19/95 | Lilly Industrial Coatings, Inc. | (G) Intermediate for polymer | (S) Benzene, 1-(1-isocyanato-1-methylethyl)-3-(1-methylethenol) blocked with caprolactam |
| P-95-0934 | 03/21/95 | 06/19/95 | Lilly Industrial Coatings, Inc. | (S) Electrocoating metal parts | (G) Cathodic acrylic electrocoat resin feed |
| P-95-0935 | 03/22/95 | 06/20/95 | Dow Corning | (S) Abrasion resistant coating | (G) Acrylate-functional silica |
| P-95-0936 | 03/22/95 | 06/20/95 | Dow Corning | (S) Abrasion resistant coating | (G) Acrylate-functional silica |
| P-95-0937 | 03/23/95 | 06/21/95 | CBI | (S) Organic synthesis intermediate | (G) Pyrimidine salt |

| Case No. | Received Date | Projected Notice End Date | Manufacturer/Importer | Use | Chemical |
|-----------|---------------|---------------------------|-----------------------------|--|--|
| P-95-0938 | 03/23/95 | 06/21/95 | CBI | (S) Organic synthesis intermediate | (G) Pyrimidine |
| P-95-0939 | 03/23/95 | 06/21/95 | CBI | (S) Organic synthesis intermediate | (G) Organophosphate |
| P-95-0940 | 03/23/95 | 06/21/95 | CBI | (S) Organic synthesis intermediate | (G) Amidine |
| P-95-0941 | 03/21/95 | 06/19/95 | Percy International Ltd | (S) Catalyst for use in moisture-curing urethane coating | (S) Carbonato bis (-N-ethyl, 2-isopropyl-1,3-oxazolane) |
| P-95-0942 | 03/23/95 | 06/21/95 | Ciba-Geigy Corporation | (G) Textile dye | (G) Substituted phenyl azo substituted naphthalene amino triazinyl amino substituted propane |
| P-95-0943 | 03/23/95 | 06/21/95 | CBI | (G) Polymer processing aid | (G) Styrene-acrylic polymer |
| P-95-0944 | 03/23/95 | 06/21/95 | CBI | (G) Chlorosilane | (G) Organochlorosilane |
| P-95-0946 | 03/23/95 | 06/21/95 | Mitsui & Co., (U.S.A.) Inc. | (G) Lubricant | (G) Reaction product of 3-alkoxy-2,2-dialkylpropanol, 2-(alkylphenoxy)ethanol and dialkylcarbonate |
| P-95-0947 | 03/27/95 | 06/25/95 | Dow Chemical U.S.A. | (S) Intermediate | (G) Aromatic sulfonyl chloride |
| P-95-0948 | 03/27/95 | 06/25/95 | Dow Chemical U.S.A. | (S) Magnetic media lubricant | (G) Aromatic sulfonamide |
| P-95-0949 | 03/27/95 | 06/25/95 | Dow Chemical U.S.A. | (S) Magnetic media lubricant | (G) Aromatic sulfonamide |
| P-95-0950 | 03/27/95 | 06/25/95 | CBI | (S) Coatings | (G) Polymer of polyisocyanate, blocked with hydroxy ester of carbamic acid and alcohol |
| P-95-0951 | 03/27/95 | 06/25/95 | CBI | (S) Coatings | (G) Polymer of polyisocyanate, blocked with hydroxy ester of carbamic acid and alcohol |
| P-95-0952 | 03/27/95 | 06/25/95 | CBI | (S) Coatings | (G) Polymer of polyisocyanate, blocked with hydroxy ester of carbamic acid and alcohol |
| P-95-0953 | 03/27/95 | 06/25/95 | CBI | (S) Coatings | (G) Polymer of polyisocyanate, blocked with hydroxy ester of carbamic acid and alcohol |
| P-95-0954 | 03/27/95 | 06/25/95 | CBI | (S) Coatings | (G) Polymer of polyisocyanate, blocked with hydroxy ester of carbamic acid and alcohol |
| P-95-0955 | 03/27/95 | 06/25/95 | CBI | (S) Coatings | (G) Polymer of polyisocyanate, blocked with hydroxy ester of carbamic acid and alcohol |
| P-95-0956 | 03/27/95 | 06/25/95 | CBI | (S) Coatings | (G) Polymer of polyisocyanate, blocked with hydroxy ester of carbamic acid and alcohol |
| P-95-0957 | 03/27/95 | 06/25/95 | CBI | (S) Coatings | (G) Polymer of polyisocyanate, blocked with hydroxy ester of carbamic acid and alcohol |
| P-95-0958 | 03/27/95 | 06/25/95 | CBI | (S) Coatings | (G) Polymer of polyisocyanate, blocked with hydroxy ester of carbamic acid and alcohol |
| P-95-0959 | 03/27/95 | 06/25/95 | CBI | (S) Coatings | (G) Polymer of polyisocyanate, blocked with hydroxy ester of carbamic acid and alcohol |
| P-95-0960 | 03/27/95 | 06/25/95 | CBI | (S) Coatings | (G) Polymer of polyisocyanate, blocked with hydroxy ester of carbamic acid and alcohol |
| P-95-0961 | 03/27/95 | 06/25/95 | CBI | (S) Coatings | (G) Polymer of polyisocyanate, blocked with hydroxy ester of carbamic acid and alcohol |
| P-95-0962 | 03/27/95 | 06/25/95 | CBI | (S) Coatings | (G) Polymer of polyisocyanate, blocked with hydroxy ester of carbamic acid and alcohol |
| P-95-0963 | 03/27/95 | 06/25/95 | CBI | (S) Coatings | (G) Polymer of polyisocyanate, blocked with hydroxy ester of carbamic acid and alcohol |
| P-95-0964 | 03/27/95 | 06/25/95 | CBI | (S) Coatings | (G) Polymer of polyisocyanate, blocked with hydroxy ester of carbamic acid and alcohol |
| P-95-0965 | 03/27/95 | 06/25/95 | CBI | (S) Coatings | (G) Polymer of polyisocyanate, blocked with hydroxy ester of carbamic acid and alcohol |
| P-95-0966 | 03/27/95 | 06/25/95 | CBI | (S) Coatings | (G) Polymer of polyisocyanate, blocked with hydroxy ester of carbamic acid and alcohol |
| P-95-0967 | 03/27/95 | 06/25/95 | CBI | (S) Coatings | (G) Polymer of polyisocyanate, blocked with hydroxy ester of carbamic acid and alcohol |

| Case No. | Received Date | Projected Notice End Date | Manufacturer/Importer | Use | Chemical |
|-----------|---------------|---------------------------|------------------------------------|--|---|
| P-95-0968 | 03/27/95 | 06/25/95 | CBI | (S) Coatings | (G) Polymer of polyisocyanate, blocked with hydroxy ester of carbamic acid and alcohol |
| P-95-0969 | 03/27/95 | 06/25/95 | CBI | (S) Coatings | (G) Polymer of polyisocyanate, blocked with hydroxy ester of carbamic acid and alcohol |
| P-95-0970 | 03/27/95 | 06/25/95 | CBI | (S) Coatings | (G) Polymer of polyisocyanate, blocked with hydroxy ester of carbamic acid and alcohol |
| P-95-0971 | 03/27/95 | 06/25/95 | CBI | (S) Coatings | (G) Polymer of polyisocyanate, blocked with hydroxy ester of carbamic acid and alcohol |
| P-95-0972 | 03/27/95 | 06/25/95 | General Polymers West | (S) Architectural coatings | (G) Polyurethane |
| P-95-0973 | 03/28/95 | 06/26/95 | VPN, Inc. | (S) Sprayed on foliage of plants to promote growth | (G) vanadium compound |
| P-95-0974 | 03/27/95 | 06/25/95 | Hoechst Celanese | (G) Binder in paints | (S) A polymer of: adipic acid; 1,6-hexandiol; succinic acid anhydride; neopentyl glycol; isophorone diisocyanate; diethanolamine; bishydroxymethyl propionic acid; <i>N,N</i> -diethylethanolamine; dibutyl tin oxide |
| P-95-0975 | 03/27/95 | 06/25/95 | Exxon Chemical Company | (S) Polymerization catalyst | (G) Aluminum organometallic compound |
| P-95-0976 | 03/27/95 | 06/25/95 | Para-Chem Southern, Inc. | (S) Latex thickener | (S) Sodium salt of methyl acrylate and methacrylic acid co-polymer |
| P-95-0977 | 03/28/95 | 05/29/95 | Henkel Corporation | (G) Dispersant | (G) Acrylate polymer salt |
| P-95-0978 | 03/28/95 | 06/26/95 | High Point Chemical Corporation | (G) Industrial cleaning | (S) Poly(oxy-1,2-ethanediyl), .alpha.-(carboxymethyl)-.omega.-[(2-ethylhexyl)oxy]- (9CI) |
| P-95-0979 | 03/28/95 | 06/26/95 | E.I. Dupont de Nemours & Co., Inc. | (G) Enclosed destructive use | (G) Fluorinated carboxylic acid, alkali metal salt |
| P-95-0980 | 03/28/95 | 06/26/95 | E.I. Dupont de Nemours & Co., Inc. | (G) Enclosed destructive use | (G) Fluorinated carboxylic acid, alkali metal salt |
| P-95-0981 | 03/28/95 | 06/26/95 | E.I. Dupont de Nemours & Co., Inc. | (G) Enclosed destructive use | (G) Fluorinated carboxylic acid, alkali metal salt |
| P-95-0982 | 03/28/95 | 06/26/95 | Hercules-Sanyo Incorporated | (S) Binder resin for printing inks | (G) Metal resinate |
| P-95-0983 | 03/28/95 | 06/26/95 | Hercules-Sanyo Incorporated | (S) Binder resin for printing inks | (G) Metal resinate |
| P-95-0984 | 03/28/95 | 06/26/95 | CBI | (S) Printing ink component/ laminating adhesive | (G) Polyamide resin salt |
| P-95-0985 | 03/28/95 | 06/26/95 | CBI | (S) Printing ink component/ laminating adhesive | (G) Polyamide resin salt |
| P-95-0986 | 03/28/95 | 06/26/95 | CBI | (S) Printing ink component/ laminating adhesive | (G) Polyamide resin salt |
| P-95-0987 | 03/28/95 | 06/26/95 | CBI | (S) Printing ink component/ laminating adhesive | (G) Polyamide resin salt |
| P-95-0988 | 03/28/95 | 06/26/95 | CBI | (S) Printing ink component/ laminating adhesive | (G) Polyamide resin salt |
| P-95-0989 | 03/28/95 | 06/26/95 | CBI | (S) Printing ink component/ laminating adhesive | (G) Polyamide resin salt |
| P-95-0990 | 03/28/95 | 06/26/95 | CBI | (S) Printing ink component/ laminating adhesive | (G) Polyamide resin salt |
| P-95-0991 | 03/28/95 | 06/26/95 | CBI | (S) Printing ink component/ laminating adhesive | (G) Polyamide resin salt |

| Case No. | Received Date | Projected Notice End Date | Manufacturer/Importer | Use | Chemical |
|-----------|---------------|---------------------------|-----------------------|---|--|
| P-95-0992 | 03/28/95 | 06/26/95 | CBI | (S) Printing ink component/ laminating adhesive | (G) Polyamide resin salt |
| P-95-0993 | 03/28/95 | 06/26/95 | CBI | (S) Printing ink component/ laminating adhesive | (G) Polyamide resin salt |
| P-95-0994 | 03/28/95 | 06/26/95 | CBI | (S) Printing ink component/ laminating adhesive | (G) Polyamide resin salt |
| P-95-0995 | 03/28/95 | 06/26/95 | CBI | (S) Printing ink component/ laminating adhesive | (G) Polyamide resin salt |
| P-95-0996 | 03/28/95 | 06/26/95 | CBI | (S) Printing ink component/ laminating adhesive | (G) Polyamide resin salt |
| P-95-0997 | 03/28/95 | 06/26/95 | CBI | (S) Printing ink component/ laminating adhesive | (G) Polyamide resin salt |
| P-95-0998 | 03/28/95 | 06/26/95 | CBI | (S) Printing ink component/ laminating adhesive | (G) Polyamide resin salt |
| P-95-0999 | 03/28/95 | 06/26/95 | CBI | (S) Printing ink component/ laminating adhesive | (G) Polyamide resin salt |
| P-95-1000 | 03/28/95 | 06/26/95 | CBI | (S) Printing ink component/ laminating adhesive | (G) Polyamide resin salt |
| P-95-1001 | 03/28/95 | 06/26/95 | CBI | (S) Printing ink component/ laminating adhesive | (G) Polyamide resin salt |
| P-95-1002 | 03/28/95 | 06/26/95 | CBI | (S) Printing ink component/ laminating adhesive | (G) Polyamide resin salt |
| P-95-1003 | 03/28/95 | 06/26/95 | CBI | (S) Printing ink component/ laminating adhesive | (G) Polyamide resin salt |
| P-95-1004 | 03/28/95 | 06/26/95 | CBI | (S) Printing ink component/ laminating adhesive | (G) Polyamide resin salt |
| P-95-1005 | 03/28/95 | 06/26/95 | CBI | (S) Printing ink component/ laminating adhesive | (G) Polyamide resin salt |
| P-95-1006 | 03/28/95 | 06/26/95 | CBI | (S) Printing ink component/ laminating adhesive | (G) Polyamide resin salt |
| P-95-1007 | 03/28/95 | 06/26/95 | CBI | (S) Printing ink component/ laminating adhesive | (G) Polyamide resin salt |
| P-95-1008 | 03/28/95 | 06/26/95 | CBI | (S) Printing ink component/ laminating adhesive | (G) Polyamide resin salt |
| P-95-1009 | 03/28/95 | 06/26/95 | CBI | (G) Coating resin | (G) Acrylic polymer |
| P-95-1010 | 03/28/95 | 06/26/95 | 3M | (S) Surfactant | (G) Perfluoroalkyl carboxylate salt |
| P-95-1011 | 03/29/95 | 06/27/95 | Xerox Corporation | (G) Reprographic pigment dispersant | (G) Vinyl copolymer |
| P-95-1012 | 03/29/95 | 06/27/95 | BF Goodrich Company | (G) Topcoat used for the coating of gymnasium and other | (G) Polyurethane based on polyisocyanates, polyols and polyamine |
| P-95-1013 | 03/29/95 | 06/27/95 | BF Goodrich Company | (G) Topcoat used for the coating of gymnasium and other | (G) Polyurethane based on polyisocyanates, polyols and polyamine |
| P-95-1014 | 03/29/95 | 06/27/95 | BF Goodrich Company | (G) Topcoat used for the coating of gymnasium and other | (G) Polyurethane based on polyisocyanates, polyols and polyamine |
| P-95-1015 | 03/29/95 | 06/27/95 | BF Goodrich Company | (G) Topcoat used for the coating of gymnasium and other | (G) Polyurethane based on polyisocyanates, polyols and polyamine |
| P-95-1016 | 03/29/95 | 06/27/95 | BF Goodrich Company | (G) Topcoat used for the coating of gymnasium and other | (G) Polyurethane based on polyisocyanates, polyols and polyamine |
| P-95-1017 | 03/29/95 | 06/27/95 | BF Goodrich Company | (G) Topcoat used for the coating of gymnasium and other | (G) Polyurethane based on polyisocyanates, polyols and polyamine |
| P-95-1018 | 03/29/95 | 06/27/95 | BF Goodrich Company | (G) Topcoat used for the coating of gymnasium and other | (G) Polyurethane based on polyisocyanates, polyols and polyamine |
| P-95-1019 | 03/29/95 | 06/27/95 | BF Goodrich Company | (G) Topcoat used for the coating of gymnasium and other | (G) Polyurethane based on polyisocyanates, polyols and polyamine |
| P-95-1020 | 03/29/95 | 06/27/95 | CBI | (G) Colorant | (G) Polymeric colorant |
| P-95-1021 | 03/29/95 | 06/27/95 | CBI | (G) Colorant | (G) Polymeric colorant |

| Case No. | Received Date | Projected Notice End Date | Manufacturer/Importer | Use | Chemical |
|-----------|---------------|---------------------------|------------------------------------|---|--|
| P-95-1022 | 03/29/95 | 06/27/95 | CBI | (G) Open, non-dispersive use | (G) Polyester silane |
| P-95-1023 | 03/29/95 | 06/27/95 | Xerox Corporation | (G) Reprographic pigment | (G) Phthalocyanine pigment |
| P-95-1024 | 03/30/95 | 06/28/95 | CBI | (G) Open, non-dispersive use | (G) Acrylosilane resin |
| P-95-1025 | 03/31/95 | 06/29/95 | CBI | (S) Coatings | (G) Urethane modified melamine resin |
| P-95-1026 | 03/31/95 | 06/29/95 | Eastman Kodak Company | (G) Chemical intermediate | (G) Substituted alkylaminodihalobenzoic acid, ester |
| P-95-1027 | 03/31/95 | 06/29/95 | CBI | (G) Processing additive | (G) Substituted metal sulfides |
| P-95-1028 | 03/30/95 | 06/28/95 | Mycogen Corporation | (S) Biopesticides | (G) Bacillus thuringiensis delta toxin genes |
| P-95-1029 | 03/30/95 | 06/28/95 | Mycogen Corporation | (S) Biopesticides | (G) Bacillus thuringiensis delta toxin genes |
| P-95-1030 | 04/03/95 | 07/02/95 | CBI | (G) Dielectric fluid | (G) Orthoxylene compound |
| P-95-1031 | 04/03/95 | 07/02/95 | Osakagodo America, Inc. | (S) Coloring agent for resin | (S) 7H(1)Benzopyrano(3',2':3,4) pyrido(1,2A) benzimidazole-6-carbonitrile, 3-(diethylamino)-7-oxo- |
| P-95-1032 | 04/03/95 | 07/02/95 | CBI | (G) Raw material for colorant | (S) Benzenesulfonic acid, 2-amino-4,5-dichloro- |
| P-95-1033 | 04/03/95 | 07/02/95 | Dow Corning | (S) Silicone adhesive component | (G) Organofunctional silica |
| P-95-1034 | 04/03/95 | 07/02/95 | CBI | (G) Open, non-dispersive | (G) Aqueous polyester polyurethane dispersion |
| P-95-1035 | 04/03/95 | 07/02/95 | CBI | (G) Open, non-dispersive | (G) Aqueous aliphatic urethane stoving resin |
| P-95-1036 | 04/03/95 | 07/02/95 | Shibley Company, Inc. | (S) Chemical intermediate used in the manufacture of a photoactive compound | (G) Polynuclear polyhydroxy phenol |
| P-95-1037 | 04/03/95 | 07/02/95 | Shibley Company, Inc. | (S) Chemical intermediate used in the manufacture of PH | (G) Naphthaquinone diazide sulfonyl ester mixture of a polynuclear polyhydroxy phenol |
| P-95-1038 | 04/03/95 | 07/02/95 | E.I. Dupont de Nemours & Co., Inc. | (S) Release sheeting, protective cladding, coatings | (G) Polyvinyl fluoride copolymer |
| P-95-1039 | 04/03/95 | 07/02/95 | E.I. Dupont de Nemours & Co., Inc. | (S) Release sheeting, protective cladding, coatings | (G) Polyvinyl fluoride copolymer |
| P-95-1040 | 04/03/95 | 07/02/95 | CBI | (G) Open, non-dispersive | (G) Acrylosilane resin |
| P-95-1041 | 04/03/95 | 07/02/95 | CBI | (G) Destructive use | (G) Silane intermediate |
| P-95-1042 | 04/03/95 | 07/02/95 | CBI | (G) Destructive use | (G) Silane intermediate |
| P-95-1043 | 04/04/95 | 07/03/95 | CBI | (S) Paper dye | (G) Bis(substituted)carbomonocyclic azo-carbomonocyclic |
| P-95-1044 | 04/04/95 | 07/03/95 | CBI | (S) Paper dye | (G) Bis(substituted)carbomonocyclic azo-carbomonocyclic |
| P-95-1045 | 04/04/95 | 07/03/95 | CBI | (S) Paper dye | (G) Bis(substituted)carbomonocyclic azo-carbomonocyclic |
| P-95-1046 | 04/04/95 | 07/03/95 | CBI | (S) Antioxidant/stabilizer in polymers | (G) Aryl alkyl phosphite |
| P-95-1047 | 04/04/95 | 07/03/95 | Reichhold Chemicals, Inc. | (S) Wood coating | (G) Anionic aliphatic polyurethane dispersion |
| P-95-1048 | 04/04/95 | 07/03/95 | CBI | (S) Electrical insulation coating | (G) Polyamideimide resin |
| P-95-1049 | 04/04/95 | 07/03/95 | CBI | (S) Electrical insulation coating | (G) Polyamideimide resin |
| P-95-1050 | 04/04/95 | 07/03/95 | CBI | (G) Paper strength additive | (G) Modified cationic acrylamide polymer |
| P-95-1051 | 04/04/95 | 07/03/95 | CBI | (G) Paper strength additive | (G) Modified anionic acrylamide polymer |
| P-95-1052 | 04/05/95 | 07/04/95 | CBI | (G) Raw material of surfactant for metal cleaning | (S) Dehydrogenated product from C ₁₂₋₁₄ linear chained random secondary alcohols |

| Case No. | Received Date | Projected Notice End Date | Manufacturer/Importer | Use | Chemical |
|-----------|---------------|---------------------------|---------------------------------|--|--|
| P-95-1053 | 04/04/95 | 07/03/95 | Hoechst Celanese | (G) Paint resin | (G) Water-soluble urethane alkyd |
| P-95-1054 | 04/05/95 | 07/04/95 | CBI | (G) Surfactant | (G) Condensates of methacrylic ester and aminosulfonic ester |
| P-95-1055 | 04/05/95 | 07/04/95 | CBI | (G) Ink additive | (G) Cross linked acrylic random copolymer |
| P-95-1056 | 04/05/95 | 07/04/95 | Lilly Industrial Coatings, Inc. | (G) Salt of electrocoat resin vehicle | (G) Epoxy resin salt |
| P-95-1057 | 04/05/95 | 07/04/95 | Lilly Industrial Coatings, Inc. | (G) Salt of electrocoat resin vehicle | (G) Acrylic resin salt |
| P-95-1058 | 04/05/95 | 07/04/95 | Lilly Industrial Coatings, Inc. | (G) Salt of electrocoat resin vehicle | (G) Epoxy resin salt |
| P-95-1059 | 04/06/95 | 07/05/95 | Ciba-Geigy Corporation | (S) Intermediate for dye manufacture | (G) Substituted phenyl azo substituted phenyl amino triazinyl substituted naphthalene sulfonic acid derivative |
| P-95-1060 | 04/06/95 | 07/05/95 | CBI | (G) Paint | (G) Polyurethane/polyurea polymer |
| P-95-1061 | 04/06/95 | 07/05/95 | CBI | (G) Paint | (G) Polyurethane/polyurea polymer |
| P-95-1062 | 04/06/95 | 07/05/95 | CBI | (S) Oil field corrosion inhibitor / asphalt emulsifier | (G) Alkoxyated diamine |
| P-95-1063 | 04/06/95 | 07/05/95 | CBI | (S) Oil field corrosion inhibitor / asphalt emulsifier | (G) Alkoxyated diamine |
| P-95-1064 | 04/06/95 | 07/05/95 | CBI | (S) Oil field corrosion inhibitor / asphalt emulsifier | (G) Alkoxyated diamine |
| P-95-1065 | 04/06/95 | 07/05/95 | CBI | (S) Paint, ink | (G) Styrene modified polyester |
| P-95-1066 | 04/07/95 | 07/06/95 | Catalyst Resources, Inc | (S) Polypropylene manufacturing catalyst | (G) A magnesium, titanium organo-complex compound |
| P-95-1067 | 04/07/95 | 07/06/95 | Catalyst Resources, Inc | (S) Polypropylene manufacturing catalyst | (G) A magnesium, titanium organo-complex compound |
| P-95-1068 | 04/07/95 | 07/06/95 | Catalyst Resources, Inc | (S) Polypropylene manufacturing catalyst | (G) A magnesium, titanium organo-complex compound |
| P-95-1069 | 04/07/95 | 07/06/95 | Catalyst Resources, Inc | (S) Polypropylene manufacturing catalyst | (G) A magnesium, titanium organo-complex compound |
| P-95-1070 | 04/07/95 | 07/06/95 | Catalyst Resources, Inc | (S) Polypropylene manufacturing catalyst | (G) A magnesium, titanium organo-complex compound |
| P-95-1071 | 04/07/95 | 07/06/95 | Catalyst Resources, Inc | (S) Polypropylene manufacturing catalyst | (G) A magnesium, titanium organo-complex compound |
| P-95-1072 | 04/07/95 | 07/06/95 | Catalyst Resources, Inc | (S) Polypropylene manufacturing catalyst | (G) A magnesium, titanium organo-complex compound |
| P-95-1073 | 04/07/95 | 07/06/95 | Catalyst Resources, Inc | (S) Polypropylene manufacturing catalyst | (G) A magnesium, titanium organo-complex compound |
| P-95-1074 | 04/07/95 | 07/06/95 | Catalyst Resources, Inc | (S) Polypropylene manufacturing catalyst | (G) A magnesium, titanium organo-complex compound |
| P-95-1075 | 04/07/95 | 07/06/95 | Catalyst Resources, Inc | (S) Polypropylene manufacturing catalyst | (G) A magnesium, titanium organo-complex compound |
| P-95-1076 | 04/07/95 | 07/06/95 | Catalyst Resources, Inc | (S) Polypropylene manufacturing catalyst | (G) A magnesium, titanium organo-complex compound |
| P-95-1077 | 04/07/95 | 07/06/95 | Catalyst Resources, Inc | (S) Polypropylene manufacturing catalyst | (G) A magnesium, titanium organo-complex compound |
| P-95-1078 | 04/07/95 | 07/06/95 | Catalyst Resources, Inc | (S) Polypropylene manufacturing catalyst | (G) A magnesium, titanium organo-complex compound |
| P-95-1079 | 04/07/95 | 07/06/95 | Catalyst Resources, Inc | (S) Polypropylene manufacturing catalyst | (G) A magnesium, titanium organo-complex compound |
| P-95-1080 | 04/07/95 | 07/06/95 | Catalyst Resources, Inc | (S) Polypropylene manufacturing catalyst | (G) A magnesium, titanium organo-complex compound |

| Case No. | Received Date | Projected Notice End Date | Manufacturer/Importer | Use | Chemical |
|-----------|---------------|---------------------------|-------------------------|---|--|
| P-95-1081 | 04/07/95 | 07/06/95 | Catalyst Resources, Inc | (S) Polypropylene manufacturing catalyst | (G) A magnesium, titanium organo-complex compound |
| P-95-1082 | 04/07/95 | 07/06/95 | Catalyst Resources, Inc | (S) Polypropylene manufacturing catalyst | (G) A magnesium, titanium organo-complex compound |
| P-95-1083 | 04/07/95 | 07/06/95 | Catalyst Resources, Inc | (S) Polypropylene manufacturing catalyst | (G) A magnesium, titanium organo-complex compound |
| P-95-1084 | 04/07/95 | 07/06/95 | Catalyst Resources, Inc | (S) Polypropylene manufacturing catalyst | (G) A magnesium, titanium organo-complex compound |
| P-95-1085 | 04/07/95 | 07/06/95 | Catalyst Resources, Inc | (S) Polypropylene manufacturing catalyst | (G) A magnesium, titanium organo-complex compound |
| P-95-1086 | 04/07/95 | 07/06/95 | Catalyst Resources, Inc | (S) Polypropylene manufacturing catalyst | (G) A magnesium, titanium organo-complex compound |
| P-95-1087 | 04/07/95 | 07/06/95 | Catalyst Resources, Inc | (S) Polypropylene manufacturing catalyst | (G) A magnesium, titanium organo-complex compound |
| P-95-1088 | 04/07/95 | 07/06/95 | Catalyst Resources, Inc | (S) Polypropylene manufacturing catalyst | (G) A magnesium, titanium organo-complex compound |
| P-95-1089 | 04/07/95 | 07/06/95 | Catalyst Resources, Inc | (S) Polypropylene manufacturing catalyst | (G) A magnesium, titanium organo-complex compound |
| P-95-1090 | 04/07/95 | 07/06/95 | Catalyst Resources, Inc | (S) Polypropylene manufacturing catalyst | (G) A magnesium, titanium organo-complex compound |
| P-95-1091 | 04/07/95 | 07/06/95 | Catalyst Resources, Inc | (S) Polypropylene manufacturing catalyst | (G) A magnesium, titanium organo-complex compound |
| P-95-1092 | 04/07/95 | 07/06/95 | Catalyst Resources, Inc | (S) Polypropylene manufacturing catalyst | (G) A magnesium, titanium organo-complex compound |
| P-95-1093 | 04/07/95 | 07/06/95 | Catalyst Resources, Inc | (S) Polypropylene manufacturing catalyst | (G) A magnesium, titanium organo-complex compound |
| P-95-1094 | 04/07/95 | 07/06/95 | Catalyst Resources, Inc | (S) Polypropylene manufacturing catalyst | (G) A magnesium, titanium organo-complex compound |
| P-95-1095 | 04/07/95 | 07/06/95 | Catalyst Resources, Inc | (S) Polypropylene manufacturing catalyst | (G) A magnesium, titanium organo-complex compound |
| P-95-1096 | 04/07/95 | 07/06/95 | Catalyst Resources, Inc | (S) Polypropylene manufacturing catalyst | (G) A magnesium, titanium organo-complex compound |
| P-95-1097 | 04/07/95 | 07/06/95 | Catalyst Resources, Inc | (S) Polypropylene manufacturing catalyst | (G) A magnesium, titanium organo-complex compound |
| P-95-1098 | 04/07/95 | 07/06/95 | Cytec Industries | (G) Crosslinking resin | (G) Tris carbamoyl triazine |
| P-95-1099 | 04/07/95 | 07/06/95 | CBI | (G) Open, non-dispersive | (G) Styrene, divinylbenzene copolymer with trialkyl ammonium groups in OH form |
| P-95-1100 | 04/07/95 | 07/06/95 | 3M Company | (G) Resin | (G) Polymer of 1,2-ethanediol and aromatic esters |
| P-95-1101 | 04/07/95 | 07/06/95 | 3M Company | (G) Resin | (G) Polymer of 1,2-ethanediol and aromatic esters |
| P-95-1102 | 04/07/95 | 07/06/95 | CBI | (G) A component of the material for integrate circuit F | (G) Novolac-resin from substituted phenols and formaldehyde |
| P-95-1103 | 04/07/95 | 07/06/95 | CBI | (G) A component of the material for integrate circuit F | (G) Substituted resorcinol |
| P-95-1104 | 04/07/95 | 07/06/95 | CBI | (G) A component of the material for integrate circuit F | (G) Substituted resorcinol |
| P-95-1105 | 04/07/95 | 07/06/95 | CBI | (G) Reactant for specialty industrial chemicals | (G) Mixed carboxylic acids, branched |
| P-95-1106 | 04/10/95 | 07/09/95 | Ausimont USA, Inc. | (G) Synthesis intermediate | (S) 2,2,4-trifluoro-5-trifluoromethoxy-1,3-dioxole |
| P-95-1107 | 04/10/95 | 07/09/95 | CBI | (S) Coatings | (G) Amino urethane/urea crosslinking resin |
| P-95-1108 | 04/10/95 | 07/09/95 | CBI | (S) Coatings | (G) Amino urethane/urea crosslinking resin salted with organic acid |
| P-95-1109 | 04/10/95 | 07/09/95 | CBI | (S) Coatings | (G) Amino urethane/urea crosslinking resin salted with organic acid |

| Case No. | Received Date | Projected Notice End Date | Manufacturer/Importer | Use | Chemical |
|-----------|---------------|---------------------------|------------------------------------|---|---|
| P-95-1110 | 04/10/95 | 07/09/95 | CBI | (G) Acrylate/methacrylate copolymer | |
| P-95-1111 | 04/10/95 | 07/09/95 | ICI Fiberite | (S) An epoxy resin reinforced with carbon fibers for AE | (G) Functionalized elastomeric-epoxy copolymer |
| P-95-1112 | 04/10/95 | 07/09/95 | Gelest, Inc. | (S) Surface treatment of silica employed in liquid chro | (S) 3-cyanopropyl(diisopropyl)chlorosilane |
| P-95-1113 | 04/10/95 | 07/09/95 | E.I. Dupont de Nemours & Co., Inc. | (S) Component of glassed reinforced molding resin for A | (G) Butylene terephthalate copolymer |
| P-95-1114 | 04/10/95 | 07/09/95 | E.I. Dupont de Nemours & Co., Inc. | (S) Component of glassed reinforced molding resin for a | (G) Butylene terephthalate copolymer |
| P-95-1115 | 04/10/95 | 07/09/95 | Sequa Chemicals, Inc | (S) Textile finishing resin | (S) 1,3-bis(1-hydroxy-2,2-dimethoxyethyl)-2-imidazolidinone |
| P-95-1116 | 04/13/95 | 07/12/95 | Jowat Corp. | (S) Adhesive | (G) Modified vinylacetate copolymer |
| P-95-1117 | 04/10/95 | 07/09/95 | CBI | (G) Surfactant intermediate | (G) Alkyletherhydroxy-propylamine |
| P-95-1118 | 04/10/95 | 07/09/95 | NOF America Corporation | (S) Compatibilizing agent for polymer blends | (G) Compatibility agent |
| P-95-1119 | 04/10/95 | 07/09/95 | CBI | (G) Surfactant intermediate | (G) Alkyletherhydroxy-propylamine |
| P-95-1120 | 04/11/95 | 07/10/95 | CBI | (S) Electrical insulating coating | (G) Polyamide resin |
| P-95-1121 | 04/11/95 | 07/10/95 | CBI | (G) Crosslinking agent for coatings | (S) Polymer of cythane 2601 solids; 2-butanone oxime |
| P-95-1122 | 04/12/95 | 07/11/95 | CBI | (G) Water-borne coating | (S) Aqueous polyurethane dispersion |
| P-95-1123 | 04/13/95 | 07/12/95 | CBI | (G) Open, non-dispersive use | (G) Silane functional diluent |
| P-95-1124 | 04/13/95 | 07/12/95 | CBI | (G) Infra-red absorber | (G) Aryl substituted copper phthalocyanine |
| P-95-1125 | 04/14/95 | 07/13/95 | Hoechst Celanese | (S) Stoving industrial paints | (G) Modified alkyd resin |
| P-95-1126 | 04/14/95 | 07/13/95 | NOF America Corporation | (S) Compatibilizing agent for polymer blends | (G) Compatibility agent |
| P-95-1127 | 04/14/95 | 07/13/95 | The C.P. Hall Company | (G) Adhesives/coatings | (G) Polyalkyl pentanedioate polyester |
| P-95-1128 | 04/14/95 | 07/13/95 | Great Lakes Chemical Corporation | (S) Flame retardant for foams and polymers | (G) Brominated aromatic ester |
| P-95-1129 | 04/17/95 | 07/16/95 | 3M Company | (G) Adhesive | (G) Acrylate copolymer |
| P-95-1130 | 04/17/95 | 07/16/95 | CBI | (G) Photoresist | (G) Acryl resin |
| P-95-1131 | 04/17/95 | 07/16/95 | CBI | (G) Photoresist | (G) Acryl resin |
| P-95-1132 | 04/18/95 | 07/17/95 | CBI | (G) Open non-dispersive use | (G) Diketone aluminum chelate |
| P-95-1133 | 04/18/95 | 07/17/95 | CBI | (G) Open non-dispersive use | (G) Diketone aluminum chelate |
| P-95-1134 | 04/18/95 | 07/17/95 | CBI | (G) Open non-dispersive use | (G) Diketone aluminum chelate |
| P-95-1135 | 04/18/95 | 07/17/95 | CBI | (G) Open non-dispersive use | (G) Diketone aluminum chelate |
| P-95-1136 | 04/18/95 | 07/17/95 | CBI | (G) Open non-dispersive use | (G) Diketone aluminum chelate |
| P-95-1137 | 04/18/95 | 07/17/95 | CBI | (G) Open non-dispersive use | (G) Diketone aluminum chelate |
| P-95-1138 | 04/18/95 | 07/17/95 | CBI | (G) Open non-dispersive use | (G) Diketone aluminum chelate |
| P-95-1139 | 04/18/95 | 07/17/95 | CBI | (G) Open non-dispersive use | (G) Diketone aluminum chelate |
| P-95-1140 | 04/18/95 | 07/17/95 | CBI | (G) Open non-dispersive use | (G) Diketone aluminum chelate |
| P-95-1141 | 04/17/95 | 07/16/95 | CBI | (G) Filler/flame retardant | (G) Functionalized aluminum hydroxide |
| P-95-1142 | 04/17/95 | 07/16/95 | CBI | (G) Filler/flame retardant | (G) Functionalized aluminum hydroxide |
| P-95-1143 | 04/17/95 | 07/16/95 | CBI | (G) Filler/flame retardant | (G) Functionalized aluminum hydroxide |
| P-95-1144 | 04/17/95 | 07/16/95 | CBI | (G) Filler/flame retardant | (G) Functionalized aluminum hydroxide |
| P-95-1145 | 04/17/95 | 07/16/95 | CBI | (G) Filler/flame retardant | (G) Functionalized aluminum hydroxide |
| P-95-1146 | 04/17/95 | 07/16/95 | CBI | (G) Filler/flame retardant | (G) Functionalized aluminum hydroxide |
| P-95-1147 | 04/17/95 | 07/16/95 | CBI | (G) Filler/flame retardant | (G) Functionalized aluminum hydroxide |

| Case No. | Received Date | Projected Notice End Date | Manufacturer/Importer | Use | Chemical |
|-----------|---------------|---------------------------|------------------------------------|---|--|
| P-95-1197 | 04/19/95 | 07/18/95 | Lilly Industrial Coatings, Inc. | (G) Electrocoat resin vehicle | (G) Modified epoxy resin |
| P-95-1198 | 04/19/95 | 07/18/95 | Lilly Industrial Coatings, Inc. | (G) Salt for electrocoat resin vehicle | (G) Acrylic resin salt |
| P-95-1199 | 04/19/95 | 07/18/95 | CBI | (G) Open, non-dispersive | (G) Aqueous emulsion of octyltriethoxysilane |
| P-95-1200 | 04/18/95 | 07/17/95 | CBI | (G) A component of the material for IC fabrication | (G) Novolac-resin from substituted phenols and formaldehyde |
| P-95-1201 | 04/18/95 | 07/17/95 | 3M | (S) Adhesive | (G) Acrylate polymer |
| P-95-1202 | 04/20/95 | 07/19/95 | Angus Chemical Company | (G) Chemical intermediate | (G) Alkanolamine |
| P-95-1203 | 04/20/95 | 07/19/95 | Austin Powder Company | (S) Emulsifier in manufacturer of emulsion explosives | (S) A polymer of: <i>N,N</i> -diethylethanolamine (deea) 2-diethylaminoethanol: poly(isobutylene)-succinic anhydride |
| P-95-1204 | 04/20/95 | 07/19/95 | CBI | (G) Quality control agent | (G) Alkoxy-alkyl-carbopolycycle |
| P-95-1205 | 04/20/95 | 07/19/95 | CBI | (G) Quality control agent | (G) Disubstituted benzene |
| P-95-1206 | 04/19/95 | 07/18/95 | Hoechst Celanese | (S) Binder for industrial paints | (G) Modified alkyd resin |
| P-95-1207 | 04/19/95 | 07/18/95 | CBI | (G) Hydrocarbon process stream additive; lube oil addit | (G) Poly(alkylmethacrylate) |
| P-95-1208 | 04/21/95 | 07/20/95 | DIC Trading (USA) Inc. | (G) Soil repellent | (G) Fluorinated acrylic copolymer |
| P-95-1209 | 04/21/95 | 07/20/95 | CBI | (G) Open, non-dispersive | (G) Polyester resin |
| P-95-1210 | 04/21/95 | 07/20/95 | CBI | (G) Polymer support resin | (G) Carboxy terminated amide functionl polymer of aliphatic diols, aromatic acroxylic acid/anhydride, tall oil fatty acid dimer, and ethoxylated polyaryphenol |
| P-95-1211 | 04/21/95 | 07/20/95 | CBI | (G) Polymer support resin | (G) Carboxy terminated amide functionl polymer of aliphatic diols, aromatic acroxylic acid/anhydride, tall oil fatty acid dimer, and ethoxylated polyaryphenol, ammonium salt |
| P-95-1212 | 04/21/95 | 07/20/95 | The C.P. Hall Company | (G) Plasticizer | (S) Dibutoxypropyl adipate |
| P-95-1213 | 04/21/95 | 07/20/95 | CBI | (G) Hydroxy terminated polyester intermediate for polyu | (G) Hydroxy terminated polyester |
| P-95-1214 | 04/21/95 | 07/20/95 | CBI | (G) Adhesive fo flexible substances | (G) Polyether/polyester/aromatic polyurethane |
| P-95-1215 | 04/21/95 | 07/20/95 | CBI | (G) Adhesive fo flexible substances | (G) Polyester urethane polymer |
| P-95-1216 | 04/21/95 | 07/20/95 | E.I. Dupont de Nemours & Co., Inc. | (G) Paper fluoridizer | (G) Polysubstituted methacrylic copolymer |
| P-95-1217 | 04/25/95 | 07/24/95 | Shiple Company, Inc. | (S) Chemical intermediate used in the manufacture of PH | (G) Naphthaquinone diazide sulfonyl ester mixture of a polynuclear polyhydroxy phenol |
| P-95-1218 | 04/25/95 | 07/24/95 | Hoechst Celanese | (S) Binder for industrial paints, stoving enamels | (S) A polymer of: 1,6-hexanediol; 1,4-cyclohexanedimethanol; isophthalic acid; trimellitic anhydride; phenol, 4,4'-(1-methylethylidene)bis-polymer with (chloromethyl) oxirane; phosphoric acid; isopropanol; castor oil; 1,3-isobenzofurandione; trimethylolpropane; benzoic acid; 1,3-propanediol, 2,2-bis(hydroxymethyl); 1,3-isobenzofurandione, 3a,4,7,ta-tetrahydro-; ethanol, 2-dimethylamino |
| P-95-1219 | 04/25/95 | 07/24/95 | The Dexter Corporation | (G) Component of structural material | (G) Epoxy resin |
| P-95-1220 | 04/25/95 | 07/24/95 | CBI | (S) Thixotropic agent for heavy duty paints & primers & | (G) Fatty acid diamide |

| Case No. | Received Date | Projected Notice End Date | Manufacturer/Importer | Use | Chemical |
|-----------|---------------|---------------------------|---------------------------|--|---|
| P-95-1221 | 04/25/95 | 07/24/95 | 3M | (G) Coating component | (G) Polyurethane polymer derivative |
| P-95-1222 | 04/26/95 | 07/25/95 | CBI | (G) Coating component | (G) Styrene, polymer with substituted alkenoic acid and polycarboxyalkene derivative |
| P-95-1223 | 04/26/95 | 07/25/95 | CBI | (G) Textile additive | (G) Aromatic diol, alkoxyated, fatty acid esters of C ₈₋₁₈ and C ₁₈ -unsaturated. |
| P-95-1224 | 04/26/95 | 07/25/95 | CBI | (G) Textile additive | (G) Aromatic diol, alkoxyated, fatty acid esters of C ₈₋₁₈ and C ₁₈ -unsaturated. |
| P-95-1225 | 04/26/95 | 07/25/95 | CBI | (G) Textile additive | (G) Aromatic diol, alkoxyated, fatty acid esters of C ₈₋₁₈ and C ₁₈ -unsaturated. |
| P-95-1226 | 04/26/95 | 07/25/95 | CBI | (G) Textile additive | (G) Aromatic diol, alkoxyated, fatty acid esters of C ₈₋₁₈ and C ₁₈ -unsaturated. |
| P-95-1227 | 04/26/95 | 07/25/95 | CBI | (G) Textile additive | (G) Aromatic diol, alkoxyated, fatty acid esters of C ₈₋₁₈ and C ₁₈ -unsaturated. |
| P-95-1228 | 04/26/95 | 07/25/95 | CBI | (G) Textile additive | (G) Aromatic diol, alkoxyated, fatty acid esters of C ₈₋₁₈ and C ₁₈ -unsaturated. |
| P-95-1229 | 04/26/95 | 07/25/95 | CBI | (G) Open, non-dispersive | (G) Polyether polyurea urethane |
| P-95-1230 | 04/26/95 | 07/25/95 | CBI | (G) Open, non-dispersive | (G) Polyether polyurethane |
| P-95-1231 | 04/26/95 | 07/25/95 | CBI | (G) Open, non-dispersive | (G) Polycarbonatepolyureapolyurethane |
| P-95-1232 | 04/27/95 | 07/26/95 | Reichhold Chemicals, Inc. | (S) Industrial maintenance coatings | (G) Epoxy curing agent |
| P-95-1233 | 04/27/95 | 07/26/95 | Sachem, Inc. | (S) Raw material for conversion to another chemical com | (S) Ethanaminium, <i>N</i> -ethyl- <i>N,N</i> -dimethyl-, chloride |
| P-95-1234 | 04/27/95 | 07/26/95 | Sachem, Inc. | (S) PH adjustment for chemical processing catalyst for | (S) Ethanaminium, <i>N</i> -ethyl- <i>N,N</i> -dimethyl-, hydroxide |
| P-95-1235 | 04/28/95 | 07/27/95 | CBI | (G) Open, non dispersive | (G) Azo dyestuff |
| P-95-1236 | 04/28/95 | 07/27/95 | Ausimont USA, Inc. | (S) Powder coatings; extrusion; injection molding; sheet | (S) Polymer of ethylene, chlorotrifluoroethylene and perfluoromethoxydioxole |
| P-95-1237 | 04/28/95 | 07/27/95 | Ausimont USA, Inc. | (S) Powder coatings; extrusion; injection molding; sheet | (S) Polymer of ethylene, chlorotrifluoroethylene and perfluoropropylvinylether |
| P-95-1238 | 04/28/95 | 07/27/95 | CBI | (G) Marking ink, open, non-dispersive | (G) Cobalt chelated salt |
| P-95-1239 | 04/28/95 | 07/27/95 | CBI | (G) Marking ink, open, non-dispersive use | (G) Cobalt chelated salt |
| P-95-1240 | 04/28/95 | 07/27/95 | Charkit Chemical | (G) Electro plating additive | (G) Organo sulfide compound |
| P-95-1241 | 04/28/95 | 07/27/95 | CBI | (S) Electrorstatic paint primer; anti-electrified paint | (G) Potassium titanate |
| P-95-1242 | 05/01/95 | 07/30/95 | CBI | (S) Acid dye for the coloring of leather | (G) Chromate(3-), bis 2-[[substituted-3-[(5-sulfo-1-naphthalenyl)azo]phenyl]azo]substituted monocycle(3-)-, trisodium |
| P-95-1243 | 05/01/95 | 07/30/95 | CBI | (G) Specialty additive | (G) Substituted alkylbenzene |

II. 20 Polymer Exemption Notices
Received From: 03/20/94 to 05/01/95.

| Case No. | Received Date | Projected Notice End Date | Manufacturer/Importer | Use | Chemical |
|-----------|---------------|---------------------------|-----------------------|-------------------------|---------------------|
| Y-95-0081 | 03/21/95 | 04/11/95 | CBI | (G) Baked enamel finish | (G) Polyester resin |

| Case No. | Received Date | Projected Notice End Date | Manufacturer/Importer | Use | Chemical |
|-----------|---------------|---------------------------|---------------------------------------|---|--|
| Y-95-0082 | 03/27/95 | 04/17/95 | Asahi Chemical Industry America Inc. | (S) Hardener of polyurethane paint | (S) Poly[oxy(1-oxo-1,6-hexanediyl)], .alpha.-hydro-.omega.-hydroxy-.ester with 2-ethyl-2-(hydroxymethyl)-1,3-propanediol, polymer with 1,6-diisocyanatohexane and 1,3,5-tris(6-isocyanatohexyl)1,3,5-triazine-2,4,6(1 <i>H</i> ,3 <i>H</i> ,5 <i>H</i>)-trione, methylethylketone oxime-blocked |
| Y-95-0083 | 03/27/95 | 04/17/95 | Asahi Chemical Industry America Inc. | (S) VCR Parts, copymachine parts, printer parts | (S) Polyoxymethylene-block-polyoxypropylene |
| Y-95-0084 | 03/28/95 | 04/18/95 | Eastman Kodak | (S) Powdered coatings | (S) A polymer of: trans-1,4-cyclohexanedicarboxylic acid, dimethyl ester; 1,4-butanediol; 1,4-cyclohexanedicarboxylic acid; titanium tetraispropoxide |
| Y-95-0085 | 03/29/95 | 04/19/95 | CBI | (G) Dehydration agent | (G) Propoxylated amine |
| Y-95-0086 | 04/03/95 | 04/24/95 | Gencorp Polymer Products | (G) Coatings for use in paper and textile applications | (G) An emulsion of styrene, butadiene, acrylic copolymer in water |
| Y-95-0087 | 04/04/95 | 04/25/95 | Uniglobe Kisco, Inc. | (S) Binder material used on the surface of plastic prin | (S) 1,3-butadiene, homopolymer, hydrogenated hydroxy-terminated, fatty acids, montan wax diesters |
| Y-95-0088 | 04/04/95 | 04/25/95 | Gencorp Polymer Products | (G) As a coating for use in paper and textile applicati | (G) An emulsion of styrene-butadiene-acrylic copolymer in water |
| Y-95-0089 | 04/05/95 | 04/26/95 | CBI | (G) Paint | (G) Polyurethane/polyurea polymer |
| Y-95-0090 | 04/10/95 | 05/01/95 | Mitsubishi Gas Chemical America, Inc. | (G) Additive for plastics | (G) Modified polycarbonate |
| Y-95-0091 | 04/11/95 | 05/02/95 | CBI | (G) Structural component for articles | (G) Thermoplastic polyester urethane elastomer |
| Y-95-0092 | 04/11/95 | 05/02/95 | CBI | (G) Structural component for articles | (G) Thermoplastic polyester urethane elastomer |
| Y-95-0093 | 04/11/95 | 05/02/95 | CBI | (G) Structural component for articles | (G) Thermoplastic polyester urethane elastomer |
| Y-95-0094 | 04/14/95 | 05/05/95 | Eastman Chemical Company | (S) Water-dispersible, hot melt adhesive | (S) Polymer of 1,4-cyclohexanedicarboxylic acid, dimethyl ester; 1,3-benzenedicarboxylic acid, 5-sulfo-, bis(2-ethoxyethyl) ester, sodium salt; ethanol, 2,2'-oxybis-; 1,4-cyclohexanedimethanol; 1,3-propanediol, 2-ethyl-2-(hydroxymethyl); 2-propanol, titanium (4+) salt |
| Y-95-0095 | 04/18/95 | 05/09/95 | CBI | (S) Molding resin | (S) Saturated polyester polymer |
| Y-95-0096 | 04/25/95 | 05/16/95 | S. C. Johnson & Son, Inc. | (G) Open, non-dispersive | (G) Acrylic emulsion polymer |
| Y-95-0097 | 04/25/95 | 05/16/95 | S. C. Johnson & Son, Inc. | (G) Open, non-dispersive | (G) Acrylic emulsion polymer |
| Y-95-0098 | 04/25/95 | 05/16/95 | S. C. Johnson & Son, Inc. | (G) Open, non-dispersive | (G) Acrylic emulsion polymer |
| Y-95-0099 | 04/25/95 | 05/16/95 | S. C. Johnson & Son, Inc. | (G) Open, non-dispersive | (G) Acrylic emulsion polymer |
| Y-95-0100 | 04/25/95 | 05/16/95 | S. C. Johnson & Son, Inc. | (G) Open, non-dispersive | (G) Acrylic emulsion polymer |

List of Subjects

Environmental protection,
Premanufacture notices, Polymer
exemptions, and Test marketing
exemption applications.

Dated: July 28, 1995.

George A. Bonina,

*Acting Director, Information Management
Division, Office of Pollution Prevention and
Toxics.*

[FR Doc. 95-19903 Filed 8-10-95; 8:45 am]

BILLING CODE 6560-50-F