

The Department shall determine, and the Customs Service shall assess, antidumping duties on all appropriate entries. Individual differences between United States price (USP) and FMV may vary from the percentage stated above. The Department will issue appraisal instructions directly to the Customs Service.

Furthermore, the following deposit requirements will be effective upon publication of these final results of review for all shipment of Canadian brass sheet and strip entered, or withdrawn from warehouse, for consumption on or after the publication date, as provided by section 751(a)(1) of the Tariff Act: (1) The cash deposit rate for the reviewed company will be the rate listed above; (2) for previously reviewed or investigated companies not listed above, the cash deposit rate will continue to be the company-specific rate published for the most recent period; (3) if the exporter is not a firm covered in this review, a previous review, or the original less than fair value (LTFV) investigation, but the manufacturer is, the cash deposit rate will be the rate established for the most recent period for the manufacturer of the merchandise; and (4) if neither the exporter nor the manufacturer is a firm covered in this or any previous review conducted by the Department, the cash deposit rate will be 8.10 percent, the "all others" rate established in the LTFV investigation.

These cash deposit requirements, when imposed, shall remain in effect until publication of the final results of the next administrative review.

This notice serves as a final reminder to importers of their responsibility under 19 CFR 353.26 to file a certificate regarding the reimbursement of antidumping duties prior to liquidation of the relevant entries during this review period. Failure to comply with this requirement could result in the Secretary's presumption that reimbursement of antidumping duties occurred and the subsequent assessment of double antidumping duties.

This notice also serves as a reminder to parties subject to administrative protective order (APO) of their responsibility concerning the disposition of proprietary information disclosed under APO in accordance with 19 CFR 353.34(d). Timely written notification of return/destruction of APO materials or conversion to judicial protective order is hereby requested. Failure to comply with the regulations and the terms of an APO is a sanctionable violation.

This administrative review and notice are in accordance with section 751(a)(1)

of the Tariff Act (19 U.S.C. 1675(a)(1) and 19 CFR 353.22.

Dated: September 13, 1995.
Susan G. Esserman,
Assistant Secretary for Import Administration.
[FR Doc. 95-23794 Filed 9-25-95; 8:45 am]
BILLING CODE 3510-DS-M

USEPA, et al.; Notice of Consolidated Decision on Applications for Duty-Free Entry of Scientific Instruments

This is a decision consolidated pursuant to Section 6(c) of the Educational, Scientific, and Cultural Materials Importation Act of 1966 (Pub. L. 89-651, 80 Stat. 897; 15 CFR part 301). Related records can be viewed between 8:30 A.M. and 5:00 P.M. in Room 4211, U.S. Department of Commerce, 14th and Constitution Avenue, N.W., Washington, D.C.

Comments: None received. *Decision:* Approved. No instrument of equivalent scientific value to the foreign instruments described below, for such purposes as each is intended to be used, is being manufactured in the United States.

Docket Number: 95-017. *Applicant:* USEPA, Central Regional Laboratory, Chicago, IL 60605. *Instrument:* ICP Mass Spectrometer, Model PlasmaQuad. *Manufacturer:* Fisons Instruments, United Kingdom. *Intended Use:* See notice at 60 FR 19571, April 19, 1995. *Reasons:* The foreign instrument provides: (1) a detection limit of no greater than 10 ng/L and (2) broad dynamic range up to 10⁸ more concentrated than detection limits for Ag, Be, and Tl. *Advice Received From:* The National Institutes of Health, July 10, 1995.

Docket Number: 95-018. *Applicant:* Florida State University, Tallahassee, FL 32306. *Instrument:* Mass Spectrometer, Model 262. *Manufacturer:* Finnigan MAT, Germany. *Intended Use:* See notice at 60 FR 19571, April 19, 1995. *Reasons:* The foreign instrument provides: (1) high intensity, high sensitivity thermal ionization source, (2) multi-element Faraday cup ion detection system and (3) resolution >500 (10% valley definition) with abundance sensitivity of ≤2PPM at 237 1u (U). *Advice Received From:* The National Institutes of Health, July 10, 1995.

Docket Number: 95-019. *Applicant:* Woods Hole Oceanographic Institution, Woods Hole, MA 02543. *Instrument:* Mass Spectrometer, Model IMS 1270. *Manufacturer:* Cameca Geologie, France. *Intended Use:* See notice at 60 FR 19571, April 19, 1995. *Reasons:* The

foreign instrument provides: (1) high mass resolution up to 50 000 (2) direct ion imaging and (3) ion microprobe capabilities. *Advice Received From:* The National Institutes of Health, July 10, 1995.

Docket Number: 95-033. *Applicant:* University of South Carolina, Columbia, SC 29208. *Instrument:* Mass Spectrometer, Model OPTIMA. *Manufacturer:* Fisons Instruments, United Kingdom. *Intended Use:* See notice at 60 FR 29826, June 6, 1995. *Reasons:* The foreign instrument provides: (1) an element analyzer with sample size capability of 1 mg to <30 mg, (2) absolute sensitivity of 1100 molecules of CO₂ per m/z 44 ion, and (3) data acquisition and integration of the thermal conductivity signal from the Elemental Analyzer. *Advice Received From:* The National Institutes of Health, July 12, 1995.

Docket Number: 95-048. *Applicant:* University of Nebraska-Lincoln, Lincoln, NE 68588-0111. *Instrument:* Integrated Sensors, Model MD100. *Manufacturer:* Integrated Sensors Ltd., United Kingdom. *Intended Use:* See notice at 60 FR 35552, July 10, 1995. *Reasons:* The foreign instrument provides an array of 116 detectors, each having a built-in microchip containing discriminators and amplifiers, with low noise and crosstalk and high (linear) spatial resolution for x-ray analysis of ionized gases. *Advice Received From:* The National Institute of Standards and Technology, August 31, 1995.

Docket Number: 95-050. *Applicant:* North Carolina State University, Raleigh, NC 27695-7212. *Instrument:* Mass Spectrometer, Model IMS-6f. *Manufacturer:* Cameca Instruments, France. *Intended Use:* See notice at 60 FR 35552, July 10, 1995. *Reasons:* The foreign instrument provides electrostatic sector/magnetic sector design for: (1) sensitivity to 7.0 x 10⁻¹² atoms/cm² for B in Si, (2) mass resolving power to 3.0 x 10¹³ atoms/cm² for P in Si and (3) dynamic depth profiling capability. *Advice Received From:* The National Institute of Standards and Technology, August 29, 1995.

Docket Number: 95-051. *Applicant:* National Renewable Energy Laboratory, Golden, CO 80401. *Instrument:* Sonic Anemometer/Thermometer. *Manufacturer:* Kaijo-Denki, Co. Inc., Ltd., Japan. *Intended Use:* See notice at 60 FR 37051, July 19, 1995. *Reasons:* The foreign instrument provides: (1) wind speed capability to 60 m/s, (2) 10 Hz bandwidth and (3) resolution to 0.005 m/s for measurement of small-scale atmospheric turbulence. *Advice Received From:* The National Oceanic

and Atmospheric Administration, August 24, 1995.

The National Institutes of Health, National Institute of Standards and Technology and National Oceanic and Atmospheric Administration advise that (1) the capabilities of each of the foreign instruments described above are pertinent to each applicant's intended purpose and (2) they know of no domestic instrument or apparatus of equivalent scientific value for the intended use of each instrument.

We know of no other instrument or apparatus being manufactured in the United States which is of equivalent scientific value to any of the foreign instruments.

Frank W. Creel

Director, Statutory Import Programs Staff
[FR Doc. 95-23886 Filed 9-25-95; 8:45 am]

BILLING CODE 3510-DS-F

Woods Hole Oceanographic Institution, Notice of Decision on Application for Duty-Free Entry of Scientific Instrument

This decision is made pursuant to Section 6(c) of the Educational, Scientific, and Cultural Materials Importation Act of 1966 (Pub. L. 89-651, 80 Stat. 897; 15 CFR 301). Related records can be viewed between 8:30 A.M. and 5:00 P.M. in Room 4211, U.S. Department of Commerce, 14th and Constitution Avenue, N.W., Washington, D.C.

Docket Number: 95-059. *Applicant:* Woods Hole Oceanographic Institution, Woods Hole, MA 02543-1522.

Instrument: Noble Gas Mass

Spectrometer, Model MAP 215-50.

Manufacturer: Mass Analyzer Products, United Kingdom. *Intended Use:* See notice at 60 FR 39711, August 3, 1995.

Comments: None received. *Decision:* Approved. No instrument of equivalent scientific value to the foreign instrument, for such purposes as it is intended to be used, is being manufactured in the United States. *Reasons:* The foreign instrument provides: (1) a background of less than 5.0×10^{-14} cm³ STP for M/e 36 and less than 10^{-15} cm³ STP for M/e 132 and (2) capability for simultaneous measurement of 40 Ar and 36 Ar.

These capabilities are pertinent to the applicant's intended purposes and we know of no other instrument or apparatus of equivalent scientific value

to the foreign instrument which is being manufactured in the United States.

Frank W. Creel

Director, Statutory Import Programs Staff
[FR Doc. 95-23887 Filed 9-25-95; 8:45 am]

BILLING CODE 3510-DS-F

[A-583-605]

Carbon Steel Butt-Weld Pipe Fittings From Taiwan; Final Results of Administrative Review

AGENCY: Import Administration, International Trade Administration, Department of Commerce.

ACTION: Notice of final results of antidumping duty administrative review.

SUMMARY: On December 22, 1994, The Department of Commerce (the Department) published the preliminary results of its 1992-1993 administrative review of the antidumping duty order on carbon steel butt-weld pipe fittings from Taiwan. The review covers four manufacturers/exporters of the subject merchandise to the United States during the period December 1, 1992, through November 30, 1993. Our review indicates the existence of dumping margins.

We gave interested parties an opportunity to comment on our preliminary results. Based on our analysis of the comments received, we have adjusted the margins of two manufacturers for these final results.

EFFECTIVE DATE: September 26, 1995.

FOR FURTHER INFORMATION CONTACT: Carlo G. Cavagna or Zev Primor, Office of Antidumping Compliance, Import Administration, International Trade Administration, U.S. Department of Commerce, 14th Street and Constitution Avenue, N.W., Washington, DC 20230, telephone: (202) 482-5253.

SUPPLEMENTARY INFORMATION:

Background

On December 17, 1986, the Department published in the Federal Register (51 FR 45152) the antidumping duty order on carbon steel butt-weld pipe fittings from Taiwan. On November 26, 1993, the Department published (58 FR 62327) a notice of "Opportunity to Request an Administrative Review" of the antidumping duty order for the period December 1, 1992, through November 30, 1993. The Department received a timely request from the petitioner, the U.S. Butt-Weld Fittings Committee, to review C.M. Pipe Fitting Manufacturing Co., Ltd. (C.M.), Rigid

Industries Co., Ltd. (Rigid), Chup Hsin Enterprises (Chup Hsin), and Gei Bey Corporation (Gei Bey). The Department initiated an administrative review on January 18, 1994 (59 FR 2593).

On December 22, 1994, the Department published in the Federal Register (59 FR 66001) the preliminary results of its administrative review. The period of review (POR) covers December 1, 1992, through November 30, 1993.

Applicable Statute and Regulations

The Department has completed these administrative reviews in accordance with section 751 of the Tariff Act of 1930, as amended (the Act). Unless otherwise indicated, all citations to the statute and to the Department's regulations are in reference to the provisions as they existed on December 31, 1994.

Scope of the Review

Imports covered by this review are shipments of carbon steel butt-weld type pipe fittings, other than couplings, under 14 inches in inside diameter, whether finished or unfinished, that have been formed in the shape of elbows, tees, reducers, and caps, and if forged, have been advanced after forging. These advancements may include one or more of the following: coining, heat treatment, shot blasting, grinding, die stamping, or painting.

Carbon steel butt-weld pipe fittings are currently classifiable under Harmonized Tariff Schedule (HTS) item number 7307.93.3000. The HTS subheading is provided for convenience and for U.S. Customs purposes. The written description remains dispositive as to the scope of the product coverage.

Best Information Available

In accordance with section 776(c) of the Act, we have determined that the use of best information otherwise available (BIA) is appropriate for certain firms. The Department's regulations provide that we may take into account whether a party refuses to provide information (19 CFR 353.37(b)). For purposes of these reviews, we have used the most adverse BIA—generally, the highest rate for any company for this same class or kind of merchandise from this or any prior segment of the proceeding—whenever a company refused to cooperate with the Department or otherwise significantly impeded the proceeding. See Antifriction Bearings (Other Than Tapered Roller Bearings) and Parts Thereof From the Federal Republic of Germany, et. al.; Final Results of Antidumping Duty Administrative Review, 56 FR 31692, 31704 (July 11,