swing applied to Categories 351/651. The reduction to Categories 645/646 is being cancelled and replaced by a reduction to Category 641.

A description of the textile and apparel categories in terms of HTS numbers is available in the CORRELATION: Textile and Apparel Categories with the Harmonized Tariff Schedule of the United States (see Federal Register notice 59 FR 65531, published on December 20, 1994). Also see 60 FR 5371, published on January 27, 1995.

The letter to the Commissioner of Customs and the actions taken pursuant to it are not designed to implement all of the provisions of the Uruguay Round Agreements Act and the Uruguay Round Agreement on Textiles and Clothing, but are designed to assist only in the implementation of certain of their provisions.

D. Michael Hutchinson,

Acting Chairman, Committee for the Implementation of Textile Agreements.

Committee for the Implementation of Textile Agreements

October 20, 1995.

Commissioner of Customs,

Department of the Treasury, Washington, DC 20229.

Dear Commissioner: This directive amends, but does not cancel, the directive issued to you on January 24, 1995, by the Chairman, Committee for the Implementation of Textile Agreements. That directive concerns imports of certain cotton, manmade fiber, silk blend and other vegetable fiber textiles and textile products, produced or manufactured in Bangladesh and exported during the twelve-month period which began on January 1, 1995 and extends through December 31, 1995.

Effective on October 23, 1995, you are directed to amend further the January 24, 1995 directive to adjust the limits for the following categories, as provided for under the Uruguay Round Agreements Act and the Uruguay Round Agreement on Textiles and Clothing:

| Category | Adjusted twelve-month limit ¹ |
|----------|--|
| 342/642 | 306,796 dozen. |
| 638/639 | 1,117,518 dozen. |
| 641 | 548,295 dozen. |
| 645/646 | 256,897 dozen. |

¹The limits have not been adjusted to account for any imports exported after December 31, 1994.

The Committee for the Implementation of Textile Agreements has determined that these actions fall within the foreign affairs exception to the rulemaking provisions of 5 U.S.C.553(a)(1).

Sincerely,

D. Michael Hutchinson, Acting Chairman, Committee for the Implementation of Textile Agreements. [FR Doc.95–26626 Filed 10–25–95; 8:45 am] BILLING CODE 3510–DR–F

CORPORATION FOR NATIONAL AND COMMUNITY SERVICE

Reauthorization of the National and Community Service Act of 1990, as Amended, and the Domestic Volunteer Service Act of 1973, as Amended

AGENCY: Corporation for National and Community Service.

ACTION: Request for public comment.

SUMMARY: The Corporation for National and Community Service invites written comments from the public regarding the reauthorization of the Corporation and of programs implemented under the National and Community Service Act of 1990, as amended by the National and Community Service Trust Act of 1993, 42 U.S.C. 12501 et seq., and the Domestic Volunteer Service Act of 1973, as amended, 42 U.S.C. 4950 et seq. The statutory authorization for the Corporation and its programs expires on September 30, 1996. In order to contribute in a timely manner to Congressional reauthorization discussions, the Corporation is reviewing its statutory provisions and programs. To ensure an opportunity for public participation, the Corporation invites public comments.

DATES: Only written comments will be considered. Comments must be submitted on or before December 15, 1995.

ADDRESSES: Comments should be addressed to Terry Russell, General Counsel, Corporation for National Service, 1201 New York Avenue NW., Washington, DC 20525.

FOR FURTHER INFORMATION CONTACT: Myung J. Lee, Associate General Counsel, Corporation for National Service, 1201 New York Avenue NW., Washington, DC 20525. Telephone: (202) 606–5000, ext. 548.

SUPPLEMENTARY INFORMATION: The Corporation is a government corporation that engages Americans of all ages and backgrounds in community-based service. This service addresses the nation's education, public safety, human, and environmental needs by achieving direct and demonstrable results. In doing so, the Corporation fosters civic responsibility, strengthens the ties that bind us together as a people, and provides educational opportunity for those who make a substantial commitment to service.

Pursuant to the National and Community Service Act of 1990, as amended, the Corporation makes grants to States, subdivisions of States, Indian tribes, U.S. Territories, public or private nonprofit organizations, Federal agencies and institutions of higher education to carry out service programs as part of AmeriCorps* National, AmeriCorps* State, Learn and Serve America (School and Community Based and Higher Education), or AmeriCorps* NCCC (National Civilian Community Corps).

The Corporation also oversees programs implemented under the Domestic Volunteer Service Act of 1973, as amended, including AmeriCorps* VISTA (Volunteers in Service to America) and National Senior Service Corps (Retired Seniors Volunteer Program (RSVP), Senior Companions, and Foster Grandparents) programs.

In order to contribute in a timely manner to the discussions concerning the reauthorization of the Corporation and its programs, the Corporation invites public commentary on any aspect of the Corporation for National Service, its policies, and its programs. Specific statutory references are preferred, but are not necessary to the submission of comments. All comments will be considered but the Corporation will not be able to reply individually to each submitter.

Dated: October 23, 1995.

Terry Russell,

General Counsel, Corporation for National and Community Service. [FR Doc. 95–26625 Filed 10–25–95; 8:45 am]

BILLING CODE 6050–28–P

DEPARTMENT OF DEFENSE

Office of the Secretary

Civilian Health and Medical Program of the Uniformed Services (CHAMPUS); FY 96 Updates

AGENCY: Office of the Secretary, DoD. **ACTION:** Amendment to notice.

SUMMARY: On October 3, 1995, 60 FR 51779, the Department of Defense published the "Notice of DRG Revised Rates" without Tables 1 and 2. These tables provide the rates and weights to be used under the CHAMPUS DRG-based payment system during FY 1996. This amendment is to display the updated rates and weights for Tables 1 and 2.

EFFECTIVE DATE: The rates and weights which affect the CHAMPUS DRG-based payment system contained in this notice are effective for admissions occurring on or after October 1, 1995.

FOR FURTHER INFORMATION CONTACT: Marty Maxey, Program Development Branch, OCHAMPUS, telephone 303– 361–1227.

Dated: October 20, 1995. L.M. Bynum, Alternate OSD Federal Register Liaison Officer, Department of Defense. BILLING CODE 5000-04-M Table 1 - National Urban and Rural Adjusted Standardized Amounts, Labor/Non labor, and Cost Share Per Diem

The following summary provides the adjusted standardized amounts and the cost-share per diem for beneficiaries other than dependents of active-duty members.

The adjusted standardized amounts are effective for admissions occurring on or after October 1, 1995.

| National Large Urban Adjusted | |
|-------------------------------|------------|
| Standardized Amount | \$3,158.41 |
| Labor portion | \$2,255.10 |
| Non labor portion | |

| National Other Areas | |
|----------------------|-------------|
| Standardized Amount | .\$3,059.59 |
| Labor portion | .\$2,184.55 |
| Non labor portion | |

The cost-share per diem is effective for inpatient days of care occurring on or after October 1, 1995.

Cost-share per diem for beneficiaries other than dependents of active duty members.....\$330.00

| SUMMARY |
|-----------|
| THRESHOLD |
| AND |
| WEIGHTS |
| CHAMPUS |
| ١ |
| 2 |
| Table |

EFFECTIVE FOR ADMISSIONS OCCURRING ON OR AFTER OCTOBER 1, 1995.

AS WELL AS THE ARITHMETIC AND GEOMETRIC AVERAGE LENGTHS OF STAY AND OUTLIER IS APPLICABLE TO ALL HOSPITALS EXCEPT CHILDREN'S HOSPITALS, AND LONG STAY 2 STAY 12224 THRESHOLD LONG STAY THRESHOLD SHORT GEOMETRIC MEAN LOS 6.8 5.2 4.9 ARITHMETIC MEAN LOS 9.9 7.6 7.6 7.6 7.6 7.6 7.6 7.4 4.04.4 50 ဖ် ~ ~ 1.7743 0.8124* WEIGHT 3.6537 3.9503 2.4017 1.0963 1.9506 1.7772 0.8435 1.3891 0.7899 1.4173 0.7104 1.1014 2.9769 0.7278 0.8973 1.0308 0.8375 0.5762 0.5562 2.1280 1.2506 0.6427 0.4933 0.7766 0.4243* 0.3219 1.3370 CHAMPUS 2.5894 .3071 1.4683 0.8643 0.6873 0.7239 0.8662 0.4437 0.8324 CARPAL TUNNEL RELEASE PERIPH & CRANIAL NERVE & OTHER NERV SYST PROC W CC PERIPH & CRANIAL NERVE & OTHER NERV SYST PROC W/O CC SPINAL DISORDERS & INJURIES AGE >17 W CC AGE >17 W/O CC AGE 0-17 SPECIFIC CEREBROVASCULAR DISORDERS EXCEPT TIA TRANSIENT ISCHEMIC ATTACK & PRECEREBRAL OCCLUSIONS NONSPECIFIC CEREBROVASCULAR DISORDERS W CC NONSPECIFIC CEREBROVASCULAR DISORDERS W/O CC CRANIAL & PERIPHERAL NERVE DISORDERS W/O CC CRANIAL & PERIPHERAL NERVE DISORDERS W/O CC INAL CHAMPUS DRG WEIGHTS LONG STAY THRESHOLD (A) NERVOUS SYSTEM INFECTION EXCEPT VIRAL MENINGITIS THRESHOLD (B) IS APPLICABLE TO CHILDREN'S HOSPITALS OTHER DISORDERS OF NERVOUS SYSTEM W CC OTHER DISORDERS OF NERVOUS SYSTEM W/O CC MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA DEGENERATIVE NERVOUS SYSTEM DISORDERS DESCRIPTION CRANIOTOMY AGE >17 EXCEPT FOR TRAUMA CRANIOTOMY FOR TRAUMA AGE >17 CRANIOTOMY AGE 0-17 *** HYPERTENSIVE ENCEPHALOPATHY NONTRAUMATIC STUPOR & COMA SEIZURE & HEADACHE AGE >17 M CC SEIZURE & HEADACHE AGE >17 M/O CC SEIZURE & HEADACHE AGE 0-17 TRAUMATIC STUPOR & COMA, COMA >1 TRAUMATIC STUPOR & COMA, COMA <1 TRAUMATIC STUPOR & COMA, COMA <1 TRAUMATIC STUPOR & COMA, COMA <1 EXTRACRANIAL VASCULAR PROCEDURES NERVOUS SYSTEM NEOPLASMS W/O CC NERVOUS SYSTEM NEOPLASMS W CC THE FOLLOWING SUMMARY SHOWS THE FINAL THRESHOLDS FOR ALL CHAMPUS DRGS. LONG CONCUSSION AGE >17 W/O CC CONCUSSION AGE 0-17 CONCUSSION AGE >17 W CC IRIS PROCEDURES RETINAL PROCEDURES PROCEDURES SPINAL PROCEDURES VIRAL MENINGITIS ORBITAL I PRIMARY NUMBER DRG 100400 60 σ

| DRG NUMBER | DESCRIPTION | CHAMPUS WETGHT | ARITHMETIC MEAN LOS | GEOMETRIC MEAN LOS | SHORT STAY THRESHOLD | LONG STAY THRESHOLD | STAY |
|---------------|--|-------------------|------------------------|-----------------------|-------------------------|------------------------|----------|
| 87 | PULMONARY EDEMA & RESPIRATORY FAILURE | 1.5941 | 6.6 | 4.9 | 1 | 27 | 21 |
| 88 | ASE | 1.0536 | 5.2 | 4.2 | -1 - | 52 | 4. |
| 00 | SIMPLE PNEUMONIA & FLEUKISI AGE >17 W CC SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC | 1.7158 0.7158 | 0.4 | 5 4 4 6 7 | | 18 | 1 T |
| 12 | PNEUMONIA & PLEURISY AGE 0-17 | 0.6153 | 3.5 | 2.9 | • | 16 | 2 00 |
| 92 | | 1.0805 | 5.1 | | . | 27 | 14 |
| 93 | INTERSTITIAL LUNG DISEASE W/O CC | 0.6007 | 3.0 | 2.5 | Ч | 18 | 6 |
| 94 | PNEUMOTHORAX W CC | 1.0897 | 6.1 | 4.6 | ч | 27 | 19 |
| 95 | PNEUMOTHORAX W/O CC | 0.5400 | 3.8 | 3.0 | -1 | 25 | 11 |
| 96 | BRONCHITIS & ASTHMA AGE >17 W CC | 0.8786 | 4.4 | 3.7 | -1 | 23 | 12 |
| 97 | BRONCHITIS & ASTHMA AGE >17 W/O CC | 0.6282 | 3.4 | 2.9 | -1 | 17 | 6 |
| 96 | BRONCHITIS & ASTHMA AGE 0-17 | 0.5049 | 2.8 | 2.4 | -1 | 12 | 2 |
| 66 | & SYMPTOMS W CC | 0.7425 | 3.1 | 2.4 | -1 | 19 | б |
| 100 | 6 SYMPTOMS W/O | 0.5210 | 2.0 | 1.7 | -1 | 9 | S |
| 101 | SYSTEM DIAGNOSE | • | 4.2 | 3.3 | -1 | 26 | 13 |
| 102 | OTHER RESPIRATORY SYSTEM DIAGNOSES W/O CC | 0.5617 | 2.7 | 2.1 | -1 | 15 | 7 |
| 103 | HEART TRANSPLANT | ł | ł | ł | 1 | • | |
| 104 | CARDIAC VALVE PROCEDURES W CARDIAC CATH | 8.2776 | 11.7 | 9.9 | г | 32 | 26 |
| 105 | CARDIAC VALVE PROCEDURES W/O CARDIAC CATH | 6.5680 | 9.5 | 7.7 | 1 | 30 | 24 |
| 106 | CORONARY BYPASS W CARDIAC CATH | 6.0644 | 9.4 | 8.6 | 2 | 29 | 19 |
| 107 | CORONARY BYPASS W/O CARDIAC CATH | 4.8580 | 7.3 | 6.1 | 6 | 20 | 14 |
| 108 | OTHER CARDIOTHORACIC PROCEDURES | 5.1703 | 8.9 | 7.1 | Ч | 30 | 24 |
| 109 | NO LONGER VALID | ł | , | 1 | • | (| |
| 110 | MAJOR CARDIOVASCULAR PROCEDURES W CC | 4.6470 | 9.2 | 7.2 | 1 | 30 | 24 |
| 111 | MAJOR CARDIOVASCULAR PROCEDURES W/O CC | 2.5346 | 5.9 | 5.0 | | 27 | 17 |
| 112 | PERCUTANEOUS CARDIOVASCULAR PROCEDURES | 2.3053 | 3.8 | 3.0 | - | 25 | 11 |
| 113 | AMPUTATION FOR CIRC SYSTEM DISORDERS EXCEPT UPPER LIMB & TOE | 3.9546 | 15.6 | 11.8 | -1 | 34 | 28 |
| 114 | DISORDER | 1.7974 | 8.8 | 6.5 | Ч | 29 | 23 |
| 115 | PERM CARDIAC PACEMAKER IMPLANT W AMI, HEART FAILURE OR SHOCK | 4.8519 | 11.7 | 9.2 | -1 | 32 | 26 |
| 116 | - | 2.9986 | 4.5 | 3.1 | -1 | 26 | 15 |
| 117 | CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT | 1.2361 | 3.0 | 2.3 | -1 | 21 | σ |
| 118 | CARDIAC PACEMAKER DEVICE REPLACEMENT | 1.4107 | 1.5 | 1.4 | -1 | ഹ | ო |
| 119 | VEIN LIGATION & STRIPPING | 1.2220 | 3.6 | 2.2 | -1 | 25 | 11 |
| 120 | 8 | 2.2233 | ٠ | 5.0 | -1 | 28 | 22 |
| 121 | ID AM | 1.8387 | 5.7 | 4.6 | | 27 | 17 |
| 122 | CIRCULATORY DISORDERS W AMI W/O C.V. COMP DISCH ALIVE | 1.4000 | | 3.4 | - | 24 | 12 |
| 123 | EXPIRED | 2.2455 | 3.9 | 2.5 | - | 25 | 14 |
| 124 | W CARD CATH | 1.3620 | 3.8 | 3.0 | -4 | 23 | 11 |
| 125 | MI, | 1.0401 | 2.5 | 2.1 | ы | 13 | G |
| 126 | ACUTE & SUBACUTE ENDOCARDITIS | 3.8352 | 14.1 | 11.1 | Ч | 34 | 28 |
| 127 | HEART FAILURE & SHOCK | 1.1092 | 5.1 | | Ч | 26 | 15 |
| 128 | DEEP VEIN THROMBOPHLEBITIS | 0.8795 | 6.5 | 5.5 | | 28 | 16 |
| 129 | CARDIAC ARREST, UNEXPLAINED | 1.8331 | 3.6 | 2.1 | ч | 25 | 12 |
| 130 | D. | 1.0390 | 6.4 | 5.0 | ч | 27 | 20 |
| 131 | PERIPHERAL VASCULAR DISORDERS W/O CC | 0.7144 | 4.9 | 3.9 | | 26 | 15 |
| 132 | ATHEROSCIEROSIS W CC | 0.6418 | ٠ | 2.1 | - | 12 | Q |
| 133 | ATHEROSCLEROSIS W/O CC | 0.5713 | 2.3 | 1.8 | -4 | 11 | ę |
| 134 | HYPERTENSION | 0.5775 | 3.0 | 2.4 | | 16 | æ |
| | | | | | | | |

| DRG NUMBER | DESCRIPTION | CHAMPUS WEIGHT | ARITHMETIC MEAN LOS | GEOMETRIC MEAN LOS | SHORT STAY THRESHOLD | LONG STAY THRESHOL | ONG STAY THRESHOLD |
|---------------|---|-------------------|------------------------|--|-------------------------|-----------------------|-----------------------|
| 135 | CARDIAC CONGENITAL & VALVULAR DISORDERS AGE >17 W CC | 0.7249 | 4.3 | 2.8 | 1 | 25 | 14 |
| 136 | VALVULAR DISORDERS AGE | 0.5599 | 2.2 | 1.7 | н | 11 | S |
| 137 | AGE | 0.4466 | 2.1 | 1.5 | 1 | 12 | 9 |
| 138 | CONDUCTION DISORDERS W | 0.7233 | 3.2 | 2.5 | • | 19 | 6 |
| 139 | & CONDUCTION DISORDERS W/ | | 2.2 | 1.8 | 4 | ð | ŝ |
| 140 | | 0.5890 | 2.4 | 2.0 | :4 | 11 | i vo |
| 141 | SYNCOPE & COLLAPSE W CC | 0.6430 | 2.9 | 2.4 | · •-1 | 15 | 8 |
| 142 | SYNCOPE & COLLAPSE W/O CC | 0.4831 | 2.2 | 1.8 | | 10 | S |
| 143 | CHEST PAIN | 0.4826 | 1.9 | 1.6 | - | 2 | 4 |
| 144 | OTHER CIRCULATORY SYSTEM DIAGNOSES W CC | 1.2586 | 5.2 | 9.6 | · | 26 | 17 |
| 145 | CIRCULATORY SYSTEM DIAGNOSES W/ | 0.7620 | 2.7 | 2.1 | 1 | 16 | 5 |
| 146 | | 2.8496 | 0 | | . ~ | 24 | 16 |
| 147 | RECTAL RESECTION W/O CC | 2.2186 | 1.1 | 7.3 | 10 | 20 | 14 |
| 148 | MAJOR SMALL & LARGE BOWEL PROCEDURES W CC | 3.2536 | 10.8 | 9.2 | 1 | 200 | 56 |
| 149 | : X | | | | • | 12 | 51 |
| 150 | | 2.8092 | 9.6 | 7.7 | (| 90 | 24 |
| 151 | PERITONEAL ADHESIOLYSIS W/O CC | • • | 6.4 | 4.0 | | 26 | 14 |
| 152 | MINOR SWALL & LARGE BOWEL PROCEDURES W CC | 1.5015 | 6.5 | 6.0 | - | 20 | 13 |
| 153 | MINOR SMALL & LARGE BOWEL PROCEDURES W/O CC | 1.1953 | 4.9 | 4.3 | - | 22 | 12 |
| 154 | 4 DUODENAL PROCEDURES AGE | 4.1298 | 11.6 | 8.9 | - | 31 | 25 |
| 155 | AGE | 1.5655 | 4.9 | 4.1 | -1 | 27 | 13 |
| 156 | PROCEDURES AGE | 1.1044 | 5.5 | 4.1 | гı | 27 | 17 |
| 157 | ANAL & STOMAL PROCEDURES W CC | 1.2046 | 5.2 | 3.6 | -1 | 26 | 17 |
| 158 | | 0.6564 | 2.1 | 1.8 | -1 | σ | S |
| 159 | L & FEMORAL AGE | 1.3745 | 4.7 | 3.6 | - | 26 | 15 |
| 160 | TEMORAL AGE | 0.8730 | 2.8 | 2.3 | ч | 14 | 2 |
| 161 | AGE >17 W CC | 1.0233 | 3.6 | 2.8 | H | 24 | 11 |
| 162 | INGUINAL & FEMORAL HERNIA PROCEDURES AGE >17 M/O CC | 0.8054 | 1.8 | 1.5 | ч | 5 | 4 |
| 163 | HERNIA PROCEDURES AGE 0-17 | 0.5406 | 1.7 | 1.5 | H | 9 | ო |
| 164 | APPENDECTOMY W COMPLICATED PRINCIPAL DIAG W CC | 1.8073 | 6.7 | 6.0 | | 26 | 15 |
| 165 | AG W/O | 1.2215 | 6.4 | 4.3 | - | 21 | 12 |
| 166 | DIAG | 1.0792 | 3.5 | 2.9 | - 1 | 16 | co i |
| 191 | LICATED | 0.7488 | 2.3 | 2.0 | -4 • | 80 1 | n (|
| 891 1 | MOUTH PROCEDURES W CC | 1.7438 | 4 C | , 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | - | 50 7 | <u>n</u> : |
| 0 T T | NULL FROMMURS W/ U CU | • | |) () (| - + - | e C -1 C | - 0 |
| 171 | | 2,0005 | n 4 n 1 | | | 5 6 6 | 3 = |
| 175 | ENVERONED | 1 6044 | | | 4 - | 4 C | 10 |
| 173 | DIGESTIVE MALTENANCY W/O CC | 0.9185 | 1 2 | | • | 20 | 10 |
| 174 | G.I. HEMORRHAGE W CC | • • | 1.4 | | • | 21 | 1 |
| 175 | G.I. HEMORRHAGE W/O CC | | 2.7 | 2.9 | . – | 11 | , 90 1 |
| 176 | COMPLICATED PEPTIC ULCER | 0.9860 | 4.8 | 3.6 | -1 | 26 | 15 |
| 177 | UNCOMPLICATED PEPTIC ULCER W CC | 0.9070 | 4.1 | • | 1 | 25 | 12 |
| 178 | UNCOMPLICATED PEPTIC ULCER W/O CC | 0.6521 | 2.7 | 2.3 | -1 | 12 | 9 |
| 179 | INFLAMMATORY BOWEL DISEASE | • | 6.6 | 4.9 | ч | 27 | 20. |
| 180 | G.I. OBSTRUCTION W CC | | 4.6 | 3.7 | - - | 26 | 13 |
| 181 | | 0.4793 | 3.1 | 2.5 | न - | 11 | 8 |
| 182 | ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE >17 W CC | 0.7222 | 3.7 | 2.8 | 7 | 22 | 10 |
| | | | | | | | |

| DRG NUMBER | DESCRIPTION | CHAMPUS WEIGHT | ARITHMETIC MEAN LOS | GEOMETRIC MEAN LOS | SHORT STAY THRESHOLD | LONG STAY THRESHOLD | STAY |
|---------------|--|-------------------|------------------------|-----------------------|-------------------------|------------------------|------|
| 183 | GASTROENT & MISC DIGEST DISORDERS AGE | 0.5473 | ٢. | 2.2 | -1 | 14 | 5 |
| 184 | DISORDERS AGE 0-17 | 0.3207 | 2.4 | 2.0 | -1 | 11 | 9 |
| 185 | AGE | 0.7537 | 3.9 | 2.9 | | 25 | 12 |
| 186 | DENTAL & ORAL DIS EXCEPT EXTRACTIONS & RESTORATIONS, AGE 0-17 | 0.4516 | 2.7 | 2.3 | H | 13 | 7 |
| 181 | 50 | 0.6473* | ٠ | 2.8 | F | 26 | 26 |
| AAT | DIGESTIVE SYSTEM DIAGNOSES AGE | 1.0596 | ٠ | 3.7 | | 26 | 16 |
| 189 189 | AGE | 0.5934 | ٠ | 2.3 | - | 24 | 10 |
| 190 | OTHER DIGESTIVE SYSTEM DIAGNOSES AGE 0-17 | 0.4515 | 3.0 | 1.9 | -1 | 22 | σ |
| 191 | PANCREAS, LIVER & SHUNT PROCEDURES W CC | 5.0061 | 13.8 | 9.5 | -1 | 32 | 26 |
| 192 | | 1.7636 | 6.9 | 6.1 | | 29 | 19 |
| 193 | W OR W/O C.D.E. | 3.1008 | 11.4 | 9.8 | -1 | 32 | 26 |
| 194 | BILLIARY TRACT PROC EXCEPT ONLY CHOLECYST W OR W/O C.D.E. W/O CC | 1.6937* | 8.6 | 6.9 | | 30 | 30 |
| 195 | CHOLECYSTECTOMY W C.D.E. W CC | 2.4377 | 6.9 | 5.7 | -1 | 28 | 20 |
| 196 | | 1.2673 | 3.7 | 3.1 | - | 23 | 11 |
| 197 | C.D.E. | 1.9926 | 6.9 | 5.9 | | 28 | 17 |
| 198 | <u>o</u> | 1.2891 | 4.3 | 3.7 | -1 | 20 | 11 |
| 199 | HEPATOBILIARY DIAGNOSTIC PROCEDURE FOR MALIGNANCY | 3.5448 | 10.2 | 7.4 | щ | 30 | 24 |
| 200 | | 5.2075 | 11.7 | 6.8 | - | 29 | 23 |
| 201 | OTHER HEPATOBILIARY OR PANCREAS O.R. PROCEDURES | 5.3906 | 17.4 | 10.8 | - | 33 | |
| 202 | CIRRHOSIS & ALCOHOLIC HEPATITIS | 1.8836 | 7.7 | 5.7 | | 28 | 22 |
| 203 | MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS | 1.3403 | 6.2 | • | - | 27 | 21 |
| 204 | DISORDERS OF PANCREAS EXCEPT MALIGNANCY | 1.2279 | 6.1 | 4.8 | - | 27 | 18 |
| 205 | DISORDERS OF LIVER EXCEPT MALIG, CIRR, ALC HEPA W CC | 1.1691 | 5.4 | 3.9 | • •-1 | 26 | 18 |
| 206 | DISORDERS OF LIVER EXCEPT MALIG, CIRR, ALC HEPA W/O CC | 0.7014 | 3.8 | 2.9 | | 25 | 12 |
| 207 | DISORDERS OF THE BILIARY TRACT W CC | 0.9795 | 4.0 | 3.1 | - | 26 | 12 |
| 208 | DISORDERS OF THE BILLARY TRACT W/O CC | 0.5885 | 2.5 | 2.0 | - | 13 | 9 |
| 209 | OCEDURES OF | 2.8313 | 5.8 | 5.4 | -1 | 17 | 11 |
| 210 | JOINT AGE >17 W CC | 2.4447 | 8.4 | 7.3 | | 30 | 19 |
| 211 | JOINT AGE | 1.5179 | 4.8 | 4.3 | Ч | 19 | 11 |
| 212 | 2 0-17 | 1.4682 | 5.3 | 3.7 | 1 | 26 | 18 |
| 213 | AMPUTATION FOR MUSCULOSKELETAL SYSTEM & CONN TISSUE DISORDERS | 1.9492 | 8.1 | 5.8 | 1 | 28 | 22 |
| 214 | BACK & NECK PROCEDURES W CC | 2.2378 | 5.1 | 3.9 | | 26 | 15 |
| 612 | | 1.2403 | 2.8 | ٠ | -+ | 13 | 7 |
| 910 | E CONNECTIVE TISSUE | 1.8858 | 7.1 | 4.8 | - | 27 | 21 |
| 177 | FOR MUSCSKELLET & CONN T | 2.9101 | 4.6 | 5.8 | 1 | 28 | 22 |
| 017 | HIP, FUOT, FEMUK AGE >17 W CC | 1.6606 | 4,9 | 6.E | -1 | 26 | 14 |
| | FUOL, FEMUK AGE | 1.941 | 3.1 | 2.5 | 4 | 16 | 80 ' |
| 2440 | HUNDER EATIRED & HUNDER FROC EXCEPT ALF, FOUL, FEMUN AGE U-1/ | 0.6363 | F . 7 | 1.8 | -4 - | 12 | 6 |
| | | 1.5816 | 5 5 | 3.7 | -+ - | 26 | 17 |
| 777 | | 1.1148 | 2.1 | 1.8 | | σ | ŝ |
| 522 | K UPPER EXTREMITY PROC | 0.9506 | 2.1 | 1.8 | -1 | σ | ŝ |
| 224 | SHOULDER, ELBOW OR FOREARM PROC, EXC MAJOR JOINT PROC, W/O CC | 0.8402 | 1.9 | 1.6 | -1 | ٢ | 4 |
| 222 | | 0.9223 | 2.6 | 2.0 | -1 | 15 | - |
| 226 | SOFT TISSUE PROCEDURES W CC | 1.2854 | 4.8 | 3.2 | -1 | 26 | 17 |
| 227 | | 0.8634 | 2.4 | 1.9 | -1 | 12 | 9 |
| B N N | HAND OR WRIS | 1.2932 | 3.4 | 6. H | | 24 | 10 |
| 522 | UINT PROC, W/ | 0.7828 | 2.1 | 1.6 | 1 (| ۍ <u>ا</u> | ı دى |
| 062 | LOCAL EXCISION & REMOVAL OF INT FIX DEVICES OF HIP & FEMUR | 0.8679 | 2.4 | 1.7 | -1 | 15 | - |
| | | | | | | | |

| NUMBER 234 234 234 234 233 233 233 233 235 235 235 235 235 235 | ION & REMOVAL OF INT FIX DEVICI LOSKELET SYS & CONN TISS O.R. J LOSKELET SYS & CONN TISS O.R. J LOSKELET SYS & CONN TISS O.R. J E FEMUR FILP & PELVIS PAINS, & DISLOCATIONS OF HIP, J F REMUR FILP & PELVIS PAINS, & DISLOCATIONS OF HIP, J C FRACTURES & MUSCULLOSKELETAL A FISSUE DISORDERS W/O CC TITSSUE DISORDERS W/O CC TITSSUE DISORDERS W/O CC ATTROUE DISORDERS W/O CC ATTROUESKELETAL SYSTEM & CONNECTIVE FOOMS OF MUSCULLOSKELETAL SYSTEM AUSCULLOSKELETAL SYSTEM & CONNECTIVE FOOMS OF MUSCULLOSKELETAL SYSTEM AUSCULLOSKELETAL SYSTEM & CONNECTIVE FOOMS OF MUSCULLOSKELETAL SYSTEM & CONNECTIVE FOOMS OF MALIGNANCY W/O CC FORN & DISL OF UPARM, LOWLEG EX FON FOR MALIGNANCY W/O CC FON FOR MALIGNANCY W/O CC FON FOR MALIGNANCY W/O CC FOR NON-MALIGNANCY W/O CC FOR DISTIS FOR SKN ULCER OR CC FOR NON-MALIGNANCY W/O CC FOR DISTIS FOR SKN ULCER OR CC FOR DIST FOR SKN ULCER OR CC FOR FOR SKN NON-MORE FOR SKN ULCER OR CC | H • • • • • • • • • • • • • • • • • | ARITHMET MEAN MEAN 2.2 MEAN 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2. | - Eq. • • • • • • • • • • • • • • • • • • | SHORT STAY THRESHIT P | Contraction of the second seco | SHOLD 222 222 222 222 222 222 222 2 |
|--|---|---|--|---|-----------------------------|--|---|
| 270 271 273 273 275 275 276 276 278 278 | CTHER SKIN, SUBCUT TISS & BREAST PROC W/O CC SKIN ULCERS MAJOR SKIN DISORDERS W CC MAJOR SKIN DISORDERS W CC MALIGNANT BREAST DISORDERS W CC MALIGNANT BREAST DISORDERS W/O CC CELLULITIS AGE >17 W/O CC CELLULITIS AGE >17 W/O CC | 0.7568 1.1484 0.8965 0.63865 1.2207 1.2207 0.5885 0.5885 0.9855 0.5985 0.5712 | 904909994 806549004 | | | 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | 8 20 11 25 25 25 25 25 25 25 25 25 25 25 25 25 |

| DRG NUMBER | DESCRIPTION | CHAMPUS WEIGHT | ARITHMETIC MEAN LOS | GEOMETRIC MEAN LOS | SHORT STAY THRESHOLD | LONG S | ONG STAY <u>THRESHOLD</u> |
|---------------|--|-------------------|------------------------|-----------------------|-------------------------|------------|------------------------------|
| 279 | | 0.4591 | 3.4 | 2.8 | - | 17 | 6 |
| 280 | SUBCUT TISS & BREAST AGE >17 W CC | 0.6777 | 3.4 | 2.5 | -1 | 25 | 11 |
| 281 | SUBCUT TISS & BREAST AGE | 0.6147 | 2.1 | 1.6 | ч | 10 | ы |
| 282 | E | 0.4592 | 1.6 | 1.3 | F | Q | e |
| 283 | MINOR SKIN DISORDERS W CC | 0.6486 | 3.9 | 2.9 | - | 25 | 12 |
| 284 | | 0.4042 | 3.0 | 2.3 | 1 | 11 | 80 |
| 285 | AMPUTAT OF LOWER LIMB FOR ENDOCRINE, NUTRIT, & METABOL DISORDERS | 2.1545 | 11.0 | 8.7 | -1 | 31 | 25 |
| 286 | ADRENAL & PITUITARY PROCEDURES | 2.2258 | 6.1 | 5.2 | Ч | 24 | 14 |
| 287 | SKIN GRAFTS & WOUND DEBRID FOR ENDOC, NUTRIT & METAB DISORDERS | 2.0473 | 11.2 | 8.8 | -4 | 31 | 25 |
| 288 | O.R. PROCEDURES FOR OBESITY | 1.6005 | 4.2 | 3.9 | - | 11 | ٢ |
| 289 | PARATHYROID PROCEDURES | 0.9554 | 2.6 | 2.1 | F | 12 | 9 |
| 290 | THYROID PROCEDURES | 0.9362 | 2.1 | 1.7 | - | σ | ъ |
| 291 | | 0.4657* | 1.6 | 1.4 | -1 | 9 | 9 |
| 292 | UUTRIT & METAB O.R. | 3.3947 | 10.6 | 6.9 | | 29 | 23 |
| 293 | OTHER ENDOCRINE, NUTRIT & METAB O.R. PROC W/O CC | 0.9688 | 3.9 | 3.1 | -1 | 26 | 12 |
| 294 | | 0.7743 | 4.4 | 3.6 | ч | 25 | 12 |
| 295 | DIABETES AGE 0-35 | • | 3.3 | 2.7 | 4 | 11 | a |
| 296 | C METABOLIC DISORDERS AGE | 1.0005 | 5.2 | 3.7 | - | 26 | 17 |
| 297 | DISORDERS AGE >17 W/ | 0.5349 | 3.0 | 2.3 | | 18 | . 00 |
| 298 | <pre>f MISC METABOLIC DISORDERS AGE 0-1</pre> | 0.3240 | 2.4 | 2.0 | I • | 11 | 9 |
| 299 | | 0.8316 | 8.8 | с. е | | 26 | 8 |
| 300 | ENDOCRINE DISORDERS W CC | 0.9164 | 6.4 | 1 4 6 m | 1 | 26 | 15 |
| 301 | ENDOCRINE DISORDERS W/O CC | 0.5963 | | 6.0 | • | 0 | 0 |
| 302 | KIDNEY TRANSPLANT | 3.5006 | 9.6 | | 1.0 | 16 | 00 |
| 303 | AJOR BLADDER | | 8.1 | | +- | 26 | 16 |
| 304 | KIDNEY, URETER & MAJOR BLADDER PROC FOR NON-NEOPL W CC | | 6.7 | 5.0 | • •-• | 5 6 7 8 | 19 |
| 305 | 4 MAJOR BLADDER PROC | • | 4.0 | 3,3 | | 23 | 11 |
| 306 | K CC | 1.2971 | 5.2 | 3.9 | 4 | 26 | 16 |
| 307 | PROSTATECTOMY W/O CC | 0.6639* | 3.3 | 2.7 | | 17 | 17 |
| 308 | | 1.5132 | 5.6 | 4.1 | ч | 27 | 20 |
| 309 | MINOR BLADDER PROCEDURES W/O CC | 1.1238 | 3.5 | 2.7 | -4 | 24 | 11 |
| 310 | TRANSURETHRAL PROCEDURES W CC | 0.9730 | 3.2 | 2.4 | г л | 19 | 6 |
| 311 | | 0.7567 | 1.9 | 1.7 | г | œ | 4 |
| 312 | URETHRAL PROCEDURES, AGE >17 W CC | * 1688 .0 | 5.1 | з.з | Ч | 26 | 26 |
| 313 | URETHRAL PROCEDURES, AGE >17 W/O CC | 1.0748 | 3.0 | 2.5 | -1 | 19 | 6 |
| 314 | | ٠ | 2.3 | 2.3 | -1 | 25 | 25 |
| 315 | OTHER KIDNEY & URINARY TRACT O.R. PROCEDURES | 2.0094 | 6.3 | 4.3 | H | 27 | 21 |
| 316 | RENAL FAILURE | ٠ | 7.3 | 5.1 | 7 | 28 | 22 |
| 317 | ADMIT FOR RENAL DIALYSIS | 0.6556* | 4.1 | 2.7 | | 26 | 26 |
| 318 | 6 URINARY | 1.6720 | 6.7 | 5.0 | 1 | 28 | 21 |
| 319 | & URINARY TRACT NEOPLASMS W/O CC | 0.5432* | 3.4 | 2.2 | ч | 25 | 25 |
| 320 | 6 URINARY TRACT INFECTIONS AGE >17 | 0.8089 | 4.6 | 3.8 | -1 | 23 | 12 |
| 321 | & URINARY TRACT INFECTIONS AGE | 0.5903 | 3.4 | 2.9 | 1 | 16 | œ |
| 322 | & URINARY TRACT INFECTION | 0.4629 | 3.3 | 2.9 | ч | 13 | 80 |
| 323 | | 0.6472 | 2.4 | 1.9 | 1 | 12 | 9 |
| 324 | Y STONES W/O CC | 0.3804 | 1.8 | 1.5 | - | | 4 |
| 325 | & URINARY TRACT SIGNS & SYMPTOMS AGE >17 | 0.5301 | 3.0 | 2.2 | | 23 | ۰ E |
| 326 | KIUNET & UKINARY TRACT SIGNS & SIMPTOMS AGE >1' W/O CC | 6662.0 | 2.2 | ۲.4 | - | ת | n |

| MILTHRAL STRICTURE AGE >17 W CC URETHRAL STRICTURE AGE >17 W CC URETHRAL STRICTURE AGE >17 W/O CC URETHRAL STRICTURE AGE >17 W/O CC OTHER KIDNEY & URINARY TRACT DIAGNOSES MAJOR MALE PELVIC PROCEDURES W CC MAJOR MALE PELVIC PROCEDURES W CC TRANSURETHRAL PROSTMETCOMY W CC | 0 VIDDING 100 0-17 | 0 1000 | 0 | с с | - | 4 | 10 |
|---|--------------------------------|----------|----------|------------|----------------|--------|----------|
| URETHRAL STRICTURE AGE URETHRAL STRICTURE AGE OTHER KIDNEY & URINARY OTHER KIDNEY & URINARY OTHER KIDNEY & URINARY MAJOR MALE PELVIC PROCE MAJOR MALE PELVIC PROCE TRANSUBETHRAL PROSTATE | | 0.4202 | 4 7 7 | 2.2 | | 9 Y C | 26.0 |
| URETHRAL STRICTURE AGE OTHER KIDNEY & URINARY OTHER KIDNEY & URINARY OTHER KIDNEY & URINARY MAJOR MALE PELVIC PROCE MAJOR MALE PELVIC PROCE TRANSUBETHRAL PROSTATE | Q | 0.4233* | 2.3 | 1.9 | 4 | 2 6 | 21 |
| OTHER KIDNEY & URINARY OTHER KIDNEY & URINARY OTHER KIDNEY & URINARY MAJOR MALE PELVIC PROCE MAJOR MALE PELVIC PROCE TRANSUBETHRAL PROSTATE | • | 0.3063* | 1.6 | 1.6 | 1 | 9 | ام |
| OTHER KIDNEY & URINARY OTHER KIDNEY & URINARY MAJOR MALE FELVIC PROCE MAJOR MALE FELVIC PROCE TRANSINETHRAL PROSNATE | GNOSES AGE >17 W CC | 0.9491 | 4.8 | 3.3 | . - | 26 | 16 |
| OTHER KIDNEY & URINARY TRACT MAJOR MALE PELVIC PROCEDURES MAJOR MALE PELVIC PROCEDURES TRANSURETHRAL PROSTATECTOMY V | | 0.5808 | 2.3 | 1.8 | Ч | 11 | 9 |
| | GNOSES AGE 0-17 | 0.5635 | 3.2 | 2.5 | - | 20 | ð |
| | Q | 1.9969 | 5.5 | 5.1 | гI | 15 | 10 |
| - | 20 | 1.6444 | 4.7 | 4.4 | - | 13 | 9 |
| | | 0.9495 | 3.3 | 2.8 | -1 | 15 | 80 |
| - | 8 | 0.7558 | 2.4 | 2.2 | | ٢ | 4 |
| TESTES PROCEDURES, FOR MALIGNANCY | | 1.3430 | 4.3 | 3.2 | -1 | 26 | 16 |
| TESTES PROCEDURES, NON-MALIGNANCY | AGE | 0.8587 | 3.1 | 2.1 | -1 | 25 | 12 |
| TESTES PROCEDURES, NON-MALIGNANCY | Y AGE 0-17 | 0.5786 | 1.6 | 1.2 | - | ۍ ۱ | n |
| | | 1.3397 | 2.2 | 1.8 | - | 10 | ŝ |
| | | 0.7360* | 4.2 | 2.8 | 1 | 26 | 26 |
| CIRCUMCISION AGE 0-17 | | 0.1479* | 1.7 | 1.7 | -1 | 9 | v |
| OTHER MALE REPRODUCTIVE SYSTEM O.R. | | 1.3655 | 3.2 | 2.4 | - | 23 | 10 |
| OTHER MALE REPRODUCTIVE SYSTEM O.R. | .R. PR | 0.8435* | 4.6 | з.о | - | 26 | 26 |
| MALIGNANCY, MALE REPRODUCTIVE SY | STEM, W CC | 0.8843 | 4.2 | 3.2 | F | 26 | 16 |
| MALIGNANCY, MALE REPRODUCTIVE SY | STEM, W/O CC | 0.4853* | 3.6 | 2.5 | 1 | 25 | 25 |
| | Q | 0.8256 | 3.1 | 2.9 | 1 | 6 | Q |
| - | CC CC | 0.4241* | 3.1 | 2.3 | - | 22 | 22 |
| INFLAMMATION OF THE MALE REPRODU | ICTIVE SYSTEM | 0.5787 | 3.5 | 2.7 | г | 21 | 10 |
| | | 0.2271* | 1.3 | 1.3 | 1 | ŝ | ŝ |
| 352 OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSES | IAGNOSES | 0.5932* | 4.2 | 3.1 | 1 | 26 | 26 |
| PELVIC EVISCERATION, RADICAL HYS | TERECTOMY & RADICAL VULVECTOMY | 1.9904 | 6.0 | 5.1 | ч | 28 | 15 |
| | KIAN/ADNEXAL MALIG W CC | 1.3797 | 4.3 | 3.8 | г | 15 | σ |
| - | IAN/ADNEXAL MALIG W/O CC | 1.0071 | 3.0 | 2.8 | -1 | 10 | 9 |
| | STRUCTIVE PROCEDURES | 0.8546 | 2.7 | 2.5 | F | σ | 9 |
| | N OR ADNEXAL MALIGNANCY | 2.2673 | 7.2 | 6.2 | - | 29 | 18 |
| | LIGNANCY W CC | 1.1543 | 3.5 | 3.1 | - | 12 | ٢ |
| UTERINE & ADNEXA PROC FOR NON-MA | LIGNANCY W/O CC | 0.9631 | 2.7 | 2.6 | - | 80 | ŝ |
| VAGINA, CERVIX & VULVA PROCEDURI | Ω Ω | 0.9621 | 3.0 | 2.5 | - | 13 | ٢ |
| LAPAROSCOPY & INCISIONAL TUBAL | INTERRUPTION | 0.9446 | 2.6 | 2.1 | -1 | 13 | 9 |
| ENDOSCOPIC TUBAL INTERRUPTION | | 0.2902* | 1.4 | 1.4 | 1 | ۍ ۱ | ŝ |
| DEC, CONIZATION & RADIO-IMPLANT, | FOR MALIGNANCY | 0.7189 | 2.4 | 2.1 | - | œ : | ŝ |
| DEC, CONIZATION EXCEPT FOR MALIG | | 0.6706 | 2.3 | 1.8 | -1 | 6 I I | jo ; |
| OTHER FEMALE REPRODUCTIVE SYSTEM | 0.R. | 1.2739 | 8°.9 | 3.0 | - | 23 | = |
| FEMALE REPRODUCTIVE | | 1.3647 | 6.7 | 4.2 | -1 | 27 | 21 |
| MALLIGNANCY, FEMALE REPRODUCTIVE | SYSTEM W/O CC | 0.7548 | 3.0 | 2.0 | -4 | 22 | σ. |
| INFECTIONS, FEMALE REPRODUCTIVE | | 0.6130 | 3.5 | 2.9 | | 18 | თ. |
| MENSTRUAL & OTHER FEMALE REPRODU | CTIVE SYSTEM DISORDERS | 0.3834 | 2.1 | 1.7 | - | 01 | S (|
| CESAREAN | | 0.9914 | 4.2 | 3.7 | | 14 | |
| CESAREAN SECTION W/O CC | | 0.7950 | 3.2 | 0.0 9 | -1 | - | n u |
| VAGINAL DELIVERY W COMPLICATING | DIAGNOSES | 0.5182 | N 4 | | | סיים | م |
| DELLVENT W/ U CONFLICATION | | T/02.7 0 | ••• | , a , - | -1 +- | 0 V | n - |
| NOTIVETATIVETE N IVELIER | _ | 0610.0 | 2.1 | - | • | > | r |

| LONG STAY THRESHOLD 13 6 15 7 18 8 11 6 11 6 22 10 5 3 4 2 5 3 | | 5 - 29 18 11 8 26 | 26 24 24 26 26 27 26 26 26 27 26 26 26 27 26 26 26 26 27 26 26 27 26 26 26 27 26 26 27 26 26 27 26 26 27 26 26 26 26 26 27 26 26 26 26 26 26 26 26 26 26 26 26 26 | 28 28 28 28 28 28 28 28 28 28 28 28 28 2 |
|--|---|--|---|--|
| SHORT STAY THRESHOLD 1 1 1 1 1 1 1 1 1 1 1 | - | 1440- | | |
| GEOMETRIC MEAN LOS 2.1 2.2 2.3 2.3 2.3 2.3 2.1 2.2 2.2 1.3 2.2 | ท ณ ด • • • • • • • • • • • • ณ ศ | 1.5 5.0 2 | ๗๙๗ 4 ๙๗๗๗๗๗๓ ๗๓ ๚ ৮ ๓ ๚ ๙ ฃ ๛ ๚ ๗๓ | ๗๛๛๚๛๗๗๗๗๗๗๗๛๚๚๛๗๗๗ ๚๛๚๚๚๗๗๚๗๗๛๛๚๚๛๗๗ ๚๛๚๚๚๗๗๚๗๗๛๚๚๚๚๚ |
| ARITHMETIC MEAN LOS 2.5 3.1 3.1 3.2 3.2 1.5 1.5 1.4 | 07-10 | 2217 | | 80 8 7 4 8 8 9 7 7 8 9 8 7 8 8 8 8 8 8 8 8 8 8 8 |
| CHAMPUS WEIGHT 0.6817 0.4551 0.7310 0.7310 0.3987 0.3987 0.5085 | 0.7348 0.3651 0.3651 1 1 1 2 335 1 1 1 1 1 | - 0.1054 2.3143 1.5552 1.5552 | 1.0005 0.5765 1.32660 0.62734 2.2492 3.7040 1.1409 1.1409 2.2495 3.70400 3.70400 3.70400 3.70400000000000000000000000000000000000 | 2.3584 3.1609 2.4106 0.8118 0.8151 0.8151 0.5015 1.6678 0.5515 1.0219 0.8218 0.8216 0.5516 0.5516 0.5516 0.5719000000000000000000000000000000000000 |
| | | | | |
| DRG NUMBER DESCRIPTION 375 VAGINAL DELIVERY W O.R. PROC EXCEPT STERIL &/OR D&C 376 POSTPARTUM & POST ABORTION DIAGNOSES W/O O.R. PROCEDURE 377 POSTPARTUM & POST ABORTION DIAGNOSES W O.R. PROCEDURE 378 ECTOPIC PREGNANCY 379 THREATENED ABORTION 370 ABORTION W/O D&C 381 ABORTION W D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY 382 CENTON W D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY | | NO LONGER VALLD NORMAL NEWBORN SPLENECTOMY AGE >17 SPLENECTOMY AGE 0-17 COMPER O B PROCEMPER OF MUE BIOOD BIOOD FORMING OPEANG | RED BLOOD CELL DISORDERS AGE >17 RED BLOOD CELL DISORDERS AGE 0-17 COAGULATION DISORDERS AGE 0-17 COAGULATION DISORDERS AGE 0-17 COAGULATION DISORDERS AGE 0-17 RETICULOENDOTHELIAL & IMMUNITY DISORDERS W C RETICULOENDOTHELIAL & IMMUNITY DISORDERS W C LYMPHOMA & LON-ACUTE LEUKEMIA W OTHER O.R. E LYMPHOMA & NON-ACUTE LEUKEMIA W O CC LYMPHOMA & NON-ACUTE LEUKEMIA W O CC LYMPHOMA & NON-ACUTE LEUKEMIA W O CC | 405 AGUTE LEUKEMIA W/O MAJOR O.R. FROCEDURE AGE 0-17 406 MTELOPROLIF DISORD OR POORLY DIFF NEOPL W MAJ O.R. FROC W CC 408 MTELOPROLIF DISORD OR POORLY DIFF NEOPL W MAJ O.R. FROC W CC 408 MTELOPROLIF DISORD OR POORLY DIFF NEOPL W OTHER O.R. PROC 409 MTELOPROLIF DISORD OR POORLY DIFF NEOPL W OTHER O.R. PROC 410 MTELOPROLIF DISORD OR POORLY DIFF NEOPL W AJO O.R. PROC 411 HISTORY OF MALIGNANCY W O ENDOSCOPY 412 HISTORY OF MALIGNANCY W ENDOSCOPY 413 OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAG W CC 414 HISTORY OF MALIGNANCY W ENDOSCOPY 415 OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAG W CC 416 OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAG W/O CC 415 OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAG W/O CC 416 OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAG W/O CC 417 OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAG W/O CC 418 DTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAG W/O CC 419 DTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAG W/O CC 419 DTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAG W/O CC 410 DTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAG W/O CC 411 DTHERS AGE >17 412 DTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAG W/O CC 421 VIRAL ILLNESS & FEVER OF UNKNOWN ORIGIN AGE >17 422 VIRAL ILLNESS & FEVER OF UNKNOWN ORIGIN AGE >17 |

| DRG NUMBER | | CHAMPUS WEIGHT | ARITHMETIC MEAN LOS | GEOMETRIC MEAN LOS | SHORT STAY THRESHOLD | LONG STAY THRESHOLD | STAY SHOLD |
|----------------|---|-------------------|--|-----------------------|-------------------------|------------------------|---------------|
| 423 | cn – | 1.8956 | 1.1 | 4.9 | | 27 | 21 |
| 4 / 4 4 / 4 | O.K. PROCEDURE W PRINCIPAL DIAGNOSES OF MENTAL ILLNESS Active advinger dearer of dismitidances of developmental dispersion | 2.4543* 0 5045 | 20.0 | 12.1 | | 35 | 35 |
| 426 | 5 | 0.9796 | | 0 F | -1 | 280 | 1.0 |
| 427 | NEUROSES EXCEPT DEPRESSIVE | 0.6168 | 2 2 2 2 3 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 | - 40 • • • | 4 | 5e | 20 |
| 428 | DISORDERS OF PERSONALITY & IMPULSE CONTROL | 0.8630 | 8.4 | 6.4 | 1 | 59 | 53 |
| 429 | ORGANIC DISTURBANCES & MENTAL RETARDATION | 1.0731 | 21.7 | 8.5 | - | 31 | 25 |
| 430 | PSYCHOSES | 1.0187 | | • | г | 29 | 23 |
| 431 | CHILDHOOD MENTAL DISORDERS | 1.1638 | 10.9 | 8°3 | | 31 | 25 |
| 432 | | 0.7018* | 616 | 4.2 | T | 27 | 27 |
| 433 | AMA | 0.4210 | 4.9 | 3.6 | | 26 | 17 |
| 434 | ALC/DRUG ABUSE OR DEPEND, DETOX OR OTH SYMPT TREAT W CC | 0.8120 | 5.2 | 3.7 | - | 26 | 17 |
| 435 | | ł | • | ۱ | • | 1 | |
| 436 | TATION T | 0.9889 | 16.2 | 13.4 | | 36 | 30 |
| 437 | ALC/DRUG DEPENDENCE, COMBINED REHAB & DETOX THERAPY | 0.9818 | 13.0 | 10.4 | - | 33 | 27 |
| 438 | NO LONGER VALID | 1 | | • | • | • | |
| 439 | SKIN GRAFTS FOR INJURIES | 0.9815 | 3.8 | 3.1 | г | 26 | 12 |
| 440 | WOUND DEBRIDEMENTS FOR INJURIES | 2.0790 | 8.1 | 5.3 | -1 | 28 | 22 |
| 441 | | 1.0864 | | 2.7 | -1 | 18 | σ |
| 442 | OTHER O.R. PROCEDURES FOR INJURIES W CC | 2.0796 | 6.9 | 4.7 | н | 27 | 21 |
| 443 | OTHER O.R. PROCEDURES FOR INJURIES W/O CC | 0.9935 | 2.8 | 2.2 | -1 | 18 | æ |
| 444 | TRAUMATIC INJURY AGE >17 W CC | 0.7614 | 3.8 | 3.0 | -1 | 24 | 11 |
| 445 | TRAUMATIC INJURY AGE >17 W/O CC | 0.5071 | 3.0 | 2.4 | •-1 | 18 | Ø |
| 446 | TRAUMATIC INJURY AGE 0-17 | 0.4947 | 2.3 | 1.9 | -1 | 11 | 9 |
| 447 | ALLERGIC REACTIONS AGE >17 | 0.3972 | 2.0 | 1.6 | -1 | 10 | ŝ |
| 448 | ALLERGIC REACTIONS AGE 0-17 | 0.3667 | 2.1 | 1.9 | -1 | œ | 4 |
| 449 | 4 TOXIC EFFECTS OF DRUGS AGE >17 | 0.7193 | 2.8 | 2.0 | г | 17 | 60 |
| 450 | AGE | 0.4183 | 1.9 | 1.5 | -1 | 80 | 4 |
| 451 | POISONING & TOXIC EFFECTS OF DRUGS AGE 0-17 | 0.4039 | 2.0 | 1.6 | | 6 | ഹ |
| 452 | | 0.7421 | 3.7 | 2.7 | г | 24 | : |
| 453 | g | 0.4229 | 2.5 | 1.9 | - | 13 | 9 |
| 454 | | 0.9468 | 4.0 | 2.5 | 1 | 25 | 14 |
| 455 | OTHER INJURY, POISONING & TOXIC EFFECT DIAG W/O CC | 0.3355 | i | 1.2 | - | m | ~ |
| 456 | BURNS, TRANSFERRED TO ANOTHER ACUTE CARE FACILITY | 1.9410* | | 4.2 | - | 27 | 27 |
| 457 | EXTENSIVE BURNS W/O O.R. PROCEDURE | 1.5849* | ហំ | 2.5 | -4 • | 26 | 26 |
| 40G | | 3.1496 | 14.3 | 5°5 | -4 . | 32 | 26 |
| | NON*EXTENSIVE BURNS W WOUND DEBRIJEMENT ON OTHER U.K. PROC Vou.everugtur Dirdng w/A A b doardning | 2.5400 | 4 C | | -1 - | 0 0 | 7 6 |
| | | | 7.0 | | | 010 | 2 |
| | U.K. FROUND LAGNOSES OF OTHER CONTACT W HEALTH SERVICES | 1.9366 | 10.5 | 7.4 | | 22 | 77 |
| 205 | | 2.1152 | 10.0 | 12.4 | | តំ ខ្ម | יא |
| 403 | STERS & SIMPLOWS & CC | 0.8808 | 0°0 | 3.2 | -1 | 97 | BT |
| 464 | | 0.4593 | 2.0 | 1.7 | | æ | 4 |
| 465 | AFTERCARE W HISTORY OF MALIGNANCY AS SECONDARY DIAGNOSIS | 0.4362* | 2.9 | 1.9 | | 20 | 20 |
| 466 | AFTERCARE W/O HISTORY OF MALIGNANCY AS SECONDARY DIAGNOSIS | 1.0492 | 8.5 | 3.5 | - | 26 | 20 |
| 467 | OTHER FACTORS INFLUENCING HEALTH STATUS | - | 4.1 | 1.9 | г | 24 | 12 |
| 468 | < | 3.1123 | 10.0 | 5.8 | - | 28 | 22 |
| 469 | PRINCIPAL DIAGNOSIS INVALID AS DISCHARGE DIAGNOSIS | ı | 1 | ı | ı | 1 | |
| 470 | UNGROUPABLE | ı | ١ | 1 | 1 | 1 | |
| | | | | | | | |
| | | | | | | | |

| DRG NUMBER | DESCRIPTION | CHAMPUS WEIGHT | ARITHMETIC MEAN LOS | GEOMETRIC MEAN LOS | SHORT STAY THRESHOLD | LONG THRE | ONG STAY THRESHOLD |
|-----------------------|---|-------------------|------------------------|-----------------------|-------------------------|------------|-----------------------|
| 471 | | 4.2489 | 8.7 | 8.0 | 8 | 26 | 11 |
| 7 C T | EALENSIYE BURNS W U.K. FRUCEDUKE Britter tettreuth e/o vator o b brocentre act vit | TU.6993 | 51.4 7 7 7 | 14.3 | | 'n | 5 |
| 474 | NO LONGER VALID | - - | c•/T | 0 • 0 • | - 1 | ?? | |
| 475 | RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT | 4.2082 | 10.6 | 1.1 | - | ٩ ٩ | 24 |
| 476 | PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS | 2.2703* | 15.1 | 11.5 | | 35 | 35 |
| 477 | NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS | 1.3771 | 4.8 | 3.1 | | 26 | 18 |
| 478 | OTHER VASCULAR PROCEDURES W CC | 2.9926 | 7.2 | 5.0 | 1 | 28 | 22 |
| 479 | OTHER VASCULAR PROCEDURES W/O CC | 1.9393 | 3.5 | 2.8 | - | 20 | 10 |
| 480 | LIVER TRANSPLANT | 1 | ŧ | 1 | • | • | • |
| 481 | BONE MARROW TRANSPLANT | 15.9298 | 32.6 | 31.8 | 15 | 54 | 48 |
| 482 | TRACHEOSTOMY FOR FACE, MOUTH & NECK DIAGNOSES | 3.6798 | 10.2 | 8.3 | ч | 31 | 25 |
| 483 | TRACHEOSTOMY EXCEPT FOR FACE, MOUTH & NECK DIAGNOSES | 18.5464 | 36.6 | 28.0 | 2 | 51 | 45 |
| 484 | CANT TRAUMA | 5.4488* | 17.1 | 10.9 | Ч | 34 | 34 |
| 485 | LIMB REATTACHMENT, HIP AND FEMUR PROC FOR MULTIPLE SIGNIFICANT T | 5.6740 | 13.9 | 10.7 | | 33 | 27 |
| 486 | OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA | 4.5530 | 10.5 | 8,3 | -1 | 31 | 25 |
| 481 | OTHER MULTIPLE SIGNIFICANT TRAUMA | 2.5373 | 7.3 | 4.9 | -1 | 27 | 21 |
| 4 9 9 9 9 | HIV W EXTENSIVE O.K. PROCEDURE | 4.2177* | 19.0 | 13.9 | -1 | 37 | 37 |
| 404 | HIV W MAJOK RELATED CONDITION | 2.3731 | 10.7 | 7.1 | -1 - | Ř | 24 |
| 949 | - | 1.1058 | 6.0 | 4.3 | r-1 - | 21 | 21 |
| 491 | щ, | 1.8870 | 9.6 | с. С | - | 18 | 10 |
| 492 | SECONDAR) | 2.3209 | 8.2 | 4.7 | ч | 27 | 21 |
| 493 | O C.D.E. | 1.6124 | 9°0 | 3.1 | - | 25 | 12 |
| 494 | OLECYSTECTONY W/O | 1.1054 | 2.1 | 1.8 | - - | 10 | ۍ ۱ |
| 495 | VSPLANT | 9.5678* | 23.2 | 18.2 | - | 41 | 41 |
| 000 | | 0.6596 | 1.0 | 1.0 | | -1 | |
| | THANSFERKED <5 | 0.4898 | 1.4 | 1.3 | | N 0 1 | 20 |
| 200 | 1906/2 | 19.6049 | 58.2 | 35.4 | | 22 | 52 |
| 509 | NEVNAME DIDMMAM 160-0000 DICUNDARD AITUR | 5. 444 1 1 010 | 10.0 | | | SN 5 | EN S |
| 605 605 | RINTER JSO-000C DINITED | 0 3007 0 3007 | 1.05 | 44.0 A | | 10 | 10 |
| 606 | BIRTHWT 1000-1499 | 19.5009 | 0. D L | 16.7 | -) (| 2 4 | 0 7 9 |
| 607 | BIRTHWT 1000-14996, W/O SIGNIF OR PROC | 7.4013 | 8.65 | 31.0 | . 4 | 2 4 | 20 |
| 608 | BIRTHWT 1000-1499G, DIED | 4.9450 | 10.0 | 10.0 | 10 | 10 | 10 |
| 609 | BIRTHWT 1500-1999G, W | 18.1722 | 43.5 | 41.4 | 10 | 28 | 58 |
| 610 | BIRTHWT 1500-1999G, W SIGNIF OR PROC, | 3.8729** | | 0.0 | 0 | 0 | 0 |
| 611 | BIRTHWT 1500-1999G, W/O SIGNIF OR PROC, W | 5.0390 | 22.2 | 18.8 | 0 | 35 | 35 |
| 612 | BIRTHWT 1500-1999G, W/O SIGNIF OR PROC, W MAJOR | 4.5406 | 20.5 | 17.2 | 0 | 34 | 34 |
| 613 | BIRTHWT 1500-1999G, W/O SIGNIF OR PROC, W | 3.1604 | 19.1 | 15.9 | 7 | 32 | 32 |
| 614 | BIRTHWT 1500-1999G, W/O SIGNIF OR PROC, | 1.4794 | 11.9 | 9. 6 | | 26 | 26 |
| 615 | BIRTHWT 2000-2499G, W SIGNIF OR PROC, | 8.0025 | 19.5 | 18.1 | 4 | 35 | 35 |
| 616 | BIRTHWT 2000-2499G, W SIGNIF OR PROC, W/O MULT MAJOR | 8.7679 | 22.0 | 22.0 | 22 | 22 | 22 |
| 617 | BIRTHWT 2000-2499G, W/O SIGNIF OR PROC, W | 3.7964 | 12.1 | 9.1 | - - | 26 | 26 |
| 61.8 | BIRTHWT 2000-2499G, W/O SIGNIF OR PROC, W MAJOR | 2.2265 | 10.6 | 8.6 | -1 | 25 | 25 |
| 619 | NEONATE, BIRTHWT 2000-2499G, W/O SIGNIF OR PROC, W MINOR PROB | 1.9716 | 10.2 | 7.9 | -1 | 24 | |
| 120 | T 2000-7100C W/C BICNIE OF DBCC | - 1636 | ۰ ° | ۰ ۲ | 1. | | ; |
| 170 | BIRTHWI | U.4030 0 6112 | ט. היי | 8.7.0 | -1 + | 7 6 | 77 |
| 7 70 | DOLA NO ATRATA M ATCHTE OK FROM | CTT0'9 | C 17 | 20.4 | - | 5 | 5 |

| DRG NUMBER | DESCRIPTION | | CHAMPUS WEIGHT | ARITHMETIC MEAN LOS | GEOMETRIC MEAN LOS | SHORT STAY THRESHOLD | LONG STAY THRESHOLD | TAY HOLD |
|---------------|------------------------------------|---|-------------------|------------------------|-----------------------|-------------------------|------------------------|-------------|
| 623 | NEONATE, BIRTHWT >2499G, | 9G, W SIGNIF OR PROC, W/O MULT MAJOR PROB | 2.8458 | 10.9 | 6.5 | | 23 | 23 |
| 624 | NEONATE, BIRTHWT >2499G, | 9G, W MINOR ABDOM PROCEDURE | 0.7588 | 2.8 | 2.6 | 7 | 9 | 9 |
| 625 | NO LONGER VALID | | ı | ı | 1 | ı | 1 | |
| 626 | NEONATE, BIRTHWT >2499G, | 9G, W/O SIGNIF OR PROC, W MULT MAJOR PROB | 2.4222 | 8.8 | 6.1 | -1 | 23 | 23 |
| 627 | NEONATE, BIRTHWT >2499G, | 9G, W/O SIGNIF OR PROC, W MAJOR PROB | 1.0876 | 4.9 | 3.7 | 1 | 15 | 15 |
| 628 | NEONATE, BIRTHWT >24996, | 96, W/O SIGNIF OR PROC, W MINOR PROB | 0.6469 | 4.2 | з.з | 1 | 12 | 12 |
| 629 | NO LONGER VALID | | ı | ı | ı | • | 1 | |
| 630 | NEONATE, BIRTHWT >2499G, | 9G, W/O SIGNIF OR PROC, W OTHER PROB | 0.2015 | 2.2 | 1.9 | -1 | S | ഹ |
| 631 | BPD AND OTH CHRONIC RESPI | ESPIRATORY DISEASES ARISING IN PERINATAL PE | 2.1004 | 4.7 | 2.8 | 1 | 19 | 19 |
| 632 | OTHER RESPIRATORY PROBLEM | BLEMS AFTER BIRTH | 0.4995 | 3.0 | 2.5 | 1 | 6 | 6 |
| 633 | MULTIPLE, OTHER AND UNSPE | NSPECIFIED CONGENITAL ANOMALIES, W CC | 1.2079** | 0.0 | 0.0 | 0 | 0 | 0 |
| 634 | MULTIPLE, OTHER AND UNSPE | NSPECIFIED CONGENITAL ANOMALIES, W/O CC | 0.3572 | 2.0 | 2.0 | 1 | 7 | 8 |
| 635 | NEONATAL AFTERCARE FOR WEIGHT GAIN | R WEIGHT GAIN | 0.2304** | 0.0 | 0.0 | 0 | 0 | 0 |
| 636 | NEONATAL DIAGNOSIS, AGE > | 3E > 28 DAYS | 3.8777 | 22.3 | 12.5 | 1 | 29 | 29 |
| 006 | ALC/DRUG ABUSE OR DEPEND, | DETOX OR OTH SYMPT | 0.9865 | 11.0 | 7.1 | Ч | 30 | 24 |
| 901 | ALC/DRUG ABUSE OR DEPEND, | END, DETOX OR OTH SYMPT TREAT AGE > 21 W/O | 0.6063 | 5.6 | 4.1 | ٦ | 27 | 18 |

[FR Doc. 95–26535 Filed 10–25–95; 8:45 am] BILLING CODE 5000–04–C