

these documents should make an appointment with the appropriate office at least 24 hours before the visiting day.

Air and Radiation Docket and Information Center (Air Docket 6102), U.S. Environmental Protection Agency, 443, 401 M Street SW., Washington, DC 20460.
Environmental Protection Agency, Region 4 Air Programs Branch, 345 Courtland Street NE., Atlanta, Georgia 30365.

North Carolina Department of Environmental, Health, and Natural Resources, Division of Environmental Management, Raleigh, North Carolina 27626-0535.

FOR FURTHER INFORMATION CONTACT: Mr. Randy Terry, Regulatory Planning and Development Section, Air Programs Branch, Air, Pesticides, and Toxics Management Division, Region 4 Environmental Protection Agency, 345 Courtland Street, Atlanta, Georgia 30365. The telephone number is 404/347-3555, ext. 4212.

SUPPLEMENTARY INFORMATION: For additional information see the direct final rule which is published in the rules section of this Federal Register.

Dated: November 3, 1995.

Patrick M. Tobin,

Acting Regional Administrator.

[FR Doc. 96-1940 Filed 1-31-96; 8:45 am]

BILLING CODE 6560-50-M

40 CFR Parts 52 and 81

[OH60-1-6377b; FRL-5410-2]

Approval and Promulgation of Air Quality Implementation Plans, and Designation of Areas for Air Quality Planning Purposes; Ohio

AGENCY: Environmental Protection Agency (USEPA).

ACTION: Proposed rule.

SUMMARY: The USEPA proposes to approve the ozone State Implementation Plan (SIP) revision and redesignation requests submitted by the State of Ohio for the purpose of redesignating Franklin, Delaware, and Licking Counties (Columbus area) from nonattainment to attainment for ozone; and revise Ohio's SIP to include a 1990 base-year ozone precursor emissions inventory for the Columbus ozone nonattainment area. In the final rules section of this Federal Register, the USEPA is approving this action as a direct final rule without prior proposal because USEPA views this as a noncontroversial action and anticipates no adverse comments. A detailed rationale for the approval is set forth in

the direct final rule. If no adverse comments are received in response to that direct final rule, no further activity is contemplated in relation to this proposed rule. If USEPA receives adverse comments, the direct final rule will be withdrawn and all public comments received will be addressed in a subsequent final rule based on the proposed rule. It should be noted, however, that an adverse or critical comment on the direct final approval of the Columbus area redesignation request or maintenance plan will not result in a withdrawal of the direct final approval of the Columbus emission inventory, unless USEPA receives adverse or critical comments on the emission inventory approval, as well. USEPA will not institute a second comment period on this action. Any parties interested in commenting on this document should do so at this time.

DATES: Comments on this proposed rule must be received on or before March 4, 1996.

ADDRESSES: Written comments should be mailed to: J. Elmer Bortzer, Chief, Regulation Development Section, Regulation Development Branch (AR18-J), U.S. Environmental Protection Agency, Region 5, 77 West Jackson Boulevard, Chicago, Illinois 60604.

Copies of the State submittal and USEPA's analysis of it are available for inspection at: Regulation Development Section, Regulation Development Branch (AR18-J), U.S. Environmental Protection Agency, Region 5, 77 West Jackson Boulevard, Chicago, Illinois 60604.

FOR FURTHER INFORMATION CONTACT: William Jones, Regulation Development Section, Regulation Development Branch (AR18-J), U.S. Environmental Protection Agency, Region 5, 77 West Jackson Boulevard, Chicago, Illinois 60604, (312) 886-6058.

SUPPLEMENTARY INFORMATION: For additional information see the direct final rule published in the rules section of this Federal Register.

Dated: November 30, 1995.

Valdas V. Adamkus,

Regional Administrator.

[FR Doc. 96-1934 Filed 1-31-96; 8:45 am]

BILLING CODE 6560-50-P

FEDERAL EMERGENCY MANAGEMENT AGENCY

44 CFR Part 62

RIN 3067-AC40

National Flood Insurance Program; Audit Program Revision

AGENCY: Federal Insurance Administration (FEMA).

ACTION: Proposed rule.

SUMMARY: The Federal Insurance Administration (FIA) proposes to amend its regulations regarding the manner in which its audits are conducted under the National Flood Insurance Program's (NFIP) Write Your Own (WYO) Program. The intent of the proposed regulations is to develop a comprehensive, less burdensome, more efficient audit program. FIA anticipates that these revisions will result in greater economy of resources and new savings to the NFIP public.

DATES: We invite your comments and ask that you submit them no later than March 18, 1996.

ADDRESSES: Please submit written comments to the Rules Docket Clerk, Office of the General Counsel, Federal Emergency Management Agency, 500 C Street, SW., room 840, Washington, DC 20472, (fax) (202) 646-4536.

FOR FURTHER INFORMATION CONTACT: Roland E. Holland, Federal Insurance Administration, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472, (202) 646-3439.

SUPPLEMENTARY INFORMATION: Recently, after reviewing the programs and services provided to the NFIP public, the Federal Insurance Administrator concluded that the services currently being provided could be enhanced and improved by revising the audit procedures. As a result, FIA intends to discontinue the self-audit program, along with the triennial claims and underwriting operations reviews. The "triennial" audit will be revised to be conducted on a biennial basis, and expanded to encompass greater claims and underwriting audits that are to be conducted by Certified Public Accountant (CPA) firms, selected by the WYO companies, at the companies' expense. These changes are being made to facilitate improved management control over the audit process. FIA believes these efforts will result in appreciable program savings to both the WYO companies and the FIA.

National Environmental Policy Act

This proposed rule is categorically excluded from the requirements of 44