

this product to contain no less than 40-percent meat computed on the weight of the fresh meat; allows the use of MS(S) in accordance with § 319.6; restricts head meat, cheek meat, and heart meat exclusive of the heart cap to no more than 25 percent of the meat ingredients under specific declaration on the label; and allows binders and extenders as provided in § 318.7(c)(4). Under a general standard of identity, a new, "modified" "Chili con carne" product might contain 40 percent cheek meat, as long as the ingredients statement highlighted this deviation. If the meat component were reduced from 40 percent to 20 percent, or if the product contained 40 percent textured vegetable protein as well as meat, these deviations also would need to be highlighted in the ingredients statement.

FSIS would like to receive comments on whether this approach could provide the flexibility desired by manufacturers, while protecting the integrity of the food supply by ensuring that consumers receive meat and poultry products labeled in an truthful and non-misleading manner.

3. *Recommended Meat and Poultry Contents*

Another approach would be to establish categories of meat or poultry products, and corresponding recommendations for expected meat and poultry contents. For example, FSIS could recommend that "Beef Burgundy" contain 50-percent beef, that "Beef Stroganoff" contain 30 percent cooked beef, and so forth. Under this approach, establishments could deviate from the recommended meat and poultry content. It would be expected that the difference be conveyed to the consumer through labeling. Recommended amounts of meat and poultry content in products would reflect consumer expectations, and, therefore, would serve as guidance for food manufacturers.

FSIS requests public comment on this alternative approach to establishing content standards, and would welcome other suggestions for establishing product categories, or determining what the meat and/or poultry content should be for the various categories. FSIS also requests comments on how other requirements in the current standards, such as those concerning additives, non-meat ingredients, or processing, would be affected by meat and poultry content recommendations for the various meat and poultry categories?

4. *Private Certification of Food Products*

Provided that amendments are made to the FMIA and PPIA, it may be

possible for private organizations to certify that meat and poultry products meet consumer expectations. These organizations would establish criteria for product content and characteristics associated with product names.

FSIS would like to receive comments on the issue of eliminating standards of identity and composition including comments in response to the following questions: Could national associations that promote or address marketing issues for specific products or commodities, such as the National Food Processors Association and the National Frozen Pizza Association, or other recognized authorities, such as culinary societies, schools, or institutes, establish meaningful meat or poultry product standards?; How would the fact that products met such standards be conveyed in labeling?; Would a labeling statement, such as "Meats standards established by the National Chili Society," have meaning in labeling?; How would the truthfulness or the accuracy for the statement be verified?; How would the credibility or authenticity of the certifying body be established?; Which characteristics of meat or poultry food products are most amenable to certification by private organizations rather than by local, State, or Federal government?; and Which factors render private certification impractical or inappropriate?

5. *Elimination of the Standards of Identity and Composition*

The FMIA and PPIA provide that USDA may promulgate definitions and standards of identity and composition for meat and poultry products whenever it determines such action is necessary for the protection of the public (21 U.S.C. 607(c), 457(b)). These Acts do not require, however, that USDA promulgate standards. Therefore, one option for the Agency is to eliminate regulations for standards of identity and composition and then to discontinue any programs related to the standards.

FSIS would like to receive comments on the issue of eliminating standards of identity and composition including comments in response to the following questions: In general, what would be the advantages and disadvantages to industry and consumers of eliminating the standards of identity and composition?; What would be the impact on domestic and foreign commerce, and food safety?; How would labeling requirements need to be revised if standards of identity were eliminated?; and In the absence of standards of identity, should labels specify percentages of ingredients?

Additionally, some standards include processing, preparation, or specific cooking requirements that are related to ensuring product safety and shelf-stability, such as the standard for "Country Ham" and "Dry Cured Ham" products (§ 319.106). FSIS would like comments on this issue including responses to the following questions: If such standards were eliminated, would remaining regulations be sufficient to assure the safety of these products?; and Should the safety provisions of these standards be included in other regulations?

Executive Order 12866

This advance notice of proposed rulemaking has been reviewed under Executive Order 12866. This rule has been determined to be significant for the purposes of Executive Order 12866 and, therefore, has been reviewed by the Office of Management and Budget.

FSIS is seeking the data necessary to assess how the regulatory changes discussed in this document might affect various sectors of the meat and poultry industries. Therefore, the Agency invites comment on potential effects, including economic costs or benefits.

Done, at Washington, D.C., on: September 3, 1996.

Michael R. Taylor,

Acting Under Secretary for Food Safety.

[FR Doc. 96-22956 Filed 9-6-96; 8:45 am]

BILLING CODE 3410-DM-P

DEPARTMENT OF TRANSPORTATION

Federal Aviation Administration

14 CFR Part 39

[Docket No. 93-NM-194-AD]

RIN 2120-AA64

Airworthiness Directives; de Havilland, Inc., Model DHC-8-100 and -300 Series Airplanes

AGENCY: Federal Aviation Administration, DOT.

ACTION: Supplemental notice of proposed rulemaking; reopening of comment period.

SUMMARY: This document revises an earlier proposed airworthiness directive (AD), applicable to de Havilland Model DHC-8-100 and -300 series airplanes. That proposal would have superseded a previously-issued AD that currently requires repetitive inspections to detect cracks of the upper drag strut trunnion fittings of the nose landing gear and to verify tightness of the fitting attachment bolts. It also would have required the

installation of a modification to terminate the repetitive inspections. This new action revises the proposed rule by proposing to require a different terminating modification.

This action is prompted by data indicating that the previously proposed terminating modification is not effective.

The actions specified by the proposed AD are intended to prevent failure of the upper drag strut trunnion fittings of the nose landing gear, which could lead to collapse of the nose landing gear.

DATES: Comments must be received by September 30, 1996.

ADDRESSES: Submit comments in triplicate to the Federal Aviation Administration (FAA), Transport Airplane Directorate, ANM-103, Attention: Rules Docket No. 93-NM-194-AD, 1601 Lind Avenue, SW., Renton, Washington 98055-4056. Comments may be inspected at this location between 9:00 a.m. and 3:00 p.m., Monday through Friday, except Federal holidays.

The service information referenced in the proposed rule may be obtained from Bombardier, Inc., Bombardier Regional Aircraft Division, Garratt Boulevard, Downsview, Ontario M3K 1Y5, Canada. This information may be examined at the FAA, Transport Airplane Directorate, 1601 Lind Avenue, SW., Renton, Washington.

FOR FURTHER INFORMATION CONTACT: Jon Hjelm, Aerospace Engineer, Airframe Branch, ANE-172, FAA, Engine and Propeller Directorate, New York Aircraft Certification Office, 181 South Franklin Avenue, Room 202, Valley Stream, New York 11581; telephone (516) 256-7523; fax (516) 568-2716.

SUPPLEMENTARY INFORMATION:

Comments Invited

Interested persons are invited to participate in the making of the proposed rule by submitting such written data, views, or arguments as they may desire. Communications shall identify the Rules Docket number and be submitted in triplicate to the address specified above. All communications received on or before the closing date for comments, specified above, will be considered before taking action on the proposed rule. The proposals contained in this notice may be changed in light of the comments received.

Comments are specifically invited on the overall regulatory, economic, environmental, and energy aspects of the proposed rule. All comments submitted will be available, both before and after the closing date for comments, in the Rules Docket for examination by

interested persons. A report summarizing each FAA-public contact concerned with the substance of this proposal will be filed in the Rules Docket.

Commenters wishing the FAA to acknowledge receipt of their comments submitted in response to this notice must submit a self-addressed, stamped postcard on which the following statement is made: "Comments to Docket Number 93-NM-194-AD." The postcard will be date stamped and returned to the commenter.

Availability of NPRMs

Any person may obtain a copy of this NPRM by submitting a request to the FAA, Transport Airplane Directorate, ANM-103, Attention: Rules Docket No. 93-NM-194-AD, 1601 Lind Avenue, SW., Renton, Washington 98055-4056.

Discussion

A proposal to amend part 39 of the Federal Aviation Regulations (14 CFR part 39) to add an airworthiness directive (AD), applicable to certain de Havilland Model DHC-8-100 and -300 series airplanes, was published as a notice of proposed rulemaking (NPRM) in the Federal Register on February 7, 1994 (59 FR 5554). That NPRM would have superseded AD 93-08-03, amendment 39-8550 (58 FR 25549, April 27, 1993), which currently requires repetitive inspections to detect cracks of the upper drag strut trunnion fittings of the nose landing gear and to verify tightness of the fitting attachment bolts. It also requires replacement of the fittings or fasteners, if necessary. AD 93-08-03 was prompted by reports of cracks detected in two trunnion fittings which retain and support the nose landing gear upper drag link. The requirements of AD 93-08-03 are intended to prevent failure of the upper drag strut trunnion fittings of the nose landing gear, which could lead to collapse of the nose landing gear.

The NPRM would have added a requirement to the AD to modify the upper drag strut trunnion fittings and fasteners of the nose landing gear. Once the modification was installed, the repetitive inspections could be terminated.

Actions Since Issuance of Previous Proposal

Since the issuance of that NPRM, Transport Canada Aviation, which is the airworthiness authority for Canada, has advised the FAA that the modification proposed as terminating action for AD 93-08-03 has been determined to be ineffective. Data indicate that installation of Modification 8/1880,

which is described in de Havilland Service Bulletin S.B. 8-53-45, dated July 12, 1993, may recreate the original problem that the AD intends to correct.

Explanation of New Relevant Service Information

De Havilland has issued Service Bulletin S.B. 8-53-49, dated June 30, 1995, that describes procedures for installing Modification 8/2139. This modification entails the installation of strengthened drag link trunnion fittings and adjacent right-angled support fittings, both of which will reduce premature fatigue. Additionally, the modification involves the installation of fasteners with larger diameters to attach the fittings, and installation of a new sensor support bracket.

Transport Canada Aviation approved the technical content of this service bulletin and issued Revision 3 of Canadian airworthiness directive CF-92-18, dated August 2, 1995, in order to assure the continued airworthiness of these airplanes in Canada. That revised Canadian airworthiness directive specifies that Modification 8/2139 is an optional terminating action for the repetitive inspections required of the drag strut trunnion fittings (required by the original issue of CF-92-18).

Additionally, de Havilland has issued Revision "D" of Service Bulletin S.B. A8-53-40, dated June 30, 1995. This revision is essentially identical in its technical content to the previous revisions of the service bulletin, but contains updated effectivity information and new references to Modification 8/2139.

FAA's Conclusions

This airplane model is manufactured in Canada and is type certificated for operation in the United States under the provisions of section 21.29 of the Federal Aviation Regulations (14 CFR 21.29) and the applicable bilateral airworthiness agreement. Pursuant to this bilateral airworthiness agreement, Transport Canada Aviation has kept the FAA informed of the situation described above. The FAA has examined the findings of Transport Canada Aviation, reviewed all available information, and determined that similar AD action is necessary for products of this type design that are certificated for operation in the United States.

Explanation of the New Proposed Requirements of the Rule

Since an unsafe condition has been identified that is likely to exist or develop on other airplanes of the same type design registered in the United States, this new proposed AD would

supersede AD 93-08-03 to continue to require inspection to detect cracks of the upper drag strut trunnion fittings of the nose landing gear, inspection to verify tightness of the fitting attachment bolts, and replacement of the fittings or fasteners, if necessary. Additionally, this new proposed AD would require the installation of Modification 8/2139. When accomplished, this modification would terminate the need for the currently required inspections. The modification would be required to be accomplished in accordance with de Havilland Service Bulletin S.B. 8-53-49, described previously.

The proposed AD also would limit the applicability of the rule to exclude those airplanes on which Modification 8/2139 has been installed previously. The manufacturer has installed Modification 8/2139 prior to delivery of airplanes having serial numbers 396 and subsequent. Airplanes so modified are not subject to the unsafe condition addressed by this proposed AD.

Paragraph (a) of the proposed AD has been revised to reference Revision "D" of de Havilland Service Bulletin S.B. A8 53-40, dated June 30, 1995, as an additional appropriate source of service information.

Differences Between the Proposed Rule and Related Canadian AD

Operators should note that, whereas the Canadian AD allows installation of Modification 8/2139 as an optional action, this proposed AD would mandate its installation as terminating action. The FAA has determined that long term continued operational safety will be better assured by modifications or design changes to remove the source of the problem, rather than by repetitive inspections. Long term inspections may not be providing the degree of safety assurance necessary for the transport airplane fleet. This, coupled with a better understanding of the human factors associated with numerous repetitive inspections, has led the FAA to consider placing less emphasis on special procedures and more emphasis on design improvements. The proposed modification requirement is in consonance with these considerations.

Reopening of Period for Public Comment

Since the changes made to this proposal expand the scope of the originally proposed rule, the FAA has determined that it is necessary to reopen the comment period to provide additional opportunity for public comment.

Cost Impact

The FAA estimates that 146 airplanes of U.S. registry would be affected by this proposed AD.

Accomplishment of the currently required inspections takes approximately 1 work hour per airplane, at an average labor rate of \$60 per hour. Based on these figures, the cost impact of the currently required inspection actions on U.S. operators is estimated to be \$8,760, or \$60 per airplane, per inspection.

The proposed modification action would take approximately 18 work hours per airplane to accomplish the proposed actions, at an average labor rate of \$60 per work hour. Required parts would cost approximately \$3,325 per airplane. Based on these figures, the cost impact of the proposed AD on U.S. operators is estimated to be \$638,725, or \$4,405 per airplane.

The cost impact figures discussed above are based on assumptions that no operator has yet accomplished any of the proposed requirements of this AD action, and that no operator would accomplish those actions in the future if this AD were not adopted. However, based on the effective date and compliance time of AD 93-08-03, it can be reasonably assumed that the majority of affected U.S. operators already have initiated and are currently conducting the inspections required by that AD.

Regulatory Impact

The regulations proposed herein would not have substantial direct effects on the States, on the relationship between the national government and the States, or on the distribution of power and responsibilities among the various levels of government. Therefore, in accordance with Executive Order 12612, it is determined that this proposal would not have sufficient federalism implications to warrant the preparation of a Federalism Assessment.

For the reasons discussed above, I certify that this proposed regulation (1) is not a "significant regulatory action" under Executive Order 12866; (2) is not a "significant rule" under the DOT Regulatory Policies and Procedures (44 FR 11034, February 26, 1979); and (3) if promulgated, will not have a significant economic impact, positive or negative, on a substantial number of small entities under the criteria of the Regulatory Flexibility Act. A copy of the draft regulatory evaluation prepared for this action is contained in the Rules Docket. A copy of it may be obtained by contacting the Rules Docket at the location provided under the caption ADDRESSES.

List of Subjects in 14 CFR Part 39

Air transportation, Aircraft, Aviation safety, Safety.

The Proposed Amendment

Accordingly, pursuant to the authority delegated to me by the Administrator, the Federal Aviation Administration proposes to amend part 39 of the Federal Aviation Regulations (14 CFR part 39) as follows:

PART 39—AIRWORTHINESS DIRECTIVES

1. The authority citation for part 39 continues to read as follows:

Authority: 49 U.S.C. 106(g), 40113, 44701.

§ 39.13 [Amended]

2. Section 39.13 is amended by adding the following new airworthiness directive:

De Havilland, Inc.: Docket 93-NM-194-AD. Supersedes AD 93-08-03, amendment 39-8550.

Applicability: Model DHC-8-102, -103, -301, -311, and -314 series airplanes; having serial numbers 003 through 395, inclusive, but excluding serial numbers 011, 362, and 391; on which Modification 8/2139 (as described in de Havilland Service Bulletin S.B. 8-53-49, dated June 30, 1995) has not been accomplished; certificated in any category.

Note 1: This AD applies to each airplane identified in the preceding applicability provision, regardless of whether it has been otherwise modified, altered, or repaired in the area subject to the requirements of this AD. For airplanes that have been modified, altered, or repaired so that the performance of the requirements of this AD is affected, the owner/operator must request approval for an alternative method of compliance in accordance with paragraph (d) of this AD. The request should include an assessment of the effect of the modification, alteration, or repair on the unsafe condition addressed by this AD; and, if the unsafe condition has not been eliminated, the request should include specific proposed actions to address it.

Compliance: Required as indicated, unless accomplished previously.

To prevent failure of the upper drag strut trunnion fittings of the nose landing gear, which could lead to collapse of the nose landing gear, accomplish the following:

(a) Within 500 landings after May 27, 1993 (the effective date of AD 93-08-03, Amendment 39-8550), unless accomplished within the last 500 landings, conduct a visual inspection of both upper drag strut trunnion fittings of the nose landing gear to detect cracks; and conduct an inspection of the fitting attachment bolts to verify tightness; in accordance with de Havilland DHC-8 Alert Service Bulletin S.B. A8-53-40, Revision 'A', dated June 12, 1992; or Revision 'B', dated February 24, 1993; or Revision 'D', dated June 30, 1995.

(1) If no crack is detected in the upper drag strut trunnion fittings of the nose landing

gear, and no looseness is detected in the fitting attachment bolts, repeat the inspections at intervals not to exceed 1,000 landings until the modification required by paragraph (b) of this AD is accomplished.

(2) If any crack is detected on either fitting, prior to further flight, replace both fittings with confirmed crack-free fittings in accordance with the service bulletin. After such replacement, the inspections required by this paragraph must continue at intervals not to exceed 1,000 landings until the modification required by paragraph (b) of this AD is accomplished.

(3) If any fitting attachment bolt is found to be loose during the initial inspection, prior to further flight, replace the fasteners (nut, washer, and bolt) that secure the fitting, in accordance with the service bulletin. After such replacement, the inspections required by this paragraph must continue at intervals not to exceed 1,000 landings until the modification required by paragraph (b) of this AD is accomplished.

(4) If any fastener is found to be loose during any repetitive inspection required by this AD, prior to further flight, tighten the bolt to the value specified in the service bulletin.

(b) Within 6 months after the effective date of this AD, install Modification 8/2139 in accordance with de Havilland Service Bulletin S.B. 8-53-49, dated June 30, 1995. Installation of this modification constitutes terminating action for the inspection requirements of this AD.

(c) Installation of Modification 8/2139, in accordance with de Havilland Service Bulletin S.B. 8-53-49, dated June 30, 1995, constitutes terminating action for the inspections required by this AD.

(d) An alternative method of compliance or adjustment of the compliance time that provides an acceptable level of safety may be used if approved by the Manager, New York Aircraft Certification Office (ACO), ANE-170, FAA, Engine and Propeller Directorate. Operators shall submit their requests through an appropriate FAA Principal Maintenance Inspector, who may add comments and then send it to the Manager, New York ACO.

Note 2: Information concerning the existence of approved alternative methods of compliance with this AD, if any, may be obtained from the New York ACO.

(e) Special flight permits may be issued in accordance with sections 21.197 and 21.199 of the Federal Aviation Regulations (14 CFR 21.197 and 21.199) to operate the airplane to a location where the requirements of this AD can be accomplished.

Issued in Renton, Washington, on September 3, 1996.

Darrell M. Pederson,

Acting Manager, Transport Airplane Directorate, Aircraft Certification Service.
[FR Doc. 96-22919 Filed 9-6-96; 8:45 am]

BILLING CODE 4910-13-U

14 CFR Part 39

[Docket No. 93-NM-193-AD]

RIN 2120-AA64

Airworthiness Directives; Fokker Model F28 Mark 0100 Series Airplanes

AGENCY: Federal Aviation Administration, DOT.

ACTION: Supplemental notice of proposed rulemaking; reopening of comment period.

SUMMARY: This document revises an earlier proposed airworthiness directive (AD) that is applicable to certain Fokker Model F28 Mark 0100 series airplanes. That proposal would have required repetitive inspections to detect corrosion in the wheel axles of the main landing gear (MLG) sliding members; and rework of any corroded areas, an inspection to detect cracks in the wheel axles, and replacement of any cracked sliding member. That proposal was prompted by a report of failure of a MLG wheel axle during push back of an in-service airplane from the terminal. This action revises the proposed rule by providing for interim actions that may be accomplished in lieu of the repetitive inspections. This action also revises the proposed rule by requiring eventual modifications of the main wheel brake units and the MLG sliding members; when accomplished, these modifications terminate the repetitive inspections and interim actions. The actions specified by this proposed AD are intended to prevent failure of the MLG wheel axle due to problems associated with corrosion and cracking.

DATES: Comments must be received by October 3, 1996.

ADDRESSES: Submit comments in triplicate to the Federal Aviation Administration (FAA), Transport Airplane Directorate, ANM-103, Attention: Rules Docket No. 93-NM-193-AD, 1601 Lind Avenue, SW., Renton, Washington 98055-4056. Comments may be inspected at this location between 9:00 a.m. and 3:00 p.m., Monday through Friday, except Federal holidays.

The service information referenced in the proposed rule may be obtained from Fokker Aircraft USA, Inc., 1199 North Fairfax Street, Alexandria, Virginia 22314. This information may be examined at the FAA, Transport Airplane Directorate, 1601 Lind Avenue, SW., Renton, Washington.

FOR FURTHER INFORMATION CONTACT: Ruth E. Harder, Aerospace Engineer, Standardization Branch, ANM-113, FAA, Transport Airplane Directorate,

1601 Lind Avenue, SW., Renton, Washington 98055-4056; telephone (206) 227-1721; fax (206) 227-1149.

SUPPLEMENTARY INFORMATION:

Comments Invited

Interested persons are invited to participate in the making of the proposed rule by submitting such written data, views, or arguments as they may desire. Communications shall identify the Rules Docket number and be submitted in triplicate to the address specified above. All communications received on or before the closing date for comments, specified above, will be considered before taking action on the proposed rule. The proposals contained in this notice may be changed in light of the comments received.

Comments are specifically invited on the overall regulatory, economic, environmental, and energy aspects of the proposed rule. All comments submitted will be available, both before and after the closing date for comments, in the Rules Docket for examination by interested persons. A report summarizing each FAA-public contact concerned with the substance of this proposal will be filed in the Rules Docket.

Commenters wishing the FAA to acknowledge receipt of their comments submitted in response to this notice must submit a self-addressed, stamped postcard on which the following statement is made: "Comments to Docket Number 93-NM-193-AD." The postcard will be date stamped and returned to the commenter.

Availability of NPRMs

Any person may obtain a copy of this NPRM by submitting a request to the FAA, Transport Airplane Directorate, ANM-103, Attention: Rules Docket No. 93-NM-193-AD, 1601 Lind Avenue, SW., Renton, Washington 98055-4056.

Discussion

A proposal to amend part 39 of the Federal Aviation Regulations (14 CFR part 39) to add an airworthiness directive (AD), applicable to certain Fokker Model F28 Mark 0100 series airplanes, was published as a notice of proposed rulemaking (NPRM) in the Federal Register on February 2, 1994 (59 FR 4875). That NPRM would have required repetitive inspections to detect corrosion in the wheel axles of the main landing gear (MLG) sliding members; and rework of any corroded areas, an inspection to detect cracks in the wheel axles, and replacement of any cracked sliding member. That NPRM was prompted by a report that a MLG wheel axle failed during push back of an in-