

for their presentation should so state in the request, setting out reasons why additional time is necessary.

The requirements relating to the submission of written statements or briefs and requests to present oral testimony may be waived by the Secretary of the NAO for reasons of equity and public interest.

Signed at Washington, DC, on October 24, 1996.

Irasema T. Garza,

Secretary, U.S. National Administrative Office.

[FR Doc. 96-27787 Filed 10-29-96; 8:45 am]

BILLING CODE 4510-28-M

Occupational Safety and Health Administration

Advisory Committee on Construction Safety and Health; Full Committee Meeting

Notice is hereby given that the Advisory Committee on Construction Safety and Health, established under section 107(e)(1) of the Contract Work Hours and Safety Standards Act (40 U.S.C. 333) and section 7(b) of the Occupational Safety and Health Act of 1970 (29 U.S.C. 656), will meet on November 12-13, 1996 at the Frances Perkins Building, U.S. Department of Labor, 200 Constitution Avenue, NW., Room N-3437A-D, Washington, DC. The meetings of the full Committee are open to the public and will begin at 9 a.m. on both days. The meeting will conclude at approximately 5:00 p.m. on November 12 and at approximately 12:00 p.m. on November 13.

On November 12, OSHA will update the Committee regarding the activities of the Directorate of Construction, make a statistical presentation, and brief the ACCSH regarding the recently issued final rule for scaffolds (subpart L). The Agency will also describe the status of its efforts regarding the Steel Erection Negotiated Rulemaking Advisory Committee, the draft proposed rule for fall protection (subpart M), confined spaces in construction, safety and health programs, the applicability of generic construction standards to the residential construction industry, voluntary protection programs, emergency exit standard, and the PSM Chemical list. In addition, NIOSH and the OSHA Training Institute will describe their recent construction-related activities.

After a lunch break, there will be presentations regarding federal procurement requirements, from approximately 1:30 p.m. to 5:00 p.m.

On November 13, the work group on Health and Safety for Women in

Construction will report back to the full Advisory Committee. The full Committee will discuss the report from the work group, as well as federal procurement requirements and the activities of the OSHA State Plans. In addition, OSHA will report on the Agency's FY 1997 budget, outline OSHA's FY 1997 objectives, and indicate what assistance the Agency will need for ACCSH.

Written data, views or comments may be submitted, preferably with 20 copies, to the Division of Consumer Affairs, at the address provided below. Any such submissions received prior to the meeting will be provided to the members of the Committee and will be included in the record of the meeting.

Anyone who wishes to make an oral presentation should notify the Division of Consumer Affairs before the meeting. The request should state the amount of time desired, the capacity in which the person will appear and a brief outline of the content of the presentation. Persons who request the opportunity to address the Advisory Committee may be allowed to speak, as time permits, at the discretion of the Chairman of the Advisory Committee. Individuals with disabilities who wish to attend the meeting should contact Tom Hall, at the address indicated below, if special accommodations are needed.

For additional information contact: Tom Hall, Division of Consumer Affairs, Room N-3647, Telephone 202-219-8615, at the Occupational Safety and Health Administration, 200 Constitution Avenue, NW., Washington, DC, 20210. An official record of the meeting will be available for public inspection at the OSHA Docket Office, Room N-2625, Telephone 202-219-7894.

Signed at Washington, D.C., this 25th day of October, 1996.

Joseph A. Dear,

Assistant Secretary of Labor.

[FR Doc. 96-27866 Filed 10-29-96; 8:45 am]

BILLING CODE 4510-26-M

LEGAL SERVICES CORPORATION

Audit Guide for LSC Recipients and Auditors

AGENCY: Legal Services Corporation.

ACTION: Correction.

SUMMARY: In a notice published on October 22, 1996 (61 FR 54816), the ACTION line reads "Proposed Revisions to the LSC Audit Guide for Recipients and Auditors." It should have read "Final Revisions to the LSC Audit Guide for Recipients and Auditors."

October 24, 1996

Renée Syzbala,

Assistant IG for Legal Review.

[FR Doc. 96-27776 Filed 10-29-96; 8:45 am]

BILLING CODE 7050-01-P

NUCLEAR REGULATORY COMMISSION

[Docket No. 030-31873; License No. 52-25114-01; EA 96-154]

José L. Fernández, M.D.,) San Juan, Puerto Rico; Order Modifying License (Effective Immediately)

I

José L. Fernández, M.D. (Licensee) is the holder of Byproduct Nuclear Material License No. 52-25114-01 (License) issued by the Nuclear Regulatory Commission (NRC or Commission) pursuant to 10 CFR Part 35. The License authorized the possession and use of a total of two strontium-90 sources not to exceed 150 millicuries for the treatment of superficial eye conditions on humans at medical facilities located at 160 Ponce de León Avenue, Puerta de Tierra, San Juan, Puerto Rico and at La Palma Building, Suite 1-A, Peral-De Diego Street, Mayagüez, Puerto Rico. The License, originally issued to the Licensee on March 22, 1991, was amended on January 14, 1994, and expired on February 28, 1996. Pursuant to 10 CFR 30.36(c), the Licensee is authorized to possess but not use licensed material.

II

A routine, unannounced inspection of the Licensee's activities at the Mayagüez, Puerto Rico, facility was performed on October 18, 1995. During the inspection, an issue regarding the validity of the calibration of one of the Licensee's strontium-90 eye applicators and the possibility of multiple misadministrations was identified. The Licensee was unable to provide adequate documentation of source strength (i.e., a calibration from the National Institute of Standards and Technology or the source manufacturer).

A Confirmatory Action Letter (CAL) was issued on October 19, 1995, which confirmed the Licensee's agreement to discontinue any use of the strontium-90 eye applicator and place it in storage until: (1) a Quality Management Program (QMP) was submitted to the NRC, and (2) NRC approved resumption of operations. Subsequently, a calibration of the source located at the Mayagüez office was performed by the source manufacturer, which indicated