

This notice serves as a reminder to importers of their responsibility under 19 CFR 353.26 to file a certificate regarding the reimbursement of antidumping duties prior to liquidation of the relevant entries during this review period. Failure to comply with this requirement could result in the Secretary's presumption that reimbursement of antidumping duties occurred and the subsequent assessment of double antidumping duties.

This notice also serves as a reminder to parties subject to APOs of their responsibility concerning disposition of proprietary information disclosed under APO in accordance with 19 CFR 353.34(d). Timely written notification of the return/destruction of APO materials or conversion to judicial protective order is hereby requested. Failure to comply with the regulations and the terms of an APO is a sanctionable violation.

This administrative review, revocation, and notice are in accordance with section 751(a)(1) of the Act (19 U.S.C. 1675(a)(1)) and 19 CFR 353.22 and 353.25.

Dated: February 3, 1997.

Robert S. LaRussa,

Acting Assistant Secretary for Import Administration.

[FR Doc. 97-3356 Filed 2-10-97; 8:45 am]

BILLING CODE 3510-DS-P

Centers for Disease Control and Prevention, et al.; Notice of Consolidated Decision on Applications for Duty-Free Entry of Scientific Instruments

This is a decision consolidated pursuant to Section 6(c) of the Educational, Scientific, and Cultural Materials Importation Act of 1966 (Pub. L. 89-651, 80 Stat. 897; 15 CFR part 301). Related records can be viewed between 8:30 a.m. and 5:00 p.m. in Room 4211, U.S. Department of Commerce, 14th and Constitution Avenue, N.W., Washington, D.C.

Comments: None received. *Decision:* Approved. No instrument of equivalent scientific value to the foreign instruments described below, for such purposes as each is intended to be used, is being manufactured in the United States.

Docket Number: 96-114. *Applicant:* Centers for Disease Control and Prevention, Atlanta, GA 30341-3724. *Instrument:* ICP Mass Spectrometer, Model MAT ELEMENT. *Manufacturer:* Finnigan MAT, Germany. *Intended Use:* See notice at 61 FR 59417, November 22, 1996. *Reasons:* The foreign instrument provides a magnetic sector

mass analyzer with sensitivity to detect trace amounts (to parts per quadrillion) of radionuclides in liquid samples.

Advice received from: National Institutes of Health, November 25, 1996.

Docket Number: 96-115. *Applicant:* Horn Point Environmental Laboratory, Cambridge, MD 21613. *Instrument:* Fluorometer. *Manufacturer:* Heinz Walz, GmbH, Germany. *Intended Use:* See notice at 61 FR 59417, November 22, 1996. *Reasons:* The foreign instrument provides: (1) an actinic intensity of up to 5000 W/m² and (2) detection of chloroplast or algal suspensions to 1 mg chlorophyll per liter. Advice received from: National Institutes of Health, November 25, 1996.

Docket Number: 96-118. *Applicant:* The Pennsylvania State University, University Park, PA 16802. *Instrument:* Accessories for CCD Microscope. *Manufacturer:* Linkam Scientific Instruments, Ltd., United Kingdom. *Intended Use:* See notice at 61 FR 66018, December 16, 1996. *Reasons:* The foreign instrument provides: (1) automatic control of temperature with a range of -196°C to 600°C and (2) computer-generated sample imaging with video text overlay on data images for sample identification and recording of operating parameters. Advice received from: U.S. Geological Survey, January 8, 1997.

The National Institutes of Health and the U.S. Geological Survey advise that (1) the capabilities of each of the foreign instruments described above are pertinent to each applicant's intended purpose and (2) they know of no domestic instrument or apparatus of equivalent scientific value for the intended use of each instrument.

We know of no other instrument or apparatus being manufactured in the United States which is of equivalent scientific value to any of the foreign instruments.

Frank W. Creel,

Director, Statutory Import Programs Staff.

[FR Doc. 97-3358 Filed 2-10-97; 8:45 am]

BILLING CODE 3510-DS-P

Applications for Duty-Free Entry of Scientific Instruments

Pursuant to Section 6(c) of the Educational, Scientific and Cultural Materials Importation Act of 1966 (Pub. L. 89-651; 80 Stat. 897; 15 CFR part 301), we invite comments on the question of whether instruments of equivalent scientific value, for the purposes for which the instruments shown below are intended to be used, are being manufactured in the United States.

Comments must comply with 15 CFR 301.5(a)(3) and (4) of the regulations and be filed within 20 days with the Statutory Import Programs Staff, U.S. Department of Commerce, Washington, D.C. 20230. Applications may be examined between 8:30 A.M. and 5:00 P.M. in Room 4211, U.S. Department of Commerce, 14th Street and Constitution Avenue, N.W., Washington, D.C.

Docket Number: 96-144. *Applicant:* Massachusetts Institute of Technology, Department of Chemistry, 77 Massachusetts Avenue, Building 18, Room 591, Cambridge, MA 02139. *Instrument:* Dual Mixing Stopped-Flow System, Model SF-61. *Manufacturer:* Hi-Tech Scientific, United Kingdom. *Intended Use:* The article is intended to be used to conduct pre-steady-state kinetic studies of the reaction mechanisms of multicomponent enzymes and inorganic model compounds under controlled conditions of temperature, pH ionic strength, solvent composition and oxygen tension. *Application accepted by Commissioner of Customs:* December 27, 1996.

Docket Number: 96-145. *Applicant:* Georgia Institute of Technology, Georgia Tech Research Institute, 225 North Avenue, Atlanta, GA 30322-0834. *Instrument:* Ion-Assisted Deposition System, Model APS 1104. *Manufacturer:* Leybold AG. *Intended Use:* The instrument will be used in studies of luminescent materials (SrS:Ce,F; SiON; Al₂O₃; Indium tin oxide; ZnS:Mn) that will be deposited as very thin films on substrate materials. The main thrust of the research will be development of the ion assisted deposition technique to deposit the above materials in crystalline form at relatively low substrate temperatures (200-500°C). In addition, the instrument will be used for educational purposes in graduate level special science courses in thin film deposition science offered in the Electrical Engineering, Physics and Material Science and Engineering Schools. *Application accepted by Commissioner of Customs:* December 27, 1996.

Docket Number: 96-146. *Applicant:* University of California, San Diego, Scripps Institute of Oceanography, 7835 Trade Street, San Diego, CA 92121. *Instrument:* (2) Directional Waverider Buoys. *Manufacturer:* Datawell, BV, The Netherlands. *Intended Use:* The instrument will be deployed across the continental shelf to monitor and verify wave evolution modeling efforts. *Application accepted by Commissioner of Customs:* December 30, 1996.

Docket Number: 96-147. *Applicant:* U.S. Geological Survey, Box 25046, MS

977, Denver Federal Center, Denver, CO 80225. *Instrument:* Mass Spectrometer, Model Optima. *Manufacturer:* Micromass, United Kingdom. *Intended Use:* The instrument will be used to study the stable isotope variations that resulted during the formation and history of rocks, minerals and gases from a variety of geologic sites and contexts. Application accepted by Commissioner of Customs: December 30, 1996.

Docket Number: 96-148. *Applicant:* Woods Hole Oceanographic Institution, Bell House, MS 39, 221 Oyster Pond Road, Woods Hole, MA 02543-1531. *Instrument:* Mass Spectrometer, Model MAT ELEMENT. *Manufacturer:* Finnigan MAT, Germany. *Intended Use:* The instrument will be used for elemental and isotopic analyses of seawater, sediments, microfossils, plankton, corals and rocks. Applications will range from the study of natural and artificial radionuclides in the environment, the marine chemistry of trace metals, ecotoxicology, petrology of basaltic rocks, paleoceanographic studies, climate change studies, etc. In addition, the instrument will be used to instruct students in its use. Application accepted by Commissioner of Customs: December 31, 1996.

Docket Number: 96-149. *Applicant:* University of Vermont, Department of Physical Therapy, 305 Rowell Building, Burlington, VT 05405-0068. *Instrument:* Motion Analysis System and Telemg System, Model Elite Plus. *Manufacturer:* Bioengineering Technology & Systems, Italy. *Intended Use:* The instrument will be used for human movement studies focusing on human gait, posture and balance and upper extremity movement. These studies are aimed at quantifying and understanding normal and disordered human movement from neurological, physiologic, biomechanical and behavioral perspectives. *Application accepted by Commissioner of Customs:* December 31, 1996.

Frank W. Creel,

Director, Statutory Import Programs Staff.
[FR Doc. 97-3360 Filed 2-10-97; 8:45 am]

BILLING CODE 3510-DS-P

University of Wyoming; Notice of Decision on Application for Duty-Free Entry of Scientific Instrument

This decision is made pursuant to Section 6(c) of the Educational, Scientific, and Cultural Materials Importation Act of 1966 (Pub. L. 89-651, 80 Stat. 897; 15 CFR part 301). Related records can be viewed between 8:30 a.m. and 5:00 p.m. in Room 4211,

U.S. Department of Commerce, 14th and Constitution Avenue, N.W., Washington, D.C.

Docket Number: 96-117. *Applicant:* University of Wyoming, Laramie, WY 82071-3006. *Instrument:* Electron Microprobe, Model JXA-8900/5CH. *Manufacturer:* JEOL Ltd., Japan. *Intended Use:* See notice at 61 FR 66017, December 16, 1996.

Comments: None received. *Decision:* Approved. No instrument of equivalent scientific value to the foreign instrument, for such purposes as it is intended to be used, is being manufactured in the United States.

Reasons: The foreign instrument provides high accuracy elemental analysis of surface microareas with a scanning image magnification of $\times 40$ to 300 000 (WD: 11 mm) and a secondary electron image resolution to 6 nm. The National Institute of Standards and Technology advises that (1) these capabilities are pertinent to the applicant's intended purpose and (2) it knows of no domestic instrument or apparatus of equivalent scientific value to the foreign instrument for the applicant's intended use.

We know of no other instrument or apparatus of equivalent scientific value to the foreign instrument which is being manufactured in the United States.

Frank W. Creel,

Director, Statutory Import Programs Staff.
[FR Doc. 97-3359 Filed 2-10-97; 8:45 am]

BILLING CODE 3510-DS-P

National Oceanic and Atmospheric Administration

Environmental Protection Agency

Coastal Nonpoint Pollution Control Program: Proposed Findings Documents, Environmental Assessments, and Findings of No Significant Impact

AGENCY: National Oceanic and Atmospheric Administration, Department of Commerce, and Environmental Protection Agency.

ACTION: Notice of Availability of Proposed Findings Documents, Environmental Assessments, and Findings of No Significant Impact on Approval of Coastal Nonpoint Pollution Control Programs for New Hampshire, Mississippi, Alabama and Oregon.

SUMMARY: Notice is hereby given of the availability of the Proposed Findings Documents, Environmental Assessments (EA's), and Findings of No Significant Impact for New Hampshire, Mississippi, Alabama and Oregon. Coastal states and

territories were required to submit their coastal nonpoint programs to the National Oceanic and Atmospheric Administration (NOAA) and the U.S. Environmental Protection Agency (EPA) for approval in July 1995. The Findings documents were prepared by NOAA and EPA to provide the rationale for the agencies' decision to approve each state and territory coastal nonpoint pollution control program. Section 6217 of the Coastal Zone Act Reauthorization Amendments (CZARA), 16 U.S.C. section 1455b, requires states and territories with coastal zone management programs that have received approval under section 306 of the Coastal Zone Management Act to develop and implement coastal nonpoint pollution control programs. The EA's were prepared by NOAA, pursuant to the National Environmental Policy Act (NEPA), 42 U.S.C. sections 4321 *et seq.*, to assess the environmental impacts associated with the approval of the coastal nonpoint pollution control programs submitted to NOAA and EPA by New Hampshire, Mississippi, Alabama and Oregon.

NOAA and EPA have proposed to approve, with conditions, the coastal nonpoint pollution control programs submitted by New Hampshire, Mississippi, Alabama and Oregon. The requirements of 40 CFR Parts 1500-1508 (Council of Environmental Quality (CEQ) regulations to implement the National Environmental Policy Act) apply to the preparation of the Environmental Assessments. Specifically, 40 CFR section 1506.6 requires agencies to provide public notice of the availability of environmental documents. This notice is part of NOAA's action to comply with this requirement.

Copies of the Proposed Findings Documents, Environmental Assessments, and Findings of No Significant Impact may be obtained upon request from: Joseph P. Flanagan, Coastal Programs Division (N/ORM3), Office of Ocean and Coastal Resource Management, NOS, NOAA, 1305 East-West Highway, Silver Spring, Maryland, 20910, tel. (301) 713-3121, x201.

DATES: Individuals or organizations wishing to submit comments on the proposed Findings or Environmental Assessments should do so by March 12, 1997.

ADDRESSES: Comments should be made to: Joseph A. Uravitch, Coastal Programs Division (N/ORM3), Office of Ocean and Coastal Resource Management, NOS, NOAA, 1305 East-West Highway, Silver Spring, Maryland, 20910, tel. (301) 713-3155, x195.