

05, 1997. Contact: Vicky K. Taylor, (619) 532-3007.

EIS No. 970266, Draft EIS, BLM, CA, Fourmile Hill Geothermal Development Project, Construction, Operation and Maintenance of a 49.9 megawatt (MW) Geothermal Power Plant, Federal Geothermal Leases CA-21924 and CA-21926, Glass Mountain Known Geothermal Resource Area, Klamath and Modoc National Forests, Siskiyou and Modoc Counties, CA, Due: September 16, 1997, Contact: Randall Sharp, (916) 233-5811.

EIS No. 970267, Final EIS, FRC, ME, Granite State Gas Transmission, Construction and Operation of a Liquefied Natural Gas Facility, Permits and Approvals, In the Town of Wells, York County, ME, Due: August 18, 1997, Contact: Paul McKee, (202) 208-1088.

EIS No. 970268, Draft EIS, IBR, NV, Clark County Wetlands Park Master Plan, Construction and Operation, Erosion Control Structures in Las Vegas Wash, COE Section 404 Permit, Right-of-Way Permit and Endangered Species Act Section 4, Clark County, NV, Due: September 17, 1997, Contact: Del Kidd, (702) 293-8698.

EIS No. 970269, Final EIS, FHW, WI, US 12 Whitewater Bypass, Improvements, Buckingham Road to Cox Road, Funding, Right-of-Way and COE Section 404 Permit, City of Whitewater, Jefferson, Rock and Walworth Counties, WI, Due: August 18, 1997, Contact: Richard C. Madzak, (608) 829-7510.

Dated: July 15, 1997.

William D. Dickerson,

Director, NEPA Compliance Division, Office of Federal Activities.

[FR Doc. 97-19003 Filed 7-17-97; 8:45 am]

BILLING CODE 6560-50-U

ENVIRONMENTAL PROTECTION AGENCY

[ER-FRL-5482-4]

Environmental Impact Statements and Regulations; Availability of EPA Comments

Availability of EPA comments prepared June 23, 1997 Through June 27, 1997 pursuant to the Environmental Review Process (ERP), under Section 309 of the Clean Air Act and Section 102(2)(c) of the National Environmental Policy Act as amended. Requests for copies of EPA comments can be directed to the Office of Federal Activities at (202) 564-7167. An explanation of the ratings assigned to draft environmental impact statements (EISs) was published

in FR dated April 04, 1997 (62 FR 16154).

Draft EISs

ERP No. D-CGD-K50012-CA Rating EC2, A-92/San Mateo Hayward Bridge, Improvements to the East Approach and the Trestle Portion of the bridge, Coast Guard Bridge Permit and COE Section 404 Permit, Alameda and San Mateo Counties, CA.

Summary: EPA expressed environmental concerns with the alternatives, congestion impacts and CO hotspot analysis presented in the draft EIS.

ERP No. D-COE-K36121-CA Rating EC2, even Oaks Dam Water Conservation Feasibility Study, Establishing a Seasonal Water Conservation and Supply Pool, Flood Control and Flood Protection, Santa Ana River Basin, San Bernardino County, CA.

Summary: EPA expressed environmental concerns because the draft EIS did not consider "end of pipe" water conservation as an alternative to increasing the dam's water storage and did not sufficiently describe the proposed project's potential downstream impact.

ERP No. D-COE-L36110-WA Rating LO, Cedar River Section 205 Flood Damage Reduction Plan, Implementation, Renton, King County, WA.

Summary: EPA had no objection to the preferred alternative as described in the EIS.

ERP No. D-DOA-E39040-KY Rating LO, City of Albany's Cagle Water Expansion Project, To expand its Potable Water Treatment Plant, Funding and COE Section 404 Permit, Clinton and Wayne Counties, KY.

Summary: EPA had no objection to the proposed action.

ERP No. D-USN-E11039-FL Rating EC2, Cecil Field Naval Air Station, Disposal and Reuse, Implementation, City of Jacksonville, Duval and Clay Counties, FL.

Summary: EPA expressed environmental concerns regarding hazardous waste, air quality and noise issues for alternatives other than ARS 1. EPA had no objection to alternative ARS 1. Additional mitigation and discussion was requested for the other alternatives.

Final EISs

ERP No. F-DOE-A09824-00 Programmatic EIS—Waste Management, Managing Treatment, Storage and/or Disposal of Radioactive and Hazardous Waste for Five Types of Waste: Low-Level Radioactive; Low-Level Mixed; Transuranic Radioactive; High-Level

Radioactive and Hazardous Waste, Site Selections Around the United States.

Summary: EPA's previous concerns have been resolved, therefore EPA had no objection with the proposed action.

ERP No. F-FHW-LA0179-AK Third Street Widening Project, Improvement, Old Steese Highway and Hamilton Avenue, Funding and Right-of-Way Acquisition, Fairbanks North Star Borough, AK.

Summary: Review of the Final EIS was not deemed necessary. No formal comment letter was sent to the preparing agency.

ERP No. FR-USA-A21035-OR Umatilla Depot Activity, Revision to Disposal of Chemical Agents and Munitions Stored, Construction and Operation, Morrow and Umatilla Counties, OR.

Summary: Review of the Final EIS was not deemed necessary. No formal comment letter was sent to the preparing agency.

Dated: July 15, 1997.

William D. Dickerson,

Director, NEPA Compliance Division, Office of Federal Activities.

[FR Doc. 97-19004 Filed 7-17-97; 8:45 am]

BILLING CODE 6560-50-U

FEDERAL DEPOSIT INSURANCE CORPORATION

Sunshine Act Meeting

Pursuant to the provisions of the "Government in the Sunshine Act" (5 U.S.C. 552b), notice is hereby given that the Federal Deposit Insurance Corporation's Board of Directors will meet in open session at 10:00 a.m. on Tuesday, July 22, 1997, to consider the following matters:

Summary Agenda: No substantive discussion of the following items is anticipated. These matters will be resolved with a single vote unless a member of the Board of Directors requests that an item be moved to the discussion agenda.

Disposition of minutes of previous Board of Directors' meetings.
Reports of actions taken pursuant to authority delegated by the Board of Directors.

Memorandum and resolution re: Statement of Policy Regarding the Federal Financial Institutions Examination Council Supervisory Policy—Securities Lending.
Memorandum and resolution re: Statement of Policy Regarding Improper and Illegal Payments by Banks and Bank Holding Companies.
Memorandum and resolution re: Statement of Policy Regarding the