

(c) The "useable square footage" excludes the following spaces when they occur within the spaces maintained by NARA. These specific areas are considered part of the common building space and not assignable as part of the total usable square footage.

(1) *Circulation.* (i) Main and secondary service corridors. Service corridors provide access between the loading dock, records and museum item storage areas, research rooms, and the museum display area. In order to qualify for exemption as a "service corridor" the corridor must be enclosed on both sides by floor to ceiling walls. General purpose corridors used for staff and visitor circulation are not excluded.

(ii) Code-required corridors. In order to qualify for exemption as a "code required corridor" the corridor must be enclosed on both sides by a fire-rated wall from floor slab to structural slab above and must be a required part of a "means of egress" or "horizontal exit" as defined in Section 5-1, 2 of the Life Safety Code (NFPA 101, 1997 edition), which is hereby incorporated by reference. The standard cited in this paragraph is available from the National Fire Protection Association, 1 Batterymarch Park, Quincy, MA 02269-9101. It is also available for inspection at the Office of the Federal Register, 800 North Capitol Street, NW., Suite 700, Washington, D.C. This incorporation by reference was approved by the Director of the Federal Register in accordance with 5 U.S.C. 552(a) and 1 CFR part 51. These materials are incorporated by reference as they exist on the date of approval and a notice of any change in these materials will be published in the **Federal Register**.

(iii) Elevator shafts.

(iv) Stairs.

(v) Entrance weather vestibules.

(2) *Service areas.* (i) Public rest rooms (rest rooms that are only accessible to members of the staff are not excluded).

(ii) Maintenance rooms.

(iii) Locker rooms for custodial and mechanical staff.

(iv) Custodial closets (with or without sinks).

(v) Maintenance and custodial storerooms.

(vi) The driveway-level portion of the loading dock area within the exterior line of the building used solely to provide protection from the weather while loading/unloading.

(3) *Mechanical/electrical areas.* (i) Duct and service shafts.

(ii) Mechanical equipment rooms and boiler rooms.

(iii) Telecommunications closets.

(iv) Electrical closets.

Dated: August 17, 1998.

**John W. Carlin,**

*Archivist of the United States.*

[FR Doc. 98-22673 Filed 8-24-98; 8:45 am]

BILLING CODE 7515-01-P

## ENVIRONMENTAL PROTECTION AGENCY

### 40 CFR Part 62

[GA-37-9819b; FRL -6143-6]

### Approval and Promulgation of State Plans for Designated Facilities and Pollutants: Georgia

**AGENCY:** Environmental Protection Agency (EPA).

**ACTION:** Proposed rule.

**SUMMARY:** The EPA is approving a revision to the Georgia State Implementation Plan (SIP). This revision was to incorporate the Post 1996 Rate-of-progress Plan (9 percent plan) submitted by the State of Georgia through the Georgia Environmental Protection Division (EPD) on November 15, 1993, and amended on June 17, 1996, into the SIP. Supplemental information was submitted on April 14, 1988. This submittal was made to meet the reasonable further progress requirements of section 182(c)(2) of the Clean Air Act, as amended in 1990 (CAA).

In the Final Rules Section of this **Federal Register**, EPA is approving the Georgia State Plan submittal as a direct final rule without prior proposal because the Agency views this as a noncontroversial submittal and anticipates that it will not receive any significant, material, and adverse comments. A detailed rationale for the approval is set forth in the direct final rule published elsewhere in today's **Federal Register**. If no significant, material, and adverse comments are received no further activity is contemplated in relation to this proposed rule. If EPA receives adverse comments, the direct final rule will be withdrawn and all public comments received will be addressed in a subsequent final rule based on this proposed rule. EPA will not institute a second comment period on this action. **DATES:** Comments must be received in writing by September 24, 1998.

**ADDRESSES:** Written comments should be addressed to Scott Martin at the EPA Regional Office listed below. Copies of the documents relevant to this proposed rule are available for public inspection during normal business hours at the following locations. The interested

persons wanting to examine these documents should make an appointment with the appropriate office at least 24 hours before the day of the visit.

Environmental Protection Agency, Region 4, Air Planning Branch, 61 Forsyth Street, SW, Atlanta, Georgia 30303-3104.

Georgia Department of Natural Resources, Air Protection Branch, 4244 International Parkway, Suite 120, Atlanta, Georgia 30354.

**FOR FURTHER INFORMATION CONTACT:** Scott Martin at (404) 562-9036.

**SUPPLEMENTARY INFORMATION:** See the information provided in the Direct Final action which is located in the Rules Section of this **Federal Register**.

Dated: August 3, 1998.

**A. Stanley Meiburg,**

*Acting Regional Administrator, Region 4.*

[FR Doc. 98-22651 Filed 8-24-98; 8:45 am]

BILLING CODE 6560-50-P

## FEDERAL COMMUNICATIONS COMMISSION

### 47 CFR Parts 32 and 64

[CC Docket No. 98-81; FCC 98-108]

### 1998 Biennial Regulatory Review—Review of Accounting and Cost Allocation Requirements; United States Telephone Association Petition for Rulemaking

**AGENCY:** Federal Communications Commission.

**ACTION:** Notice of proposed rulemaking.

**SUMMARY:** In this Notice of Proposed Rulemaking, (NPRM), the Commission proposes as part of the biennial review to modify its accounting and cost allocation rules. The Commission proposes to raise the threshold significantly for required Class A accounting thus allowing mid-sized carriers currently required to use Class A accounts to use the more streamlined Class B accounts. In addition, the Commission proposes to establish less burdensome cost allocation manual ("CAM") procedures for the mid-sized incumbent local exchange carriers ("LECs") and to reduce the frequency with which independent audits of the cost allocations based upon the CAMs are required. Finally, the Commission propose several changes to the Uniform System of Accounts ("USOA") to reduce accounting requirements and to eliminate or consolidate accounts.

**DATES:** Written comments by the public on the proposed information collections