

The Rule

This amendment to Part 71 of the Federal Aviation Regulations (14 CFR part 71) revokes previously designated controlled airspace associated with George AFB.

The FAA has determined that this regulation only involves an established body of technical regulations for which frequent and routine amendments are necessary to keep them operationally current. Therefore, this regulation—(1) is not a “significant regulatory action” under Executive Order 12866; (2) is not a “significant rule” under DOT Regulatory Policies and Procedures (44 FR 11034; February 26, 1979); and (3) does not warrant preparation of a Regulatory Evaluation as the anticipated impact is so minimal. Since this is a routine matter that will only affect air traffic procedures and air navigation, it is certified that this rule will not have a significant economic impact on a substantial number of small entities under the criteria of the Regulatory Flexibility Act.

List of Subjects in 14 CFR Part 71

Airspace, Incorporation by reference, Navigation (air).

Adoption of the Amendment

In consideration of the foregoing, the Federal Aviation Administration amends 14 CFR part 71 as follows:

PART 71—DESIGNATION OF CLASS A, CLASS B, CLASS C, CLASS D, AND CLASS E AIRSPACE AREAS; ROUTES; AND REPORTING POINTS

1. The authority citation for 14 CFR part 71 continues to read as follows:

Authority: 49 U.S.C. 106(g), 40103, 40113, 40120; E.O. 10854, 24 FR 9565, 3 CFR, 1959–1963 Comp., p. 389; 14 CFR 11.69.

§ 71.1 [Amended]

2. The incorporation by reference in 14 CFR 71.1 of the Federal Aviation Administration Order 7400.9F, Airspace Designations and Reporting Points, dated September 10, 1998, and effective September 16, 1998, is amended as follows:

Paragraph 6005 Class E airspace areas extending upward from 700 feet or more above the surface of the earth.

* * * * *

AWP CA E5 Victorville, George AFB, CA [Removed]

* * * * *

Issued in Los Angeles, California, on December 28, 1998.

John Clancy,

Manager, Air Traffic Division, Western-Pacific Region.

[FR Doc. 99–649 Filed 1–11–99; 8:45 am]

BILLING CODE 4910–13–M

DEPARTMENT OF TRANSPORTATION**Federal Aviation Administration****14 CFR Part 97**

[Docket No. 29430; Amdt. No. 1903]

RIN 2120–AA65

Standard Instrument Approach Procedures; Miscellaneous Amendments

AGENCY: Federal Aviation Administration (FAA), DOT.

ACTION: Final rule.

SUMMARY: This amendment establishes, amends, suspends, or revokes Standard Instrument Approach Procedures (SIAPs) for operations at certain airports. These regulatory actions are needed because of changes occurring in the National Airspace System, such as the commissioning of new navigational facilities, addition of new obstacles, or changes in air traffic requirements. These changes are designed to provide safe and efficient use of the navigable airspace and to promote safe flight operations under instrument flight rules at the affected airports.

DATES: An effective date for each SIAP is specified in the amendatory provisions.

Incorporation by reference—approved by the Director of the Federal Register on December 31, 1980, and reapproved as of January 1, 1982.

ADDRESSES: Availability of matter incorporated by reference in the amendment is as follows:

For Examination

1. FAA Rules Docket, FAA Headquarters Building, 800 Independence Avenue, SW., Washington, DC 20591;

2. The FAA Regional Office of the region in which affected airport is located; or

3. The Flight Inspection Area Office which originated the SIAP.

For Purchase

Individual SIAP copies may be obtained from:

1. FAA Public Inquiry Center (APA–200), FAA Headquarters Building, 800 Independence Avenue, SW., Washington, DC 20591; or

2. The FAA Regional Office of the region in which the affected airport is located.

By Subscription

Copies of all SIAPs, mailed once every 2 weeks, are for sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402.

FOR FURTHER INFORMATION CONTACT:

Donald P. Pate, Flight Procedure Standards Branch (AMCAFS–420), Flight Technologies and Programs Division, Flight Standards Service, Federal Aviation Administration, Mike Monroney Aeronautical Center, 6500 South MacArthur Blvd., Oklahoma City, OK 73169. (Mail Address: P.O. Box 25082, Oklahoma City, OK 73125) telephone: (405) 954–4164.

SUPPLEMENTARY INFORMATION: This amendment to part 97 of the Federal Aviation Regulations (14 CFR part 97) establishes, amends, suspends, or revokes Standard Instrument Approach Procedures (SIAPs). The complete regulatory description on each SIAP is contained in the appropriate FAA Form 8260 and the National Flight Data Center (FDC)/Permanent (P) Notices to Airmen (NOTAM) which are incorporated by reference in the amendment under 5 U.S.C. 552(a), 14 CFR part 51, and § 97.20 of the Federal Aviation's Regulations (FAR). Materials incorporated by reference are available for examination or purchase as stated above.

The large number of SIAPs, their complex nature, and the need for a special format make their verbatim publication in the **Federal Register** expensive and impractical. Further, airmen do not use the regulatory text of the SIAPs, but refer to their graphic depiction of charts printed by publishers of aeronautical materials. Thus, the advantages of incorporation by reference are realized and publication of the complete description of each SIAP contained in FAA form documents is unnecessary. The provisions of this amendment state the affected CFR (and FAR) sections, with the types and effective dates of the SIAPs. This amendment also identifies the airport, its location, the procedure identification and the amendment number.

The Rule

This amendment to part 97 of the Federal Aviation Regulations (14 CFR part 97) establishes, amends, suspends, or revokes SIAPs. For safety and timeliness of change considerations, this amendment incorporates only specific

changes contained in the content of the following FDC/P NOTAM for each SIAP. The SIAP information in some previously designated FDC/Temporary (FDC/T) NOTAMs is of such duration as to be permanent. With conversion to FDC/P NOTAMs, the respective FDC/T NOTAMs have been canceled.

The FDC/P NOTAMs for the SIAPs contained in this amendment are based on the criteria contained in the U.S. Standard for Terminal Instrument Approach Procedures (TERPS). In developing these chart changes to SIAPs by FDC/P NOTAMs, the TERPS criteria were applied to only these specific conditions existing at the affected airports. All SIAP amendments in this rule have been previously issued by the FAA in a National Flight Data Center (FDC) Notice to Airmen (NOTAM) as an emergency action of immediate flight safety relating directly to published aeronautical charts. The circumstances which created the need for all these SIAP amendments requires making them effective in less than 30 days.

Further, the SIAPs contained in this amendment are based on the criteria contained in the TERPS. Because of the close and immediate relationship between these SIAPs and safety in air commerce, I find that notice and public procedure before adopting these SIAPs are impracticable and contrary to the public interest and, where applicable,

that good cause exists for making these SIAPs effective in less than 30 days.

Conclusion

The FAA has determined that this regulation only involves an established body of technical regulations for which frequent and routine amendments are necessary to keep them operationally current. It, therefore—(1) is not “significant regulatory action” under Executive Order 12866; (2) is not a “significant rule” under DOT Regulatory Policies and Procedures (44 FR 11034; February 26, 1979); and (3) does not warrant preparation of a regulatory evaluation as the anticipated impact is so minimal. For the same reason, the FAA certifies that this amendment will not have a significant economic impact on a substantial number of small entities under the criteria of the Regulatory Flexibility Act.

List of Subjects in 14 CFR Part 97

Air traffic control, Airports, Navigation (air).

Issued in Washington, DC on December 24, 1998.

Richard O. Gordon,

Acting Director, Flight Standards Service.

Adoption of the Amendment

Accordingly, pursuant to the authority delegated to me, part 97 of the Federal Aviation Regulations (14 CFR

part 97) is amended by establishing, amending, suspending, or revoking Standard Instrument Approach Procedures, effective at 0901 UTC on the dates specified, as follows:

PART 97—STANDARD INSTRUMENT APPROACH PROCEDURES

1. The authority citation for part 97 is revised to read as follows:

Authority: 49 U.S.C. 40103, 40113, 40120, 44701; 49 U.S.C. 106(g); and 14 CFR 11.49(b)(2)

2. Part 97 is amended to read as follows:

§§ 97.23, 97.25, 97.27, 97.29, 97.31, 97.33 and 97.35 [Amended]

By amending: § 97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; § 97.25 LOC, LOC/DME, LDA, LDA/DME, SDF, SDF/DME; § 97.27 NDB, NDB/DME; § 97.29 ILS, ILS/DME, ISMLS, MLS, MLS/DME, MLS/RNAV; § 97.31 RADAR SIAPs; § 97.33 RNAV SIAPs; and § 97.35 COPTER SIAPs, identified as follows:

* * * *Effective Upon Publication*

FDC Date	State	City	Airport	FDC No.	SIAP
12/10/98	NE	NORFOLK	KARL STEFAN MEMORIAL	8/8646	ILS RWY 1, AMDT 4B...
12/10/98	NJ	WILDWOOD	CAP MAY COUNTY	8/8653	VOR OR GPS-A AMDT 2...
12/10/98	NJ	WILDWOOD	CAP MAY COUNTY	8/8654	VOR/DME RNAV OR GPS RWY 19 AMDT 6...
12/10/98	NJ	WILDWOOD	CAP MAY COUNTY	8/8651	GPS RWY 10 ORIG...
12/10/98	NJ	WILDWOOD	CAP MAY COUNTY	8/8655	LOC RWY 19 AMDT 5...
12/10/98	TX	PORT ARTHUR	JEFFERSON COUNTY/BEAUMONT-PORT ARTHUR.	8/8632	VOR/DME RWY 34, AMDT 7...
12/11/98	IL	CARBONDALE-MUR-PHYS-BORO.	SOUTHERN ILLINOIS	8/8686	ILS RWY 18L AMDT 12A...
12/11/98	IL	CARBONDALE-MUR-PHYS-BORO.	SOUTHERN ILLINOIS	8/8687	NDB OR GPS RWY 18L AMDT 12A...
12/11/98	IL	CENTRALIA	CENTRALIA MUNI	8/8693	VOR OR GPS-A, ORIG...
12/11/98	IL	FLORA	FLORA MUNI	8/8694	NDB OR GPS RWY 21, AMDT 4...
12/11/98	IL	FREEPORT	ALBERTUS	8/8685	VOR/DME RNAV OR GPS RWY 6, AMDT 5A...
12/11/98	IL	FREEPORT	ALBERTUS	8/8688	LOC RWY 24, ORIG...
12/11/98	IL	FREEPORT	ALBERTUS	8/8696	VOR OR GPS RWY 24, AMDT 6...
12/11/98	IL	HARRISBURG	HARRISBURG-RALEIGH	8/8675	GPS RWY 24 ORIG...
12/11/98	IL	HARRISBURG	HARRISBURG-RALEIGH	8/8676	NDB RWY 24 AMDT 10...
12/11/98	IL	JOLIET	JOLIET PARK DISTRICT	8/8692	VOR OR GPS RWY 12, AMDT 11...
12/11/98	IL	JOLIET	JOLIET PARK DISTRICT	8/8697	VOR/DME RNAV RWY 12, AMDT 12...
12/11/98	IL	MACOMB	MACOMB MUNI	8/8678	VOR/DME OR GPS-A, AMDT 7...
12/11/98	IL	MACOMB	MACOMB MUNI	8/8679	LOC RWY 27, AMDT 2...
12/11/98	IL	MACOMB	MACOMB MUNI	8/8680	NDB OR GPS RWY 27, AMDT 2B...
12/11/98	IL	MARION	WILLIAMSON COUNTY REGIONAL ...	8/8699	VOR RWY 20 AMDT 16...

FDC Date	State	City	Airport	FDC No.	SIAP
12/11/98	IL	MARION	WILLIAMSON COUNTY REGIONAL	8/8702	NDB OR GPS RWY 20 AMDT 9...
12/11/98	NC	MORGANTON	MORGANTON-LENOIR	8/8666	LOC RWY 3, ORIG-A...
12/11/98	NC	MORGANTON	MORGANTON-LENOIR	8/8667	NDB OR GPS RWY 3, AMDT 4A...
12/14/98	IL	CARBONDALE-MURPHYS-BORO.	SOUTHERN ILLINOIS	8/8740	VOR OR GPS-A, AMDT 5A...
12/14/98	IL	CHICAGO	LANSING MUNI	8/8759	VOR OR GPS-A AMDT 5...
12/14/98	IL	EFFINGHAM	EFFINGHAM COUNTY MEMORIAL	8/8760	LOC RWY 29, AMDT 1...
12/14/98	IL	EFFINGHAM	EFFINGHAM COUNTY MEMORIAL	8/8761	VOR OR GPS RWY 1, AMDT 9...
12/14/98	IL	FREEPORT	ALBERTUS	8/8741	NDB RWY 6, ORIG...
12/14/98	IL	KANKAKEE	GREATER KANKAKEE	8/8762	VOR OR GPS RWY 4, AMDT 5...
12/14/98	IL	KANKAKEE	GREATER KANKAKEE	8/8763	VOR OR GPS RWY 22, AMDT 6...
12/14/98	IL	KANKAKEE	GREATER KANKAKEE	8/8764	VOR/DME RNAV RWY 22, AMDT 3...
12/15/98	IL	CHICAGO	LANSING MUNI	8/8769	GPS RWY 27, ORIG...
12/15/98	IL	MATTOON-CHARLESTON.	COLES COUNTY MEMORIAL	8/8787	VOR OR GPS RWY 6, AMDT 12...
12/15/98	IL	MATTOON-CHARLESTON	COLES COUNTY MEMORIAL	8/8790	NDB OR GPS RWY 29, AMDT 4...
12/15/98	IL	MATTOON-CHARLESTON.	COLES COUNTY MEMORIAL	8/8792	VOR OR GPS RWY 24, AMDT 10...
12/15/98	MI	GRAND RAPIDS	KENT COUNTY	8/8807	ILS RWY 35, ORIG-B...
12/15/98	MI	GRAND RAPIDS	KENT COUNTY	8/8808	ILS RWY 8R, AMDT 5B...
12/15/98	MI	GRAND RAPIDS	KENT COUNTY	8/8809	VOR RWY 35, ORIG-A...
12/15/98	MO	KANSAS CITY	KANSAS CITY INTL	8/8803	ILS RWY 9, AMDT 11...
12/15/98	MO	KANSAS CITY	KANSAS CITY INTL	8/8804	ILS RWY 19R, AMDT 9A (CATS I, II, III)...
12/15/98	MP	TINIAN ISLAND	WEST TINIAN	8/8800	GPS RWY 26 ORIG...
12/15/98	MP	TINIAN ISLAND	WEST TINIAN	8/8801	NDB-A AMDT 1...
12/15/98	MP	TINIAN ISLAND	WEST TINIAN	8/8802	GPS RWY 8 ORIG...
12/15/98	PA	STATE COLLEGE	UNIVERSITY PARK	8/8774	ILS RWY 24 AMDT 8...
12/16/98	IL	MATTOON-CHARLESTON.	COLES COUNTY MEMORIAL	8/8820	ILS RWY 29, AMDT 5...
12/16/87	MT	CUT BANK	CUT BANK MUNI	8/8827	GPS RWY 31, ORIG...
12/16/98	RI	NORTH KINGSTOWN	QUONSET STATE	8/8821	VOR RWY 34 ORIG...
12/16/98	TN	MEMPHIS	MEMPHIS INTL	8/8825	ILS RWY 36L (CAT I, II, III), AMDT 13...
12/16/98	VA	HOT SPRINGS	INGALLS FIELD	8/8833	ILS RWY 24 AMDT 2A... THIS REPLACES FDC 8/8418 IN TL99-01.
12/17/98	NY	ELMIRA	ELMIRA/CORNING REGIONAL	8/8888	ILS RWY 24 AMDT 17...
12/17/98	NY	GLENS FALLS	GLENS FALLS/FLOYD D. BENNETT	8/8890	ILS RWY 1 AMDT 3A...
12/17/98	NY	ISLIP	LONG ISLAND MAC ARTHUR	8/8886	ILS RWY 6 AMDT 21A...
12/17/98	NY	ITHACA	TOMPKINS COUNTY	8/8891	ILS RWY 32 AMDT 4...
12/17/98	NY	NIAGARA FALLS	NIAGARA FALLS INTL	8/8889	ILS RWY 28R AMDT 22...
12/17/98	NY	ONEONTA	ONEONTA MUNI	8/8887	LOC RWY 24 AMDT 1A...
12/17/98	WI	LA CROSSE	LA CROSSE MUNI	8/8876	ILS RWY 18, AMDT 18...
12/18/98	LA	SULPHUR	SOUTHLAND FIELD	8/8907	NDB RWY 15, AMDT 1...
12/18/98	LA	SULPHUR	SOUTHLAND FIELD	8/8908	LOC RWY 15 AMDT 1...
12/18/98	NE	OMAHA	EPPLEY AIRFIELD	8/8901	ILS RWY 18 AMDT 6...
12/21/98	IL	MARION	WILLIAMSON COUNTY REGIONAL	8/8947	ILS RWY 20, AMDT 11...
12/21/98	VT	BENNINGTON	WILLIAM H. MORSE STATE	8/8951	VOR OR GPS-A AMDT 8...
12/21/98	VT	BENNINGTON	WILLIAM H. MORSE STATE	8/8952	GPS RWY 13 ORIG...

Freeport

ALBERTUS
Illinois
VOR/DME RNAV OR GPS RWY 6,
AMDT 5A...
FDC Date: 12/11/98

FDC 8.8685 /PEP FI/P ALBERTUS,
FREEPORT, IL VOR/DME RNAV OR
GPS RWY 6, AMDT 51...DELETE
ROCKFORD ALTIMETER SETTING
MINIMUMS. DELETE NOTE... OBTAIN
LOCAL ALTIMETER SETTING ON

CTAF; WHEN NOT RECEIVED, USE
ROCKFORD ALTIMETER SETTING.
ALTERNATE MNMS STANDARD. THIS
IS VOR/DME RNAV OR GPS RWY 6,
AMDT 5B.

Carbondale-Murphysboro
SOUTHERN ILLINOIS
Illinois
ILS RWY 18L AMDT 12A...
FDC Date: 12/11/98

FDC 8/8686 /MDH/FI/P SOUTHERN
ILLINOIS, CARBONDALE-
MURPHYSBORO, IL, ILS RWY 18L
AMDT 12A...DELETE CAPE
GIRARDEAU ALTIMETER SETTING
MINIMUMS. DELETE NOTE... WHEN
CONTROL TOWER CLOSED, EXCEPT
FOR OPERATORS WITH APPROVED
WEATHER REPORTING SERVICE, USE
CAPE GIRARDEAU ALTIMETER
SETTING, DELETE NOTE... S-ILS 18L
VISIBILITY INCREASED 1/2 MILE FOR

INOPERATIVE MALSR WHEN USING
CAPE GIRARDEAU ALTIMETER
SETTING. ADD NOTE... ADF
REQUIRED. THIS IS ILS RWY 18L
AMDT 12B.

Carbondale-Murphysboro

SOUTHERN ILLINOIS

Illinois

NDB OR GPS RWY 18L AMDT 12A...
FDC Date 12/11/98

FDC 8/8687 /MDH/ FI/P SOUTHERN
ILLINOIS, CARBONDALE-
MURPHYSBORO, IL, NDB OR GPS
RWY 18L AMDT 12A...DELETE CAPE
GIRARDEAU ALTIMETER SETTING
MINIMUMS. DELETE NOTE... WHEN
CONTROL TOWER CLOSED, EXCEPT
FOR OPERATORS WITH APPROVED
WEATHER REPORTING SERVICE, USE
CAPE GIRARDEAU ALTIMETER
SETTING. THIS IS NDB OR GPS RWY
18L AMDT 12B.

Freeport

ALBERTUS

Illinois

LOC RWY 24, ORIG...

FDC Date: 12/11/98

FDC 8.8688 /FEP/ FI/P ALBERTUS,
FREEPORT, IL. LOC RWY 24,
ORIG...DELETE ROCKFORD
ALTIMETER SETTING MINIMUMS,
DELETE NOTE... OBTAIN LOCAL
ALTIMETER SETTING ON CTAF;
WHEN NOT RECEIVED, USE
ROCKFORD ALTIMETER SETTING,
ALTERNATE MNMS STANDARD. THIS
IS LOC RWY 24, ORIG-A.

Joliet

JOLIET PARK DISTRICT

Illinois

VOR OR GPS RWY 12, AMDT 11...

FDC Date: 12/11/98

FDC 8.8692 /JOT/FI/P JOLIET PARK
DISTRICT, JOLIET, IL VOR OR GPS
RWY 12, AMDT 11...DELETE NOTE...
OBTAIN LOCAL ALTIMETER SETTING
ON CTAF; WHEN NOT AVAILABLE,
USE DUPAGE ALTIMETER SETTING
AND INCREASE ALL MDAS 100 FEET
AND VISIBILITY ¼ MILE. DELETE...
ASTERISK AT STEPDOWN FIX
ALTITUDE. DELETE PROFILE NOTE...
1160 WITH DUPAGE ALTIMETER
SETTING. DELETE ALTERNATE
MNMS NOTE... NA EXCEPT FOR
OPERATORS WITH APPROVED
WEATHER REPORTING SERVICE.
ALTERNATE MNMS STANDARD. THIS
IS VOR OR GPS RWY 12, ADMT 11A.

Centralia

CENTRALIA MUNI

Illinois

VOR OR GPS-A, ORIG...

FDC Date: 12/11/98

FDC 8.8693 /ENL/ FI/P CENTRALIA
MUNI, CENTRALIA, IL VOR OR
GPS-A, ORIG...DELETE
MIDAMERICA ALTIMETER SETTING
MINIMUMS. DELETE NOTE...
OBTAIN LOCAL ALTIMETER
SETTING ON CTAF; WHEN NOT
RECEIVED, USE MIDAMERICA
ALTIMETER SETTING. DELETE
ALTERNATE MNMS NOTE... NA
EXCEPT FOR OPERATORS WITH
APPROVED WEATHER REPORTING
SERVICE. ALTERNATE MNMS
STANDARD. THIS IS VOR OR GPS-
A, ORIG-A.

Flora

FLORA MUNI

Illinois

NDB OR GPS RWY 21, AMDT 4...

FDC Date: 12/11/98

FDC 8/8694 /FOA/ FI/P FLORA
MUNI, FLORA, IL. NDS OR GPS RWY
21, AMDT 4...DELETE EVANSVILLE
ALTIMETER SETTING MINIMUMS.
DELETE NOTE... OBTAIN LOCAL
ALTIMETER SETTING ON CTAF;
WHEN NOT AVAILABLE, USE
EVANSVILLE ALTIMETER SETTING.
ALTERNATE MNMS STANDARD. THIS
IS NDB OR GPS RWY 21, AMDT 4A.

Freeport

ALBERTUS

Illinois

VOR OR GPS RWY 24, AMDT 6...

FDC Date: 12/11/98

FDC 8/8696 /FEP/ FI/P ALBERTUS,
FREEPORT, IL. VOR OR GPS RWY 24,
AMDT 6...DELETE ROCKFORD
ALTIMETER SETTING MINIMUMS.
DELETE NOTE... OBTAIN LOCAL
ALTIMETER SETTING ON CTAF;
WHEN NOT RECEIVED, USE
ROCKFORD ALTIMETER SETTING.
ALTERNATE MNMS STANDARD. THIS
IS VOR OR GPS RWY 24, AMDT 6A.

Joliet

Illinois

VOR/DME RNAV RWY 12, ADMT 12...

FDC Date: 12/11/98

FDC 8/8697 /JOT/FI/P JOLIET PARK
DISTRICT, JOLIET, IL. VOR/DME RNAV
RWY 12, AMDT 12...DELETE CHICAGO
DUPAGE ALTIMETER SETTING
MINIMUMS. DELETE NOTE... OBTAIN
LOCAL ALTIMETER SETTING ON
CTAF; WHEN NOT AVAILABLE, USE
CHICAGO DUPAGE ALTIMETER
SETTING. DELETE ALTERNATE
MNMS NOTE... NA EXCEPT FOR
OPERATORS WITH APPROVED
WEATHER REPORTING SERVICE.
ALTERNATE MNMS STANDARD. THIS
IS VOR/DME RNAV RWY 12, AMDT
12A.

Marion

WILLIAMSON COUNTY REGIONAL
Illinois

VOR RWY 20 AMDT 16...

FDC Date: 12/11/98

FDC 8.8699 /MWA/ FI/P
WILLIAMSON COUNTY REGIONAL,
MARION, IL. VOR RWY 20 AMDT
16...DELETE NOTE... WHEN CONTROL
TOWER CLOSED, EXCEPT FOR
OPERATORS WITH APPROVED
WEATHER REPORTING SERVICE, USE
CAPE GIRARDEAU ALTIMETER
SETTING AND INCREASE ALL MDAS
120 FEET AND VISIBILITY CATS B, C
AND D ½ MILE. DELETE... ASTERISK
AT STEPDOWN FIX ALTITUDE.
DELETE PROFILE NOTE... 1260 WHEN
USING CAPE GIRARDEAU ALTIMETER
SETTING. DELETE ALTERNATE
MINIMUMS NOTE... NA WHEN
CONTROL TOWER CLOSED EXCEPT
FOR OPERATOR WITH APPROVED
WEATHER REPORTING SERVICE.
ALTERNATE MINIMUMS STANDARD
EXCEPT CAT D 800-2-¼. THIS IS VOR
RWY 20 AMDT 16A.

Marion

WILLIAMSON COUNTY REGIONAL
Illinois

NDB OR GPS RWY 20 AMDT 9...

FDC Date: 12/11/98

FDC 8/8702 /MMA/ FI/P
WILLIAMSON COUNTY REGIONAL,
MARION, IL. NDB OR GPS RWY 20
AMDT 9...DELETE CAPE GIRARDEAU
ALTIMETER SETTING MINIMUMS.
DELETE NOTE...WHEN CONTROL
TOWER CLOSED, EXCEPT FOR
OPERATORS WITH APPROVED
WEATHER REPORTING SERVICE, USE
CAPE GIRARDEAU ALTIMETER
SETTING. ALTERNATE MINS
STANDARD. THIS IS NDB OR GPS
RWY 20, AMDT 9A.

Carbondale-Murphysboro

SOUTHERN ILLINOIS

Illinois

VOR OR GPS-A, AMDT 5A...

FDC Date: 12/14/98

FDC 8/8740 /MDH/ FI/P SOUTHERN
ILLINOIS, CARBONDALE-
MURPHYSBORO, IL. VOR OR GPS-A
AMDT 5A...DELETE CAPE GIRARDEAU
ALTIMETER SETTING MINIMUMS.
DELETE NOTE...WHEN CONTROL
TOWER CLOSED, EXCEPT FOR
OPERATORS WITH APPROVED
WEATHER REPORTING SERVICE, USE
CAPE GIRARDEAU ALTIMETER
SETTING. DELETE ALTERNATE
MINIMUMS NOTE...NA WHEN
CONTROL TOWER CLOSED.
ALTERNATE MINIMUMS STANDARD.
THIS IS VOR OR GPS-A AMDT 5B.

Freeport

ALBERTUS

Illinois

NDB RWY 6, ORIG...

FDC Date: 12/14/98

FDC 8/8741 /FEP/ FI/P ALBERTUS, FREEPORT, IL. NDB RWY 6, ORIG...DELETE ROCKFORD ALTIMETER SETTING MINIMUMS. DELETE NOTE...OBTAIN LOCAL ALTIMETER SETTING ON CTAF; WHEN NOT RECEIVED, USE ROCKFORD ALTIMETER SETTING. THIS IS NDB RWY 6, ORIG-A.

Chicago

LANSING MUNI

Illinois

VOR OR GPS-A AMDT 5...

FDC Date: 12/14/98

FDC 8/8759 /IGQ/ FI/P LANSING MUNI, CHICAGO, IL. VOR OR GPS-A AMDT 5...DELETE NOTE...IF LOCAL ALTIMETER SETTING NOT RECEIVED USE CHICAGO MIDWAY ALTIMETER SETTING AND INCREASE ALL MDAS 60 FEET. ALTERNATE MNMS STANDARD. THIS IS VOR OR GPS-A AMDT 5A.

Effingham

EFFINGHAM COUNTY MEMORIAL

Illinois

LOC RWY 29, AMDT 1...

FDC Date: 12/14/98

FDC 8/8760 /1H2/ FI/P EFFINGHAM COUNTY MEMORIAL, EFFINGHAM, IL. LOC RWY 29, AMDT 1... DELETE NOTE... IF LOCAL ALTIMETER SETTING NOT RECEIVED USE DECATUR ALTIMETER SETTING AND INCREASE ALL MDAS 120 FEET. ALTERNATE MNMS STANDARD. THIS IS LOC RWY 29 AMDT 1A.

Effingham

EFFINGHAM COUNTY MEMORIAL

Illinois

VOR OR GPS RWY 1, AMDT 9...

FDC Date: 12/14/98

FDC 8/8761 /1H2/ FI/P EFFINGHAM COUNTY MEMORIAL, EFFINGHAM, IL. VOR OR GPS RWY 1, AMDT 9...DELETE NOTE... IF LOCAL ALTIMETER SETTING NOT RECEIVED USE DECATUR ALTIMETER SETTING AND INCREASE ALL MDAS 120 FEET. DELETE ASTERISK AT STEPDOWN FIX ALTITUDE. DELETE PROFILE NOTE... 1300 WHEN USING DECATUR ALTIMETER SETTING. ALTERNATE MNMS STANDARD EXCEPT CAT D 800 2¹/₄. THIS IS VOR OR GPS RWY 1, AMDT 9A.

Kankakee

GREATER KANKAKEE

Illinois

VOR OR GPS RWY 4 AMDT 5...

FDC Date: 12/14/98

FDC 8/8762 /IKK/ FI/P GREATER KANKAKEE, KANKAKEE, IL. VOR OR GPS RWY 4, AMDT 5...DLT CHICAGO MIDWAY ALSTG MNMS. DLT NOTE...OBTAIN LOCAL ALSTG ON AWOS-3, WHEN NOT AVBL, USE CHICAGO MIDWAY ALSTG. ALTN MNMS STANDARD. THIS IS VOR OR GPS RWY 4, AMDT 5A.

Kankakee

GREATER KANKAKEE

Illinois

VOR OR GPS RWY 22, AMDT 6...

FDC Date: 12/14/98

FDC 8/8763 /IKK/ FI/P GREATER KANKAKEE, KANKAKEE, IL. VOR OR GPS RWY 22, AMDT 6...DLT NOTE...OBTAIN LOCAL ALSTG ON AWOS-3, WHEN NOT AVBL, USE CHICAGO MIDWAY ALSTG AND INCR ALL MDA'S 200 FT; INCR ALL CAT C AND D VIS 1/2 MILE. ALTN MNMS STANDARD. THIS IS VOR OR GPS RWY 22, AMDT 6.

Kankakee

GREATER KANKAKEE

Illinois

VOR/DME RNAV RWY 22, AMDT 3...

FDC Date: 12/14/98

FDC 8/8764 /IKK/ FI/P GREATER KANKAKEE, KANKAKEE, IL. VOR/DME RNAV RWY 22, AMDT 3...DLT CHICAGO MIDWAY ALSTG MNMS. DLT NOTE...OBTAIN LOCAL ALSTG ON AWOS-3, WHEN NOT AVBL, USE CHICAGO MIDWAY ALSTG. ALTN MNMS STANDARD. THIS IS VOR/DME RNAV RWY 22, AMDT 3A.

Chicago

LANSING MUNI

Illinois

GPS RWY 27, ORIG...

FDC Date: 12/15/98

FDC 8/8769 /IGQ/ FI/P LANSING MUNI, CHICAGO, IL. GPS RWY 27, ORIG...DELETE NOTE...IF LOCAL ALTIMETER SETTING NOT RECEIVED USE CHICAGO MIDWAY ALTIMETER SETTING AND INCREASE ALL MDAS 40 FEET. THIS IS GPS RWY 27, ORIG-A.

Mattoon-Charleston

COLES COUNTY MEMORIAL

Illinois

VOR OR GPS RWY 6, AMDT 12...

FDC Date: 12/15/98

FDC 8/8787 /MTO/ FI/P COLES COUNTY MEMORIAL, MATTOON-CHARLESTON, IL. VOR OR GPS RWY 6, AMDT 12...DELETE NOTE...OBTAIN LOCAL ALTIMETER SETTING ON CTAF; WHEN NOT AVAILABLE USE

DECATUR ALTIMETER SETTING AND INCREASE ALL MDA'S 160 FEET. DELETE ALTERNATE MNMS NOTE... NA EXCEPT STANDARD FOR OPERATORS WITH APPROVED WEATHER REPORTING SERVICE. DELETE ASTERISK AT PROFILE STEPDOWN FIX ALTITUDE. DELETE PROFILE NOTE... 1380 WHEN USING DECATUR ALTIMETER SETTING. ALTERNATE MNMS STANDARD. THIS IS VOR OR GPS RWY 6, AMDT 12A.

Mattoon-Charleston

COLES COUNTY MEMORIAL

Illinois

NDB OR GPS RWY 29, AMDT 4...

FDC Date: 12/15/98

FDC 8/8790 /MTO/ FI/P COLES COUNTY MEMORIAL, MATTOON-CHARLESTON, IL. NDB OR GPS RWY 29, AMDT 4...DELETE DECATUR ALTIMETER SETTING MINIMUMS. DELETE NOTE... USE MATTOON ALTIMETER SETTING; WHEN NOT AVAILABLE, USE DECATUR ALTIMETER SETTING AND INCREASE ALL DH'S/MDA'S 160 FEET. DELETE ACTIVATE MALSR RWY 29, HIRL RWY 11-19, REIL RWY 6-24, MIRL RWY 6-24 CTAF. THIS IS NDB OR GPS RWY 29, AMDT 4A.

Mattoon-Charleston

COLES COUNTY MEMORIAL

Illinois

VOR OR GPS RWY 24, AMDT 10...

FDC Date: 12/15/98

FDC 8/8792 /MTO/ FI/P COLES COUNTY MEMORIAL, MATTOON-CHARLESTON, IL. VOR OR GPS RWY 24, AMDT 10...DELETE NOTE...OBTAIN LOCAL ALTIMETER SETTING ON CTAF; WHEN NOT AVAILABLE USE DECATUR ALTIMETER SETTING AND INCREASE ALL MDA'S 160 FEET. DELETE ALTERNATE MNMS NOTE... NA EXCEPT STANDARD FOR OPERATORS WITH APPROVED WEATHER REPORTING SERVICE. DELETE ASTERISK AT PROFILE STEPDOWN FIX ALTITUDE. DELETE PROFILE NOTE... 1300 WHEN USING DECATUR ALTIMETER SETTING. ALTERNATE MNMS STANDARD. THIS IS VOR OR GPS RWY 24, AMDT 10A.

Mattoon-Charleston

COLES COUNTY MEMORIAL

Illinois

ILS RWY 29, AMDT 5...

FDC Date: 12/16/98

FDC 8/8820 /MTO/ FI/P COLES COUNTY MEMORIAL, MATTOON-CHARLESTON, IL. ILS RWY 29 AMDT 5...DELETE NOTE... USE MATTOON ALTIMETER SETTING, WHEN NOT AVAILABLE, USE DECATUR

ALTIMETER SETTING AND INCREASE ALL DH'S/MDA'S 160 FEET. ALTERNATE MNMS STANDARD. DELETE NOTE... CAT D S-LOC 29 VISIBILITY INCREASED 1/4 MILE FOR INOPERATIVE MM. THIS IS ILS RWY 29, AMDT 5A.

Marion

WILLIAMSON COUNTY REGIONAL Illinois
ILS RWY 20, AMDT 11...
FDC Date: 12/21/98

FDC 8/8947 /MWA/ FI/P
WILLIAMSON COUNTY REGIONAL, MARION, IL. ILS RWY 20, AMDT 11...DELETE CAPE GIRARDEAU ALTIMETER SETTING MINIMUMS. DELETE NOTE... WHEN CONTROL TOWER CLOSED, EXCEPT FOR OPERATORS WITH APPROVED WEATHER REPORTING SERVICE, USE CAPE GIRARDEAU ALTIMETER SETTING. ALTERNATE MINS STANDARD. THIS IS ILS RWY 20 AMDT 11A.

Sulphur

SOUTHLAND FIELD
Louisiana
NDB RWY 15, AMDT 1...
FDC Date: 12/18/98

FDC 8/8907 /L75/ FI/P SOUTHLAND FIELD, SULPHUR, LA. NDB RWY 15, AMDT 1...CHANGE NOTE TO READ... INOPERATIVE TABLE DOES NOT APPLY TO S-15 CATS C AND D. THIS IS NDB RWY 15, AMDT 1A.

Sulphur

SOUTHLAND FIELD
Louisiana
LOC RWY 15, AMDT 1...
FDC Date: 12/18/98

FDC 8/8908 /L75/ FI/P SOUTHLAND FIELD, SURPHUR, LA. LOC RWY 15 AMDT 1...S-15 VIS CAT D 1. THIS IS LOC RWY 15, AMDT 1A.

Grand Rapids

KENT COUNTY
Michigan
ILS RWY 35, ORIG-B...
FDC Date: 12/15/98

FDC 8/8807 /GRR/ FI/P KENT COUNTY, GRAND RAPIDS, MI. ILS RWY 35, ORIG-B...S-ILS 35... VIS RVR 2400 ALL CATS. S-LOC 35... VIS CAT A AND B RVR 2400, CAT C AND D RVR 5000. LMBAW INT MNMS S-LOC 35... VIS CAT A THRU C RVR 2400, CAT D RVR 4000. THIS IS ILS RWY 35, ORIG-C.

Grand Rapids

KENT COUNTY
Michigan
ILS RWY 8R, AMDT 5B...

FDC Date: 12/15/98
FDC 8/8808 /GRR/ FI/P KENT COUNTY, GRAND RAPIDS, MI. ILS RWY 8R, AMDT 5B...S-ILS 8R... VIS RVR 2400 ALL CATS. S-LOC 8R... VIS CAT A AND B RVR 2400, CAT C AND D RVR 4000. THIS IS ILS RWY 8R, AMDT 5C.

Grand Rapids

KENT COUNTY
Michigan
VOR RWY 35, ORIG-A...
FDC Date: 12/15/98

FDC 8/8809 /GRR/ FI/P KENT COUNTY, GRAND RAPIDS, MI. VOR RWY 35, ORIG-A...S-35...VIS CAT A AND B RVR 2400, CAT C RVR 4000, CAT D RVR 5000. ALSKA INT MNMS S-35... VIS CAT A THRU C RVR 2400, CAT D RVR 5000. CHANGE NOTE... FOR INOP MALSR, INCR S-35 ALSKA INT MNMS CAT D VIS TO 1-1/4 TO READ FOR INOP MALSR, INCR S-35 ALSKA INT MNMS CAT D VIS TO RVR 6000. THIS IS VOR RWY 35, ORIG-B.

Kansas City

KANSAS CITY INTL
Missouri
ILS RWY 9, AMDT 11...
FDC Date: 12/15/98

FDC 8/8803 /MCI/ FI/P KANSAS CITY INTL, KANSAS CITY, MO. ILS RWY 9, AMDT 11...DLT ALL REFERENCE TO MM. THIS IS ILS RWY 9, AMDT 11.

Kansas City

KANSAS CITY INTL
Missouri
ILS RWY 19R, AMDT 9A (CATS I, II, III)...
FDC Date: 12/15/98

FDC 8/8804 /MCI/ FI/P KANSAS CITY INTL, KANSAS CITY, MO. ILS RWY 19R, AMDT 9A (CATS I, II, III)...DEPICT MM AT 3047 FT (.50 NM) TO THLD, GS ALT AT MM 1195 FT. THIS IS ILS RWY 19R, AMDT 9B

Tinian Island

WEST TINIAN
MP.
GPS RWY 26 ORIG...
FDC Date: 12/15/98

FDC 8/8800 /TNI/ FI/P WEST TINIAN, TINIAN ISLAND, MP. GPS RWY 26 ORIG...DELETE NOTE...PROC NA AT NIGHT. THIS IS GPS RWY 26 ORIG-A.

Tinian Island

WEST TINIAN
MP.
NDB-A AMDT 1...
FDC Date: 12/15/98

FDC 8/8801 /TNI/ FI/P WEST TINIAN, TINIAN ISLAND, MP. NDB-A

AMDT 1...DELETE NOTE...PROC NA AT NIGHT. THIS IS NDB-A AMDT 1A.

Tinian Island

WEST TINIAN
MP.
GPS RWY 8 ORIG...
FDC Date: 12/15/98

FDC 8/8802 /TNI/ FI/P WEST TINIAN, TINIAN ISLAND, MP. GPS RWY 8 ORIG...DELETE NOTE... PROC NA AT NIGHT. THIS IS GPS RWY 8 ORIG-A.

Cut Bank

CUT BANK MUNI
Montana
GPS RWY 31, ORIG...
FDC Date: 12/16/98

FDC 8/8827 /CTB/ FI/P CUT BANK MUNI, CUT BANK, MT. GPS RWY 31, ORIG...CHANGE MISSED APPROACH TO READ...CLIMB TO 6000 VIA 315 COURSE TO KOMBY WP AND HOLD.

Morganton

MORGANTON-LENOIR
North Carolina
LOC RWY 3, ORIG A...
FDC Date: 12/11/98

FDC 8/8666 /MRN/ FI/P MORGANTON-LENOIR, MORGANTON, NC. LOC RWY 3, ORIG-A...CIRCLING HAA CAT A 450, CATS B/C 470, CAT D 550. FM MNMS...CIRCLING HAA CAT A 430, CATS B/C 470, CAT D 550. DLT NOTE...OBTAIN LOCAL ALSTG CTAF; WHEN NOT RECEIVED, USE WILKES COUNTY ALSTG AND INCR ALL MDA'S 240 FT AND ALL VIS 3/4 MILE. CHART...AWOS-S. THIS IS LOC RWY 3, ORIG-B.

Morganton

MORGANTON-LENOIR
North Carolina
NDB OR GPS RWY 3, AMDT 4A...
FDC Date: 12/11/98

FDC 8/8667 /MRN/ FI/P MORGANTON-LENOIR, MORGANTON, NC. NDB OR GPS RWY 3, AMDT 4A...CIRCLING HAA CATS A/B/C 510, CAT D 550. DLT NOTE...OBTAIN LOCAL ALSTG CTAF; WHEN NOT RECEIVED, USE WILKES COUNTY ALSTG AND INCR ALL MDA'S 240 FT AND ALL VIS 3/4 MILE. CHART...AWOS-3. THIS IS NDB OR GPS RWY 3, AMDT 4B.

Norfolk

KARL STEFAN MEMORIAL
Nebraska
ILS RWY 1, AMDT 4B...
FDC Date: 12/10/98

FDC 8/8646 /OFK/ FI/P KARL STEFAN MEMORIAL, NORFOLK, NE.

ILS RWY 1, AMDT 4B...MIN ALT OFK/
3 DME 2240 (LOC ONLY). THIS IS ILS
RWY 1, AMDT 4C.

Omaha

EPPLEY AIRFIELD
Nebraska
ILS RWY 18 AMDT 6...
FDC Date: 12/18/98

FDC 8/8901 /OMA/ FI/P EPPLEY
AIRFIELD, OMAHA, NE. ILS RWY 18
AMDT 6...S-ILS 18 VIS 1/2 ALL CATS.
S-LOC 18 VIS 1/2 CATS A/B/C, VIS 3/4
CAT D. CHART TCH...46 FEET. THIS IS
ILS RWY 18, AMDT 6A.

Wildwood

CAPE MAY COUNTY
New Jersey
GPS RWY 10 ORIG...
FDC Date: 12/10/98

FDC 8/8651 /WWD/ FI/P CAPE MAY
COUNTY, WILDWOOD, NJ. GPS RWY
10 ORIG...DELETE NOTE... CIRCLING
NA NORTH OF RWY 28 AND EAST OF
RWY 19 CATS C/D. THIS IS GPS RWY
10 ORIG-A.

Wildwood

CAPE MAY COUNTY
New Jersey
VOR OR GPS-A AMDT 2...
FDC Date: 12/10/98

FDC 8/8653 /WWD/ FI/P CAPE MAY
COUNTY, WILDWOOD, NJ, VOR OR
GPS-A AMDT 2...DELETE
NOTE...CIRCLING NA EAST OF RWYS
19 AND NORTH OF RWY 28 CATS C/
D. ADD NOTE...CIRCLING NA NORTH
OF RWY 28 AND EAST OF RWY 19
CATS C/D. THIS IS VOR OR GPS-A
AMDT 2A.

Wildwood

CAPE MAY COUNTY
New Jersey
VOR/DME RNAV OR GPS RWY 19
AMDT 6...
FDC Date: 12/10/98

FDC 8/8654 /WWD/ FI/P CAPE MAY
COUNTY, WILDWOOD, NJ. VOR/DME
RNAV OR GPS RWY 19 AMDT
6...DELETE NOTE...CIRCLING NA
EAST OF RWYS 19 AND 28 CATS C/
D. ADD NOTE...CIRCLING NA NORTH
OF RWY 28 AND EAST OF RWY 19
CATS C/D. THIS IS VOR/DME RNAV
OR GPS 19 AMDT 6A.

Wildwood

CAPE MAY COUNTY
New Jersey
LOC RWY 19 AMDT 5...
FDC Date: 12/10/98

FDC 8/8655 /WWD/ FI/P CAPE MAY
COUNTY, WILDWOOD, NJ. LOC RWY
19 AMDT 5...DELETE
NOTE...CIRCLING NA EAST OF RWY

1-19 CATS C/D. ADD
NOTE...CIRCLING NA NORTH OF RWY
28 AND EAST OF RWY 19 CATS C/D.
THIS IS LOC RWY 19 AMDT 5A.

Islip

LONG ISLAND MAC ARTHUR
New York
ILS RWY 6 AMDT 21A...
FDC Date: 12/17/98

FDC 8/8886 /ISP/ FI/P LONG ISLAND
MAC ARTHUR, ISLIP, NY. ILS RWY 6
AMDT 21A...ADD NOTE... ADF
REQUIRED. THIS IS ILS RWY 6 AMDT
21B.

Oneonta

ONEONTA MUNI
New York
LOC RWY 24 AMDT 1A...
FDC Date: 12/17/98

FDC 8/8887 /N66/ FI/P ONEONTA
MUNI, ONEONTA, NY. LOC RWY 24
AMDT 1A...ADD NOTE...ADF
REQUIRED. MSA FROM OZ NDB 090-
180 4400, 180-270 3900, 270-090 3700.
THIS IS LOC RWY 24 AMDT 1B.

Elmira

ELMIRA/CORNING REGIONAL
New York
ILS RWY 24 AMDT 17...
FDC Date: 12/17/98

FDC 8/8888 /ELM/ FI/P ELMIRA/
CORNING REGIONAL, ELMIRA, NY.
ILS RWY 24 AMDT 17...ADD
NOTE...ADF REQUIRED. THIS IS ILS
RWY 24 AMDT 17A.

Niagara Falls

NIAGARA FALLS INTL
New York
ILS RWY 28R AMDT 22...
FDC Date: 12/17/98

FDC 8/8889 /IAG/ FI/P NIAGARA
FALLS INTL, NIAGARA FALLS, NY.
ILS RWY 28R AMDT 22...ADD
NOTE...ADF REQUIRED. THIS IS ILS
RWY 28R AMDT 22A.

Glens Falls

GLENS FALLS/FLOYD D. BENNETT
New York
ILS RWY 1 AMDT 3A...
FDC Date: 12/17/98

FDC 8/8890 /GFL/ FI/P GLENS
FALLS/FLOYD D. BENNETT, GLENS
FALLS, NY. ILS RWY 1 AMDT
3A...ADD NOTE...ADF REQUIRED.
THIS IS ILS RWY 1 AMDT 3B.

Ithaca

TOMPKINS COUNTY
New York
ILS RWY 32 AMDT 4...
FDC Date: 12/17/98

FDC 8/8891 /ITH/ FI/P TOMPKINS
COUNTY, ITHACA, NY. ILS RWY 32

AMDT 4...ADD NOTE...ADF
REQUIRED. THIS IS ILS RWY 32 AMDT
4A.

State College

UNIVERSITY PARK
Pennsylvania
ILS RWY 24 AMDT 8...
FDC Date: 12/15/98

FDC 8/8774 /UNV/ FI/P UNIVERSITY
PARK, STATE COLLEGE, PA. ILS RWY
24 AMDT 8...S-LOC 24 MDA 1620/HAT
394 ALL CATS. ADD NOTE...
INOPERATIVE TABLE DOES NOT
APPLY TO S-ILS 24. ADD NOTE...ADF
REQUIRED. FOR INOPERATIVE
MALSR INCREASE S-LOC 24 CAT A/
B/C VISIBILITY TO 1. THIS IS ILS RWY
24 AMDT 8A.

North Kingstown

QUONSET STATE
Rhode Island
VOR RWY 34 ORIG...
FDC Date: 12/16/98

FDC 8/8821 /OQU/ FI/P QUONSET
STATE, NORTH KINGSTOWN, RI. VOR
RWY 34 ORIG... DISTANCE FAF TO
MAP 5.06 NM. DISTANCE FAF TO
THLD F.16 NM. THIS IS VOR RWY 34
ORIG-A.

Memphis

MEMPHIS INTL
Tennessee
ILS RWY 36L (CAT I, II, III), AMDT 13...
FDC Date: 12/16/98

FDC 8/8825 /MEM/ FI/P MEMPHIS
INTL, MEMPHIS, TN. ILS RWY 36L
(CAT I, II, III), AMDT
13...MINIMUMS...S-LOC 36L... MDA
760/HAT 440 ALL CATS. VIS CAT C
4000, CAT D/E 5000. CAT III ILS; IIIC
NA. THIS IS ILS RWY 36L (CAT I, II,
III), AMDT 13A.

Port Arthur

JEFFERSON COUNTY/BEAUMONT-
PORT ARTHUR
Texas
VOR/DME RWY 34, AMDT 7...
FDC Date: 12/10/98

FDC 8/8632 /BPT/ FI/P JEFFERSON
COUNTY/BEAUMONT-PORT
ARTHUR, PORT ARTHUR, TX. VOR/
DME RWY 34, AMDT 7...CHANGE ALL
REFERENCE TO BPT R-179/5.00 DME
TO READ BAXTR/BPT 5.00 DME. THIS
IS VOR/DME RWY 34, AMDT 7A.

Hot Springs

INGALLS FIELD
Virginia
ILS RWY 24 AMDT 2A...
FDC Date: 12/16/98
THIS REPLACES FDC 8/8418 IN TL99-
01.

FDC 8/8833 /HSP/ FI/P INGALLS
FIELD, HOT SPRINGS, VA. ILS RWY 24

AMDT 2A...MSA FROM LWB VOR/
DME 5800 (28NM). CHART
GREENBRIER (LWB) VOR/DME. THIS
IS ILS RWY 24 AMDT 2B.

Bennington

WILLIAM H. MORSE STATE
Vermont
VOR OR GPS-A AMDT 8...
FDC Date: 12/21/98

FDC 8/8951 /DDH/ FI/P WILLIAM H.
MORSE STATE, BENNINGTON, VT.
VOR OR GPS-A AMDT 8...DELETE
ALBANY ALSTG MNMS. DELETE
NOTE... WHEN LOCAL ALTIMETER
NOT RECEIVED, USE ALBANY ALSTG.
CHART ASOS. THIS IS VOR OR GPS-
A AMDT 8A.

Bennington

WILLIAM H. MORSE STATE
Vermont
GPS RWY 13 ORIG...
FDC Date: 12/21/98

FDC 8/8952 /DDH/ FI/P WILLIAM H.
MORSE STATE, BENNINGTON, VT.
GPS RWY 13 ORIG...DELETE ALBANY
ALSTG MNMS, DELETE NOTE...
WHEN LOCAL ALTIMETER NOT
RECEIVED, USE ALBANY ALSTG.
CHART ASOS. THIS IS GPS RWY 13
ORIG-A.

La Crosse

LA CROSSE MUNI
Wisconsin
ILS RWY 18, AMDT 18...
FDC Date: 12/17/98

FDC 8/8876 /LSE/ FI/P LA CROSSE
MUNI, LA CROSSE, WI. ILS RWY 18,
AMDT 18...DLT ALL REFERENCE TO
MM. THIS IS ILS RWY 18, AMDT 18A.

Harrisburg

HARRISBURG-RALEIGH
Illinois
GPS RWY 24 ORIG...
FDC Date: 12/11/98

FDC 8/8675 /HSB/ FI/P
HARRISBURG-RALEIGH,
HARRISBURG IL. GPS RWY 24
ORIG...DELETE MOUNT VERNON
ALTIMETER SETTING MINIMUMS.
DELETE NOTE... OBTAIN LOCAL
ALTIMETER SETTING ON CTAF;
WHEN NOT RECEIVED, USE MOUNT
VERNON ALTIMETER SETTING
DELETE... ASTERISK AT STEPDOWN
FIX ALTITUDE. DELETE PROFILE
NOTE... 980 WHEN USING MOUNT
VERNON ALTIMETER SETTING. THIS
IS GPS RWY 24 ORIG-A.

Harrisburg

HARRISBURG-RALEIGH
Illinois
NDB RWY 24 AMDT 10...
FDC Date: 12/11/98

FDC 8/8676 /HSB/ FI/P
HARRISBURG-RALEIGH,
HARRISBURG, IL. NDB RWY 24 AMDT
10...DELETE MOUNT VERNON
ALTIMETER SETTING MINIMUMS.
DELETE NOTE... OBTAIN LOCAL
ALTIMETER SETTING ON CTAF;
WHEN NOT RECEIVED, USE MOUNT
VERNON ALTIMETER SETTING
ALTERNATE MNMS STANDARD. THIS
IS NDB RWY 24 AMDT 10A.

Macomb

MACOMB MUNI
Illinois
VOR/DME OR GPS-A, AMDT 7...
FDC Date: 12/11/98

FDC 8/8678 /MQB/ FI/P MACOMB
MUNI, MACOMB, IL. VOR/DME OR
GPS-A, AMDT 7...DELETE
BURLINGTON ALTIMETER SETTING
MINIMUMS. DELETE NOTE... OBTAIN
LOCAL ALTIMETER SETTING ON
CTAF; IF NOT RECEIVED, USE
BURLINGTON ALTIMETER SETTING.
DELETE ALTERNATE MNMS NOTE...
NA EXCEPT FOR OPERATORS WITH
APPROVED WEATHER REPORTING
SERVICE. ALTERNATE MNMS
STANDARD. THIS IS VOR/DME OR
GPS-A, AMDT 7A.

Macomb

MACOMB MUNI
Illinois
LOC RWY 27, AMDT 2...
FDC Date: 12/11/98

FDC 8/8679/MQB/ FI/P MACOMB
MUNI, MACOMB, IL. LOC RWY 27,
AMDT 2...DELETE BURLINGTON
ALTIMETER SETTING MINIMUMS,
DELETE NOTE... OBTAIN LOCAL
ALTIMETER SETTING ON CTAF; IF
NOT RECEIVED, USE BURLINGTON
ALTIMETER SETTING. DELETE
ALTERNATE MNMS NOTE... NA
EXCEPT FOR OPERATORS WITH
APPROVED WEATHER REPORTING
SERVICE. ALTERNATE MNMS NA.
THIS IS LOC RWY 27, AMDT 2A.

Macomb

MACOMB MUNI
Illinois
NDB OR GPS RWY 27, AMDT 2B...
FDC Date: 12/11/98

FDC 8/8680/MQB/ FI/P MACOMB
MUNI, MACOMB, IL. NDB OR GPS
RWY 27, AMDT 2B...DELETE
BURLINGTON ALTIMETER SETTING
MINIMUMS. DELETE NOTE... OBTAIN
LOCAL ALTIMETER SETTING ON
CTAF; IF NOT RECEIVED, USE
BURLINGTON ALTIMETER SETTING.
DELETE ALTERNATE MNMS NOTE...
NA EXCEPT FOR OPERATORS WITH
APPROVED WEATHER REPORTING
SERVICE. ALTERNATE MNMS NA.

THIS IS NDB OR GPS RWY 27, AMDT
2C.

[FR Doc. 99-648 Filed 1-11-99; 8:45 am]
BILLING CODE 4910-13-M

DEPARTMENT OF TRANSPORTATION

Federal Aviation Administration

14 CFR Part 97

[Docket No. 29429; Amdt. No. 1907]

RIN 2120-AA65

**Standard Instrument Approach
Procedures; Miscellaneous
Amendments**

AGENCY: Federal Aviation
Administration (FAA), DOT.

ACTION: Final rule.

SUMMARY: This amendment establishes, amends, suspends, or revokes Standard Instrument Approach Procedures (SIAPs) for operations at certain airports. These regulatory actions are needed because of the adoption of new or revised criteria, or because of changes occurring in the National Airspace System, such as the commissioning of new navigational facilities, addition of new obstacles, or changes in air traffic requirements. These changes are designed to provide safe and efficient use of the navigable airspace and to promote safe flight operations under instrument flight rules at the affected airports.

DATES: An effective date for each SIAP is specified in the amendatory provisions.

Incorporation by reference—approved by the Director of the Federal Register on December 31, 1980, and reapproved as of January 1, 1982.

ADDRESSES: Availability of matters incorporated by reference in the amendment is as follows:

For Examination—

1. FAA Rules Docket, FAA Headquarters Building, 800 Independence Avenue, SW., Washington, DC 20591;

2. The FAA Regional Office of the region in which the affected airport is located; or

3. The Flight Inspection Area Office which originated the SIAP.

*For Purchase—*Individual SIAP copies may be obtained from:

1. FAA Public Inquiry Center (APA-200), FAA Headquarters Building, 800 Independence Avenue, SW., Washington, DC 20591; or

2. The FAA Regional office of the region in which the affected airport is located.