

By the National Credit Union
Administration Board on February 24, 1999.
Becky Baker,
Secretary of the Board.
[FR Doc. 99-5403 Filed 3-4-99; 8:45 am]
BILLING CODE 7535-01-P

NATIONAL SCIENCE FOUNDATION

Special Emphasis Panel in Engineering Education and Centers; Notice of Meeting

In accordance with Federal Advisory Committee Act (Pub. L. 92-463, as amended), the National Science Foundation announces the following meeting:

Name: Special Emphasis Panel in Engineering Education and Centers (173).
Date/Time: March 25-26, 1999, 8:30 a.m. to 5:00 p.m.

Place: National Science Foundation, Room 320, 4201 Wilson Boulevard, Arlington, VA 22230.

Type of Meeting: Closed.
Contact Person: Tap Mukherjee, Program Director, Engineering Education and Centers Division, National Science Foundation, Room 585, 4201 Wilson Boulevard, Arlington, VA 22230.

Purpose of Meeting: To provide advice and recommendations concerning proposals submitted to NSF for financial support.

Agenda: To review and evaluate Engineering Research Centers proposals as part of the selection process for awards.

Reason for Closing: The proposals being reviewed include information of a proprietary or confidential nature, including technical information; financial data, such as salaries; and personal information concerning individuals associated with the proposals. These matters are exempt under 5 U.S.C. 552b.(c)(4) and (6) of the Government in the Sunshine Act.

Dated: March 1, 1999.

Linda Allen-Benton,
Acting Director, Division of Human Resource Management.
[FR Doc. 99-5477 Filed 3-4-99; 8:45 am]

BILLING CODE 7555-01-M

NATIONAL SCIENCE FOUNDATION

Special Emphasis Panel in Engineering Educational Centers; Notice of Meeting

In accordance with Federal Advisory Committee Act (Pub. L. 92-463, as amended), the National Science Foundation announces the following meeting:

Name: Special Emphasis Panel in Engineering Education and Centers (173).
Date/Time: March 23-24, 1999 8:30 a.m. to 5:00 p.m.

Place: National Science Foundation, Room 365, 4201 Wilson Boulevard, Arlington, VA 22230.

Type of Meeting: Closed.

Contact Person: John Hurt, Program Director, Engineering Education and Centers Division, National Science Foundation, Room 585, 4201 Wilson Boulevard, Arlington, VA 22230.

Purpose of Meeting: To provide advice and recommendations concerning proposals submitted to NSF for financial support.

Agenda: To review and evaluate Engineering Research Centers Proposals as part of the selection process for awards.

Reason for Closing: The proposals being reviewed include information of a proprietary or confidential nature, including technical information; financial data, such as salaries; and personal information concerning individuals associated with the proposals. These matters are exempt under 5 U.S.C. 552b. (c)(4) and (6) of the Government in the Sunshine Act.

Dated: March 1, 1999.

Linda Allen-Benton,
Acting Director, Division of Human Resource Management.

[FR Doc. 99-5478 Filed 3-4-99; 8:45 am]

BILLING CODE 7555-01-M

NATIONAL SCIENCE FOUNDATION

Special Emphasis Panel in Experimental and Integrative Activities; Notice of Meeting

In accordance with the Federal Advisory Committee Act (Pub. L. 92-463, as amended), the National Science Foundation announces the following meeting.

Name: Special Emphasis Panel in Experimental and Integrative Activities (1373).

Date and Time: March 23, 1999; 8:30 am to 5:00 pm.

Place: Room 1150, National Science Foundation, 4201 Wilson Blvd., Arlington, VA.

Type of Meeting: Closed.

Contact Person(s): Dr. Anthony Maddox, Program Director, Division of Experimental and Integrative Activities, National Science Foundation, Room 1160, 4201 Wilson Boulevard, Arlington, VA 22230. Telephone: (703) 306-1980.

Purpose of Meeting: To provide advice and recommendations concerning proposals submitted to the National Science Foundation for financial support.

Agenda: To review and evaluate CISE Postdoctoral Research Associates in Experimental Computer Science proposals as part of the selection process for awards.

Reason for Closing: The proposals being reviewed include information of a proprietary or confidential nature, including technical information; financial data, such as salaries, and personal information concerning individuals associated with the proposals. These matters are exempt under 5 U.S.C. 552b(c), (4) and (6) of the Government in the Sunshine Act.

Dated: March 1, 1999.

Linda Allen-Benton,
Acting Director, Division of Human Resource Management.

[FR Doc. 99-5476 Filed 3-4-99; 8:45 am]

BILLING CODE 7555-01-M

NUCLEAR REGULATORY COMMISSION

[Docket Nos. STN 50-454 and STN 50-455]

Commonwealth Edison Company (Byron Station, Units 1 and 2); Exemption

I

The Commonwealth Edison Company (ComEd, the licensee) is the holder of Facility Operating License Nos. NPF-37 and NPF-66, which authorize operation of Byron Station, Units 1 and 2. The licenses provide, among other things, that the licensee is subject to all rules, regulations, and orders of the Commission now or hereafter in effect.

The facility consists of two pressurized-water reactors at the licensee's site in Ogle County, Illinois.

II

Section 50.44 of Title 10 of the Code of Federal Regulations, "Standards for Combustible Gas Control System in Light-Water-Cooled Power Reactors," requires, among other items, that each boiling or pressurized light-water nuclear power reactor fueled with oxide pellets within cylindrical zircaloy or ZIRLO cladding, must, as provided in paragraphs (b) through (d) of this section, include means for control of hydrogen gas that may be generated, following a postulated loss-of-coolant accident (LOCA) by—(1) Metal-water reaction involving the fuel cladding and the reactor coolant, (2) Radiolytic decomposition of the reactor coolant, and (3) Corrosion of metals.

Section 50.46 of Title 10 of the Code of Federal Regulations, "Acceptance Criteria for Emergency Core Cooling Systems for Light-Water Nuclear Power Reactors," requires, among other items, that each boiling or pressurized light-water nuclear power reactor fueled with uranium oxide pellets within cylindrical zircaloy or ZIRLO cladding must be provided with an emergency core cooling system (ECCS) that must be designed so that its calculated cooling performance following postulated LOCAs conform to the criteria set forth in paragraph (b) of this section. ECCS cooling performance must be calculated in accordance with an acceptable evaluation model and must be calculated for a number of postulated