

capacity of 300 megawatts (MW); (7) a tailrace channel; (8) a 100-mile-long, 230-kV transmission line from the switchyard to PGE's Bethel Substation; (9) a 10.5-mile-long, 12.5-kV transmission line from the switchyard to the Reregulating Dam; and (10) other appurtenances.

The Pelton Development consists of: (1) the 204-foot-high, 636-foot-long thin-arch variable-radius reinforced concrete Pelton Dam with a crest elevation 1,585 feet msl; (2) a reinforced concrete spillway on the left bank with a crest elevation of 1,558 feet msl; (3) Lake Simtustus with a gross storage capacity of 31,000 acre-feet and a normal maximum surface area of 540 acres at normal maximum water surface elevation of 1,580 feet msl; (4) an intake structure at the dam; (5) three 16-foot-diameter penstocks, 107 feet long, 116 feet long, and 108 feet long, respectively; (6) a powerhouse with three turbine generator units with a total installed capacity of 108 MW; (7) a tailrace channel; (8) a 7.9-mile-long, 230-kV transmission line from the powerhouse to the Round Butte switchyard; and (9) other appurtenances.

The Reregulating Development consists of: (1) the 88-foot-high, 1,067-foot-long concrete gravity and impervious core rockfilled Reregulating Dam with a spillway crest elevation of 1,402 feet msl; (2) a reservoir with a gross storage capacity of 3,500 acre feet and a normal maximum water surface area of 190 acres at normal maximum water surface elevation of 1,435 feet msl; (3) a powerhouse at the dam containing a 18.9-MW turbine generator unit; (4) a tailrace channel; (5) a 3.2-mile-long, 69-kV transmission line from the development to the Warm Springs Substation; and (6) other appurtenances.

n. Copies of the applications are available for inspection and reproduction at the Commission's Public Reference Room, located at 888 First Street, NE, Room 2A, Washington, D.C. 20426, or by calling (202) 208-1371. The applications may be viewed on <http://www.ferc.fed.us/rims.htm> (call (202) 208-2222 for assistance). Copies are also available for inspection and reproduction at the addresses in items h and i above.

o. With this notice, we are initiating consultation with the State Historic Preservation Officer as required by § 106, National Historic Preservation Act, and the regulations of the Advisory

Council on Historic Preservation, 36 CFR at § 800.4.

David P. Boergers,

Secretary.

[FR Doc. 99-34036 Filed 12-30-99; 8:45 am]

BILLING CODE 6717-01-M

ENVIRONMENTAL PROTECTION AGENCY

[FRL-6518-6]

Microbial and Disinfectants/Disinfection Byproducts Advisory Committee; Notice of Meetings

AGENCY: Environmental Protection Agency.

ACTION: Notice of meetings.

SUMMARY: Under section 10(a)(2) of Public Law 920423, "The Federal Advisory Committee Act," notice is hereby given of a series of meetings of the Microbial and Disinfectants/Disinfection Byproducts Advisory Committee established under the Safe Drinking Water Act, as amended (42 U.S.C. S300f *et seq.*). All meetings are scheduled from 9:00 a.m. to 5:00 p.m. eastern time, and will be held at RESOLVE, Inc., 1255 23rd Street, NW, Suite 275 Washington DC 20037. The meetings are open to the public, but due to past experience, seating will be limited.

The meetings are scheduled for: February 16-17, to discuss Rule options; microbial/DBP health risks, technologies and costs; March 29-30, to discuss Rule options; microbial/DBP health risks, technologies and costs; and April 18-19, to discuss draft Agreement in Principle.

Statements from the public will be taken if time permits.

For more information, please contact Martha M. Kucera, Designated Federal Officer, Microbial Disinfectants/Disinfection Byproducts Advisory Committee, U.S. EPA, Office of Ground Water and Drinking Water, Mailcode 4607, 401 M Street, SW, Washington, D.C. 20460. The telephone number is 202-260-7773 or E-mail kucera.martha@epamail.epa.gov.

Dated: December 16, 1999.

Cynthia C. Dougherty,

Director, Office of Ground Water and Drinking Water.

[FR Doc. 99-34055 Filed 12-30-99; 8:45 am]

BILLING CODE 6560-50-P

FEDERAL RESERVE SYSTEM

Sunshine Act Meeting

AGENCY HOLDING THE MEETING: Board of Governors of the Federal Reserve System.

TIME AND DATE: 10:00 a.m., Wednesday, January 5, 2000.

PLACE: Marriner S. Eccles Federal Reserve Board Building, 20th and C Streets, N.W., Washington, D.C. 20551.

STATUS: Closed.

MATTERS TO BE CONSIDERED:

1. Personnel actions (appointments, promotions, assignments, reassignments, and salary actions) involving individual Federal Reserve System employees.
2. Any matters carried forward from a previously announced meeting.

CONTACT PERSON FOR MORE INFORMATION: Lynn S. Fox, Assistant to the Board; 202-452-3204.

SUPPLEMENTARY INFORMATION: You may call 202-452-3206 beginning at approximately 5 p.m. two business days before the meeting for a recorded announcement of bank and bank holding company applications scheduled for the meeting; or you may contact the Board's Web site at <http://www.federalreserve.gov> for an electronic announcement that not only lists applications, but also indicates procedural and other information about the meeting.

Dated: December 29, 1999.

Jennifer J. Johnson,

Secretary of the Board.

[FR Doc. 99-34067 Filed 12-29-99; 12 pm]

BILLING CODE 6210-01-P

DEPARTMENT OF HEALTH AND HUMAN SERVICES

Food and Drug Administration

General and Plastic Surgery Devices Panel of the Medical Devices Advisory Committee; Notice of Meeting

AGENCY: Food and Drug Administration, HHS.

ACTION: Notice.

This notice announces a forthcoming meeting of a public advisory committee of the Food and Drug Administration (FDA). At least one portion of the meeting will be closed to the public.

Name of Committee: General and Plastic Surgery Devices Panel of the Medical Devices Advisory Committee.

General Function of the Committee: To provide advice and recommendations to the agency on FDA's regulatory issues.