

# Corrections

Federal Register

Vol. 65, No. 9

Thursday, January 13, 2000

This section of the FEDERAL REGISTER contains editorial corrections of previously published Presidential, Rule, Proposed Rule, and Notice documents. These corrections are prepared by the Office of the Federal Register. Agency prepared corrections are issued as signed documents and appear in the appropriate document categories elsewhere in the issue.

October 5, 1999, make the following corrections:

**§ 431.81 [Corrected]**

1. On page 54161, in the second column, in § 431.81, in the second line, “[ONE YEAR AFTER PUBLICATION OF THIS RULE IN THE Federal Register]” should read “October 5, 2000”.

**§ 431.123 [Corrected]**

2. On page 54162, in the first column, in § 431.123(a), in the second line, “[insert date 30 days after publication in the Federal Register]” should read “November 4, 1999”.

3. On page 54163, in the first column, in § 431.123(f)(2)(i)(B), in the first line, “paragraph (f)(2)” should read “paragraph (f)(3)”.

**§ 431.42 [Corrected]**

4. On page 54158, in § 431.42(a), the table is corrected to read as follows:

**DEPARTMENT OF ENERGY**

**Office of Energy Efficiency and Renewable Energy**

**10 CFR Part 431**

[Docket No. EE-RM-96-400]

RIN 1904-AA82

**Energy Efficiency Program for Certain Commercial and Industrial Equipment: Test Procedures, Labeling, and Certification Requirements for Electric Motors**

*Correction*

In rule document 99-21119 beginning on page 54114, in the issue of Tuesday,

Motor Horsepower/Standard Kilowatt Equivalent	Nominal Full Load Efficiency					
	Open Motors (Number of poles)			Enclosed Motors (Number of poles)		
	6	4	2	6	4	2
1/75 .....	80.0	82.5	.....	80.0	82.5	75.5
1.5/1.1 .....	84.0	84.0	82.5	85.5	84.0	82.5
2/1.5 .....	85.5	84.0	84.0	86.5	84.0	84.0
3/2.2 .....	86.5	86.5	84.0	87.5	87.5	85.5
5/3.7 .....	87.5	87.5	85.5	87.5	87.5	87.5
7.5/5.5 .....	88.5	88.5	87.5	89.5	89.5	88.5
10/7.5 .....	90.2	89.5	88.5	89.5	89.5	89.5
15/11 .....	90.2	91.0	89.5	90.2	91.0	90.2
20/15 .....	91.0	91.0	90.2	90.2	91.0	90.2
25/18.5 .....	91.7	91.7	91.0	91.7	92.4	91.0
30/22 .....	92.4	92.4	91.0	91.7	92.4	91.0
40/30 .....	93.0	93.0	91.7	93.0	93.0	91.7
50/37 .....	93.0	93.0	92.4	93.0	93.0	92.4
60/45 .....	93.6	93.6	93.0	93.6	93.6	93.0
75/55 .....	93.6	94.1	93.0	93.6	94.1	93.0
100/75 .....	94.1	94.1	93.0	94.1	94.5	93.6
125/90 .....	94.1	94.5	93.6	94.1	94.5	94.5
150/110 .....	94.5	95.0	93.6	95.0	95.0	94.5
200/150 .....	94.5	95.0	94.5	95.0	95.0	95.0