

the MLG main fitting be accomplished as an interim measure, prior to accomplishment of the eddy current inspection. However, this AD requires only the eddy current inspection to detect cracks, prior to the accumulation of 1,500 total flight cycles or within 150 flight cycles after the effective date of this AD, whichever occurs later. Consistent with the findings of TCCA, the FAA considers that a visual inspection in this area of the landing gear would not be reliable or effective in determining the existence of a crack at this location.

Interim Action

This is considered to be interim action until final action is identified, at which time the FAA may consider further rulemaking.

Cost Impact

The FAA estimates that 236 airplanes of U.S. registry would be affected by this proposed AD, that it would take approximately 1 work hour per airplane to accomplish the proposed inspections, and that the average labor rate is \$60 per work hour. Based on these figures, the cost impact of the proposed inspection on U.S. operators is estimated to be \$14,160, or \$60 per airplane, per inspection cycle.

The cost impact figure discussed above is based on assumptions that no operator has yet accomplished any of the proposed requirements of this AD action, and that no operator would accomplish those actions in the future if this AD were not adopted. The cost impact figures discussed in AD rulemaking actions represent only the time necessary to perform the specific actions actually required by the AD. These figures typically do not include incidental costs, such as the time required to gain access and close up, planning time, or time necessitated by other administrative actions.

Regulatory Impact

The regulations proposed herein would not have a substantial direct effect on the States, on the relationship between the national Government and the States, or on the distribution of power and responsibilities among the various levels of government. Therefore, it is determined that this proposal would not have federalism implications under Executive Order 13132.

For the reasons discussed above, I certify that this proposed regulation (1) is not a "significant regulatory action" under Executive Order 12866; (2) is not a "significant rule" under the DOT Regulatory Policies and Procedures (44 FR 11034, February 26, 1979); and (3) if

promulgated, will not have a significant economic impact, positive or negative, on a substantial number of small entities under the criteria of the Regulatory Flexibility Act. A copy of the draft regulatory evaluation prepared for this action is contained in the Rules Docket. A copy of it may be obtained by contacting the Rules Docket at the location provided under the caption **ADDRESSES**.

List of Subjects in 14 CFR Part 39

Air transportation, Aircraft, Aviation safety, Safety.

The Proposed Amendment

Accordingly, pursuant to the authority delegated to me by the Administrator, the Federal Aviation Administration proposes to amend part 39 of the Federal Aviation Regulations (14 CFR part 39) as follows:

PART 39—AIRWORTHINESS DIRECTIVES

1. The authority citation for part 39 continues to read as follows:

Authority: 49 U.S.C. 106(g), 40113, 44701.

§ 39.13 [Amended]

2. Section 39.13 is amended by adding the following new airworthiness directive:

Bombardier, Inc. (Formerly Canadair):
Docket 2000-NM-68-AD.

Applicability: Model CL-600-2B19 series airplanes certificated in any category, serial numbers 7003 and subsequent.

Note 1: This AD applies to each airplane identified in the preceding applicability provision, regardless of whether it has been modified, altered, or repaired in the area subject to the requirements of this AD. For airplanes that have been modified, altered, or repaired so that the performance of the requirements of this AD is affected, the owner/operator must request approval for an alternative method of compliance in accordance with paragraph (c) of this AD. The request should include an assessment of the effect of the modification, alteration, or repair on the unsafe condition addressed by this AD; and, if the unsafe condition has not been eliminated, the request should include specific proposed actions to address it.

Compliance: Required as indicated, unless accomplished previously.

To prevent failure of the main fitting of the main landing gear (MLG), which could result in collapse of the MLG upon landing, accomplish the following:

Inspection and Replacement

(a) Prior to the accumulation of 1,500 total flight cycles, or within 150 flight cycles after the effective date of this AD, whichever occurs later: Perform an eddy current inspection to detect cracking of the MLG main fittings, in accordance with Part B of the Accomplishment Instructions of

Bombardier Alert Service Bulletin A601R-32-079, Revision 'B', including Appendix 1, dated June 1, 2000. If any cracking is found, prior to further flight, replace the cracked fitting with a new or serviceable fitting in accordance with the alert service bulletin. Repeat the inspection thereafter at intervals not to exceed 500 flight cycles.

Reporting Requirement

(b) Within 14 days after each inspection required by paragraph (a) of this AD, report all findings, positive or negative, to: Bombardier Aerospace, Regional Aircraft, CRJ Action Desk, fax number 514-855-8501. Information collection requirements contained in this regulation have been approved by the Office of Management and Budget (OMB) under the provisions of the Paperwork Reduction Act of 1980 (44 U.S.C. 3501 *et seq.*) and have been assigned OMB Control Number 2120-0056.

Alternative Methods of Compliance

(c) An alternative method of compliance or adjustment of the compliance time that provides an acceptable level of safety may be used if approved by the Manager, New York Aircraft Certification Office (ACO), FAA. Operators shall submit their requests through an appropriate FAA Principal Maintenance Inspector, who may add comments and then send it to the Manager, New York ACO.

Note 2: Information concerning the existence of approved alternative methods of compliance with this AD, if any, may be obtained from the New York ACO.

Special Flight Permits

(d) Special flight permits may be issued in accordance with sections 21.197 and 21.199 of the Federal Aviation Regulations (14 CFR 21.197 and 21.199) to operate the airplane to a location where the requirements of this AD can be accomplished.

Note 3: The subject of this AD is addressed in Canadian airworthiness directive CF-99-32, dated December 21, 1999.

Issued in Renton, Washington, on August 17, 2000.

Donald L. Riggins,

Acting Manager, Transport Airplane Directorate, Aircraft Certification Service.
[FR Doc. 00-21462 Filed 8-22-00; 8:45 am]

BILLING CODE 4910-13-U

DEPARTMENT OF TRANSPORTATION

Federal Aviation Administration

14 CFR Part 39

[Docket No. 97-NM-273-AD]

RIN 2120-AA64

Airworthiness Directives; Aerospatiale Model ATR72 Series Airplanes

AGENCY: Federal Aviation Administration, DOT.

ACTION: Supplemental notice of proposed rulemaking; reopening of comment period.

SUMMARY: This document revises an earlier proposed airworthiness directive (AD), applicable to all Aerospatiale Model ATR72 series airplanes, that would have required a revision to the Airworthiness Limitations Section of the Instructions for Continued Airworthiness to incorporate inspections to detect fatigue cracking in certain structure, inspection intervals, and life limits for certain components. That proposal was prompted by issuance of mandatory continuing airworthiness information by a foreign civil airworthiness authority. This new action revises the proposed rule to require the incorporation of revised and new inspections and life limits. The actions specified by this new proposed AD are intended to ensure that fatigue cracking of certain structural elements is detected and corrected; such fatigue cracking could adversely affect the structural integrity of these airplanes.

DATES: Comments must be received by September 18, 2000.

ADDRESSES: Submit comments in triplicate to the Federal Aviation Administration (FAA), Transport Airplane Directorate, ANM-114, Attention: Rules Docket No. 97-NM-273-AD, 1601 Lind Avenue, SW., Renton, Washington 98055-4056. Comments may be inspected at this location between 9:00 a.m. and 3:00 p.m., Monday through Friday, except Federal holidays. Comments may be submitted via fax to (425) 227-1232.

Comments may also be sent via the Internet using the following address: 9-anm-nprmcomment@faa.gov. Comments sent via fax or the Internet must contain "Docket No. 97-NM-273-AD" in the subject line and need not be submitted in triplicate. Comments sent via the Internet as attached electronic files must be formatted in Microsoft Word 97 for Windows or ASCII text.

The service information referenced in the proposed rule may be obtained from Aerospatiale, 316 Route de Bayonne, 31060 Toulouse, Cedex 03, France. This information may be examined at the FAA, 1601 Lind Avenue, SW., Renton, Washington.

FOR FURTHER INFORMATION CONTACT: Norman B. Martenson, Manager, International Branch, ANM-116, FAA, Transport Airplane Directorate, 1601 Lind Avenue, SW., Renton, Washington 98055-4056; telephone (425) 227-2110; fax (425) 227-1149.

SUPPLEMENTARY INFORMATION:

Comments Invited

Interested persons are invited to participate in the making of the proposed rule by submitting such written data, views, or arguments as they may desire. Communications shall identify the Rules Docket number and be submitted in triplicate to the address specified above. All communications received on or before the closing date for comments, specified above, will be considered before taking action on the proposed rule. The proposals contained in this notice may be changed in light of the comments received.

Submit comments using the following format:

- Organize comments issue-by-issue. For example, discuss a request to change the compliance time and a request to change the service bulletin reference as two separate issues.
- For each issue, state what specific change to the proposed AD is being requested.
- Include justification (*e.g.*, reasons or data) for each request.

Comments are specifically invited on the overall regulatory, economic, environmental, and energy aspects of the proposed rule. All comments submitted will be available, both before and after the closing date for comments, in the Rules Docket for examination by interested persons. A report summarizing each FAA-public contact concerned with the substance of this proposal will be filed in the Rules Docket.

Commenters wishing the FAA to acknowledge receipt of their comments submitted in response to this notice must submit a self-addressed, stamped postcard on which the following statement is made: "Comments to Docket Number 97-NM-273-AD." The postcard will be date stamped and returned to the commenter.

Availability of NPRMs

Any person may obtain a copy of this NPRM by submitting a request to the FAA, ANM-114, Attention: Rules Docket No. 97-NM-273-AD, 1601 Lind Avenue, SW., Renton, Washington 98055-4056.

Discussion

A proposal to amend part 39 of the Federal Aviation Regulations (14 CFR part 39) to add an airworthiness directive (AD), applicable to all Aerospatiale Model ATR72 series airplanes, was published as a notice of proposed rulemaking (NPRM) in the **Federal Register** on August 3, 1999 (64 FR 42054). That NPRM would have required a revision to the Airworthiness

Limitations Section of the Instructions for Continued Airworthiness to incorporate inspections to detect fatigue cracking in certain structure, inspection intervals, and life limits for certain components. That NPRM was prompted by issuance of mandatory continuing airworthiness information by a foreign civil airworthiness authority. Such fatigue cracking, if not corrected, would adversely affect the structural integrity of these airplanes.

Comments

Due consideration has been given to the comments received in response to the NPRM.

Necessity for Rulemaking

One commenter, an operator, questions the need to issue the proposed AD. The commenter notes that a listing of airworthiness limitations is required for type certification, as specified by section 25.1529 of the Federal Aviation Regulations (14 CFR 25.1529) and Appendix H, paragraph H25.4. The commenter states that this listing is included in its Operations Specifications, and that such specifications would never be approved with any airworthiness limitations that were beyond the limits specified by the manufacturer. In light of this, the commenter considers the actions required by the proposed rule to be redundant.

The FAA infers that the commenter requests that the proposed AD be withdrawn. The FAA does not concur. As stated in the NPRM, all products certificated to comply with the airworthiness standards requiring "damage tolerance assessments" must have Instructions for Continued Airworthiness (or, for some products, maintenance manuals), that include an Airworthiness Limitations Section (ALS).

Based on in-service data or post-certification testing and evaluation, the manufacturer may revise the ALS to include new or more restrictive life limits and structural inspections, or it may become necessary for the FAA to impose new or more restrictive life limits and structural inspections, in order to ensure continued structural integrity and continued compliance with damage tolerance requirements. However, in order to require compliance with these new inspection requirements and life limits for previously certificated airplanes, the FAA must engage in rulemaking; namely, the issuance of an AD. Because loss of structural integrity would constitute an unsafe condition, it is appropriate to impose such requirements through the AD process.

Although prudent operators already may have incorporated the latest revisions of the ALS, issuance of this AD ensures that all operators take appropriate action to correct the identified unsafe condition.

The practice of requiring a revision to the ALS, rather than requiring individual inspections, has been used for several years and is not a novel or unique procedure. Requiring ALS revisions is advantageous for operators because it allows them to record AD compliance status only once—at the time they make the revision—rather than after every inspection. It also has the advantage of keeping all airworthiness limitations, whether imposed by original certification or by the requirements of an AD, in one place within the operator's maintenance program, thereby reducing the risk of non-compliance because of oversight or confusion. In addition, for a large fleet of airplanes with several small operators, it is possible that operators may not receive revisions to the ALS. The AD process ensures that these operators are aware of the revisions to the ALS. No change to this proposed AD is necessary in this regard.

Request To Include Certification Maintenance Requirements Tasks

One commenter, the manufacturer, states that the "Time Limits" section of the Maintenance Planning Document (MPD) also includes Certification Maintenance Requirements (CMR) tasks that are applicable to the equipment and systems and are necessary to keep the certificated airworthiness standard. The commenter suggests adding a paragraph to the proposed AD to require accomplishment of the CMR tasks.

The FAA does not concur. Although the FAA agrees that accomplishment of CMR tasks is necessary to maintain these airplanes in an airworthy condition, the necessity for those actions is based on statistical safety analyses of various airplane systems prior to issuance of an airplane Type Certificate (TC). Thus, CMR tasks are undertaken for a different purpose than the actions required by this AD, and are intended to address a different unsafe condition than is addressed in this AD. However, if CMR tasks are added or made more restrictive following issuance of the TC, the FAA will consider separate rulemaking action to require accomplishment of those additional actions. No change to the AD is necessary in this regard.

Revisions to Service Information

Two commenters advise the FAA that Revision 3 of the "Time Limits" section

of the ATR72 MPD was issued in January 1998, and suggest that the proposed AD address the use of the later revision of that document. The manufacturer also advises that Revision 4 of the "Time Limits" section for Model ATR72 series airplanes, dated July 1999, is in the process of review and approval by the appropriate airworthiness authorities. The manufacturer suggests delaying issuance of the final rule until approval of this latest revision is granted.

The FAA has received and reviewed the latest revision of the service information. Revision 4 differs from Revision 1, dated February 1996 (which was referenced in the proposed AD as the appropriate source of service information), in that it revises certain life limits for structural components or parts of the landing gear, engine components, and various equipment; and structural inspection times to detect fatigue cracking of certain Structural Significant Items; and, for Model ATR72-212A series airplanes, adds new life limits and inspection thresholds and intervals. The FAA has determined that the actions required by this AD must be accomplished in accordance with Revision 4 of the "Time Limits" section of the MPD, and is proposing such in this supplemental NPRM. Paragraph (a) of this proposed AD has been changed accordingly.

Use of Subsequent Service Information Revisions

One commenter requests that the FAA revise the proposed AD to refer to the current revision of the "Time Limits" section of the MPD, "or later approved revisions." The commenter suggests that only referring to the current revision in the AD may lead to confusion about the validity of subsequent revisions.

The FAA does not concur. To use the phrase "or later approved revisions" in an AD when referring to future revisions of service information violates Office of the Federal Register (OFR) regulations regarding approval of materials that are "incorporated by reference" in rules. The AD may only refer to the service information that was submitted and approved by the OFR for "incorporation by reference." In order for operators to use later revisions of the service information, either the AD must be revised to reference the specific later revisions, or the FAA must approve their use as an alternative method of compliance with this AD. No change to the AD is necessary in this regard.

MPD Section Reference

Two commenters state that, although the "Time Limits" section of the MPD

is incorrectly referenced in the proposed AD as Section 9, the correct reference is Section 13. The FAA acknowledges the correction. However, to avoid any confusion in case the section number changes in the future, the FAA has removed the reference to the specific section of the "Time Limits" section in paragraph (a) of this AD.

Conclusion

Since the changes previously described expand the scope of the original proposed rule, the FAA has determined that it is necessary to reopen the comment period to provide additional opportunity for public comment.

Cost Impact

There are approximately 173 Aerospace Model ATR72 series airplanes of the affected design in the worldwide fleet. The FAA estimates that 39 airplanes of U.S. registry would be affected by this proposed AD, that it would take approximately 1 work hour per airplane to accomplish the proposed actions, and that the average labor rate is \$60 per work hour. Based on these figures, the cost impact of the proposed AD on U.S. operators is estimated to be \$2,340, or \$60 per airplane.

The cost impact figure discussed above is based on assumptions that no operator has yet accomplished any of the proposed requirements of this AD action, and that no operator would accomplish those actions in the future if this AD were not adopted.

Regulatory Impact

The regulations proposed herein would not have a substantial direct effect on the States, on the relationship between the national Government and the States, or on the distribution of power and responsibilities among the various levels of government. Therefore, it is determined that this proposal would not have federalism implications under Executive Order 13132.

For the reasons discussed above, I certify that this proposed regulation (1) is not a "significant regulatory action" under Executive Order 12866; (2) is not a "significant rule" under the DOT Regulatory Policies and Procedures (44 FR 11034, February 26, 1979); and (3) if promulgated, will not have a significant economic impact, positive or negative, on a substantial number of small entities under the criteria of the Regulatory Flexibility Act. A copy of the draft regulatory evaluation prepared for this action is contained in the Rules Docket. A copy of it may be obtained by contacting the Rules Docket at the

location provided under the caption "ADDRESSES."

List of Subjects in 14 CFR Part 39

Air transportation, Aircraft, Aviation safety, Safety.

The Proposed Amendment

Accordingly, pursuant to the authority delegated to me by the Administrator, the Federal Aviation Administration proposes to amend part 39 of the Federal Aviation Regulations (14 CFR part 39) as follows:

PART 39—AIRWORTHINESS DIRECTIVES

1. The authority citation for part 39 continues to read as follows:

Authority: 49 U.S.C. 106(g), 40113, 44701.

§ 39.13 [Amended]

2. Section 39.13 is amended by adding the following new airworthiness directive:

Aerospatiale: Docket 97–NM–273–AD.

Applicability: All Model ATR72 series airplanes, certificated in any category.

Note 1: This AD applies to each airplane identified in the preceding applicability provision, regardless of whether it has been modified, altered, or repaired in the area subject to the requirements of this AD. For airplanes that have been modified, altered, or repaired so that the performance of the requirements of this AD is affected, the owner/operator must request approval for an alternative method of compliance in accordance with paragraph (c) of this AD. The request should include an assessment of the effect of the modification, alteration, or repair on the unsafe condition addressed by this AD; and, if the unsafe condition has not been eliminated, the request should include specific proposed actions to address it.

Compliance: Required as indicated, unless accomplished previously.

To ensure continued structural integrity of these airplanes, accomplish the following:

Airworthiness Limitations Revision

(a) Within 30 days after the effective date of this AD, revise the Airworthiness Limitations Section of the Instructions for Continued Airworthiness by incorporating the "Time Limits" section of the ATR72 Maintenance Planning Document, Revision 4, dated July 1999, into the Airworthiness Limitations Section.

(b) Except as provided in paragraph (c) of this AD: After the actions specified in paragraph (a) of this AD have been accomplished, no alternative inspections or inspection intervals may be approved for the structural elements specified in the documents listed in paragraph (a) of this AD.

Alternative Methods of Compliance

(c) An alternative method of compliance or adjustment of the compliance time that provides an acceptable level of safety may be used if approved by the Manager,

International Branch, ANM–116, FAA, Transport Airplane Directorate. Operators shall submit their requests through an appropriate FAA Principal Maintenance Inspector, who may add comments and then send it to the Manager, International Branch, ANM–116.

Note 2: Information concerning the existence of approved alternative methods of compliance with this AD, if any, may be obtained from the International Branch, ANM–116.

Special Flight Permits

(d) Special flight permits may be issued in accordance with sections 21.197 and 21.199 of the Federal Aviation Regulations (14 CFR 21.197 and 21.199) to operate the airplane to a location where the requirements of this AD can be accomplished.

Note 3: The subject of this AD is addressed in French airworthiness directive 95–105–026 (B), dated May 24, 1995.

Issued in Renton, Washington, on August 17, 2000.

Donald L. Riggin,

Acting Manager, Transport Airplane Directorate, Aircraft Certification Service.

[FR Doc. 00–21463 Filed 8–22–00; 8:45 am]

BILLING CODE 4910–13–U

DEPARTMENT OF TRANSPORTATION

Federal Aviation Administration

14 CFR Part 71

[Airspace Docket No. 00–AWP–8]

Proposed Modification of Class E Airspace; Willits, CA

AGENCY: Federal Aviation Administration (FAA), DOT.

ACTION: Notice of proposed rulemaking.

SUMMARY: This action proposes to modify the Class E airspace area at Willits, CA. A revision of the Area Navigation (RNAV) Standard Instrument Approach Procedure (SIAP) to Runway (RWY) 16 and RWY 34 at Ells Field-Willits Municipal Airport has made this proposal necessary. Additional controlled airspace extending upward from 1200 feet above the surface of the earth is needed to contain aircraft executing the RNAV RWY 16 and RWY 34 SIAP with a Terminal Arrival Area (TAA) design to Ells Field-Willits Municipal Airport. The intended effect of this proposal is to provide adequate controlled airspace for Instrument Flight Rules (IFR) operations at Ells Field-Willits Municipal Airport, Willits, CA.

DATES: Comments must be received on or before September 29, 2000.

ADDRESSES: Send comments on the proposal in triplicate to: Federal Aviation Administration, Attn:

Manager, Airspace Branch, AWP–520, Docket No. 00–AWP–8, Air Traffic Division, 15000 Aviation Boulevard, Lawndale, California 90261.

The official docket may be examined in the Office of the Regional Counsel, Western-Pacific Region, Federal Aviation Administration, Room 6007, 15000 Aviation Boulevard, Lawndale, California 90261.

An information docket may also be examined during normal business hours at the Office of the Manager, Airspace Branch, Air Traffic Division at the above address.

FOR FURTHER INFORMATION CONTACT: Jeri Carson, Air Traffic Airspace Specialist, Airspace Branch, AWP–520, Air Traffic Division, Western-Pacific Region, Federal Aviation Administration, 15000 Aviation Boulevard, Lawndale, California 90261; telephone (310) 725–6611

SUPPLEMENTARY INFORMATION:

Comments Invited

Interested parties are invited to participate in this proposed rulemaking by submitting such written data, views, or arguments as they may desire. Comments that provide the factual basis supporting the views and suggestions presented are particularly helpful in developing reasoned regulatory decisions on the proposal. Comments are specifically invited on the overall regulatory, aeronautical, economic, environmental, and energy-related aspects of the proposal.

Communications should identify the airspace docket number and be submitted in triplicate to the address listed above. Commenters wishing the FAA to acknowledge receipt of their comments on this action must submit with the comments a self-addressed, stamped postcard on which the following statement is made: "Comments to Airspace Docket No. 00–AWP–8." The postcard will be date/time stamped and returned to the commenter. All communications received on or before the specified closing date for comments will be considered before taking action on the proposed rule. The proposal contained in this action may be changed in light of comments received. All comments submitted will be available for examination in the Airspace Branch, Air Traffic Division, 15000 Aviation Boulevard, Lawndale, California 90261, both before and after the closing date for comments. A report summarizing each substantive public contact with FAA personnel concerned with this rulemaking will be filed in the docket.