

respect to issuance of the amendment to the subject facility operating license and any person whose interest may be affected by this proceeding and who wishes to participate as a party in the proceeding must file a written request for a hearing and a petition for leave to intervene.

Requests for a hearing and a petition for leave to intervene shall be filed in accordance with the Commission's "Rules of Practice for Domestic Licensing Proceedings" in 10 CFR part 2. Interested persons should consult a current copy of 10 CFR 2.714 which is available at the Commission's Public Document Room, located at One White Flint North, 11555 Rockville Pike (first floor), Rockville, Maryland, and accessible electronically through the ADAMS Public Electronic Reading Room link at the NRC Web site (<http://www.nrc.gov>). If a request for a hearing or petition for leave to intervene is filed by the above date, the Commission or an Atomic Safety and Licensing Board, designated by the Commission or by the Chairman of the Atomic Safety and Licensing Board Panel, will rule on the request and/or petition; and the Secretary or the designated Atomic Safety and Licensing Board will issue a notice of hearing or an appropriate order.

As required by 10 CFR 2.714, a petition for leave to intervene shall set forth with particularity the interest of the petitioner in the proceeding, and how that interest may be affected by the results of the proceeding. The petition should specifically explain the reasons why intervention should be permitted with particular reference to the following factors: (1) The nature of the petitioner's right under the Act to be made party to the proceeding; (2) the nature and extent of the petitioner's property, financial, or other interest in the proceeding; and (3) the possible effect of any order which may be entered in the proceeding on the petitioner's interest.

The petition should also identify the specific aspect(s) of the subject matter of the proceeding as to which petitioner wishes to intervene. Any person who has filed a petition for leave to intervene or who has been admitted as a party may amend the petition without requesting leave of the Board up to 15 days prior to the first prehearing conference scheduled in the proceeding, but such an amended petition must satisfy the specificity requirements described above.

Not later than 15 days prior to the first prehearing conference scheduled in the proceeding, a petitioner shall file a supplement to the petition to intervene

which must include a list of the contentions which are sought to be litigated in the matter. Each contention must consist of a specific statement of the issue of law or fact to be raised or controverted. In addition, the petitioner shall provide a brief explanation of the bases of the contention and a concise statement of the alleged facts or expert opinion which support the contention and on which the petitioner intends to rely in proving the contention at the hearing. The petitioner must also provide references to those specific sources and documents of which the petitioner is aware and on which the petitioner intends to rely to establish those facts or expert opinion. Petitioner must provide sufficient information to show that a genuine dispute exists with the applicant on a material issue of law or fact. Contentions shall be limited to matters within the scope of the amendment under consideration. The contention must be one which, if proven, would entitle the petitioner to relief. A petitioner who fails to file such a supplement which satisfies these requirements with respect to at least one contention will not be permitted to participate as a party.

Those permitted to intervene become parties to the proceeding, subject to any limitations in the order granting leave to intervene, and have the opportunity to participate fully in the conduct of the hearing, including the opportunity to present evidence and cross-examine witnesses.

If a hearing is requested, the Commission will make a final determination on the issue of no significant hazards consideration. The final determination will serve to decide when the hearing is held.

If the final determination is that the amendment request involves no significant hazards consideration, the Commission may issue the amendment and make it immediately effective, notwithstanding the request for a hearing. Any hearing held would take place after issuance of the amendment.

If the final determination is that the amendment request involves a significant hazards consideration, any hearing held would take place before the issuance of any amendment.

A request for a hearing or a petition for leave to intervene must be filed with the Secretary of the Commission, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001, Attention: Rulemakings and Adjudications Staff, or may be delivered to the Commission's Public Document Room, located at One White Flint North, 11555 Rockville Pike (first floor), Rockville, Maryland, by the above date. A copy of the petition

should also be sent to the Office of the General Counsel, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001; and to David W. Jenkins, Esq., 500 Circle Drive, Buchanan, MI 49107, attorney for the licensee.

Nontimely filings of petitions for leave to intervene, amended petitions, supplemental petitions and/or requests for hearing will not be entertained absent a determination by the Commission, the presiding officer or the presiding Atomic Safety and Licensing Board that the petition and/or request should be granted based upon a balancing of the factors specified in 10 CFR 2.714(a)(1)(i)-(v) and 2.714(d).

For further details with respect to this action, see the application for amendment dated October 18, 2000, which is available for public inspection at the Commission's Public Document Room, located at One White Flint North, 11555 Rockville Pike (first floor), Rockville, Maryland, and accessible electronically through the ADAMS Public Electronic Reading Room link at the NRC Web site (<http://www.nrc.gov>).

Dated at Rockville, Maryland, this 19th day of October 2000.

For the Nuclear Regulatory Commission.

John F. Stang,

Senior Project Manager, Section 1, Project Directorate III, Division of Licensing Project Management, Office of Nuclear Reactor Regulation.

[FR Doc. 00-27383 Filed 10-24-00; 8:45 am]

BILLING CODE 7590-01-P

NUCLEAR REGULATORY COMMISSION

[Docket No. 50-275]

Pacific Gas and Electric Co.; Diablo Canyon Power Plant, Unit 1; Environmental Assessment and Finding of No Significant Impact

The U.S. Nuclear Regulatory Commission (the Commission) is considering issuance of an amendment to Facility Operating License No. DPR-80, issued to Pacific Gas and Electric Company (PG&E, or the licensee), for operation of the Diablo Canyon Nuclear Power Plant, Unit 1 (DCNPP), located in San Luis Obispo County, California.

Environmental Assessment

Identification of Proposed Action

The proposed action would allow PG&E to increase the maximum reactor core power level from 3338 megawatts thermal (MWt) to 3411 MWt, which is an increase of 2.2 percent of rated core thermal power for DCNPP Unit 1.

The proposed action is in accordance with PG&E's application for amendment dated December 31, 1999, as supplemented by letters dated January 18, July 7, September 22, and September 29, 2000.

The Need for the Proposed Action

The proposed action would permit an increase in the licensed core thermal power from 3338 MWt to 3411 MWt and would provide the flexibility to increase the potential electrical output of DCNPP Unit 1.

Environmental Impacts of the Proposed Action

PG&E has submitted an environmental evaluation supporting the proposed power uprate and provided a summary of its conclusions concerning both the radiological and non-radiological environmental impacts of the proposed action. Based on the NRC's independent analyses and the evaluation performed by the licensee, the staff concludes that the proposed increase in power is not expected to result in a significant environmental impact.

Radiological Environmental Assessment Radwaste Systems

The reactor coolant contains activated corrosion products, which are the result of metallic materials entering the water and being activated in the reactor region. Under power uprate conditions, the feedwater flow increases with power and the activation rate in the reactor region increases with power. The net result may be an increase in the activated corrosion product production. However, the total volume of processed waste is not expected to increase appreciably.

Non-condensable radioactive gas from the main condenser, along with air leakage, normally contains activation gases (principally N-16, O-19 and N-13) and fission product radioactive noble gases. This is the major source of radioactive gas (greater than all other sources combined). These non-condensable gases, along with non-radioactive air, are continuously removed from the main condensers which discharge into the offgas system. The gaseous effluents will remain within the original limits following implementation of the power uprate.

PG&E has concluded that the operation of the radwaste systems at DCNPP will not be impacted by operation at uprated power conditions and the slight increase in effluents discharged would continue to meet the requirements of Part 20 of Title 10 of the

Code of Federal Regulations (10 CFR) and 10 CFR part 50, appendix I. Therefore, the power uprate will not appreciably affect the licensee's ability to process liquid or gaseous radioactive effluents and there are no significant environmental effects from radiological releases.

Dose Consideration

PG&E evaluated the effects of power uprate on the radiation sources within the plant and radiation levels during normal and post-accident conditions. Post-operation radiation levels in most areas of the plant are expected to increase by no more than the percentage increase in power level. In a few areas near the spent fuel pool cooling system piping and the reactor water piping, where accumulation of corrosion product crud is expected, as well as near some liquid radwaste equipment, the increase could be slightly higher. In this regard, procedural controls are expected to compensate for increased radiation levels. Occupational doses for normal operations will be maintained within acceptable limits by the site's as-low-as-reasonably-achievable program, which is required by 10 CFR 20.1101(b).

The power uprate would not involve significant increases in offsite doses to the public from noble gases, airborne particulates, iodine, tritium, or liquid effluents. A review of the normal radiological effluent doses shows that, at the current power level, doses are less than one percent of the doses allowed by the plant's technical specifications (TS). Present offsite radiation levels are a negligible portion of background radiation. Therefore, the normal offsite doses would not be significantly affected by operation at the uprated power level and would remain below the limits of 10 CFR part 20 and 10 CFR part 50, appendix I.

The change in core inventory that would result from the power uprate is expected to increase post-accident radiation levels by no more than the percentage increase in power level. The licensee reanalyzed the large break loss-of-coolant accident (LOCA), the small break LOCA, the overtemperature and overpressure ΔT (OT ΔT /OP ΔT) setpoint calculation, and the accidental reactor coolant system (RCS) depressurization event. The residual heat removal (RHR) cooldown calculation and main steam line break at full power were also reanalyzed as part of the uprate project. The slight increase expected in the post-accident radiation levels would have no significant effect on the plant nor on the habitability of the control room envelope, the Emergency Operations Facility, or the Technical Support

Center. Thus, the licensee has determined that access to areas requiring post-accident occupancy would not be significantly affected by the power uprate. The licensee evaluated the whole body and thyroid doses at the exclusion area boundary that might result from the postulated design basis LOCA and determined that expected doses remain below established regulatory limits. Therefore, the results of the radiological analyses remain below the 10 CFR Part 100 guidelines and all radiological safety margins would be maintained if the amendment were granted.

Summary

The proposed power uprate would not significantly increase the probability or consequences of accidents, would not involve any new radiological release pathways or would not result in a significant increase in occupational or public radiation exposure, and would not result in significant additional fuel cycle environmental impacts. Accordingly, the NRC staff concludes that there are no significant radiological environmental impacts associated with the proposed action.

Non-Radiological Environmental Assessment

The licensee reviewed the non-radiological environmental impacts of the requested power uprate based on information submitted in the Environmental Report, Operating License Stage, the NRC Final Environmental Statement (FES), and the requirements of the Environmental Protection Plan. Based on this review, the licensee concluded that the proposed power uprate would have no significant effect on the non-radiological elements of concern and the plant will be operated in an environmentally acceptable manner as established by the FES. In addition, the licensee states that existing Federal, State, and local regulatory permits presently in effect accommodate the power uprate without modification.

The cooling water systems at DCNPP (e.g., circulating water and auxiliary saltwater systems) are drawn from the ultimate heatsink, Diablo Cove, part of the Pacific Ocean. DCNPP has determined that the power uprate would not cause any change to the DCNPP Environmental Protection Plan, however, it would reduce the margin between DCNPP performance and the allowable heat rejection to the Pacific Ocean. The licensee is allowed a maximum of 22 °F between the cooling water intake and outflow between the two units. The outflows of both units

mix together, therefore a 2.2 percent uprate of DCNPP Unit 1 will tend to increase the temperature change by 1.1 percent, or approximately 0.2 °F.

DCNPP operates in compliance with a National Pollution Discharge Elimination System (NPDES) Permit, which requires all effluents to be closely monitored to assure compliance with the permit levels. DCNPP does not expect any effluent increases due to the power uprate of DCNPP Unit 1. With regards to potential non-radiological impacts, the proposed action would not change the method of operation at DCNPP or the methods of handling effluents. No changes to land use would result and the proposed action does not involve any historic sites. Therefore, no new or different types of non-radiological environmental impacts are expected. Accordingly, the NRC concludes that there are no significant non-radiological environmental impacts associated with the proposed action.

Alternatives to the Proposed Action

As an alternative to the proposed action, the staff considered denial of the proposed action (*i.e.*, the “no-action” alternative). Denial of the application would result in no change in current environmental impacts, but would reduce the operational flexibility that would be afforded by the proposed change. The environmental impacts of the proposed action and the alternative action are not significantly different.

Alternative Use of Resources

This action does not involve the use of any resources not previously considered in the FES for DCNPP.

Agencies and Persons Consulted

In accordance with its stated policy, on October 3, 2000, the staff consulted with the California State official, Mr. Steve Hsu, of the Radiologic Health Branch of the State Department of Health Services, regarding the environmental impact of the proposed action. The State official had no comments.

Finding of no Significant Impact

Based upon the environmental assessment, the NRC concludes that the proposed action will not have a significant effect on the quality of the human environment. Accordingly, the NRC has determined not to prepare an environmental impact statement for the proposed action.

For further details with respect to the proposed action, see the licensee’s letter dated December 31, 1999, as supplemented by letters dated January 18, July 7, September 22, and September

29, 2000, which may be examined, and/or copied for a fee, at the NRC’s Public Document Room, located at One White Flint North, 11555 Rockville Pike (first floor), Rockville, Maryland. Publicly available records will be accessible electronically from the ADAMS Public Library component on the NRC Web site (the Electronic Reading Room).

Dated at Rockville, Maryland this 19th day of October 2000.

For the Nuclear Regulatory Commission.

Stephen Dembek,

Chief, Section 2, Project Directorate IV & Decommissioning, Division of Licensing Project Management, Office of Nuclear Reactor Regulation.

[FR Doc. 00-27384 Filed 10-24-00; 8:45 am]

BILLING CODE 7590-01-P

NUCLEAR REGULATORY COMMISSION

Advisory Committee on Reactor Safeguards; Meeting of the ACRS Subcommittee on Materials and Metallurgy

Notice of Meeting

The ACRS Subcommittee on Materials and Metallurgy will hold a meeting on November 16, 2000, Room T-2B3, 11545 Rockville Pike, Rockville, Maryland.

The entire meeting will be open to public attendance.

The agenda for the subject meeting shall be as follows:

Thursday, November 16, 2000—8:30 a.m. until 12 Noon

The Subcommittee will discuss the proposed draft regulatory guide DG-1053, “Calculational and Dosimetry Methods for Determining Pressure Vessel Neutron Fluence.” The purpose of this meeting is to gather information, analyze relevant issues and facts, and to formulate proposed positions and actions, as appropriate, for deliberation by the full Committee.

Oral statements may be presented by members of the public with the concurrence of the Subcommittee Chairman; written statements will be accepted and made available to the Committee. Electronic recordings will be permitted only during those portions of the meeting that are open to the public, and questions may be asked only by members of the Subcommittee, its consultants, and staff. Persons desiring to make oral statements should notify the cognizant ACRS staff engineer named below five days prior to the meeting, if possible, so that appropriate arrangements can be made.

During the initial portion of the meeting, the Subcommittee, along with any of its consultants who may be present, may exchange preliminary views regarding matters to be considered during the balance of the meeting.

The Subcommittee will then hear presentations by and hold discussions with representatives of the NRC staff and other interested persons regarding this review.

Further information regarding topics to be discussed, whether the meeting has been canceled or rescheduled, and the Chairman’s ruling on requests for the opportunity to present oral statements and the time allotted therefor, can be obtained by contacting the cognizant ACRS staff engineer, Mr. Noel F. Dudley (telephone 301/415-6888) between 7:30 a.m. and 4:15 p.m. (EDT). Persons planning to attend this meeting are urged to contact the above named individual one or two working days prior to the meeting to be advised of any potential changes to the agenda, etc., that may have occurred.

Dated: October 19, 2000.

James E. Lyons,

Associate Director for Technical Support, ACRS/ACNW.

[FR Doc. 00-27444 Filed 10-24-00; 8:45 am]

BILLING CODE 7590-01-P

OFFICE OF PERSONNEL MANAGEMENT

Submission for OMB Review; Comment Request for Review Of a Revised Information Collection: Instructions and Model CFC Application

AGENCY: Office of Personnel Management.

ACTION: Notice.

SUMMARY: In accordance with the Paperwork Reduction Act of 1995 (Pub. L. 104-13, May 22, 1995), this notice announces that the Office of Personnel Management has submitted to the Office of Management and Budget a request for clearance of a revised information collection. The model Combined Federal Campaign application and instructions is used to collect information from charitable organizations applying for eligibility.

We estimate 1400 Applications are completed annually. Each form takes approximately 3 hours to complete. The annual estimated burden is 4200 hours.

Comments are particularly invited on:

- Whether this collection of information is necessary for the proper performance of functions of the Office of