

Manufacturer/producer/exporter	Margin percent
Gerber Food (Yunnan) Co., Ltd.	99.69
China Processed Food Import & Export Co.	0.00
Raoping Xingyu Foods Co., Ltd.	42.77

We will disclose the calculations used in our analysis to parties to this proceeding within five days of the publication date of this notice. See 19 CFR 351.224(b). Any interested party may request a hearing within 30 days of publication. See 19 CFR 351.310(c). If requested, a hearing will be held 44 days after the publication of this notice, or the first workday thereafter.

Issues raised in the hearing will be limited to those raised in the respective case briefs and rebuttal briefs. See 19 CFR 351.310(c). Case briefs from interested parties and rebuttal briefs, limited to the issues raised in the respective case briefs, may be submitted not later than 30 days and 35 days, respectively, from the date of publication of these preliminary results. See 19 CFR 351.309(c) and (d). Parties who submit case briefs or rebuttal briefs in this proceeding are requested to submit with each argument (1) a statement of the issue and (2) a brief summary of the argument. Parties are also encouraged to provide a summary of the arguments not to exceed five pages and a table of statutes, regulations, and cases cited.

The Department will issue the final results of these administrative reviews, including the results of its analysis of issues raised in any written briefs or at the hearing, if held, not later than 120 days after the date of publication of this notice.

Interested parties who wish to request a hearing, or to participate if one is requested, must submit a written request to the Assistant Secretary for Import Administration, Room B-099, within 30 days of the date of publication of this notice. Requests should contain: (1) The party's name, address, and telephone number; (2) the number of participants; and (3) a list of issues to be discussed.

In accordance with 19 CFR 351.301(c)(3)(ii), interested parties may submit additional publicly available information to value the factors of production for the final results of these reviews until 20 days after publication of these results, unless a written request for an extension is received and granted.

Assessment Rates

Upon completion of this administrative review, the Department shall determine, and the Customs

Service shall assess, antidumping duties on all appropriate entries. The Department will issue appropriate appraisal instructions directly to the Customs Service upon completion of these reviews. The final results of these reviews shall be the basis for the assessment of antidumping duties on entries of merchandise covered by the final results of these reviews and for future deposits of estimated duties. Pursuant to 19 CFR 351.106(c)(2), we will instruct the Customs Service to liquidate without regard to antidumping duties all entries for any importer for whom the assessment rate is *de minimis* (i.e., less than 0.50 percent). For assessment purposes, we intend to calculate entry-specific *ad valorem* duty assessment rates (for CPF and Raoping whose sale and entry occurred in different PORs) or importer-specific *ad valorem* duty assessment rates (for Gerber) based on the ratio of the total amount of the dumping margins calculated for the examined sales to the total entered value of those same sales.

This notice also serves as a preliminary reminder to importers of their responsibility under 19 CFR 351.402(f)(2) to file a certificate regarding the reimbursement of antidumping duties prior to liquidation of the relevant entries during these review periods. Failure to comply with this requirement could result in the Secretary's presumption that reimbursement of antidumping duties occurred and the subsequent assessment of double antidumping duties.

Cash Deposit Requirements

The following cash deposit requirements will be effective for all shipments of the subject merchandise entered, or withdrawn from warehouse, for consumption on or after the publication date of the final results of these administrative and new shipper reviews, as provided by section 751(a)(1) of the Act: (1) The cash deposit rate for each reviewed company will be that established in the final results of these reviews, except if the rate is less than 0.50 percent, and therefore, *de minimis* within the meaning of 19 CFR 351.106(c)(1), in which case the cash deposit rate will be zero; (2) for previously reviewed or investigated companies not listed above that have separate rates, the cash deposit rate will continue to be the company-specific rate published for the most recent period; (3) the cash deposit rate for all other PRC manufacturers or exporters will continue to be 198.63 percent, the "PRC-Wide" rate made effective by the LTFV investigation; and (4) for all non-PRC exporters, the cash deposit rate will

continue to be 198.63 percent, the "PRC-Wide" rate made effective by the LTFV investigation. These requirements, when imposed, shall remain in effect until publication of the final results of the next administrative review.

These administrative and new shipper reviews and notice are published in accordance with sections 751(a)(1) and 777(i)(1) of the Act.

Dated: October 31, 2000.

Troy H. Cribb,

Assistant Secretary for Import Administration.

[FR Doc. 00-28568 Filed 11-6-00; 8:45 am]

BILLING CODE 3510-DS-P

DEPARTMENT OF COMMERCE

International Trade Administration

[A-357-809; A-351-826; A-428-820; A-475-814]

Final Results of Expedited Sunset Reviews: Seamless Pipe From Argentina, Brazil, Germany, and Italy

AGENCY: Import Administration, International Trade Administration, Department of Commerce

ACTION: Notice of final results of expedited sunset reviews: seamless pipe from Argentina, Brazil, Germany, and Italy

SUMMARY: On July 3, 2000, the Department of Commerce ("the Department") initiated sunset reviews of the antidumping duty orders on seamless pipe from Argentina, Brazil, Germany, and Italy (65 FR 41053), pursuant to section 751(c) of the Tariff Act of 1930, as amended ("the Act"). On the basis of notices of intent to participate and adequate substantive responses filed on behalf of U.S. Steel Group, a unit of USX Corporation and Vision Metals, Inc., domestic interested parties, and inadequate response (in the Argentina, Brazil, and Germany cases, no response) from respondent interested parties, the Department determined to conduct expedited reviews. As a result of these reviews, the Department finds that revocation of the antidumping duty orders would be likely to lead to continuation or recurrence of dumping at the levels indicated in the Final Results of Reviews section of this notice.

EFFECTIVE DATE: November 7, 2000.

FOR FURTHER INFORMATION CONTACT: Becky J. Hagen or James P. Maeder, Jr., Office of Policy for Import Administration, International Trade Administration, U.S. Department of

Commerce, 14th Street and Constitution Avenue, NW, Washington, D.C. 20230; telephone: (202) 482-1277 or (202) 482-3330, respectively.

SUPPLEMENTARY INFORMATION:

Statute and Regulations

These reviews were conducted pursuant to sections 751(c) and 752 of the Act. The Department's procedures for the conduct of sunset reviews are set forth in Procedures for Conducting Five-year ("Sunset") Reviews of Antidumping and Countervailing Duty Orders, 63 FR 13516 (March 20, 1998) ("Sunset Regulations"), and in 19 CFR Part 351 (1999) in general. Guidance on methodological or analytical issues relevant to the Department's conduct of sunset reviews is set forth in the Department's Policy Bulletin 98:3—Policies Regarding the Conduct of Five-year ("Sunset") Reviews of Antidumping and Countervailing Duty Orders; Policy Bulletin, 63 FR 18871 (April 16, 1998) ("Sunset Policy Bulletin").

Background

On July 3, 2000, the Department initiated sunset reviews of the antidumping duty orders on Seamless Pipe from Argentina, Brazil, Germany, and Italy (65 FR 41053), pursuant to section 751(c) of the Act. The Department received a notice of intent to participate on behalf of U.S. Steel group, a unit of USX Corporation, and Vision Metals, Inc. (collectively, "domestic interested parties"), within the applicable deadline (July 19, 2000) specified in section 351.218(d)(1)(i) of the Sunset Regulations. Domestic interested parties claimed interested-party status under section 771(9)(C) of the Act, as manufacturers, producers, or wholesalers in the United States of a domestic like product.

On August 2, 2000, we received substantive responses on behalf of domestic interested parties and Dalmine S.p.A. ("Dalmine"). Dalmine is an interested party in the Italian case pursuant to section 771(9)(A) of the Act as a foreign producer and exporter of the subject merchandise. We also received a statement of waiver of participation from the sole respondent in the German case, Mannesmannrohren-Werke AG and Mannesmann Pipe & Steel Corporation (collectively "Mannesmann") on August 2, 2000.

On August 7, 2000, we received rebuttal comments on behalf of domestic interested parties in response to Dalmine's substantive response. On August 10, 2000, we accepted additional comments.

Scope of Reviews of Seamless Pipe from Argentina, Germany, and Italy

The sunset reviews on imports from Argentina, Germany, and Italy cover small diameter seamless carbon and alloy standard, line, and pressure pipes ("seamless pipes") produced to the ASTM A-335, ASTM A-106, ASTM A-53, and API 5L specifications and meeting the physical parameters described below, regardless of application. The scope of these reviews also includes all products used in standard, line, or pressure pipe applications and meeting the physical parameters described below, regardless of specification. For purposes of these reviews, seamless pipes are seamless carbon and alloy (other than stainless) steel pipes, of circular cross-section, not more than 114.3 mm (4.5 inches) in outside diameter, regardless of wall thickness, manufacturing process (hot-finished or cold-drawn), end finish (plain end, bevelled end, upset end, threaded, or threaded and coupled), or surface finish. These pipes are commonly known as standard pipe, line pipe, or pressure pipe, depending upon the application. They may also be used in structural applications. Pipes produced in non-standard wall thicknesses are commonly referred to as tubes. The seamless pipes subject to these reviews are currently classifiable under subheadings 7304.10.10.20, 7304.10.50.20, 7304.31.60.50, 7304.39.00.16, 7304.39.00.20, 7304.39.00.24, 7304.39.00.28, 7304.39.00.32, 7304.51.50.05, 7304.51.50.60, 7304.59.60.00, 7304.59.80.10, 7304.59.80.15, 7304.59.80.20, and 7304.59.80.25 of the Harmonized Tariff Schedule of the United States (HTSUS). The following information further defines the scope of these reviews, which covers pipes meeting the physical parameters described above: Specifications, Characteristics and Uses: Seamless pressure pipes are intended for the conveyance of water, steam, petrochemicals, chemicals, oil products, natural gas and other liquids and gasses in industrial piping systems. They may carry these substances at elevated pressures and temperatures and may be subject to the application of external heat. Seamless carbon steel pressure pipe meeting the American Society for Testing and Materials (ASTM) standard A-106 may be used in temperatures of up to 1000 degrees fahrenheit, at various American Society of Mechanical Engineers (ASME) code stress levels. Alloy pipes made to ASTM standard A-335 must be used if temperatures and stress levels exceed those allowed for

A-106 and the ASME codes. Seamless pressure pipes sold in the United States are commonly produced to the ASTM A-106 standard.

Seamless standard pipes are most commonly produced to the ASTM A-53 specification and generally are not intended for high temperature service. They are intended for the low temperature and pressure conveyance of water, steam, natural gas, air and other liquids and gasses in plumbing and heating systems, air conditioning units, automatic sprinkler systems, and other related uses. Standard pipes (depending on type and code) may carry liquids at elevated temperatures but must not exceed relevant ASME code requirements. Seamless line pipes are intended for the conveyance of oil and natural gas or other fluids in pipe lines. Seamless line pipes are produced to the API 5L specification. Seamless pipes are commonly produced and certified to meet ASTM A-106, ASTM A-53 and API 5L specifications. Such triple certification of pipes is common because all pipes meeting the stringent A-106 specification necessarily meet the API 5L and ASTM A-53 specifications. Pipes meeting the API 5L specification necessarily meet the ASTM A-53 specification. However, pipes meeting the A-53 or API 5L specifications do not necessarily meet the A-106 specification. To avoid maintaining separate production runs and separate inventories, manufacturers triple certify the pipes. Since distributors sell the vast majority of this product, they can thereby maintain a single inventory to service all customers. The primary application of ASTM A-106 pressure pipes and triple certified pipes is in pressure piping systems by refineries, petrochemical plants and chemical plants. Other applications are in power generation plants (electrical-fossil fuel or nuclear), and in some oil field uses (on shore and off shore) such as for separator lines, gathering lines and metering runs. A minor application of this product is for use as oil and gas distribution lines for commercial applications. These applications constitute the majority of the market for the subject seamless pipes. However, A-106 pipes may be used in some boiler applications.

The scope of these reviews includes all seamless pipe meeting the physical parameters described above and produced to one of the specifications listed above, regardless of application, and whether or not also certified to a non-covered specification. Standard, line and pressure applications and the above-listed specifications are defining characteristics of the scope of this

review. Therefore, seamless pipes meeting the physical description above, but not produced to the A-335, A-106, A-53, or API 5L standards shall be covered if used in a standard, line or pressure application. For example, there are certain other ASTM specifications of pipe which, because of overlapping characteristics, could potentially be used in A-106 applications. These specifications generally include A-162, A-192, A-210, A-333, and A-524. When such pipes are used in a standard, line or pressure pipe application, such products are covered by the scope of this review.

Specifically excluded from these reviews are boiler tubing and mechanical tubing, if such products are not produced to A-335, A-106, A-53 or API 5L specifications and are not used in standard, line or pressure applications. In addition, finished and unfinished OCTG are excluded from the scope of these reviews, if covered by the scope of another antidumping duty order from the same country. If not covered by such an OCTG order, finished and unfinished OCTG are included in this scope when used in standard, line or pressure applications. Finally, also excluded from these reviews are redraw hollows for cold-drawing when used in the production of cold-drawn pipe or tube.

Scope of Review on Brazil

The sunset review on imports from Brazil covers small diameter seamless carbon and alloy standard, line and pressure pipes (seamless pipes) produced to the ASTM A-335, ASTM A-106, ASTM A-53 and API 5L specifications and meeting the physical parameters described below, regardless of application. The scope of this review also includes all products used in standard, line, or pressure pipe applications and meeting the physical parameters described below, regardless of specification.

For purposes of this review, seamless pipes are seamless carbon and alloy (other than stainless) steel pipes, of circular cross-section, not more than 114.3 mm (4.5 inches) in outside diameter, regardless of wall thickness, manufacturing process (hot-finished or cold-drawn), end finish (plain end, bevelled end, upset end, threaded, or threaded and coupled), or surface finish. These pipes are commonly known as standard pipe, line pipe or pressure pipe, depending upon the application. They may also be used in structural applications. Pipes produced in non-standard wall thicknesses are commonly referred to as tubes.

The seamless pipes subject to this review are currently classifiable under subheadings 7304.10.10.20, 7304.10.50.20, 7304.31.60.50, 7304.39.00.16, 7304.39.00.20, 7304.39.00.24, 7304.39.00.28, 7304.39.00.32, 7304.51.50.05, 7304.51.50.60, 7304.59.60.00, 7304.59.80.10, 7304.59.80.15, 7304.59.80.20, and 7304.59.80.25 of the HTSUS. The following information further defines the scope of this review, which covers pipes meeting the physical parameters described above:

Specifications, Characteristics and Uses: Seamless pressure pipes are intended for the conveyance of water, steam, petrochemicals, chemicals, oil products, natural gas and other liquids and gasses in industrial piping systems. They may carry these substances at elevated pressures and temperatures and may be subject to the application of external heat. Seamless carbon steel pressure pipe meeting the American Society for Testing and Materials (ASTM) standard A-106 may be used in temperatures of up to 1,000 degrees fahrenheit, at various American Society of Mechanical Engineers (ASME) code stress levels. Alloy pipes made to ASTM standard A-335 must be used if temperatures and stress levels exceed those allowed for A-106 and the ASME codes. Seamless pressure pipes sold in the United States are commonly produced to the ASTM A-106 standard. Seamless standard pipes are most commonly produced to the ASTM A-53 specification and generally are not intended for high temperature service. They are intended for the low temperature and pressure conveyance of water, steam, natural gas, air and other liquids and gasses in plumbing and heating systems, air conditioning units, automatic sprinkler systems, and other related uses. Standard pipes (depending on type and code) may carry liquids at elevated temperatures but must not exceed relevant ASME code requirements. Seamless line pipes are intended for the conveyance of oil and natural gas or other fluids in pipe lines. Seamless line pipes are produced to the API 5L specification.

Seamless pipes are commonly produced and certified to meet ASTM A-106, ASTM A-53 and API 5L specifications. Such triple certification of pipes is common because all pipes meeting the stringent A-106 specification necessarily meet the API 5L and ASTM A-53 specifications. Pipes meeting the API 5L specification necessarily meet the ASTM A-53 specification. However, pipes meeting the A-53 or API 5L specifications do not necessarily meet the A-106

specification. To avoid maintaining separate production runs and separate inventories, manufacturers triple certify the pipes. Since distributors sell the vast majority of this product, they can thereby maintain a single inventory to service all customers. The primary application of ASTM A-106 pressure pipes and triple certified pipes is in pressure piping systems by refineries, petrochemical plants and chemical plants. Other applications are in power generation plants (electrical-fossil fuel or nuclear), and in some oil field uses (on shore and off shore) such as for separator lines, gathering lines and metering runs. A minor application of this product is for use as oil and gas distribution lines for commercial applications. These applications constitute the majority of the market for the subject seamless pipes. However, A-106 pipes may be used in some boiler applications. The scope of this review includes all seamless pipe meeting the physical parameters described above and produced to one of the specifications listed above, regardless of application, and whether or not also certified to a non-covered specification. Standard, line and pressure applications and the above-listed specifications are defining characteristics of the scope of this review. Therefore, seamless pipes meeting the physical description above, but not produced to the A-335, A-106, A-53, or API 5L standards shall be covered if used in a standard, line or pressure application. For example, there are certain other ASTM specifications of pipe which, because of overlapping characteristics, could potentially be used in A-106 applications. These specifications generally include A-162, A-192, A-210, A-333, and A-524. When such pipes are used in a standard, line or pressure pipe application, such products are covered by the scope of this review. Specifically excluded from this review are boiler tubing and mechanical tubing, if such products are not produced to A-335, A-106, A-53 or API 5L specifications and are not used in standard, line or pressure applications. In addition, finished and unfinished OCTG are excluded from the scope of this review, if covered by the scope of another antidumping duty order from the same country. If not covered by such an OCTG review, finished and unfinished OCTG are included in this scope when used in standard, line or pressure applications. Finally, also excluded from this review are redraw hollows for cold-drawing when used in the production of cold-drawn pipe or tube.

Although the HTSUS subheadings are provided for convenience and customs purposes, our written description of the scope of this review (amended as indicated below) is dispositive. Excluded from the review, as a result of a changed circumstances review (63 FR 37338 (July 10, 1998)) are the following: shipments of seamless carbon and alloy (other than stainless) steel pipes, of circular cross-section, not more than 114.3 mm (4.5 inches) in outside diameter, regardless of wall thickness or manufacturing process (hot-finished or cold-drawn) that (1) has been cut into lengths of six to 120 inches, (2) has had the inside bore ground to a smooth surface, (3) has had multiple layers of specially formulated corrosion resistant glass permanently baked on at temperatures of 1,440 to 1,700 degrees Fahrenheit in thicknesses from 0.032 to 0.085 inch (40 to 80 mils), and (4) has flanges or other forged stub ends welded on both ends of the pipe. The special corrosion resistant glass referred to in this definition may be glass containing by weight (1) 70 to 80 percent of an oxide of silicone, zirconium, titanium or cerium (Oxide Group RO sub2), (2) 10 to 15 percent of an oxide of sodium, potassium, or lithium (Oxide Group

RO), (3) from a trace amount to 5 percent of an oxide of either aluminum, cobalt, iron, vanadium, or boron (Oxide Group R sub2 O sub3 , or (4) from a trace amount to 5 percent of a fluorine compound in which fluorine replaces the oxygen in any one of the previously listed oxide groups. These glass-lined pressure pipes are commonly manufactured for use in glass-lined equipment systems for processing corrosive or reactive chemicals, including acrylates, alkanolamines, herbicides, pesticides, pharmaceuticals and solvents. The glass-lined pressure pipes subject to the changed circumstances review are currently classifiable under subheadings 7304.39.0020, 7304.39.0024 and 7304.39.0028 of the Harmonized Tariff Schedule of the United States (HTSUS). The HTSUS subheadings are provided for convenience and U.S. Customs' purposes only. The written description of the excluded products remains dispositive.

Analysis of Comments Received

All issues raised in the case and rebuttal briefs by parties to these sunset reviews are addressed in the "Issues and Decision Memorandum" ("Decision Memorandum") from Jeffrey A. May,

Director, Office of Policy, Import Administration, to Troy H. Cribb, Acting Assistant Secretary for Import Administration, dated October 31, 2000, which is hereby adopted by this notice. The issues discussed in the Decision Memorandum include the likelihood of continuation or recurrence of dumping and the magnitude of the margins likely to prevail were the orders revoked. Parties can find a complete discussion of all issues raised in these reviews and the corresponding recommendations in this public memorandum which is on file in the Central Records Unit, room B-099, of the main Commerce building.

In addition, a complete version of the Decision Memorandum can be accessed directly on the Web at <http://ia.ita.doc.gov/frn>, under the heading "October 2000." The paper copy and electronic version of the Decision Memorandum are identical in content.

Final Results of Reviews

We determine that revocation of the antidumping duty orders on Seamless Pipe from Argentina, Brazil, Germany, and Italy would likely lead to continuation or recurrence of dumping at the following percentage weighted-average margins:

Country	Manufacturer/exporter	Margin (percent)
Argentina	Siderca S.A.I.C.	108.13
	All Others	108.13
Brazil	Mannesmann S.A.	124.94
	All Others	124.94
Germany	Mannesmannrohren-Werke AG	57.72
	All Others	57.72
Italy	Dalmine	1.27
	All Others	1.27

This notice serves as the only reminder to parties subject to administrative protective order ("APO") of their responsibility concerning the disposition of proprietary information disclosed under APO in accordance with 19 CFR 351.305 of the Department's regulations. Timely notification of return/destruction of APO materials or conversion to judicial protective order is hereby requested. Failure to comply with the regulations and the terms of an APO is a sanctionable violation.

These five-year ("sunset") reviews and notice are in accordance with sections 751(c), 752, and 777(i)(1) of the Act.

Dated: October 31, 2000.
Troy H. Cribb,
Assistant Secretary for Import Administration.
 [FR Doc. 00-28567 Filed 11-6-00; 8:45 am]
BILLING CODE 3510-DS-P

DEPARTMENT OF COMMERCE
International Trade Administration
[A-588-054; A-588-604]

Tapered Roller Bearings and Parts Thereof, Finished and Unfinished, From Japan, and Tapered Roller Bearings, Four Inches or Less in Outside Diameter, and Components Thereof, From Japan; Preliminary Results of Antidumping Duty Administrative Reviews

AGENCY: Import Administration, International Trade Administration, Department of Commerce.
ACTION: Notice of Preliminary Results of Antidumping Duty Administrative Reviews.

SUMMARY: In response to requests by the petitioner and two respondents, the