

Montreal, Quebec H3C 3G9, Canada. Copies may be inspected at the FAA, Transport Airplane Directorate, 1601 Lind Avenue, SW., Renton, Washington; or at the FAA, New York Aircraft Certification Office, 10 Fifth Street, Third Floor, Valley Stream, New York; or at the Office of the Federal Register, 800 North Capitol Street, NW., suite 700, Washington, DC.

**Note 6:** The subject of this AD is addressed in Canadian airworthiness directive CF-2000-10, dated March 23, 2000.

#### Effective Date

(l) This amendment becomes effective on March 29, 2001.

Issued in Renton, Washington, on February 8, 2001.

**Vi L. Lipski,**

*Manager, Transport Airplane Directorate, Aircraft Certification Service.*

[FR Doc. 01-3697 Filed 2-21-01; 8:45 am]

BILLING CODE 4910-13-U

---

## DEPARTMENT OF THE TREASURY

### Internal Revenue Service

#### 26 CFR Part 26

[TD 8912]

RIN 1545-AX08

#### Generation-Skipping Transfer Issues; Correction

**AGENCY:** Internal Revenue Service (IRS), Treasury.

**ACTION:** Correction to final regulations.

**SUMMARY:** This document contains a correction to final regulations that were published in the **Federal Register** on Wednesday, December 20, 2000 (65 FR 79735) relating to the generation-skipping transfer (GST) tax imposed under chapter 13 of the Internal Revenue Code.

**DATES:** This correction is effective December 20, 2000.

**FOR FURTHER INFORMATION CONTACT:** James F. Hogan (202) 622-3090 (not a toll-free number).

#### SUPPLEMENTARY INFORMATION:

##### Background

The final regulations that are the subject of this correction are under section 2601 of the Internal Revenue Code.

##### Need for Correction

As published, the final regulations contain an error that may prove to be misleading and is in need of clarification.

## Correction of Publication

Accordingly, the publication of the final regulations (TD 8912), that were the subject of FR Doc. 00-31757, is corrected as follows:

#### § 26.2601-1 [Corrected]

On page 79740, column 2, § 26.2601-1, paragraph (b)(4)(i)(E), *Example 9.*, line 6, the language “is to pass to the A’s issue, per stirpes. Under” is corrected to read “is to pass to A’s issue, per stirpes. Under”.

**Cynthia E. Grigsby,**

*Chief, Regulations Unit, Office of Special Counsel (Modernization and Strategic Planning).*

[FR Doc. 01-4292 Filed 2-21-01; 8:45 am]

BILLING CODE 4830-01-P

---

## DEPARTMENT OF TRANSPORTATION

### Coast Guard

#### 33 CFR Part 117

[CGD07-01-011]

#### Drawbridge Operation Regulations: Stickney Point Bridge (SR 72), Sarasota, Sarasota County, FL

**AGENCY:** Coast Guard, DOT.

**ACTION:** Notice of temporary deviation from regulations.

**SUMMARY:** The Commander, Seventh Coast Guard District, has approved a temporary deviation from the regulations governing the operation of the Stickney Point Drawbridge (SR 72) across the Gulf Intracoastal Waterway, mile 68.6, Sarasota, Sarasota County, Florida. This deviation allows the drawbridge owner or operator to only open a single leaf from February 26, 2001 to February 28, 2001 from 8 a.m. until 5 p.m., daily. This temporary deviation is required to allow the bridge owner to safely complete maintenance to the drawbridge.

**DATES:** This deviation is effective from February 26, 2001 to February 28, 2001.

**FOR FURTHER INFORMATION CONTACT:** Mr. Barry Dragon, Chief, Operations Section, Seventh Coast Guard District, Bridge Section at (305) 415-6743.

**SUPPLEMENTARY INFORMATION:** The Stickney Point Drawbridge (SR 72) across the Gulf Intracoastal Waterway at Sarasota, FL is a double leaf bridge with a vertical clearance of 18 feet above mean high water (MHW) measured at the center in the closed position. On January 24, 2001 the owner requested a deviation from the current operating regulation in 33 CFR 117.35 which

requires the drawbridge to open promptly and fully when a request to open is given. This temporary deviation was requested to allow necessary maintenance to the drawbridge in a critical time sensitive manner.

The District Commander has granted a temporary deviation from the operating requirements listed in 33 CFR 117.35 for the purpose of maintenance of the drawbridge. Under this deviation, the Stickney Point Drawbridge (SR 72) need only open one leaf from February 26, 2001 to February 28, 2001 from 8 a.m. until 5 p.m., daily.

Dated: February 13, 2001.

**G. E. Shapley,**

*Chief, Bridge Administration, Seventh Coast Guard District.*

[FR Doc. 01-4329 Filed 2-21-01; 8:45 am]

BILLING CODE 4910-15-U

---

## DEPARTMENT OF TRANSPORTATION

### Coast Guard

#### 33 CFR Part 117

[CGD08-00-005]

RIN 2115-AE47

#### Drawbridge Operation Regulation; Chef Menteur Pass, LA

**AGENCY:** Coast Guard, DOT.

**ACTION:** Final rule.

**SUMMARY:** The Coast Guard is changing the regulation governing the operation of the U.S. Highway 90 bridge across Chef Menteur Pass, mile 2.8 at Lake Catherine, Orleans Parish, Louisiana. The rule provides that the draw shall open on signal; except that, from 5:30 a.m. to 7:30 a.m., Monday through Friday except Federal holidays, the draw need open only on the hour and on the half-hour for the passage of vessels. The draw shall open at any time for a vessel in distress. This change will accommodate the navigation needs of commercial fishing vessels while providing the uninterrupted flow of vehicular traffic for commuters en route to work during this period.

**DATES:** This rule becomes effective on March 26, 2001.

**ADDRESSES:** Comments and material received from the public, as well as documents indicated in this preamble as being available in the docket, are part of docket CGD08-00-005 and are available for inspection or copying at the Bridge Administration Branch, Eighth Coast Guard District, 501 Magazine Street, New Orleans, Louisiana between 7 a.m. and 3 p.m., Monday through Friday, except Federal holidays.