

located at Sabana Gardens Industrial Park, Main Street, Carolina, Puerto Rico, with authority granted for the manufacture of a range of human health products (Board Order 787, 60 FR 63499, December 11, 1995).

IPR is now proposing to expand the scope of authority for manufacturing activity conducted under FTZ procedures at Subzone 61G to include additional general categories of inputs that have recently been approved by the Board for other pharmaceutical plants. They include chemically pure sugars, empty capsules for pharmaceutical use, protein concentrates, natural magnesium phosphates and carbonates, gypsum, anhydrite and plasters, petroleum jelly, paraffin and waxes, sulfuric acid, other inorganic acids or compounds of nonmetals, ammonia, zinc oxide, titanium oxides, fluorides, chlorates, sulfates, salts of oxometallic acids, radioactive chemical elements, colloidal precious metals, compounds of rare earth metals, acyclic hydrocarbons, derivatives of phenols or peroxides, acetals and hemiacetals, phosphoric esters and their salts, diazo-compounds, glands for therapeutic uses, wadding, gauze and bandages, pharmaceutical glaze, hair preparations, lubricating preparations, albumins, prepared glues and adhesives, catalytic preparations, diagnostic or laboratory reagents, prepared binders, acrylic and ethylene polymers, self-adhesive plates and sheets, other articles of vulcanized rubber, plastic cases, cartons, boxes, printed books, brochures and similar printed matter, carboys, bottles, and flasks, stoppers, caps, and lids, aluminum foil, tin plates and sheets, taps, cocks and valves, and medical instruments and appliances. Materials sourced from abroad represent some 50%–65% of finished product value.

Zone procedures would exempt IPR from Customs duty payments on foreign materials used in production for export. Some 30–40 percent of the plant's shipments are exported. On domestic shipments, the company would be able to defer Customs duty payments on foreign materials, and to choose the duty rate that applies to finished products (duty free—14.2%) instead of the rates otherwise applicable to the foreign input materials (duty free—20%)(noted above). The application indicates that the savings from zone procedures would help improve IPR's international competitiveness.

In accordance with the Board's regulations, a member of the FTZ staff has been designated examiner to investigate the application and report to the Board.

Public comment is invited from interested parties. Submissions (original and 3 copies) shall be addressed to the Board's Executive Secretary at one of the following addresses:

1. *Submissions Via Express/Package Delivery Services:* Foreign-Trade-Zones Board, U.S. Department of Commerce, Franklin Court Building—Suite 4100W, 1099 14th St. NW., Washington, DC 20005; or

2. *Submissions Via the U.S. Postal Service:* Foreign-Trade-Zones Board, U.S. Department of Commerce, FCB—Suite 4100W, 1401 Constitution Ave. NW., Washington, DC 20230.

The closing period for their receipt is March 11, 2002. Rebuttal comments in response to material submitted during the foregoing period may be submitted during the subsequent 5-day period (to March 18, 2002).

A copy of the application and accompanying exhibits will be available for public inspection at the Office of the Foreign-Trade Zones Board's Executive Secretary at address Number 1 listed above, and at the U.S. Department of Commerce Export Assistance Center, 525 F.D. Roosevelt Ave., Suite 905, San Juan, PR 00918.

Dated: January 16, 2002.

**Dennis Puccinelli,**

*Executive Secretary.*

[FR Doc. 02–1911 Filed 1–24–02; 8:45 am]

**BILLING CODE 3510–DS–P**

## DEPARTMENT OF COMMERCE

### International Trade Administration

[A–588–854]

#### **Certain Tin Mill Products From Japan: Notice of Initiation of Changed Circumstances Review of the Antidumping Order**

**AGENCY:** Import Administration, International Trade Administration, Department of Commerce.

**ACTION:** Notice of initiation of changed circumstances antidumping duty review.

**SUMMARY:** In accordance with 19 CFR 351.216(b), Okaya (U.S.A.), Inc. (“Okaya”), a U.S. importer of subject merchandise filed a request for a changed circumstances review of the antidumping order on certain tin mill products from Japan with respect to certain tin-free steel as described below. Weirton Steel, the only petitioner producer in the underlying investigation, filed a letter with the Department of Commerce (“the Department”) stating that they do not

object to the exclusion of this product from the order. In response to the apparent lack of interest in this product from the domestic industry, the Department of Commerce (“the Department”) is initiating a changed circumstances review with respect to this request for all future entries of certain tin-free steel as described below.

**EFFECTIVE DATES:** January 25, 2002.

**FOR FURTHER INFORMATION CONTACT:** Michael Ferrier, Import Administration, International Trade Administration, U.S. Department of Commerce, 14th Street and Constitution Avenue, N.W., Washington, D.C. 20230; telephone: (202) 482–1394.

#### **The Applicable Statute and Regulations**

Unless otherwise indicated, all citations to the statute are references to the provisions effective January 1, 1995, the effective date of the amendments made to the Tariff Act of 1930, as amended (“the Act”), by the Uruguay Round Agreements Act. In addition, unless otherwise indicated, all citations to the Department's regulations are to the regulations as codified at 19 C.F.R. Part 351 (2001).

#### **SUPPLEMENTARY INFORMATION:**

##### **Background**

On August 28, 2000, the Department published in the Federal Register the antidumping duty order on certain tin mill products from Japan. See Notice of Antidumping Duty Order: Certain Tin Mill Products from Japan 65 FR 52067 (August 28, 2000). On December 3, 2001, Okaya, a U.S. importer requested that the Department revoke in part the antidumping duty order on certain tin mill products from Japan. Okaya also requested that the partial revocation apply retroactively for all unliquidated entries. Specifically, the U.S. importer requested that the Department revoke the order with respect to imports meeting the following specifications: Steel coated with a metallic chromium layer between 100–200 mg/mFD and a chromium oxide layer between 5–30 mg/mFD; chemical composition of 0.05% maximum carbon, 0.03% maximum silicon, 0.60% maximum manganese, 0.02% maximum phosphorus, and 0.02% maximum sulfur; magnetic flux density (“Br”) of 10 kg minimum and a coercive force (“Hc”) of 3.8 Oe minimum. The U.S. importer indicated that, based on its consultations with domestic producers, the domestic producers lack interest in producing this specialized product.

On January 16, 2002, Weirton Steel, the only petitioner producer in the underlying investigation filed a letter

stating that they do not object to the exclusion of this product from the order. Weirton Steel, a domestic producer of tin mill products, together with the Independent Steelworkers Union and the United Steelworkers of America, AFL-CIO, were the petitioners in the underlying sales at less-than-fair-value investigation (see 65 FR 52067). The Department notes that Weirton Steel is a producer of tin mill products, but individually does not account for substantially all of the production of the domestic like product. See Certain Tin Mill Products From Japan: Final Results of Changed Circumstances Review, 66 FR 52109 (October 12, 2001). However, the Department has no information on the record that the other known domestic producers of tin mill products, Bethlehem Steel Corp., National Steel Corp., Midwest Division, Ohio Coatings Co., U.S. Steel Group, a Unit of USX Corp., and USS-Posco Industries, Inc., have no interest in maintaining the antidumping duty order with respect to certain tin-free steel described in Okaya's request. Therefore, we are not combining this initiation with the preliminary determination, which is our normal practice under section 351.221(c)(3)(ii). This initiation will accord all interested parties an opportunity to address this proposed exclusion.

### Scope of Review

The products covered by this antidumping order are tin mill flat-rolled products that are coated or plated with tin, chromium or chromium oxides. Flat-rolled steel products coated with tin are known as tin plate. Flat-rolled steel products coated with chromium or chromium oxides are known as tin-free steel or electrolytic chromium-coated steel. The scope includes all the noted tin mill products regardless of thickness, width, form (in coils or cut sheets), coating type (electrolytic or otherwise), edge (trimmed, untrimmed or further processed, such as scroll cut), coating thickness, surface finish, temper, coating metal (tin, chromium, chromium oxide), reduction (single- or double-reduced), and whether or not coated with a plastic material. All products that meet the written physical description are within the scope of this order unless specifically excluded. The following products, by way of example, are outside and/or specifically excluded from the scope of this order:

- Single reduced electrolytically chromium coated steel with a thickness 0.238 mm (85 pound base box) (±10%) or 0.251 mm (90 pound base box) (±10%) or 0.255 mm (±10%) with 770

- mm (minimum width) (±1.588 mm) by 900 mm (maximum length if sheared) sheet size or 30.6875 inches (minimum width) (± 1/16 inch) and 35.4 inches (maximum length if sheared) sheet size; with type MR or higher (per ASTM) A623 steel chemistry; batch annealed at T2 1/2 anneal temper, with a yield strength of 31 to 42 kpsi (214 to 290 Mpa); with a tensile strength of 43 to 58 kpsi (296 to 400 Mpa); with a chrome coating restricted to 32 to 150 mg/m-FD; with a chrome oxide coating restricted to 6 to 25 mg/m-FD with a modified 7B ground roll finish or blasted roll finish; with roughness average (Ra) 0.10 to 0.35 micrometers, measured with a stylus instrument with a stylus radius of 2 to 5 microns, a trace length of 5.6 mm, and a cut-off of 0.8 mm, and the measurement traces shall be made perpendicular to the rolling direction; with an oil level of 0.17 to 0.37 grams/base box as type BSO, or 2.5 to 5.5 mg/m-FD as type DOS, or 3.5 to 6.5 mg/m-FD as type ATBC; with electrical conductivity of static probe voltage drop of 0.46 volts drop maximum, and with electrical conductivity degradation to 0.70 volts drop maximum after stoving (heating to 400 degrees F for 100 minutes followed by a cool to room temperature).

- Single reduced electrolytically chromium-or tin-coated steel in the gauges of 0.0040 inch nominal, 0.0045 inch nominal, 0.0050 inch nominal, 0.0061 inch nominal (55 pound base box weight), 0.0066 inch nominal (60 pound base box weight), and 0.0072 inch nominal (65 pound base box weight), regardless of width, temper, finish, coating or other properties.

- Single reduced electrolytically chromium coated steel in the gauge of 0.024 inch, with widths of 27.0 inches or 31.5 inches, and with T-1 temper properties.

- Single reduced electrolytically chromium coated steel, with a chemical composition of 0.005% max carbon, 0.030% max silicon, 0.25% max manganese, 0.025% max phosphorous, 0.025% max sulfur, 0.070% max aluminum, and the balance iron, with a metallic chromium layer of 70-130 mg/mFD, with a chromium oxide layer of 5-30 mg/mFD, with a tensile strength of 260-440 N/mmFD, with an elongation of 28-48%, with a hardness (HR-30T) of 40-58, with a surface roughness of 0.5-1.5 microns Ra, with magnetic properties of Bm (KG)10.0 minimum, Br (KG) 8.0 minimum, Hc (Oe) 2.5-3.8, and MU 1400 minimum, as measured with a Riken Denshi DC magnetic characteristic measuring machine, Model BHU-60.

- Bright finish tin-coated sheet with a thickness equal to or exceeding 0.0299 inch, coated to thickness of 3/4 pound (0.000045 inch) and 1 pound (0.00006 inch).

- Electrolytically chromium coated steel having ultra flat shape defined as oil can maximum depth of 5/64 inch (2.0 mm) and edge wave maximum of 5/64 inch (2.0 mm) and no wave to penetrate more than 2.0 inches (51.0 mm) from the strip edge and coilset or curling requirements of average maximum of 5/64 inch (2.0 mm) (based on six readings, three across each cut edge of a 24 inches (61 cm) long sample with no single reading exceeding 4/32 inch (3.2 mm) and no more than two readings at 4/32 inch (3.2 mm)) and (for 85 pound base box item only: crossbuckle maximums of 0.001 inch (0.0025 mm) average having no reading above 0.005 inch (0.127 mm)), with a camber maximum of 1/4 inch (6.3 mm) per 20 feet (6.1 meters), capable of being bent 120 degrees on a 0.002 inch radius without cracking, with a chromium coating weight of metallic chromium at 100 mg/m-FD and chromium oxide of 10 mg/m-FD, with a chemistry of 0.13% maximum carbon, 0.60% maximum manganese, 0.15% maximum silicon, 0.20% maximum copper, 0.04% maximum phosphorous, 0.05% maximum sulfur, and 0.20% maximum aluminum, with a surface finish of Stone Finish 7C, with a DOS-A oil at an aim level of 2 mg/square meter, with not more than 15 inclusions/foreign matter in 15 feet (4.6 meters) (with inclusions not to exceed 1/32 inch (0.8 mm) in width and 3/64 inch (1.2 mm) in length), with thickness/temper combinations of either 60 pound base box (0.0066 inch) double reduced CADR8 temper in widths of 25.00 inches, 27.00 inches, 27.50 inches, 28.00 inches, 28.25 inches, 28.50 inches, 29.50 inches, 29.75 inches, 30.25 inches, 31.00 inches, 32.75 inches, 33.75 inches, 35.75 inches, 36.25 inches, 39.00 inches, or 43.00 inches, or 85 pound base box (0.0094 inch) single reduced CAT4 temper in widths of 25.00 inches, 27.00 inches, 28.00 inches, 30.00 inches, 33.00 inches, 33.75 inches, 35.75 inches, 36.25 inches, or 43.00 inches, with width tolerance of ± 1/8 inch, with a thickness tolerance of ±0.0005 inch, with a maximum coil weight of 20,000 pounds (9071.0 kg), with a minimum coil weight of 18,000 pounds (8164.8 kg) with a coil inside diameter of 16 inches (40.64 cm) with a steel core, with a coil maximum outside diameter of 59.5 inches (151.13 cm), with a maximum of one weld (identified with a paper flag)

per coil, with a surface free of scratches, holes, and rust.

– Electrolytically tin coated steel having differential coating with 1.00 pound/base box equivalent on the heavy side, with varied coating equivalents in the lighter side (detailed below), with a continuous cast steel chemistry of type MR, with a surface finish of type 7B or 7C, with a surface passivation of 0.7 mg/square foot of chromium applied as a cathodic dichromate treatment, with coil form having restricted oil film weights of 0.3–0.4 grams/base box of type DOS–A oil, coil inside diameter ranging from 15.5 to 17 inches, coil outside diameter of a maximum 64 inches, with a maximum coil weight of 25,000 pounds, and with temper/coating/dimension combinations of: (1) CAT 4 temper, 1.00/0.50 pound/base box coating, 70 pound/base box (0.0077 inch) thickness, and 33.1875 inch ordered width; or (2) CAT5 temper, 1.00/0.50 pound/base box coating, 75 pound/base box (0.0082 inch) thickness, and 34.9375 inch or 34.1875 inch ordered width; or (3) CAT5 temper, 1.00/0.50 pound/base box coating, 107 pound/base box (0.0118 inch) thickness, and 30.5625 inch or 35.5625 inch ordered width; or (4) CADR8 temper, 1.00/0.50 pound/base box coating, 85 pound/base box (0.0093 inch) thickness, and 35.5625 inch ordered width; or (5) CADR8 temper, 1.00/0.25 pound/base box coating, 60 pound/base box (0.0066 inch) thickness, and 35.9375 inch ordered width; or (6) CADR8 temper, 1.00/0.25 pound/base box coating, 70 pound/base box (0.0077 inch) thickness, and 32.9375 inch, 33.125 inch, or 35.1875 inch ordered width.

– Electrolytically tin coated steel having differential coating with 1.00 pound/base box equivalent on the heavy side, with varied coating equivalents on the lighter side (detailed below), with a continuous cast steel chemistry of type MR, with a surface finish of type 7B or 7C, with a surface passivation of 0.5 mg/square foot of chromium applied as a cathodic dichromate treatment, with ultra flat scroll cut sheet form, with CAT 5 temper with 1.00/0.10 pound/base box coating, with a lithograph logo printed in a uniform pattern on the 0.10 pound coating side with a clear protective coat, with both sides waxed to a level of 15–20 mg/216 sq. in., with ordered dimension combinations of (1) 75 pound/base box (0.0082 inch) thickness and 34.9375 inch x 31.748 inch scroll cut dimensions; or (2) 75 pound/base box (0.0082 inch) thickness and 34.1875 inch x 29.076 inch scroll cut dimensions; or (3) 107 pound/base box (0.0118 inch) thickness and 30.5625 inch x 34.125 inch scroll cut dimension.

The merchandise subject to this order is classified in the Harmonized Tariff Schedule of the United States (“HTSUS”), under HTSUS subheadings 7210.11.0000, 7210.12.0000, 7210.50.0000, 7212.10.0000, and 7212.50.0000 if of non–alloy steel and under HTSUS subheadings 7225.99.0090, and 7226.99.0000 if of alloy steel. Although the subheadings are provided for convenience and Customs purposes, our written description of the scope of this review is dispositive.

#### Initiation of Changed Circumstances Antidumping Duty Administrative Review

Pursuant to sections 751(d)(1) of the Act, the Department may revoke an antidumping or countervailing duty order, in whole or in part, based on a review under section 751(b) of the Act (i.e., a changed circumstances review). Section 751(b)(1) of the Act requires a changed circumstances review to be conducted upon receipt of a request which shows changed circumstances sufficient to warrant a review. Section 351.222(g) of the Department’s regulations provides that the Department will conduct a changed circumstances administrative review under 19 CFR 351.216, and may revoke an order (in whole or in part), if it determines that (i) producers accounting for substantially all of the production of the domestic like product to which the order pertains have expressed a lack of interest in the relief provided by the order, in whole or in part, or (ii) if other changed circumstances sufficient to warrant revocation exist. To the Department’s knowledge the following are U.S. producers of tin mill products: Bethlehem Steel Corp., National Steel Corp., Midwest Division, Ohio Coatings Co., U.S. Steel Group, a Unit of USX Corp., and USS–Posco Industries, Inc. Based upon Weirton’s statement of no interest and the silence of other domestic producers, we believe there is information sufficient to warrant initiation of this changed circumstances review.

The Department will publish in the Federal Register a notice of preliminary results of changed circumstances review, in accordance with 19 CFR 351.221(c)(3)(i), which will set forth the factual and legal conclusions upon which our preliminary results are based, and a description of any action proposed based on those results. Interested parties may submit comments for consideration in the Department’s preliminary results not later than 20 days after publication of this notice. Responses to those comments may be

submitted not later than 10 days following submission of the comments. All written comments must be submitted in accordance with 19 CFR 351.303, and must be served on all interested parties on the Department’s service list in accordance with 19 CFR 351.303. The Department will also issue its final results of review within 270 days after the date on which the changed circumstances review is initiated, in accordance with 19 CFR 351.216(e), and will publish these results in the Federal Register. While the changed circumstances review is underway, the current requirement for a cash deposit of estimated antidumping duties on all subject merchandise, including the merchandise that is the subject of this changed circumstances review, will continue unless and until it is modified pursuant to the final results of this changed circumstances review or other administrative review.

This notice is in accordance with sections 751(b)(1) and 777(i)(1) of the Act and 19 CFR 351.216 and 351.222.

Dated: January 17, 2002.

**Faryar Shirzad,**

*Assistant Secretary for Import Administration.*

[FR Doc. 02–1910 Filed 1–24–02; 8:45 am]

**BILLING CODE 3510–DS–S**

## DEPARTMENT OF COMMERCE

### National Oceanic and Atmospheric Administration

[I.D. 011702C]

#### Endangered and Threatened Species; Take of Anadromous Fish

**AGENCY:** National Marine Fisheries Service (NMFS), National Oceanic and Atmospheric Administration (NOAA), Commerce.

**ACTION:** Notice of availability and request for comments.

**SUMMARY:** Notice is hereby given that the State of Washington through Washington State Department of Transportation (WSDOT), King, Pierce, Snohomish, Clallam, Kitsap, Mason, and Thurston Counties, and the Cities of Bellevue, Bremerton, Burien, Covington, Edgewood, Everett, Kenmore, Kent, Lake Forest Park, Lakewood, Maple Valley, Newcastle, Renton, Sammamish, Shoreline, Tacoma, and University Place have jointly submitted a Routine Road Maintenance Program (RMP) pursuant to protective regulations promulgated under the ESA. The RMP would affect 12 Evolutionarily Significant Units (ESUs) of threatened salmonids identified in the