

State	City/town/county	Source of flooding	Location	# Depth in feet above ground. *Elevation in feet. (NGDV)	
				Existing	Modified
		East Fork Pringle Creek ...	Approximately 150 feet downstream of Interstate 5. At confluence with Pringle Creek and Middle Fork Pringle Creek.	*222 *172	*219 *174
		Mill Creek B	Approximately 150 feet downstream of Interstate 5. At confluence with Willamette River Just upstream of Mission Street Approximately 3,000 feet upstream of Penitentiary Annex Road.	*219 *141 *198 *253	*219 *141 *199 *254

Depth in feet above ground

Maps are available for inspection at the City of Salem, 555 Liberty Street SE, Salem, Oregon.

Send comments to The Honorable Michael Swain, Mayor, City of Salem, 555 Liberty Street SE, Room 230 Salem, Oregon 97301.

South Dakota	City of Spearfish, Lawrence County.	West Chipmunk Gulch	At confluence with Spearfish Creek	*3,574	*3,574
			At 960 feet upstream of West Oliver Street.	None	*3,663

Depth in feet above ground

Maps are available for inspection at Department of Public Works, City Hall, 625 Fifth Street, Spearfish, South Dakota.

Send comments to The Honorable Jerry Krambeck, Major, City of Spearfish, City Hall, 625 Fifth Street, Spearfish, South Dakota 57783.

South Dakota	City of Hill City, Pennington County.	Spring Creek	At approximately 50 feet upstream of Hill City power line located at approximately 2,000 feet upstream of U.S. Highway 385 and 16.	None	*4,937
			At approximately 1,400 feet upstream of Poplar Street and Bishop Mountain Avenue Intersection.	None	*5,013
		Newton Fork Creek	At Museum Drive Approximately 1,900 feet upstream of Museum Drive.	None None	*4,967 *4,981

Depth in feet above ground

Maps are available for inspection at the City Hall, 324 Main Street, Hill City, South Dakota.

Send comments to The Honorable Peter Stach, Mayor City of Hill City, City Hall, P.O. Box 395, Hill City, South Dakota 57745.

(Catalog of Federal Domestic Assistance No. 83.100, "Flood Insurance")

Dated: January 29, 2002.

Robert F. Shea,

Acting Administrator, Federal Insurance and Mitigation Administration.

[FR Doc. 02-2660 Filed 2-4-02; 8:45 am]

BILLING CODE 6718-04-P

FEDERAL EMERGENCY MANAGEMENT AGENCY

44 CFR Part 67

[Docket No. FEMA-D-7520]

Proposed Flood Elevation Determinations

AGENCY: Federal Emergency Management Agency, FEMA.

ACTION: Proposed rule.

SUMMARY: Technical information or comments are requested on the proposed base (1% annual chance) flood elevations and proposed base flood elevation modifications for the

communities listed below. The base flood elevations are the basis for the floodplain management measures that the community is required either to adopt or to show evidence of being already in effect in order to qualify or remain qualified for participation in the National Flood Insurance Program (NFIP).

DATES: The comment period is ninety (90) days following the second publication of this proposed rule in a newspaper of local circulation in each community.

ADDRESSES: The proposed base flood elevations for each community are available for inspection at the office of the Chief Executive Officer of each community. The respective addresses are listed in the following table.

FOR FURTHER INFORMATION CONTACT: Matthew B. Miller, P.E., Chief, Hazards Study Branch, Federal Insurance and Mitigation Administration, Federal Emergency Management Agency, 500 C Street SW., Washington, DC 20472,

(202) 646-3461, or (email) matt.miller@fema.gov.

SUPPLEMENTARY INFORMATION: The Federal Emergency Management Agency (FEMA or Agency) proposes to make determinations of base flood elevations and modified base flood elevations for each community listed below, in accordance with Section 110 of the Flood Disaster Protection Act of 1973, 42 U.S.C. 4104, and 44 CFR 67.4(a).

These proposed base flood and modified base flood elevations, together with the floodplain management criteria required by 44 CFR 60.3, are the minimum that are required. They should not be construed to mean that the community must change any existing ordinances that are more stringent in their floodplain management requirements. The community may at any time enact stricter requirements of its own, or pursuant to policies established by other Federal, state or regional entities. These

proposed elevations are used to meet the floodplain management requirements of the NFIP and are also used to calculate the appropriate flood insurance premium rates for new buildings built after these elevations are made final, and for the contents in these buildings.

National Environmental Policy Act

This proposed rule is categorically excluded from the requirements of 44 CFR Part 10, Environmental Consideration. No environmental impact assessment has been prepared.

Regulatory Flexibility Act

The Acting Executive Associate Director, Mitigation Directorate, certifies that this proposed rule is exempt from the requirements of the Regulatory Flexibility Act because proposed or modified base flood elevations are required by the Flood Disaster

Protection Act of 1973, 42 U.S.C. 4104, and are required to establish and maintain community eligibility in the NFIP. As a result, a regulatory flexibility analysis has not been prepared.

Regulatory Classification

This proposed rule is not a significant regulatory action under the criteria of Section 3(f) of Executive Order 12866 of September 30, 1993, Regulatory Planning and Review, 58 FR 51735.

Executive Order 12612, Federalism

This proposed rule involves no policies that have federalism implications under Executive Order 12612, Federalism, dated October 26, 1987.

Executive Order 12778, Civil Justice Reform

This proposed rule meets the applicable standards of Section 2(b)(2) of Executive Order 12778.

List of Subjects in 44 CFR Part 67

Administrative practice and procedure, flood insurance, reporting and recordkeeping requirements.

Accordingly, 44 CFR part 67 is proposed to be amended as follows:

PART 67—[AMENDED]

1. The authority citation for part 67 continues to read as follows:

Authority: 42 U.S.C. 4001 *et seq.*; Reorganization Plan No. 3 of 1978, 3 CFR, 1978 Comp., p. 329; E.O. 12127, 44 FR 19367, 3 CFR, 1979 Comp., p. 376.

§ 67.4 [Amended]

2. The tables published under the authority of § 67.4 are proposed to be amended as follows:

Source of flooding	Location	#Depth in feet above ground. *Elevation in feet (NGVD)		Communities affected
		Existing	Modified	

**ILLINOIS
(City of Columbia and Monroe County)**

Carr Creek	Approximately 275 feet upstream of of Bluff Road ...	*421	*422	City of Columbia, Unincorporated Areas of Monroe County
Carr Creek Tributary	Approximately 600 feet upstream of Gall Road At the confluence with Carr Creek	None None	*449 *446	
Palmer Creek	Approximately 1,620 feet upstream of confluence with Carr Creek. Approximately 0.66 mile downstream of Union Pacific Railroad.	None None	*448 *402	City of Columbia, Unincorporated Areas of Monroe County
Palmer Creek Tributary	At Rueck Road At the confluence with Palmer Creek	*455 *435	*454 *431	
Rueck Creek	Approximately 760 feet upstream of abandoned railroad. At the confluence with Palmer Creek	*474 None	*473 *432	City of Columbia, Unincorporated Areas of Monroe County
Wilson Creek	Approximately 0.83 mile upstream of confluence with Palmer Creek. At the confluence with Carr Creek Approximately 500 feet upstream of South Main Street.	None None None	*452 *429 *482	

Monroe County (Unincorporated Areas)

Maps available for inspection at the Monroe County Zoning Office, Monroe County Courthouse, 100 South Main Street, Waterloo, Illinois. Send comments to Mr. Robert Rippelmeyer, Chairman of the Monroe County Board of Commissioners, Monroe County Courthouse, 100 South Main Street, Waterloo, Illinois 62298.

City of Columbia

Maps available for inspection at the Columbia City Hall, 208 South Rapp Avenue, Columbia, Illinois. Send comments to The Honorable Lester Schneider, Mayor of the City of Columbia, 208 South Rapp Avenue, Columbia, Illinois 62236.

**VIRGINIA
Southampton County and Town of Courtland**

Blackwater River	At the confluence with Chowan River	*11	*14	Southampton County
------------------------	---	-----	-----	--------------------

Source of flooding	Location	#Depth in feet above ground. *Elevation in feet (NGVD)		Communities affected
		Existing	Modified	
Nottoway River	Approximately 6,700 feet upstream of State Route 620 (Broadwater Road).	None	*36	(Unincorporated Areas)
	At the confluence with Chowan River	*11	*14	Southampton County
	Approximately 2,400 feet upstream of Norfolk Franklin & Danville Railroad.	*26	*27	(Unincorporated Areas); Courtland (Town)

Southampton County (Unincorporated Areas)

Maps available for inspection at the Southampton County Administrator's Office, 26022 Administration Center Driver, Courtland, Virginia. Send comments to Mr. Michael W. Johnson, Southampton County Administrator, 26022 Administration Center Drive, Courtland, Virginia 23837.

Town of Courtland

Maps available for inspection at the Courtland Town Office, 22219 Meherrin Road, Courtland, Virginia. Send comments to The Honorable Lewis H. Davis, Sr., Mayor of the Town of Courtland, P.O. Box 39, Courtland, Virginia 23837.

(Catalog of Federal Domestic Assistance No. 83.100, "Flood Insurance.")
Dated: January 29, 2002.

Robert F. Shea,
Acting Administrator, Federal Insurance and Mitigation Administration.

[FR Doc. 02-2663 Filed 2-4-02; 8:45 am]
BILLING CODE 6718-04-P

FEDERAL EMERGENCY MANAGEMENT AGENCY

44 CFR Part 67

[Docket No. FEMA-D-7522]

Proposed Flood Elevation Determinations

AGENCY: Federal Emergency Management Agency, FEMA.
ACTION: Proposed rule.

SUMMARY: Technical information or comments are requested on the proposed base (1% annual chance) flood elevations and proposed base flood elevation modifications for the communities listed below. The base flood elevations are the basis for the floodplain management measures that the community is required either to adopt or to show evidence of being already in effect in order to qualify or remain qualified for participation in the National Flood Insurance Program (NFIP).

DATES: The comment period is ninety (90) days following the second publication of this proposed rule in a newspaper of local circulation in each community.

ADDRESSES: The proposed base flood elevations for each community are available for inspection at the office of the Chief Executive Officer of each community. The respective addresses are listed in the following table.

FOR FURTHER INFORMATION CONTACT: Matthew B. Miller, P.E., Chief, Hazards

Study Branch, Federal Insurance and Mitigation Administration, Federal Emergency Management Agency, 500 C Street SW., Washington, DC 20472, (202) 646-3461, or (email) *matt.miller@fema.gov*.

SUPPLEMENTARY INFORMATION: The Federal Emergency Management Agency (FEMA or Agency) proposes to make determinations of base flood elevations and modified base flood elevations for each community listed below, in accordance with section 110 of the Flood Disaster Protection Act of 1973, 42 U.S.C. 4104, and 44 CFR 67.4(a).

These proposed base flood and modified base flood elevations, together with the floodplain management criteria required by 44 CFR 60.3, are the minimum that are required. They should not be construed to mean that the community must change any existing ordinances that are more stringent in their floodplain management requirements. The community may at any time enact stricter requirements of its own, or pursuant to policies established by other Federal, state or regional entities. These proposed elevations are used to meet the floodplain management requirements of the NFIP and are also used to calculate the appropriate flood insurance premium rates for new buildings built after these elevations are made final, and for the contents in these buildings.

National Environmental Policy Act

This proposed rule is categorically excluded from the requirements of 44 CFR Part 10, Environmental Consideration. No environmental impact assessment has been prepared.

Regulatory Flexibility Act

The Acting Executive Associate Director, Mitigation Directorate, certifies that this proposed rule is exempt from the requirements of the Regulatory

Flexibility Act because proposed or modified base flood elevations are required by the Flood Disaster Protection Act of 1973, 42 U.S.C. 4104, and are required to establish and maintain community eligibility in the NFIP. As a result, a regulatory flexibility analysis has not been prepared.

Regulatory Classification

This proposed rule is not a significant regulatory action under the criteria of Section 3(f) of Executive Order 12866 of September 30, 1993, Regulatory Planning and Review, 58 FR 51735.

Executive Order 12612, Federalism

This proposed rule involves no policies that have federalism implications under Executive Order 12612, Federalism, dated October 26, 1987.

Executive Order 12778, Civil Justice Reform

This proposed rule meets the applicable standards of Section 2(b)(2) of Executive Order 12778.

List of Subjects in 44 CFR Part 67

Administrative practice and procedure, flood insurance, reporting and recordkeeping requirements.

Accordingly, 44 CFR Part 67 is proposed to be amended as follows:

PART 67—[AMENDED]

1. The authority citation for Part 67 continues to read as follows:

Authority: 42 U.S.C. 4001 et seq.; Reorganization Plan No. 3 of 1978, 3 CFR, 1978 Comp., p. 329; E.O. 12127, 44 FR 19367, 3 CFR, 1979 Comp., p. 376.

§ 67.4 [Amended]

2. The tables published under the authority of § 67.4 are proposed to be amended as follows: