

Source of flooding and location	#Depth in feet above ground. *Elevation in feet (NGVD) •Elevation in feet (NAVD)	Source of flooding and location	#Depth in feet above ground. *Elevation in feet (NGVD) •Elevation in feet (NAVD)
<b>Maps available for inspection</b> at the Sheboygan County Planning and Resources Department, 508 New York Avenue, Sheboygan, Wisconsin.		At a point approximately 1.1 miles upstream of Heide Cooper Road .....	*1,141
<b>WEST VIRGINIA</b>		<i>South Fork Little Cacapon River:</i>	
<b>Capon Bridge (Town), Hampshire County (FEMA Docket No. D-7502)</b>		At confluence with Little Cacapon River .....	*1,011
<i>Dillons Run:</i> At the confluence with the Cacapon River .....	*814	At a point approximately 1.9 miles up-stream of U.S. Route 50 .....	*1,129
At a point approximately 2,600 feet upstream of the confluence with the Cacapon River .....	*814	<i>Mill Branch:</i> At confluence with Cacapon River .....	*818
<i>Cacapon River:</i> At a point approximately 2,450 feet downstream of U.S. Route 50 .....	*811	At a point approximately 2.5 miles upstream of U.S. Route 50 .....	*949
At a point approximately 4,350 feet upstream of U.S. Route 50 .....	*817	<i>North River:</i> At a point approximately 7.2 miles downstream of U.S. Route 50 .....	*822
<b>Maps available for inspection</b> at the Capon Bridge Town Building, Route 50 East, Capon Bridge, West Virginia.		At a point approximately 3.3 miles upstream of U.S. Route 50 .....	*906
<b>Hampshire County (Unincorporated Areas) (FEMA Docket No. D-7502)</b>		<i>South Branch Potomac River:</i> Upstream side of the Baltimore & Ohio Railroad bridge .....	*559
<i>Cacapon River:</i> At a point approximately 1.6 miles downstream of U.S. Route 50 .....	*807	Approximately 2.84 miles upstream of confluence of Big Run .....	*686
At a point approximately 1.9 miles upstream of U.S. Route 50 .....	*820	<b>Maps available for inspection</b> at the Hampshire County Courthouse, 66 North High Street, Romney, West Virginia 26757.	
<i>Big Run:</i> At the confluence with the South Branch Potomac River .....	*680	<b>Romney (Town), Hampshire County (FEMA Docket No. D-7502)</b>	
At a point approximately 475 feet upstream of Grassy Lick Road .....	*1,057	<i>Big Run:</i> At a point approximately 225 feet downstream of State Route 28 .....	*738
<i>Dillons Run:</i> At a point approximately 2,600 feet upstream of the confluence with the Cacapon River .....	*814	At a point approximately 0.8 mile upstream of State Route 28 .....	*838
At a point approximately 2,850 feet upstream of the confluence with the Cacapon River .....	*814	<b>Maps available for inspection</b> at the Romney Town Building, 340 East Main Street, Romney, West Virginia.	
<i>Green Spring Run:</i> At the confluence with North Branch Potomac River .....	*535	(Catalog of Federal Domestic Assistance No. 83.100, "Flood Insurance")	
At a point approximately 4.2 miles upstream of Green Spring Valley Road .....	*649	Dated: July 2, 2002.	
<i>Little Cacapon River:</i> At a point approximately 1.1 miles downstream of Little Cacapon Road .....	*977	<b>Robert F. Shea,</b> <i>Acting Administrator, Federal Insurance and Mitigation Administration.</i>	
At upstream side of Little Cacapon Road .....	*1,011	[FR Doc. 02-17269 Filed 7-9-02; 8:45 am]	
<i>North Fork Little Cacapon River:</i> At confluence with Little Cacapon River .....	*1,011	BILLING CODE 6718-04-P	

**ACTION:** Final rule.

**SUMMARY:** Base (1% annual chance) flood elevations and modified base flood elevations are made final for the communities listed below. The base flood elevations and modified base flood elevations are the basis for the floodplain management measures that each community is required either to adopt or to show evidence of being already in effect in order to qualify or remain qualified for participation in the National Flood Insurance Program (NFIP).

**EFFECTIVE DATES:** The date of issuance of the Flood Insurance Rate Map (FIRM) showing base flood elevations and modified base flood elevations for each community. This date may be obtained by contacting the office where the maps are available for inspection as indicated on the table below.

**ADDRESSES:** The final base flood elevations for each community are available for inspection at the office of the Chief Executive Officer for each community. The respective addresses are listed in the table below.

**FOR FURTHER INFORMATION CONTACT:** Matthew B. Miller, P.E. chief, Hazards Study Branch, Federal Insurance and Mitigation Administration, Federal Emergency Management Agency, 500 C Street SW., Washington, DC 20472, (202) 646-3461, or (email) [matt.miller@fema.gov](mailto:matt.miller@fema.gov).

**SUPPLEMENTARY INFORMATION:** The Federal Emergency Management Agency (FEMA or Agency) makes final determinations listed below of base flood elevations and modified based flood elevations for each community listed. The proposed base flood elevations and proposed modified base flood elevations were published in newspapers of local circulation and an opportunity for the community or individuals to appeal the proposed determinations to or through the community was provided for a period of ninety (90) days. The proposed base flood elevations and proposed modified base flood elevations were also published in the **Federal Register**.

This final rule is issued in accordance with Section 110 of the Flood Disaster Protection Act of 1973, 42 U.S.C. 4104 and 44 CFR part 67.

The Agency has developed criteria for floodplain management in floodprone areas in accordance with 44 CFR part 60.

Interested lessees and owners of real property are encouraged to review the proof Flood Insurance Study and Flood Insurance Rate Map available at the

**FEDERAL EMERGENCY MANAGEMENT AGENCY**

**44 CFR Part 67**

**Final Flood Elevation Determination**

**AGENCY:** Federal Emergency Management Agency (FEMA).

address cited below for each community.

The base flood elevations and modified base flood elevations are made final in the communities listed below. Elevations at selected locations in each community are shown.

**National Environmental Policy Act**

This rule is categorically excluded from the requirements of 44 CFR Part 10, Environment Consideration. No environmental impact assessment has been prepared.

**Regulatory Flexibility Act**

The Acting Administrator, Federal Insurance and Mitigation Administration, certifies that this rule is exempt from the requirements of the Regulatory Flexibility Act because final or modified base flood elevations are required by the Flood Disaster Protection Act of 1973, 42 U.S.C. 4104, and are required to establish and maintain community eligibility in the NFIP. No regulatory flexibility analysis has been prepared.

**Regulatory Classification**

This final rule is not a significant regulatory action under the criteria of Section 3(f) of Executive Order 12866 of September 30, 1993, Regulatory Planning and Review, 58 FR 51735.

**Executive Order 12612, Federalism**

This rule involves no policies that have federalism implications under Executive Order 12612, Federalism, dated October 26, 1987.

**Executive Order 12778, Civil Justice Reform**

This rule meets the applicable standards of Section 2(b)(2) of Executive Order 12778.

**List of Subjects in 44 CFR Part 67**

Administrative practice and procedure, Flood insurance, Reporting and Recordkeeping requirements

Accordingly, 44 CFR Part 67 is amended as follows:

**PART 67—[AMENDED]**

1. The authority citation for part 67 continues to read as follows:

**Authority:** 42 U.S.C. 4001 et seq.; Reorganization Plan No. 3 of 1978, 3 CFR, 1978 Comp., p. 329; E.O. 12127, 44 FR 19367, 3 CFR, 1979 Comp., p. 376.

**§ 67.11 [Amended]**

2. The tables published under the authority of § 67.11 are amended as follows:

Source of flooding and location	#Depth in feet above ground. *Elevation in feet (NGVD) • Elevation in feet (NAVD)
<b>PENNSYLVANIA</b>	
<b>(Westmoreland County) township of East Huntingdon, Borough of Scottdale, Township of Mt. Pleasant (FEMA Docket No. D-7526)</b>	
<i>Jacobs Creek:</i>	
At State Route 819 .....	*1,020
A point approximately 0.82 mile upstream of State Route 982 .....	*1,288
<b>Borough of Scottdale (FEMA Docket No. D-7526)</b>	
<i>Stauffer Run:</i>	
Approximately 340 feet upstream of confluence with Jacobs Creek (Lower Reach) .....	*1,031
Approximately 1,100 feet upstream of State Route 819 .....	*1,039
<b>Township of Mt. Pleasant (FEMA Docket No. D-7526)</b>	
<i>Laurel Run:</i>	
At the confluence with Jacobs Creek .....	*1,219
Approximately 1,530 feet upstream of Jacobs Creek .....	*1,244
<b>Township of East Huntingdon, Township of Mt Pleasant (FEMA Docket No. D-7526)</b>	
<i>Shupe Run:</i>	
At the confluence with Jacobs Creek .....	*1,040
Approximately 42 feet downstream of the CONRAIL bridge .....	*1,046
<b>Borough of Scottdale</b>	
<b>Maps available for inspection at the Scottdale Borough Municipal Building 10 Mount Pleasant Road, Scottdale, Pennsylvania.</b>	
<b>Township of Mt. Pleasant</b>	
<b>Maps available for inspection at the Mt. Pleasant Township Building, Poker Road, Mammoth, Pennsylvania.</b>	
<b>Township of East Huntingdon</b>	
<b>Maps available for inspection at the East Huntingdon Township Building, Route 981, Alverton, Pennsylvania.</b>	

(Catalog of Federal Domestic Assistance No. 83.100, "Flood Insurance")

Dated: July 2, 2002.  
**Robert F. Shea,**  
*Acting Administrator, Federal Insurance and Mitigation Administration.*  
 [FR Doc. 02-17270 Filed 7-9-02; 8:45 am]  
**BILLING CODE 6718-04-M**

**FEDERAL COMMUNICATIONS COMMISSION**

**47 CFR Parts 15 and 18**

[ET Docket 98-80; FCC 02-157]

**Conducted Emission Limits**

**AGENCY:** Federal Communications Commission.  
**ACTION:** Final rule.

**SUMMARY:** This document revises the Commission's rules for Radio Frequency (RF) devices to modify the limits on the amount of RF energy that is permitted to be conducted onto alternating current (AC) power lines. These limits protect against interference to licensed radio services operating below 30 MHz. The rule changes also harmonize our domestic requirements with the international standards developed by the International Electrotechnical Commission, International Special Committee on Radio Interference. The Commission believes that such harmonization will benefit consumers and manufacturers by providing better interference protection to licensed radio services as well as promoting a global marketplace for RF devices.

**DATES:** Effective August 9, 2002.

**FOR FURTHER INFORMATION CONTACT:** Anh Wride, Office of Engineering and Technology, (202) 418-0577, TTY (202) 418-2989, e-mail: awride@fcc.gov.

**SUPPLEMENTARY INFORMATION:** This is a summary of the Commission's *Report and Order*, ET Docket 98-80, FCC 02-157, adopted May 23, 2002 and released May 30, 2002. The full text of this document is available for inspection and copying during regular business hours in the FCC Reference Center (Room CY-A257), 445 12th Street, SW, Washington, DC 20554. It is also available on the Commission's internet site at [www.fcc.gov](http://www.fcc.gov). The complete text of this document also may be purchased from the Commission's duplication contractor Qualex International, (202) 863-2893 voice, (202) 863-2898 Fax, [qualexint@aol.com](mailto:qualexint@aol.com) email, Portals II, 445 12th Street, SW, Room CY-B402, Washington, DC 20554.

**Summary of Report and Order**

1. The Commission is amending parts 15 and 18 of the rules for radio