

(Authority: 40 CFR 1501.7 and 1508.22; Forest Service Handbook 1909.15, Section 21)

Dated: May 24, 2002.

**Leonard Atencio,**  
Santa Fe Forest Supervisor.

**Ron Huntsinger,**  
Taos Field Manager.

[FR Doc. 02-18337 Filed 7-19-02; 8:45 am]

**BILLING CODE 3410-11-M**

## DEPARTMENT OF AGRICULTURE

### Forest Service

#### Central Idaho Resource Advisory Committee Salmon-Challis National Forest Butte, Custer, and Lemhi Counties, Idaho

**AGENCY:** Forest Service, USDA.

**SUMMARY:** The Central Idaho Resource Advisory Committee will meet at 1:30 p.m., July 26, 2002 at the Salmon-Challis National Forest Supervisor's Office, Highway 93 South, Salmon Idaho.

The 15 member committee will be evaluating proposed projects and recommending projects to the Salmon-Challis National Forest. The committee will also discuss individual project proposals for 2002. The meeting is open to the public and time will be scheduled for public comments.

The Central Idaho Resource Advisory Committee was established by the Secretary of Agriculture under Title II of the Secure Rural Schools and Community Self-Determination Act of 2000 to work collaboratively with the Salmon-Challis National Forest to provide advice and recommendations consistent with the purposes of the Act.

**George P. Matejko,**

Forest Supervisor, Salmon-Challis National Forest, Designated Federal Official.

[FR Doc. 02-18430 Filed 7-19-02; 8:45 am]

**BILLING CODE 3410-11-M**

## DEPARTMENT OF AGRICULTURE

### Natural Resources Conservation Service

#### Notice of Intent To Prepare an Environmental Impact Statement

**AGENCY:** Natural Resources Conservation Service, USDA.

**ACTION:** Notice of intent to prepare an Environmental Impact Statement for the Little Otter Creek Watershed Plan, Caldwell County, Missouri.

**SUMMARY:** Notice is hereby given that in accordance with the National

Environmental Policy Act of 1969, the U.S. Department of Agriculture-Natural Resources Conservation Service, the Caldwell County Commission (Missouri), and the Caldwell County Soil and Water Conservation District will prepare an Environmental Impact Statement to assess potential environmental impacts associated with the construction of a multiple-purpose reservoir in the Little Otter Creek Watershed. The proposed reservoir (Site LO-1), will provide rural water supply; fish and wildlife habitat enhancement; recreational development; and flood prevention. The reservoir permanent pool will be 362 acres.

The reservoir will yield 1,240,000 gallons of water per day. It will also provide an estimated 60,000 annual public recreational visits, provide recreational facilities and public opportunities for fishing, walking/biking, and family and social events, provide wetland and wildlife habitat development, and reduce flood damages to lower stream reaches by 96 percent.

#### FOR FURTHER INFORMATION CONTACT:

Harold Deckerd, Assistant State Conservationist, USDA-Natural Resources Conservation Service, Parkade Center, Suite 250, 601 Business Loop 70 West, Columbia, MO 65203, (573) 876-0900.

#### Harold L. Deckerd,

*Acting Assistant State Conservationist for Water Resources, for Roger A. Hansen, State Conservationist.*

[FR Doc. 02-18360 Filed 7-19-02; 8:45 am]

**BILLING CODE 3410-16-M**

## DEPARTMENT OF COMMERCE

### International Trade Administration

#### [A-588-824]

#### Certain Corrosion-Resistant Carbon Steel Flat Products From Japan: Notice of Initiation and Preliminary Results of Changed Circumstances Review of the Antidumping Order, and Intent to Revoke Order in Part

**AGENCY:** Import Administration, International Trade Administration, Department of Commerce.

**ACTION:** Notice of initiation and preliminary results of changed circumstances antidumping duty review, and intent to revoke order in part.

**SUMMARY:** In accordance with 751(b) of the Tariff Act of 1930 ("the Act") and section 351.216(b) of the Department of Commerce's ("the Department") regulations, Uchiyama America, Inc.

("Uchiyama") filed a request for a changed circumstances review of the antidumping order on certain corrosion-resistant carbon steel flat products from Japan with respect to the carbon steel flat products as described below. Domestic producers of the like product have affirmatively expressed no interest in continuation of the order with respect to these particular products. In response to Uchiyama's request, the Department is initiating a changed circumstances review and issuing a notice of intent to revoke in part the antidumping duty order on certain corrosion-resistant carbon steel flat products from Japan. Interested parties are invited to comment on these preliminary results.

**EFFECTIVE DATE:** July 22, 2002.

#### FOR FURTHER INFORMATION CONTACT:

Catherine Bertrand, Import Administration, International Trade Administration, U.S. Department of Commerce, 14th Street and Constitution Avenue, N.W., Washington, D.C. 20230; telephone: (202) 482-3207.

#### SUPPLEMENTARY INFORMATION:

#### The Applicable Statute and Regulations

Unless otherwise indicated, all citations to the statute are references to the provisions effective January 1, 1995, the effective date of the amendments made to the Tariff Act of 1930, as amended, by the Uruguay Round Agreements Act. In addition, unless otherwise indicated, all citations to the Department's regulations are to the regulations as codified at 19 C.F.R. Part 351 (2002).

#### Background

On May 29, 2002, Uchiyama requested that the Department revoke in part the antidumping duty order on certain corrosion-resistant carbon steel flat products from Japan. Specifically, Uchiyama requested that the Department revoke the order with respect to imports meeting the following specifications: (1) widths ranging from 10 millimeters (0.394 inches) through 100 millimeters (3.94 inches); (2) thicknesses, including coatings, ranging from 0.11 millimeters (0.004 inches) through 0.60 millimeters (0.024 inches); and (3) a coating that is from 0.003 millimeters (0.00012 inches) through 0.005 millimeters (0.000196 inches) in thickness and that is comprised of either two evenly applied layers, the first layer consisting of 99% zinc, 0.5% cobalt, and 0.5% molybdenum, followed by a layer consisting of phosphate, or three evenly applied layers, the first layer consisting of 99% zinc, 0.5% cobalt, and 0.5% molybdenum followed by a

layer consisting of phosphate, and finally a layer consisting of silicate.

#### Scope of Review

The products covered by the antidumping duty order include flat-rolled carbon steel products, of rectangular shape, either clad, plated, or coated with corrosion-resistant metals such as zinc, aluminum, or zinc-, aluminum-, nickel- or iron-based alloys, whether or not corrugated or painted, varnished or coated with plastics or other nonmetallic substances in addition to the metallic coating, in coils (whether or not in successively superimposed layers) and of a width of 0.5 inch or greater, or in straight lengths which, if of a thickness less than 4.75 millimeters, are of a width of 0.5 inch or greater and which measures at least 10 times the thickness or if of a thickness of 4.75 millimeters or more are of a width which exceeds 150 millimeters and measures at least twice the thickness, as currently classifiable in the HTSUS under item numbers 7210.30.0030, 7210.30.0060, 7210.41.0000, 7210.49.0030, 7210.49.0090, 7210.61.0000, 7210.69.0000, 7210.70.6030, 7210.70.6060, 7210.70.6090, 7210.90.1000, 7210.90.6000, 7210.90.9000, 7212.20.0000, 7212.30.1030, 7212.30.1090, 7212.30.3000, 7212.30.5000, 7212.40.1000, 7212.40.5000, 7212.50.0000, 7212.60.0000, 7215.90.1000, 7215.90.3000, 7215.90.5000, 7217.20.1500, 7217.30.1530, 7217.30.1560, 7217.90.1000, 7217.90.5030, 7217.90.5060, 7217.90.5090. Included in this order are corrosion-resistant flat-rolled products of non-rectangular cross-section where such cross-section is achieved subsequent to the rolling process (i.e., products which have been "worked after rolling") for example, products which have been beveled or rounded at the edges.

Excluded from this order are flat-rolled steel products either plated or coated with tin, lead, chromium, chromium oxides, both tin and lead ("terne plate"), or both chromium and chromium oxides ("tin-free steel"), whether or not painted, varnished or coated with plastics or other nonmetallic substances in addition to the metallic coating.

Also excluded from this order are clad products in straight lengths of 0.1875 inch or more in composite thickness and of a width which exceeds 150 millimeters and measures at least twice the thickness. Also excluded from this order are certain clad stainless flat-rolled products, which are three-layered

corrosion-resistant carbon steel flat-rolled products less than 4.75 millimeters in composite thickness that consist of a carbon steel flat-rolled product clad on both sides with stainless steel in a 20%-60%-20% ratio.

Also excluded from this order are certain corrosion-resistant carbon steel flat products meeting the following specifications: (1) widths ranging from 10 millimeters (0.394 inches) through 100 millimeters (3.94 inches); (2) thicknesses, including coatings, ranging from 0.11 millimeters (0.004 inches) through 0.60 millimeters (0.024 inches); and (3) a coating that is from 0.003 millimeters (0.00012 inches) through 0.005 millimeters (0.000196 inches) in thickness and that is comprised of either two evenly applied layers, the first layer consisting of 99% zinc, 0.5% cobalt, and 0.5% molybdenum, followed by a layer consisting of chromate, or three evenly applied layers, the first layer consisting of 99% zinc, 0.5% cobalt, and 0.5% molybdenum followed by a layer consisting of chromate, and finally a layer consisting of silicate.

Also excluded from this order are carbon steel flat products measuring 1.84 millimeters in thickness and 43.6 millimeters or 16.1 millimeters in width consisting of carbon steel coil (SAE 1008) clad with an aluminum alloy that is balance aluminum, 20% tin, 1% copper, 0.3% silicon, 0.15% nickel, less than 1% other materials and meeting the requirements of SAE standard 783 for Bearing and Bushing Alloys.

Also excluded from this order are carbon steel flat products measuring 0.97 millimeters in thickness and 20 millimeters in width consisting of carbon steel coil (SAE 1008) with a two-layer lining, the first layer consisting of a copper-lead alloy powder that is balance copper, 9% to 11% tin, 9% to 11% lead, less than 1% zinc, less than 1% other materials and meeting the requirements of SAE standard 792 for Bearing and Bushing Alloys, the second layer consisting of 45% to 55% lead, 38% to 50% PTFE, 3% to 5% molybdenum disulfide and less than 2% other materials.

Also excluded from this order are doctor blades meeting the following specifications: carbon steel coil or strip, plated with nickel phosphorous, having a thickness of 0.1524 millimeters (0.006 inches), a width between 31.75 millimeters (1.25 inches) and 50.80 millimeters (2.00 inches), a core hardness between 580 to 630 HV, a surface hardness between 900 - 990 HV; the carbon steel coil or strip consists of the following elements identified in percentage by weight: 0.90% to 1.05% carbon; 0.15% to 0.35% silicon; 0.30%

to 0.50% manganese; less than or equal to 0.03% of phosphorous; less than or equal to 0.006% of sulfur; other elements representing 0.24%; and the remainder of iron.

Also excluded from this order are products meeting the following specifications: carbon steel flat products measuring 1.64 millimeters in thickness and 19.5 millimeters in width consisting of carbon steel coil (SAE 1008) with a lining clad with an aluminum alloy that is balance aluminum; 10 to 15% tin; 1 to 3% lead; 0.7 to 1.3% copper; 1.8 to 3.5% silicon; 0.1 to 0.7% chromium, less than 1% other materials and meeting the requirements of SAE standard 783 for Bearing and Bushing Alloys.

Also, excluded from this order are products meeting the following specifications: carbon steel coil or strip, measuring 1.93 millimeters or 2.75 millimeters (0.076 inches or 0.108 inches) in thickness, 87.3 millimeters or 99 millimeters (3.437 inches or 3.900 inches) in width, with a low carbon steel back comprised of: carbon under 8%, manganese under 0.4%, phosphorous under 0.04%, and sulfur under 0.05%; clad with aluminum alloy comprised of: 0.7% copper, 12% tin, 1.7% lead, 0.3% antimony, 2.5% silicon, 1% maximum total other (including iron), and remainder aluminum.

Also excluded from this order are products meeting the following specifications: carbon steel coil or strip, clad with aluminum, measuring 1.75 millimeters (0.069 inches) in thickness, 89 millimeters or 94 millimeters (3.500 inches or 3.700 inches) in width, with a low carbon steel back comprised of: carbon under 8%, manganese under 0.4%, phosphorous under 0.04%, and sulfur under 0.05%; clad with aluminum alloy comprised of: 0.7% copper, 12% tin, 1.7% lead, 2.5% silicon, 0.3% antimony, 1% maximum total other (including iron), and remainder aluminum.

Also excluded from this order are products meeting the following specifications: carbon steel coil or strip, measuring a minimum of and including 1.10mm to a maximum of and including 4.90mm in overall thickness, a minimum of and including 76.00mm to a maximum of and including 250.00mm in overall width, with a low carbon steel back comprised of: carbon under 0.10%, manganese under 0.40%, phosphorous under 0.04%, sulfur under 0.05%, and silicon under 0.05%; clad with aluminum alloy comprised of: under 2.51% copper, under 15.10% tin, and remainder aluminum as listed on the mill specification sheet.

**Initiation of Changed Circumstances  
Antidumping Duty Administrative  
Review, and Intent to Revoke Order in  
Part**

Pursuant to sections 751(d)(1) and 782(h)(2) of the Act, the Department may revoke an antidumping or countervailing duty order, in whole or in part, based on a review under section 751(b) of the Act (i.e., a changed circumstances review) where the Department determines that “producers accounting for substantially all of the production of that domestic like product have expressed a lack of interest in issuance of an order.” Section 782(h)(2) of the Act. *See, e.g., Certain Cold-Rolled Carbon Steel Flat Products From the Netherlands: Initiation and Preliminary Results of Changed Circumstances Review*, 66 FR 57415, 57416 (November 15, 2001). Section 751(b)(1) of the Act requires a changed circumstances review to be conducted upon receipt of a request which shows changed circumstances sufficient to warrant a review. Section 351.222(g)(i) of the Department’s regulations provides that the Department will conduct a changed circumstances administrative review under 19 C.F.R. 351.216, and may revoke an order (in whole or in part), if it determines that producers accounting for substantially all of the production of the domestic like product to which the order pertains have expressed a lack of interest in the relief provided by the order, in whole or in part, or if other changed circumstances sufficient to warrant revocation exist.

In addition, in the event that the Department concludes that expedited action is warranted, 19 C.F.R. 351.221(c)(3)(ii) permits the Department to combine the notices of initiation and preliminary results.

In accordance with sections 751(d)(1) and 782(h)(2) of the Act, and 19 C.F.R. 351.216 and 351.222(g), based on affirmative statements by domestic producers of the like product, Bethlehem Steel Corporation; National Steel Corporation; and United States Steel Corporation (“Domestic Producers”), no further interest exists in continuing the order with respect to certain corrosion-resistant carbon steel flat products meeting the following specifications: (1) widths ranging from 10 millimeters (0.394 inches) through 100 millimeters (3.94 inches); (2) thicknesses, including coatings, ranging from 0.11 millimeters (0.004 inches) through 0.60 millimeters (0.024 inches); and (3) a coating that is from 0.003 millimeters (0.00012 inches) through 0.005 millimeters (0.000196 inches) in thickness and that is comprised of either

two evenly applied layers, the first layer consisting of 99% zinc, 0.5% cobalt, and 0.5% molybdenum, followed by a layer consisting of phosphate, or three evenly applied layers, the first layer consisting of 99% zinc, 0.5% cobalt, and 0.5% molybdenum followed by a layer consisting of phosphate, and finally a layer consisting of silicate. See Domestic Producers’ July 3, 2002, letter to the Department. Therefore, we are initiating this changed circumstances administrative review.

Furthermore, because domestic producers have expressed a lack of interest, we determine that expedited action is warranted, and we preliminarily determine that continued application of the order with respect to certain corrosion-resistant carbon steel flat products falling within the description above is no longer of interest to domestic interested parties. Because we have concluded that expedited action is warranted, we are combining these notices of initiation and preliminary results. Therefore, we are hereby notifying the public of our intent to revoke in part the antidumping duty order with respect to imports of certain corrosion-resistant carbon steel flat products meeting the above-mentioned specifications from Japan.

If the final revocation in part occurs, we intend to instruct the U.S. Customs Service (“Customs”) to liquidate without regard to antidumping duties, as applicable, and to refund any estimated antidumping duties collected for all unliquidated entries of certain corrosion-resistant carbon steel flat products meeting the specifications indicated above, not subject to final results of administrative review as of the date of publication in the Federal Register of the final results of this changed circumstances review in accordance with 19 C.F.R. 351.222. We will also instruct Customs to pay interest on such refunds in accordance with section 778 of the Act. The current requirement for a cash deposit of estimated antidumping duties on certain corrosion-resistant carbon steel flat products meeting the above specifications will continue unless and until we publish a final determination to revoke in part.

**Public Comment**

Interested parties are invited to comment on these preliminary results. Parties who submit argument in this proceeding are requested to submit with the argument (1) a statement of the issue, and (2) a brief summary of the argument. Parties to the proceedings may request a hearing within 14 days of publication. Any hearing, if requested,

will be held no later than two days after the deadline for the submission of rebuttal briefs, or the first workday thereafter. Case briefs may be submitted by interested parties not later than 14 days after the date of publication of this notice. Pursuant to 19 C.F.R.

351.309(d)(1), rebuttal briefs and rebuttals to written comments, limited to the issues raised in those comments, may be filed not later than five days after the deadline for submission of case briefs. All written comments shall be submitted in accordance with 19 C.F.R. 351.303 and shall be served on all interested parties on the Department’s service list in accordance with 19 C.F.R. 351.303. Persons interested in attending the hearing should contact the Department for the date and time of the hearing.

This notice is published in accordance with section 751(b)(1) of the Act and 19 C.F.R. 351.216 and 351.222.

Dated: July 16, 2002.

**Faryar Shirzad,**

*Assistant Secretary for Import Administration.*

[FR Doc. 02-18448 Filed 7-19-02; 8:45 am]

**BILLING CODE 3510-DS-S**

**DEPARTMENT OF COMMERCE**

**International Trade Administration**

**[A-588-824]**

**Certain Corrosion-Resistant Carbon Steel Flat Products From Japan: Notice of Final Results of Changed Circumstances Review, and Revocation in Part of Antidumping Duty Order**

**AGENCY:** Import Administration, International Trade Administration, Department of Commerce

**ACTION:** Notice of final results of changed circumstances review, and revocation in part of antidumping duty order

**SUMMARY:** On June 7, 2002, the Department of Commerce (“the Department”) published a notice of initiation and preliminary results of a changed circumstances review with the intent to revoke, in part, the antidumping duty order on certain corrosion-resistant carbon steel flat products from Japan. *See Certain Corrosion-Resistant Carbon Steel Flat Products From Japan: Notice of Initiation and Preliminary Results of Changed Circumstances Review of the Antidumping Order and Intent to Revoke Order in Part*, 67 FR 39345 (June 7, 2002) (“*Initiation and Preliminary Results*”). In our *Initiation and*