

Stability Testing Requirements

(m) After the effective date of this AD, Testing-21 must be performed in accordance with paragraph (h)(1) of this AD, before an engine can be returned to service after having undergone maintenance in the shop, except under any of the following conditions:

(1) The engine HPC was overhauled, or replaced with an overhauled HPC with zero cycles since overhaul; or

(2) The engine HPC was replaced with an HPC that is new from production with no time in service; or

(3) The shop visit did not result in the separation of a major engine flange located between "A" flange and "T" flange.

Thrust Rating Changes, Installation Changes, and Engine Transfers

(n) When a thrust rating change has been made by using the Electronic Engine Control (EEC) programming plug, or an installation change has been made during an HPC overhaul period, use the lowest cyclic limit of Table 2 or Table 3 of this AD, associated with any engine thrust rating change or with any installation change made during the affected HPC overhaul period. See paragraph (s)(2) for definition of HPC overhaul period.

(o) When a PW4158 engine is transferred to another PW4158 engine operator whose engine fleet has a different category, use the lowest cyclic limit in Table 3 of this AD that was used or will be used during the affected HPC overhaul period.

(p) When a PW 4158 engine operator whose engine fleet changes category in accordance with paragraph (g) of this AD, use the lowest cyclic limits in Table 3 of this AD that were used during the affected HPC overhaul period.

(q) Engines with an HPC having zero CSN or CSO at the time of thrust rating change, or installation change, or engine transfer between PW4158 engine operators, or subsequent change in operator engine fleet category in accordance with paragraph (g) of this AD in the direction of lower to higher Table 3 limits, are exempt from the lowest cyclic limit requirement in paragraphs (n), (o), and (p) of this AD.

Engines That Surge

(r) For engines that experience a surge, and after troubleshooting procedures are completed for airplane-level surge during forward or reverse thrust, do the following:

(1) For engines that experience a Group 3 takeoff surge, remove the engine from service before further flight and perform an HPC overhaul.

(2) For any engine that experiences a forward or reverse thrust surge at EPR's greater than 1.25 that is not a Group 3 takeoff surge, do the following:

(i) For configuration A, B, C, D, and F engines, remove engine from service within 25 CIS or before further flight if airplane-level troubleshooting procedures require immediate engine removal, and perform Testing-21 in accordance with paragraph (h)(1) of this AD.

(ii) For configuration E engines, remove engine from service within 25 CIS or before further flight if airplane-level troubleshooting procedures require immediate engine removal.

Definitions

(s) For the purposes of this AD, the following definitions apply:

(1) An HPC overhaul is defined as restoration of the HPC stages 5 through 15 blade tip clearances to the limits specified in the applicable fits and clearances section of the engine manual.

(2) An HPC overhaul period is defined as the time period between HPC overhauls.

(3) An HPT overhaul is defined as restoration of the HPT stage 1 and 2 blade tip clearances to the limits specified in the applicable fits and clearances section of the engine manual.

(4) A Phase 3 engine is identified by a (-3) suffix after the engine model number on the data plate if incorporated at original manufacture, or a "CN" suffix after the engine serial number if the engine was converted using PW SB's PW4ENG 72-490, PW4ENG 72-504, or PW4ENG 72-572 after original manufacture.

(5) A Group 3 takeoff surge is defined as the occurrence of any of the following engine symptoms during an attempted airplane takeoff operation (either at reduced, derated or full rated takeoff power setting) after takeoff power set, which can be attributed to no specific and correctable fault condition after following airplane-level surge during forward thrust troubleshooting procedures:

(i) Engine noises, including rumblings and loud "bang(s)."

(ii) Unstable engine parameters (EPR, N1, N2, and fuel flow) at a fixed thrust setting.

(iii) Exhaust gas temperature (EGT) increase.

(iv) Flames from the inlet, the exhaust, or both.

(6) Takeoff EPR data is defined as Maximum Takeoff EPR if takeoff with Takeoff-Go-Around (TOGA) is selected or Flex Takeoff EPR if takeoff with Flex Takeoff (FLXTO) is selected. Maximum Takeoff EPR or Flex Takeoff EPR may be recorded using any of the following methods:

(i) Manually recorded by the flight crew read from the Takeoff EPR power management table during flight preparation (see Aircraft Flight Manual (AFM) chapter 5.02.00 and 6.02.01, or Flight Crew Operation Manual (FCOM) chapter 2.09.20) and then adjusted by adding 0.010 to the EPR value recorded; or

(ii) Automatically recorded during Takeoff at 0.18 Mach Number (Mn) (between 0.15 and 0.20 Mn is acceptable) using an aircraft automatic data recording system and then adjusted by subtracting 0.010 from the EPR value recorded; or

(iii) Automatically recorded during takeoff at maximum EGT, which typically occurs at 0.25 " 0.30 Mn, using an aircraft automatic data recording system.

Alternative Methods of Compliance

(t) An alternative method of compliance or adjustment of the compliance time that provides an acceptable level of safety may be used if approved by the Manager, Engine Certification Office (ECO). Operators must submit their requests through an appropriate FAA Principal Maintenance Inspector, who may add comments and then send it to the Manager, ECO.

Note 2: Information concerning the existence of approved alternative methods of compliance with this airworthiness directive, if any, may be obtained from the ECO.

Special Flight Permits

(u) Special flight permits may be issued in accordance with §§ 21.197 and 21.199 of the Federal Aviation Regulations (14 CFR 21.197 and 21.199) to operate the airplane to a location where the requirements of this AD can be done.

Testing-21 Reports

(v) Within 60 days of test date, report the results of the cool-engine fuel spike stability assessment tests (Testing-21) to the ANE-142 Branch Manager, Engine Certification Office, 12 New England Executive Park, Burlington, MA 01803-5299, or by electronic mail to 9-ane-surge-ad-reporting@faa.gov. Reporting requirements have been approved by the Office of Management and Budget and assigned OMB control number 2120-0056. Be sure to include the following information:

(1) Engine serial number.

(2) Engine configuration designation per Table 1 of this AD.

(3) Date of the cool-engine fuel spike stability test.

(4) HPC Serial Number, and HPC time and cycles-since-new and since-compressor-overhaul at the time of the test.

(5) Results of the test (Pass or Fail).

Issued in Burlington Massachusetts, on July 15, 2002.

Jay J. Pardee,

Manager, Engine and Propeller Directorate, Aircraft Certification Service.

[FR Doc. 02-18332 Filed 7-22-02; 8:45 am]

BILLING CODE 4910-13-P

DEPARTMENT OF TRANSPORTATION

Federal Aviation Administration

14 CFR Part 71

[Airspace Docket No. 02-AWP-4]

Proposed Establishment of Class D Airspace; Henderson Airport; Las Vegas, NV

AGENCY: Federal Aviation Administration (FAA), DOT.

ACTION: Notice of proposed rulemaking.

SUMMARY: This notice proposes to establish a Class D surface area at Henderson Airport in Las Vegas, NV. A Federal Contract Tower provides air traffic control services at this location on a part-time basis. Henderson Airport routinely serves a large volume of air tour operator traffic to and from the Grand Canyon area, as well as considerable general aviation activity operating under visual flight rules. Henderson Tower controllers are certified by the National Weather Service (NWS) to provide surface

weather observations at Henderson Airport. Adequate communication capabilities exist to support the establishment of Class D airspace. A review of current and projected operations and procedures at Henderson Airport has indicated the need for Class D airspace to enhance aviation safety. This action would establish Class D airspace extending upward from the surface to, but not including, 4,000 feet MSL within a 4.1-mile radius of Henderson Airport, excluding Las Vegas Class B airspace.

DATES: Comments must be received on or before September 6, 2002.

ADDRESSES: Send comments on the proposal in triplicate to: Federal Aviation Administration, Attn: Manager, Airspace Branch, Docket No. 02-AWP-4; Air Traffic Division (AWP-500); P.O. Box 92007; Los Angeles, California 90009.

The official docket may be examined in the Office of the Regional Counsel, Western-Pacific Region, Federal Aviation Administration, Room 6007, 15000 Aviation Boulevard, Lawndale, California 90261. An informal docket may also be examined during normal business hours at the Office of the Manager, Airspace Branch, Air Traffic Division, at the above address.

FOR FURTHER INFORMATION CONTACT: Jeri Carson, Airspace Specialist, AWP-520, Air Traffic Division, Western-Pacific Region, Federal Aviation Administration, 15000 Aviation Boulevard, Lawndale, California 90261, telephone number (310) 725-6611.

SUPPLEMENTARY INFORMATION:

Comments Invited

Interested parties are invited to participate in this proposed rulemaking by submitting such written data, views, or arguments, as they may desire. Comments that provide that factual basis supporting the views and suggestions presented are particularly helpful in developing reasoned regulatory decisions on the proposal. Comments are specifically invited on the overall regulatory, aeronautical, economic, environmental, and energy-related aspects of the proposal. Communications should identify the airspace docket number and be submitted in triplicate to the address listed above. Commenters wishing the FAA to acknowledge receipt of their comments on this notice must submit with the comments a self-addressed, stamped postcard on which the following statement is made: "Comments to Airspace Docket No. 02-AWP-4." The postcard will be date/time stamped and returned to the

commenter. All communications received on or before the specified closing date for comments will be considered before taking action on the proposed rule. The proposal contained in this notice may be changed in light of comments received. All comments submitted will be available for examination in the Airspace Branch, Air Traffic Division, at 15000 Aviation Boulevard, Lawndale, California 90261, both before and after the closing date for comments. A report summarizing each substantive public contact with FAA personnel concerned with this rulemaking will be filed in the docket.

Availability of NPRM

Any person may obtain a copy of this Notice of Proposed Rulemaking (NPRM) by submitting a request to the Federal Aviation Administration, Airspace Branch, 15000 Aviation Boulevard, Lawndale, California 90261. Communications must identify the notice number of this NPRM. Persons interested in being placed on a mailing list for future NPRM's should also request a copy of Advisory Circular No. 11-2A, which describes the application procedures.

The Proposal

The FAA is considering an amendment to 14 CFR part 71 that would establish a Class D surface area at Henderson Airport in Las Vegas, NV. A Federal Contract Tower provides air traffic control services at this location on a part-time basis. The Henderson Airport routinely serves a large volume of air tour operator traffic to and from the Grand Canyon area in addition to considerable general aviation activity. Henderson Tower controllers are certified as weather observers for this airport, and adequate communication facilities have been established to support Class D airspace. A review of current and projected operations and procedures at Henderson Airport indicates the need for Class D airspace to enhance aviation safety, and in the interest of the commerce and welfare of the community. This action would establish Class D airspace extending upward from the surface to, but not including, 4,000 feet MSL within a 4.1-mile radius of Henderson Airport, excluding Las Vegas Class B airspace. Class D airspace areas are published in Paragraph 5000 of FAA Order 7400.9J, Airspace Designations and Reporting Points, dated August 31, 2001, and effective September 16, 2001, which is incorporated by reference in 14 CFR 71.1. The Class D airspace designation listed in the document would be published subsequently in that Order.

The FAA has determined that this proposed regulation only involves an established body of technical regulations for which frequent and routine amendments are necessary to keep them operationally current. Therefore, this proposed regulation—(1) Is not a "significant regulatory action" under Executive Order 12866; (2) is not a "significant rule" under DOT Regulatory Policies and Procedures (44 FR 11034; February 26, 1979); and (3) does not warrant preparation of a Regulatory Evaluation as the anticipated impact is so minimal. Since this a routine matter that will only affect air traffic procedures and air navigation, it is certified that this proposed rule would not have a significant economic impact on a substantial number of small entities under the criteria of the Regulatory Flexibility Act.

List of Subjects in 14 CFR Part 71

Airspace, Incorporation by reference, Navigation (air).

The Proposed Amendment

In consideration of the foregoing, the Federal Aviation Administration proposes to amend 14 CFR part 71 as follows:

PART 71—DESIGNATION OF CLASS A, CLASS B, CLASS C, CLASS D AND CLASS E AIRSPACE AREAS; AIRWAYS; ROUTES; AND REPORTING POINTS

1. The authority citation for 14 CFR part 71 continues to read as follows:

Authority: 49 U.S.C. 106(g), 40103, 40113, 40120; E.O. 10854, 24 FR 9565, 3 CFR, 1959-1963 Comp., p. 389.

§ 71.1 [Amended]

2. The incorporation by reference in 14 CFR 71.1 of the Federal Aviation Administration Order 7400.9J, Airspace Designations and Reporting Points, dated August 31, 2001, and effective September 16, 2001, is amended as follows:

Paragraph 5000 Class D Airspace.

* * * * *

AWP CA D Henderson Airport, NV [New]

Henderson Airport, NV

(Lat. 35°58'35"N, long. 115°07'58"W)

That airspace extending upward from the surface to, but not including, 4,000 feet MSL within a 4.1-mile radius of Henderson Airport, excluding Las Vegas Class B airspace. This Class D airspace area is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airport/Facility Directory.

* * * * *

Issued in Los Angeles, California, on June 28, 2002.

John Clancy,

Manager, Air Traffic Division, Western-Pacific Region.

[FR Doc. 02-18471 Filed 7-22-02; 8:45 am]

BILLING CODE 4910-13-M

DEPARTMENT OF TRANSPORTATION

Federal Aviation Administration

14 CFR Part 71

[Airspace Docket No. 02-ASO-8]

Proposed Establishment of Class E Airspace; Poplarville, MS

AGENCY: Federal Aviation Administration (FAA), DOT.

ACTION: Notice of proposed rulemaking.

SUMMARY: This notice proposes to establish Class E airspace at Poplarville, MS. A Visual Omni Range/Distance Measuring Equipment (VOR/DME)—A, Standard Instrument Approach Procedure (SIAP), has been developed for Oreck Airport. As a result, controlled airspace extending upward from 700 feet Above Ground Level (AGL) is needed to accommodate the SIAP and for Instrument Flight Rules (IFR) operations at Oreck Airport. The operating status of the airport will change from Visual Flight Rules (VFR) to include IFR operations concurrent with the publication of the SIAP.

DATES: Comments must be received on or before August 22, 2002.

ADDRESSES: Send comments on the proposal in triplicate to: Federal Aviation Administration, Docket No. 02-ASO-8, Manager, Airspace Branch, ASO-520, PO Box 20636, Atlanta, Georgia 30320.

The official docket may be examined in the Office of the Regional Counsel for Southern Region, Room 550, 1701 Columbia Avenue, College Park, Georgia 30337, telephone (404) 305-5627.

FOR FURTHER INFORMATION CONTACT:

Walter R. Cochran, Manager, Airspace Branch, Air Traffic Division, Federal Aviation Administration, P.O. Box 20636, Atlanta, Georgia 30320; telephone (404) 305-5627.

SUPPLEMENTARY INFORMATION:

Comments Invited

Interested parties are invited to participate in this proposed rulemaking by submitting such written data, views or arguments as they may desire. Comments that provide the factual basis supporting the views and suggestions presented are particularly helpful in

developing reasoned regulatory decisions on the proposal. Comments are specifically invited on the overall regulatory, aeronautical, economic, environmental, and energy-related aspects of the proposal.

Communications should identify the airspace docket number and be submitted in triplicate to the address listed above. Commenters wishing the FAA to acknowledge receipt of their comments on this notice must submit with those comments a self-addressed, stamped postcard on which the following statement is made:

“Comments to Airspace Docket No. 02-ASO-8.” The postcard will be date/time stamped and returned to the commenter. All communications received before the specified closing date for comments will be considered before taking action on the proposed rule. The proposal contained in this notice may be changed in light of the comments received. All comments submitted will be available for examination in the Office of the Assistant Chief Counsel for Southern Region, Room 550, 1701 Columbia Avenue, College Park, Georgia 30337, both before and after the closing date for comments. A report summarizing each substantive public contact with FAA personnel concerned with the rulemaking will be filed in the docket.

Availability of NPRMs

Any person may obtain a copy of this Notice of Proposed Rulemaking (NPRM) by submitting a request to the Federal Aviation Administration, Manager, Airspace Branch, ASO-520, Air Traffic Division, P.O. Box 20636, Atlanta, Georgia 30320. Communications must identify the notice number of this NPRM. Persons interested in being placed on a mailing list for future NPRMs should also request a copy of Advisory Circular No. 11-2A which describes the application procedure.

The Proposal

The FAA is considering an amendment to part 71 of the Federal Aviation Regulations (14 CFR part 71) to establish Class E airspace at Poplarville, MS. A VOR/DME—A SIAP has been developed for Oreck Airport. As a result, controlled airspace extending upward from 700 feet AGL is needed to accommodate the SIAP and for IFR operations at Oreck Airport. The operating status of the airport will change from VFR to include IFR operations concurrent with the publication of the SIAP. Class E airspace designations for airspace areas extending upward from 700 feet or more above the surface are published in

Paragraph 6005 of FAA Order 7400.9J dated August 31, 2001, and effective September 16, 2001, which is incorporated by reference in 14 CFR 71.1. The Class E airspace designation listed in this document would be published subsequently in the Order.

The FAA has determined that this proposed regulation only involves an established body of technical regulations for which frequent and routine amendments are necessary to keep them operationally current. It, therefore, (1) is not a “significant regulatory action” under Executive Order 12866; (2) is not a “significant rule” under DOT Regulatory Policies and Procedures (44 FR 11034; February 26, 1979); and (3) does not warrant preparation of a Regulatory Evaluation as the anticipated impact is so minimal. Since this is a routine matter that will only affect air traffic procedures and air navigation, it is certified that this rule, when promulgated, will not have a significant economic impact on a substantial number of small entities under the criteria of the Regulatory Flexibility Act.

List of Subjects in 14 CFR Part 71

Airspace, Incorporation by Reference, Navigation (Air).

The Proposed Amendment

In consideration of the foregoing, the Federal Aviation Administration proposes to amend 14 CFR part 71 as follows:

PART 71—DESIGNATION OF CLASS A, CLASS B, CLASS C, CLASS D, AND CLASS E AIRSPACE AREAS; AIRWAYS; ROUTES; AND REPORTING POINTS

1. The authority citation for Part 71 continues to read as follows:

Authority: 49 U.S.C. 106(g); 40103, 40113, 40120; E.O. 10854, 24 FR 9565, 3 CFR, 1959-1963 Comp., p. 389.

§ 71.1 [Amended]

2. The incorporation by reference in 14 CFR 71.1 of Federal Aviation Administration Order 7400.9J, Airspace Designations and Reporting Points, dated August 31, 2001, and effective September 16, 2001, is amended as follows:

Paragraph 6005 Class E airspace areas extending upward from 700 feet or more above the surface of the earth.

* * * * *

ASO MS E5 Poplarville, MS [NEW]

Oreck Airport, MS

(Lat. 30°46'38" N, long. 89°43'30" W)