

unit with an installed capacity of 4.8 megawatts, (3) a proposed one-mile-long, 25-kilovolt transmission line, and (4) appurtenant facilities. The project would have an average annual generation of 23.8 gigawatthours.

k. This filing is available for review at the Commission or may be viewed on the Commission's Web site at <http://www.ferc.gov> using the "RIMS" link, select "Docket #" and follow the instructions (call 202-208-2222 for assistance). A copy is also available for inspection and reproduction at the address in item g. above.

l. Preliminary Permit—Anyone desiring to file a competing application for preliminary permit for a proposed project must submit the competing application itself, or a notice of intent to file such an application, to the Commission on or before the specified comment date for the particular application (see 18 CFR 4.36). Submission of a timely notice of intent allows an interested person to file the competing preliminary permit application no later than 30 days after the specified comment date for the particular application. A competing preliminary permit application must conform with 18 CFR 4.30(b) and 4.36.

m. Preliminary Permit—Any qualified development applicant desiring to file a competing development application must submit to the Commission, on or before a specified comment date for the particular application, either a competing development application or a notice of intent to file such an application. Submission of a timely notice of intent to file a development application allows an interested person to file the competing application no later than 120 days after the specified comment date for the particular application. A competing license application must conform with 18 CFR 4.30(b) and 4.36.

n. Notice of intent—A notice of intent must specify the exact name, business address, and telephone number of the prospective applicant, and must include an unequivocal statement of intent to submit, if such an application may be filed, either a preliminary permit application or a development application (specify which type of application). A notice of intent must be served on the applicant(s) named in this public notice.

o. Proposed Scope of Studies under Permit—A preliminary permit, if issued, does not authorize construction. The term of the proposed preliminary permit would be 36 months. The work proposed under the preliminary permit would include economic analysis, preparation of preliminary engineering

plans, and a study of environmental impacts. Based on the results of these studies, the Applicant would decide whether to proceed with the preparation of a development application to construct and operate the project.

p. Comments, Protests, or Motions to Intervene—Anyone may submit comments, a protest, or a motion to intervene in accordance with the requirements of Rules of Practice and Procedure, 18 CFR 385.210, .211, .214. In determining the appropriate action to take, the Commission will consider all protests or other comments filed, but only those who file a motion to intervene in accordance with the Commission's Rules may become a party to the proceeding. Any comments, protests, or motions to intervene must be received on or before the specified comment date for the particular application.

q. Filing and Service of Responsive Documents—Any filings must bear in all capital letters the title "COMMENTS", "NOTICE OF INTENT TO FILE COMPETING APPLICATION", "COMPETING APPLICATION", "PROTEST", or "MOTION TO INTERVENE", as applicable, and the Project Number of the particular application to which the filing refers. Any of the above-named documents must be filed by providing the original and the number of copies provided by the Commission's regulations to: The Secretary, Federal Energy Regulatory Commission, 888 First Street, NE., Washington, DC 20426. An additional copy must be sent to Director, Division of Hydropower Administration and Compliance, Federal Energy Regulatory Commission, at the above-mentioned address. A copy of any notice of intent, competing application or motion to intervene must also be served upon each representative of the Applicant specified in the particular application.

r. Agency Comments—Federal, state, and local agencies are invited to file comments on the described application. A copy of the application may be obtained by agencies directly from the Applicant. If an agency does not file comments within the time specified for filing comments, it will be presumed to have no comments. One copy of an agency's comments must also be sent to the Applicant's representatives.

Linwood A. Watson, Jr.,

Deputy Secretary.

[FR Doc. 02-19661 Filed 8-2-02; 8:45 am]

BILLING CODE 6717-01-P

ENVIRONMENTAL PROTECTION AGENCY

[FRL-7255-7]

Agency Information Collection Activities: Submission for OMB Review; Comment Request; NESHAP: Steel Pickling; 40 CFR Part 63, Subpart CCC

AGENCY: Environmental Protection Agency (EPA).

ACTION: Notice.

SUMMARY: In compliance with the Paperwork Reduction Act (44 U.S.C. 3501 *et seq.*), this document announces that the following Information Collection Request (ICR) has been forwarded to the Office of Management and Budget (OMB) for review and approval: National Emission Standard for Hazardous Air Pollutants (NESHAP): Steel Pickling; 40 CFR part 63, subpart CCC; OMB Control No. 2060-0419; expiration date July 31, 2002. The ICR describes the nature of the information collection and its expected burden and cost; where appropriate, it includes the actual data collection instrument.

DATES: Comments must be submitted on or before September 4, 2002.

ADDRESSES: Send comments, referencing EPA ICR No. 1821.03 and OMB Control No. 2060-0419 to the following addresses: Susan Auby, U.S. Environmental Protection Agency, Collection Strategies Division (Mail Code 2822T), 1200 Pennsylvania Avenue, NW., Washington, DC 20460-0001; and to the Office of Information and Regulatory Affairs, Office of Management and Budget (OMB), Attention: Desk Officer for EPA, 725 17th Street, NW., Washington, DC 20503.

FOR FURTHER INFORMATION CONTACT: For a copy of the ICR contact Susan Auby at EPA by phone at (202) 566-1672, by E-Mail at auby.susan@epa.gov, or download off the Internet at <http://www.epa.gov/icr> and refer to EPA ICR No. 1821.03. For technical questions about the ICR contact María Malavé; in the Office of Compliance at (202) 564-7027 or via E-mail to malave.maria@epa.gov.

SUPPLEMENTARY INFORMATION:

Title: NESHAP (National Emission Standard for Hazardous Air Pollutants): Steel Pickling; 40 CFR part 63, Subpart CCC; OMB Control No. 2060-0419, EPA ICR No. 1821.03; expiration date July 31, 2002. This is a request for extension of a currently approved collection.

Abstract: The National Emission Standards for Hazardous Air Pollutants

(NESHAP) for Steel Pickling, published at 40 CFR part 63, subpart CCC, were proposed on September 18, 1997, (62 FR 49051) and promulgated on June 22, 1999 (64 FR 33202). This rule applies to all facilities that pickle steel using hydrochloric acid or regenerate hydrochloric acid, and are major sources or are part of a facility that is a major source. This regulation does not apply to any pickling line that uses an acid other than hydrochloric acid or an acid solution containing less than 6 percent HCl or at a temperature less than 100 °F. This rulemaking establishes limits for hydrochloric acid emissions from continuous and batch pickling lines and acid regeneration units and limits for chlorine emissions from acid regeneration units. Also, operational and equipment standards are established for stationary acid storage vessels.

The monitoring, recordkeeping, and reporting requirements outlined in the rule are similar to those required for other NESHAP regulations. Plants must demonstrate compliance with the emission standards by monitoring their control devices and performing annual emissions testing. Consistent with the NESHAP General Provisions (40 CFR part 63, subpart A), respondents would submit one-time notifications of applicability and a one-time report on performance test results for the primary emission control device. Plants also must develop and implement a Startup, Shutdown, and Malfunction Plan (SSMP) and submit semiannual reports of any event where the procedures in the plan were not followed. Sources are required to submit semiannual reports at all times including for periods of monitoring exceedances and periods of compliance certifying that no exceedances have occurred. Subpart CCC also requires the owner or operator to submit a written maintenance plan for each emission control device. These notifications, reports, and records are essential in determining compliance, and are required of all sources subject to NESHAP. Any owner or operator subject to the provisions of this part shall maintain a file of these measurements, and retain the file for at least five years following the date of such measurements, maintenance reports, and records.

An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The OMB control numbers for EPA's regulations are listed in 40 CFR part 9 and 48 CFR Chapter 15. The **Federal Register** document required under 5 CFR 1320.8(d),

soliciting comments on this collection of information was published on October 29, 2001. No comments were received.

Burden Statement: The annual public reporting and recordkeeping burden for this collection of information is estimated to average 108.8 hours per response. Burden means the total time, effort, or financial resources expended by persons to generate, maintain, retain, or disclose or provide information to or for a Federal agency. This includes the time needed to review instructions; develop, acquire, install, and utilize technology and systems for the purposes of collecting, validating, and verifying information, processing and maintaining information, and disclosing and providing information; adjust the existing ways to comply with any previously applicable instructions and requirements; train personnel to be able to respond to a collection of information; search data sources; complete and review the collection of information; and transmit or otherwise disclose the information.

Respondents/Affected Entities: Major sources that pickle steel using hydrochloric acid or regenerate hydrochloric acid/Affected entities include continuous and batch pickling lines, acid regeneration units, and stationary acid storage vessels.

Estimated Number of Respondents: 71.3.

Frequency of Response: Initial and semiannual.

Estimated Total Annual Hour Burden: 25,104 hours.

Estimated Total Annualized Capital and Operating & Maintenance Cost Burden: \$8,388.

Send comments on the Agency's need for this information, the accuracy of the provided burden estimates, and any suggested methods for minimizing respondent burden, including through the use of automated collection techniques to the following addresses. Please refer to EPA Preliminary ICR No. 1821.03 and OMB Control No. 2060-0419, in any correspondence.

Dated: July 29, 2002.

Oscar Morales,

Director, Collection Strategies Division.

[FR Doc. 02-19695 Filed 8-2-02; 8:45 am]

BILLING CODE 6560-50-P

ENVIRONMENTAL PROTECTION AGENCY

[FRL-7255-6]

Agency Information Collection Activities: Submission for OMB Review; Comment Request; Disinfectants/Disinfection Byproducts, Chemical and Radionuclides Rules: Lead and Copper Rule Amendment

AGENCY: Environmental Protection Agency (EPA).

ACTION: Notice.

SUMMARY: In compliance with the Paperwork Reduction Act (44 U.S.C. 3501 *et seq.*), this document announces that the following Information Collection Request (ICR) has been forwarded to the Office of Management and Budget (OMB) for review and approval: Disinfectants/Disinfection Byproducts, Chemical and Radionuclides Rules: Lead and Copper Rule Amendment, EPA ICR No. 1896.04, OMB Control No. 2040-0204. This ICR amendment will add the updated burden and costs for the Lead & Copper Rule (LCR) ICR, which expires September 30, 2002, to the Disinfectants/Disinfection Byproducts, Chemical and Radionuclides Rules ICR. The ICR amendment describes the nature of the information collection and its expected burden and cost; where appropriate, it includes the actual data collection instrument.

DATES: Comments must be submitted on or before September 4, 2002.

ADDRESSES: Send comments, referencing EPA ICR No 1896.04 and OMB Control No. 2040-0204, to the following addresses: Susan Auby, U.S. Environmental Protection Agency, Collection Strategies Division (Mail Code 2822T), 1200 Pennsylvania Avenue, NW., Washington, DC 20460; and to Office of Information and Regulatory Affairs, Office of Management and Budget (OMB), Attention: Desk Officer for EPA, 725 17th Street, NW., Washington, DC 20503.

FOR FURTHER INFORMATION CONTACT: For a copy of the ICR contact Susan Auby at EPA by phone at (202) 566-1672, by E-mail at auby.susan@epamail.epa.gov, or download off the Internet at <http://www.epa.gov/icr> and refer to EPA ICR No. 1896.04. For technical questions about the ICR contact Lisa Christ at (202)564-8354, fax (202) 564-3755, e-mail:christ.lisa@epa.gov.

SUPPLEMENTARY INFORMATION:

Title: Disinfectants/Disinfection Byproducts, Chemical and