

NUCLEAR REGULATORY COMMISSION

[Docket No. 50-302]

Florida Power Corporation; Notice of Consideration of Issuance of Amendment to Facility Operating License, Proposed No Significant Hazards Consideration Determination, and Opportunity for a Hearing

The U.S. Nuclear Regulatory Commission (the Commission) is considering issuance of an amendment to Facility Operating License No. DPR-72 issued to Florida Power Corporation (the licensee) for operation of the Crystal River, Unit 3 Nuclear Generating Plant located in Citrus County, Florida.

The proposed amendment would revise the note to the Improved Technical Specification (ITS) 3.7.18 Completion Time to allow a 24-hour extension of completion time for entry into ITS 3.0.3. This change is requested as a contingency for two inoperable Control Complex chillers while Control Complex Cooling System chiller refurbishment is performed.

Before issuance of the proposed license amendment, the Commission will have made findings required by the Atomic Energy Act of 1954, as amended (the Act), and the Commission's regulations.

The Commission has made a proposed determination that the amendment request involves no significant hazards consideration. Under the Commission's regulations in Title 10 of the Code of Federal Regulations (10 CFR), Section 50.92, this means that operation of the facility in accordance with the proposed amendment would not (1) involve a significant increase in the probability or consequences of an accident previously evaluated; or (2) create the possibility of a new or different kind of accident from any accident previously evaluated; or (3) involve a significant reduction in a margin of safety. As required by 10 CFR 50.91(a), the licensee has provided its analysis of the issue of no significant hazards consideration, which is presented below:

1. Does not involve a significant increase in the probability or consequences of an accident previously [analyzed].

The Control Complex Cooling System is not an initiator of any design basis accident. The basis for this request is that the risk of a design basis event [occurring] within the 24-hour period during which alternative cooling will be used is acceptably small, and is less than the risk posed by a forced shutdown of the unit. The Control Complex Cooling System safety function is to provide sufficient cooling to ensure operability of

safety-related equipment located in the control room and other portions of the Control Complex. Control Complex cooling, within the 24-hour period, is being accomplished by the compensatory measures in place which include providing alternate cooling by aligning the Appendix R Chilled Water System to supply cooling to the vital equipment areas in the Control Complex and operation of pre-staged portable air conditioning that provides cooling to the Control Room. Control Complex Habitability Envelope Integrity will be maintained throughout the duration of this operating condition, which will ensure that potential post-accident dose to operators, is maintained within analyzed limits. Therefore, granting this License Amendment Request for a 24-hour delay for entry into ITS 3.0.3, due to inoperability of a second chiller, does not involve a significant increase in the probability or consequences of an accident previously evaluated.

2. Does not create the possibility of a new or different type of accident from any accident previously [analyzed].

The proposed License Amendment Request for a 24-hour delay for entry into ITS 3.0.3, due to inoperability of a second chiller, will not result in changes to the design, physical configuration of the plant. Therefore, the proposed change will not create the possibility of a new or different kind of accident from any previously evaluated.

3. Does not involve a significant reduction in the margin of safety.

During the 24-hour delay for entry into ITS 3.0.3, due to inoperability of a second chiller, measures will be implemented to ensure the availability of temporary and permanently installed non-safety backup systems capable of providing cooling to the control room and other vital equipment areas in the Control Complex. From the risk significance perspective, using installed non-safety backup systems to provide cooling to the control room and other vital equipment areas in the Control Complex is acceptable. Areas with essential equipment in the Control Complex will be monitored to ensure temperatures do not exceed acceptable limits. Therefore, granting a License Amendment Request for a 24-hour delay for entry into ITS 3.0.3, due to inoperability of a second chiller, does not involve a significant reduction in the margin of safety.

The NRC staff has reviewed the licensee's analysis and, based on this review, it appears that the three standards of 10 CFR 50.92(c) are satisfied. Therefore, the NRC staff proposes to determine that the amendment request involves no significant hazards consideration.

The Commission is seeking public comments on this proposed determination. Any comments received within 30 days after the date of publication of this notice will be considered in making any final determination.

Normally, the Commission will not issue the amendment until the expiration of the 30-day notice period.

However, should circumstances change during the notice period such that failure to act in a timely way would result, for example, in derating or shutdown of the facility, the Commission may issue the license amendment before the expiration of the 30-day notice period, provided that its final determination is that the amendment involves no significant hazards consideration. The final determination will consider all public and State comments received. Should the Commission take this action, it will publish in the **Federal Register** a notice of issuance and provide for opportunity for a hearing after issuance. The Commission expects that the need to take this action will occur very infrequently.

Written comments may be submitted by mail to the Chief, Rules and Directives Branch, Division of Administrative Services, Office of Administration, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001, and should cite the publication date and page number of this **Federal Register** notice. Written comments may also be delivered to Room 6D59, Two White Flint North, 11545 Rockville Pike, Rockville, Maryland, from 7:30 a.m. to 4:15 p.m. Federal workdays. Documents may be examined, and/or copied for a fee, at the NRC's Public Document Room, located at One White Flint North, 11555 Rockville Pike (first floor), Rockville, Maryland.

The filing of requests for hearing and petitions for leave to intervene is discussed below.

By October 7, 2002, the licensee may file a request for a hearing with respect to issuance of the amendment to the subject facility operating license and any person whose interest may be affected by this proceeding and who wishes to participate as a party in the proceeding must file a written request for a hearing and a petition for leave to intervene. Requests for a hearing and a petition for leave to intervene shall be filed in accordance with the Commission's "Rules of Practice for Domestic Licensing Proceedings" in 10 CFR part 2. Interested persons should consult a current copy of 10 CFR 2.714,¹

¹ The most recent version of Title 10 of the Code of Federal Regulations, published January 1, 2002, inadvertently omitted the last sentence of 10 CFR 2.714(d) and subparagraphs (d)(1) and (2), regarding petitions to intervene and contentions. Those provisions are extant and still applicable to petitions to intervene. Those provisions are as follows: "In all other circumstances, such ruling body or officer shall, in ruling on—

(1) A petition for leave to intervene or a request for hearing, consider the following factors, among other things:

which is available at the Commission's Public Document Room, located at One White Flint North, 11555 Rockville Pike (first floor), Rockville, Maryland, or electronically on the Internet at the NRC Web site <http://www.nrc.gov/reading-rm/doc-collections/cfr/>. If there are problems in accessing the document, contact the Public Document Room Reference staff at 1-800-397-4209, 301-415-4737, or by e-mail to pdr@nrc.gov. If a request for a hearing or petition for leave to intervene is filed by the above date, the Commission or an Atomic Safety and Licensing Board, designated by the Commission or by the Chairman of the Atomic Safety and Licensing Board Panel, will rule on the request and/or petition; and the Secretary or the designated Atomic Safety and Licensing Board will issue a notice of hearing or an appropriate order.

As required by 10 CFR 2.714, a petition for leave to intervene shall set forth with particularity the interest of the petitioner in the proceeding, and how that interest may be affected by the results of the proceeding. The petition should specifically explain the reasons why intervention should be permitted with particular reference to the following factors: (1) The nature of the petitioner's right under the Act to be made party to the proceeding; (2) the nature and extent of the petitioner's property, financial, or other interest in the proceeding; and (3) the possible effect of any order which may be entered in the proceeding on the petitioner's interest. The petition should also identify the specific aspect(s) of the subject matter of the proceeding as to which petitioner wishes to intervene. Any person who has filed a petition for leave to intervene or who has been admitted as a party may amend the petition without requesting leave of the Board up to 15 days prior to the first prehearing conference scheduled in the proceeding, but such an amended petition must satisfy the specificity requirements described above.

Not later than 15 days prior to the first prehearing conference scheduled in the

proceeding, a petitioner shall file a supplement to the petition to intervene which must include a list of the contentions which are sought to be litigated in the matter. Each contention must consist of a specific statement of the issue of law or fact to be raised or controverted. In addition, the petitioner shall provide a brief explanation of the bases of the contention and a concise statement of the alleged facts or expert opinion which support the contention and on which the petitioner intends to rely in proving the contention at the hearing. The petitioner must also provide references to those specific sources and documents of which the petitioner is aware and on which the petitioner intends to rely to establish those facts or expert opinion. Petitioner must provide sufficient information to show that a genuine dispute exists with the applicant on a material issue of law or fact. Contentions shall be limited to matters within the scope of the amendment under consideration. The contention must be one which, if proven, would entitle the petitioner to relief. A petitioner who fails to file such a supplement which satisfies these requirements with respect to at least one contention will not be permitted to participate as a party.

Those permitted to intervene become parties to the proceeding, subject to any limitations in the order granting leave to intervene, and have the opportunity to participate fully in the conduct of the hearing, including the opportunity to present evidence and cross-examine witnesses.

If a hearing is requested, the Commission will make a final determination on the issue of no significant hazards consideration. The final determination will serve to decide when the hearing is held.

If the final determination is that the amendment request involves no significant hazards consideration, the Commission may issue the amendment and make it immediately effective, notwithstanding the request for a hearing. Any hearing held would take place after issuance of the amendment.

If the final determination is that the amendment request involves a significant hazards consideration, any hearing held would take place before the issuance of any amendment.

A request for a hearing or a petition for leave to intervene must be filed with the Secretary of the Commission, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001, Attention: Rulemakings and Adjudications Staff, or may be delivered to the Commission's Public Document Room (PDR), located at One White Flint North, 11555

Rockville Pike (first floor), Rockville, Maryland, by the above date. Because of the continuing disruptions in delivery of mail to United States Government offices, it is requested that petitions for leave to intervene and requests for hearing be transmitted to the Secretary of the Commission either by means of facsimile transmission to 301-415-1101 or by e-mail to hearingdocket@nrc.gov. A copy of the petition for leave to intervene and request for hearing should also be sent to the Office of the General Counsel, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001, and because of continuing disruptions in delivery of mail to United States Government offices, it is requested that copies be transmitted either by means of facsimile transmission to 301-415-3725 or by e-mail to OGCMailCenter@nrc.gov. A copy of the request for hearing and petition for leave to intervene should also be sent to R. Alexander Glenn, Associate General Counsel (MAC-BT15A), Florida Power Corporation, P.O. Box 14042, St. Petersburg, Florida 33733-4042, attorney for the licensee.

Nontimely filings of petitions for leave to intervene, amended petitions, supplemental petitions and/or requests for hearing will not be entertained absent a determination by the Commission, the presiding officer or the presiding Atomic Safety and Licensing Board that the petition and/or request should be granted based upon a balancing of the factors specified in 10 CFR 2.714(a)(1)(i)-(v) and 2.714(d).

For further details with respect to this action, see the application for amendment dated August 14, 2002, which is available for public inspection at the Commission's PDR, located at One White Flint North, 11555 Rockville Pike (first floor), Rockville, Maryland. Publicly available records will be accessible from the Agencywide Documents Access and Management System's (ADAMS) Public Electronic Reading Room on the Internet at the NRC Web site, <http://www.nrc.gov/reading-rm/adams.html>. Persons who do not have access to ADAMS or who encounter problems in accessing the documents located in ADAMS, should contact the NRC PDR Reference staff by telephone at 1-800-397-4209, 301-415-4737, or by e-mail to pdr@nrc.gov.

Dated at Rockville, Maryland, this 30th day of August, 2002.

(i) The nature of the petitioner's right under the Act to be made a party to the proceeding.

(ii) The nature and extent of the petitioner's property, financial, or other interest in the proceeding.

(iii) The possible effect of any order that may be entered in the proceeding on the petitioner's interest.

(2) The admissibility of a contention, refuse to admit a contention if:

(i) The contention and supporting material fail to satisfy the requirements of paragraph (b)(2) of this section; or

(ii) The contention, if proven, would be of no consequence in the proceeding because it would not entitle petitioner to relief."

For the Nuclear Regulatory Commission.
Brenda L. Mozafari,
*Senior Project Manager, Section 2, Project
 Directorate II, Division of Licensing Project
 Management, Office of Nuclear Reactor
 Regulation.*
 [FR Doc. 02-22701 Filed 9-5-02; 8:45 am]
BILLING CODE 7590-01-P

NUCLEAR REGULATORY COMMISSION

Draft Regulatory Guide; Issuance, Availability

The Nuclear Regulatory Commission has issued for public comment a proposed revision of a guide in its Regulatory Guide Series. Regulatory Guides are developed to describe and make available to the public such information as methods acceptable to the NRC staff for implementing specific parts of the NRC's regulations, techniques used by the staff in evaluating specific problems or postulated accidents, and data needed by the staff in its review of applications for permits and licenses.

The draft guide is temporarily identified by its task number, DG-1119, which should be mentioned in all correspondence concerning this draft guide. Draft Regulatory Guide DG-1119, the Proposed Revision 1 of Regulatory Guide 1.180, "Guidelines for Evaluating Electromagnetic and Radio-Frequency Interference in Safety-Related Instrumentation and Control Systems," is being developed to provide up-to-date guidance to licensees and applicants on methods acceptable to the NRC staff for complying with the NRC's regulations on design, installation, and testing practices for addressing the effects of electromagnetic and radio-frequency interference and power surges on safety-related instrumentation and control systems.

This draft guide has not received complete staff approval and does not represent an official NRC staff position.

Comments may be accompanied by relevant information or supporting data. Written comments may be submitted by mail to the Rules and Directives Branch, Office of Administration, U.S. Nuclear Regulatory Commission, Washington, DC 20555; or they may be hand-delivered to the Rules and Directives Branch, ADM, at 11555 Rockville Pike, Rockville, MD. Copies of comments received may be examined at the NRC Public Document Room, 11555 Rockville Pike, Rockville, MD. Comments will be most helpful if received by November 8, 2002.

You may also provide comments via the NRC's interactive rulemaking Web

site through the NRC home page (<http://www.nrc.gov>). This site provides the ability to upload comments as files (any format) if your Web browser supports that function. For information about the interactive rulemaking Web site, contact Ms. Carol Gallagher, (301) 415-5905; e-mail CAG@NRC.GOV. For information about Draft Regulatory Guide DG-1119, contact Ms. C.E. Antonescu at (301) 415-6792, e-mail CEA1@NRC.GOV.

Although a time limit is given for comments on these draft guides, comments and suggestions in connection with items for inclusion in guides currently being developed or improvements in all published guides are encouraged at any time.

Regulatory guides are available for inspection at the NRC's Public Document Room, 11555 Rockville Pike, Rockville, MD; the PDR's mailing address is USNRC PDR, Washington, DC 20555; telephone (301) 415-4737 or (800) 397-4205; fax (301) 415-3548; e-mail PDR@NRC.GOV. Requests for single copies of draft or final guides (which may be reproduced) or for placement on an automatic distribution list for single copies of future draft guides in specific divisions should be made in writing to the U.S. Nuclear Regulatory Commission, Washington, DC 20555, Attention: Reproduction and Distribution Services Section; or by e-mail to DISTRIBUTION@NRC.GOV; or by fax to (301) 415-2289. Telephone requests cannot be accommodated. Regulatory guides are not copyrighted, and NRC approval is not required to reproduce them. (5 U.S.C. 552(a))

Dated at Rockville, Maryland, this 22nd day of August, 2002.

For the Nuclear Regulatory Commission.
Michael E. Mayfield,
*Director, Division of Engineering Technology,
 Office of Nuclear Regulatory Research.*
 [FR Doc. 02-22702 Filed 9-5-02; 8:45 am]
BILLING CODE 7950-01-P

OVERSEAS PRIVATE INVESTMENT CORPORATION

September 5, 2002 Public Hearing

OPIC's Sunshine Act notice of its public hearing was published in the **Federal Register** (Volume 67, Number 163, Page 54504) on August 22, 2002. No requests were received to provide testimony or submit written statements for the record; therefore, OPIC's public hearing in conjunction with OPIC's September 12, 2002 Board of Directors meeting scheduled for 2 p.m. on September 5, 2002 has been cancelled.

CONTACT PERSON FOR INFORMATION:
 Information on the hearing cancellation may be obtained from Connie M. Downs at (202) 336-8438, via facsimile at (202) 218-0136, or via email at cdown@opic.gov.

Dated: May 16, 2002.

Connie M. Downs,
OPIC Corporate Secretary.
 [FR Doc. 02-22803 Filed 9-4-02; 12:42 pm]
BILLING CODE 3210-01-M

SECURITIES AND EXCHANGE COMMISSION

[Release No. 34-46434; File No. SR-Amex-2002-65]

Self-Regulatory Organizations; Notice of Filing and Immediate Effectiveness of Proposed Rule Change and Amendment No. 1 Thereto by the American Stock Exchange LLC To Amend the Account Type Codes Under Exchange Rule

August 29, 2002.

Pursuant to section 19(b)(1) of the Securities Exchange Act of 1934 ("Act"),¹ and Rule 19b-4² thereunder, notice is hereby given that on July 30, 2002, the American Stock Exchange LLC ("Amex" or "Exchange") filed with the Securities and Exchange Commission (the "Commission") the proposed rule change as described in Items I, II, and III below, which Items have been prepared by the Exchange. The Exchange filed Amendment No. 1 with the Commission on August 21, 2002.³ The Commission is publishing this notice to solicit comments on the proposed rule change, as amended, from interested persons.

I. Self-Regulatory Organization's Statement of the Terms of Substance of the Proposed Rule Change

The Exchange proposes to amend the account type codes under Exchange Rule . The text of the proposed rule change appears below. New text is in italics. Deleted text is in brackets.

Comparison of Exchange Transactions Rule 719.

(a) through (d) No change.

¹ 15 U.S.C. 78s(b)(1).

² 17 CFR 240.19b-4.

³ On August 21, 2002, the Exchange filed a Form 19b-4, which replaced the original filing in its entirety ("Amendment No. 1"). In Amendment No. 1, the Exchange added a description of the proposed amendment to account type code "G" to the purpose section calculating the 60-day abrogation date, the Commission considers the 60-day period to have commenced on August 21, 2002, the date the Exchange filed Amendment No. 1.